




802.11ax40_5755MHz_RU_Full_Chain 0




802.11ax40_5795MHz_RU_Full_Chain 0




802.11ax40_5755MHz_RU_Full_Chain 1




802.11ax40_5795MHz_RU_Full_Chain 1



802.11ax80_5775MHz_RU_Full_Chain 0



802.11ax80_5775MHz_RU_Full_Chain 1



Maximum Conducted Output Power**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5180	15.3	24	Pass
		5200	15.89	24	Pass
		5240	16.57	24	Pass
	Chain 1	5180	16.06	24	Pass
		5200	16.21	24	Pass
		5240	16.67	24	Pass
802.11ac20	Chain 0	5180	15.3	24	Pass
		5200	15.91	24	Pass
		5240	16.7	24	Pass
	Chain 1	5180	15.77	24	Pass
		5200	16.3	24	Pass
		5240	16.56	24	Pass
	Chain 0+Chain 1	5180	18.55	24	Pass
		5200	19.12	24	Pass
		5240	19.64	24	Pass
802.11ac40	Chain 0	5190	13.18	24	Pass
		5230	12.78	24	Pass
	Chain 1	5190	12.53	24	Pass
		5230	13.32	24	Pass
	Chain 0+Chain 1	5190	15.88	24	Pass
		5230	16.07	24	Pass
802.11ac80	Chain 0	5210	12.8	24	Pass
	Chain 1	5210	12.74	24	Pass
	Chain 0+Chain 1	5210	15.78	24	Pass
802.11ax20_RU_Full	Chain 0	5180	15.31	24	Pass
		5200	15.92	24	Pass
		5240	16.77	24	Pass
	Chain 1	5180	15.87	24	Pass
		5200	16.14	24	Pass
		5240	16.57	24	Pass
	Chain 0+Chain 1	5180	18.61	24	Pass
		5200	19.04	24	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax20_RU_Full	Chain 0+Chain 1	5240	19.68	24	Pass
802.11ax40_RU_Full	Chain 0	5190	11.01	24	Pass
		5230	10.64	24	Pass
	Chain 1	5190	10.21	24	Pass
		5230	11.28	24	Pass
	Chain 0+Chain 1	5190	13.64	24	Pass
		5230	13.98	24	Pass
802.11ax80_RU_Full	Chain 0	5210	13.58	24	Pass
	Chain 1	5210	14.2	24	Pass
	Chain 0+Chain 1	5210	16.91	24	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	18.19	30	Pass
		5785	18.1	30	Pass
		5825	18.28	30	Pass
	Chain 1	5745	18.29	30	Pass
		5785	18.27	30	Pass
		5825	18.46	30	Pass
802.11ac20	Chain 0	5745	18.17	30	Pass
		5785	18.33	30	Pass
		5825	18.46	30	Pass
	Chain 1	5745	18.14	30	Pass
		5785	18.28	30	Pass
		5825	18.08	30	Pass
	Chain 0+Chain 1	5745	21.17	30	Pass
		5785	21.32	30	Pass
		5825	21.28	30	Pass
802.11ac40	Chain 0	5755	10.56	30	Pass
		5795	10.87	30	Pass
	Chain 1	5755	12.0	30	Pass
		5795	11.52	30	Pass
	Chain 0+Chain 1	5755	14.35	30	Pass
		5795	14.22	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ac80	Chain 0	5775	12.77	30	Pass
	Chain 1	5775	13.83	30	Pass
	Chain 0+Chain 1	5775	16.32	30	Pass
802.11ax20_RU_Full	Chain 0	5745	18.5	30	Pass
		5785	18.35	30	Pass
		5825	18.6	30	Pass
	Chain 1	5745	18.29	30	Pass
		5785	18.4	30	Pass
		5825	18.22	30	Pass
	Chain 0+Chain 1	5745	21.41	30	Pass
		5785	21.39	30	Pass
		5825	21.42	30	Pass
802.11ax40_RU_Full	Chain 0	5755	10.45	30	Pass
		5795	10.89	30	Pass
	Chain 1	5755	12.12	30	Pass
		5795	12.07	30	Pass
	Chain 0+Chain 1	5755	14.38	30	Pass
		5795	14.53	30	Pass
802.11ax80_RU_Full	Chain 0	5775	10.56	30	Pass
	Chain 1	5775	12.25	30	Pass
	Chain 0+Chain 1	5775	14.5	30	Pass

Note: The maximum antenna gain is 1.86 dBi.

The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for (802.11ac20/ac40/ac80/ax20/ax40/ax80) power measurements on IEEE 802.11 devices:

Array Gain = 0dB (i.e., no array gain) For $N_{ANT} \leq 4$;
So: Directional gain < 6dBi, the limit is not reduced.

Power Spectral Density**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5180	3.63	0.25	3.88	11	Pass
		5200	4.22	0.25	4.47	11	Pass
		5240	5.06	0.25	5.31	11	Pass
	Chain 1	5180	4.24	0.25	4.49	11	Pass
		5200	4.65	0.25	4.9	11	Pass
		5240	5.20	0.25	5.45	11	Pass
802.11ac20	Chain 0	5180	3.43	0.26	3.69	11	Pass
		5200	4.10	0.26	4.36	11	Pass
		5240	4.58	0.26	4.84	11	Pass
	Chain 1	5180	3.98	0.26	4.24	11	Pass
		5200	4.49	0.26	4.75	11	Pass
		5240	4.88	0.26	5.14	11	Pass
	Chain 0+Chain 1	5180	/	/	6.98	11	Pass
		5200	/	/	7.57	11	Pass
		5240	/	/	8.00	11	Pass
802.11ac40	Chain 0	5190	-2.63	1.46	-1.17	11	Pass
		5230	-2.92	1.46	-1.46	11	Pass
	Chain 1	5190	-3.08	1.46	-1.62	11	Pass
		5230	-2.18	1.46	-0.72	11	Pass
	Chain 0+Chain 1	5190	/	/	1.62	11	Pass
		5230	/	/	1.94	11	Pass
802.11ac80	Chain 0	5210	-6.61	2.55	-4.06	11	Pass
	Chain 1	5210	-6.22	2.55	-3.67	11	Pass
	Chain 0+Chain 1	5210	/	/	-0.85	11	Pass
802.11ax20_RU_Full	Chain 0	5180	3.35	0.86	4.21	11	Pass
		5200	3.79	0.86	4.65	11	Pass
		5240	4.68	0.86	5.54	11	Pass
	Chain 1	5180	3.75	0.86	4.61	11	Pass
		5200	4.02	0.86	4.88	11	Pass
		5240	4.71	0.86	5.57	11	Pass
	Chain 0+Chain 1	5180	/	/	7.42	11	Pass
		5200	/	/	7.78	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax20_RU_Full	Chain 0+Chain 1	5240	/	/	8.57	11	Pass
802.11ax40_RU_Full	Chain 0	5190	-4.66	1.50	-3.16	11	Pass
		5230	-5.28	1.50	-3.78	11	Pass
	Chain 1	5190	-5.04	1.50	-3.54	11	Pass
		5230	-4.67	1.50	-3.17	11	Pass
	Chain 0+Chain 1	5190	/	/	-0.34	11	Pass
		5230	/	/	-0.45	11	Pass
802.11ax80_RU_Full	Chain 0	5210	-5.51	2.46	-3.05	11	Pass
	Chain 1	5210	-5.64	2.46	-3.18	11	Pass
	Chain 0+Chain 1	5210	/	/	-0.10	11	Pass

Result = Reading + Duty Cycle Factor

Note: The maximum antenna gain is 1.86dBi.

The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for (802.11ac20/ac40/ac80/ax20/ax40/ax80)power spectral density (PSD) measurements on the devices:

Array Gain = 10 log(N_{ANT}/N_{SS})dB

So:

Directional gain= G_{ANT} + Array Gain =1.86+10*log(2/1)= 4.87dBi<6dBi

Directional gain<6dBi, the limit is not reduced.

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500k Hz)	Duty Cycle Factor(dB)	Result (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
802.11a	Chain 0	5745	3.40	0.25	3.65	30	Pass
		5785	3.42	0.25	3.67	30	Pass
		5825	3.83	0.25	4.08	30	Pass
	Chain 1	5745	3.79	0.25	4.04	30	Pass
		5785	3.98	0.25	4.23	30	Pass
		5825	3.66	0.25	3.91	30	Pass
802.11ac20	Chain 0	5745	3.38	0.26	3.64	30	Pass
		5785	3.63	0.26	3.89	30	Pass
		5825	3.32	0.26	3.58	30	Pass
	Chain 1	5745	3.30	0.26	3.56	30	Pass
		5785	3.30	0.26	3.56	30	Pass
		5825	3.45	0.26	3.71	30	Pass
	Chain 0+Chain 1	5745	/	/	6.61	30	Pass
		5785	/	/	6.74	30	Pass
		5825	/	/	6.66	30	Pass
802.11ac40	Chain 0	5755	-8.17	1.46	-6.71	30	Pass
		5795	-7.56	1.46	-6.1	30	Pass
	Chain 1	5755	-6.20	1.46	-4.74	30	Pass
		5795	-6.70	1.46	-5.24	30	Pass
	Chain 0+Chain 1	5755	/	/	-2.60	30	Pass
		5795	/	/	-2.64	30	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500k Hz)	Duty Cycle Factor(dB)	Result (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
802.11ac80	Chain 0	5775	-9.10	2.55	-6.55	30	Pass
	Chain 1	5775	-7.96	2.55	-5.41	30	Pass
	Chain 0+Chain 1	5775	/	/	-2.93	30	Pass
802.11ax20_RU_Full	Chain 0	5745	3.44	0.86	4.3	30	Pass
		5785	3.40	0.86	4.26	30	Pass
		5825	3.66	0.86	4.52	30	Pass
	Chain 1	5745	3.23	0.86	4.09	30	Pass
		5785	3.41	0.86	4.27	30	Pass
		5825	3.46	0.86	4.32	30	Pass
	Chain 0+Chain 1	5745	/	/	7.21	30	Pass
		5785	/	/	7.28	30	Pass
		5825	/	/	7.43	30	Pass
802.11ax40_RU_Full	Chain 0	5755	-7.82	1.50	-6.32	30	Pass
		5795	-7.70	1.50	-6.2	30	Pass
	Chain 1	5755	-6.39	1.50	-4.89	30	Pass
		5795	-6.78	1.50	-5.28	30	Pass
	Chain 0+Chain 1	5755	/	/	-2.54	30	Pass
		5795	/	/	-2.71	30	Pass
802.11ax80_RU_Full	Chain 0	5775	-12.58	2.46	-10.12	30	Pass
	Chain 1	5775	-10.13	2.46	-7.67	30	Pass
	Chain 0+Chain 1	5775	/	/	-5.71	30	Pass

Result = Reading + Duty Cycle Factor

Note: The maximum antenna gain is 1.41 dBi.

The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for (802.11ac20/ac40/ac80/ax20/ax40/ax80) power spectral density (PSD) measurements on the devices

$$\text{Array Gain} = 10 \log(N_{\text{ANT}}/N_{\text{SS}})\text{dB}$$


So:

$$\text{Directional gain} = G_{\text{ANT}} + \text{Array Gain} = 1.41 + 10 \cdot \log(2/1) = 4.42\text{dBi} < 6\text{dBi}$$

Directional gain < 6dBi, the limit is not reduced.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:38:18

802.11a_5200MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:40:08

802.11a_5240MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:41:53

802.11a_5180MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:07:14

802.11a_5200MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:08:17

802.11a_5240MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:09:13


802.11ac20_5180MHz_Chain 0




802.11ac20_5200MHz_Chain 0




802.11ac20_5240MHz_Chain 0




802.11ac20_5180MHz_Chain 1




802.11ac20_5200MHz_Chain 1



802.11ac20_5240MHz_Chain 1




802.11ac40_5190MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 16:58:50

802.11ac40_5230MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 16:59:59

802.11ac40_5190MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:03:11

802.11ac40_5230MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:04:01

802.11ac80_5210MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:09:34

802.11ac80_5210MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:12:01


802.11ax20_5180MHz_RU_Full_Chain 0




802.11ax20_5200MHz_RU_Full_Chain 0




802.11ax20_5240MHz_RU_Full_Chain 0




802.11ax20_5180MHz_RU_Full_Chain 1




802.11ax20_5200MHz_RU_Full_Chain 1



802.11ax20_5240MHz_RU_Full_Chain 1




802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:20:42

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:21:31

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:25:34

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:26:30

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:04:07


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:47:17


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:43:39

802.11a_5785MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:44:53

802.11a_5825MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:47:32

802.11a_5745MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:10:45

802.11a_5785MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:12:35

802.11a_5825MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:14:23


802.11ac20_5745MHz_Chain 0




802.11ac20_5785MHz_Chain 0




802.11ac20_5825MHz_Chain 0




802.11ac20_5745MHz_Chain 1




802.11ac20_5785MHz_Chain 1



802.11ac20_5825MHz_Chain 1




802.11ac40_5755MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:00:44

802.11ac40_5795MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:01:26

802.11ac40_5755MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:05:39

802.11ac40_5795MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:06:25

802.11ac80_5775MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:10:32

802.11ac80_5775MHz_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:16:26

802.11ax20_5745MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 13:37:34

802.11ax20_5785MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 13:39:46

802.11ax20_5825MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 13:40:36

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:39:43

802.11ax20_5785MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:40:54

802.11ax20_5825MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 14:42:05

802.11ax40_5755MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:22:16

802.11ax40_5795MHz_RU_Full_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:23:55

802.11ax40_5755MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:27:39

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:28:23

802.11ax80_5775MHz_RU_Full_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:30:43

802.11ax80_5775MHz_RU_Full_Chain 1



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:32:29

Duty Cycle**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5200	1.347	1.426	94.46	0.25	742	1
802.11ac20	Chain 0	5200	1.266	1.345	94.13	0.26	790	1
802.11ac40	Chain 0	5190	0.635	0.889	71.43	1.46	1575	2
802.11ac80	Chain 0	5210	0.316	0.569	55.54	2.55	3165	5
802.11ax20_RU_FULL	Chain 0	5200	1.153	1.405	82.06	0.86	867	1
802.11ax40_RU_Full	Chain 0	5190	0.615	0.869	70.77	1.50	1626	2
802.11ax80_RU_FULL	Chain 0	5210	0.332	0.585	56.75	2.46	3012	5


5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5785	1.359	1.438	94.51	0.25	736	1
802.11ac20	Chain 0	5785	1.275	1.354	94.17	0.26	784	1
802.11ac40	Chain 0	5755	0.635	0.889	71.43	1.46	1575	2
802.11ac80	Chain 0	5775	0.315	0.569	55.36	2.57	3175	5
802.11ax20_RU_FULL	Chain 0	5785	1.162	1.416	82.06	0.86	861	1
802.11ax40_RU_Full	Chain 0	5755	0.615	0.869	70.77	1.50	1626	2
802.11ax80_RU_Full	Chain 0	5775	0.331	0.585	56.58	2.47	3021	5

Duty Cycle = Ton/(Ton+Toff)*100%


5150-5250MHz

802.11a_5200MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 18.JAN.2026 16:29:42

802.11ac20_5200MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 18.JAN.2026 16:29:10

802.11ac40_5190MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 16:57:18

802.11ac80_5210MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:08:55

802.11ax20_5200MHz_RU_FULL_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:34:54


802.11ax40_5190MHz_RU_Full_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:18:45


5725-5850MHz

802.11ax80_5210MHz_RU_FULL_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:36:35

802.11a_5785MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 17.MAR.2026 15:07:10

802.11ac20_5785MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 17.MAR.2026 15:07:36

802.11ac40_5755MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 16:57:37

802.11ac80_5775MHz_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:09:56

802.11ax20_5785MHz_RU_FULL_Chain 0




ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 14.NOV.2025 11:35:10

802.11ax40_5755MHz_RU_Full_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:19:06

802.11ax80_5775MHz_RU_Full_Chain 0



ProjectNo.:2504Z84276E-RF Tester:Cayde Hou
Date: 11.FEB.2026 17:30:05

EXHIBIT A-EUT PHOTOGRAPHS

Please refer to the Attachment No.1 2504Z84276E-RF EUT External Photos and Attachment No.2 2504Z84276E-RF EUT Internal Photos.

EXHIBIT B-TEST SETUP PHOTOGRAPHS

Please refer to the Attachment No.3 2504Z84276E-RF Test Photos.

******* END OF REPORT *******