8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)

8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS 30 MHz ~ 3 GHz



8-DPSK Hopping Mode, SPURIOUS 3GHz ~ 25 GHz



Right Ear

GFSK LOW CHANNEL, CARRIER LEVEL

GFSK LOW CHANNEL, BAND EDGE

GFSK LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK LOW CHANNEL, SPURIOUS 3 GHz ~ 25 GHz



GFSK MIDDLE CHANNEL, CARRIER LEVEL

GFSK MIDDLE CHANNEL, SPURIOUS
30 MHz ~ 3 GHz



GFSK MIDDLE CHANNEL, SPURIOUS
3 GHz ~ 25 GHz



GFSK HIGH CHANNEL, CARRIER LEVEL

GFSK HIGH CHANNEL, BAND EDGE

GFSK HIGH CHANNEL, SPURIOUS
30 MHz ~ 3 GHz



GFSK HIGH CHANNEL, SPURIOUS
3 GHz ~ 25 GHz



8-DPSK LOW CHANNEL, CARRIER LEVEL

8-DPSK LOW CHANNEL, BAND EDGE

8-DPSK LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



8-DPSK LOW CHANNEL, SPURIOUS 3 GHz ~ 25 GHz



8-DPSK MIDDLE CHANNEL, CARRIER LEVEL

8-DPSK MIDDLE CHANNEL, SPURIOUS
30 MHz ~ 3 GHz



8-DPSK MIDDLE CHANNEL, SPURIOUS
3 GHz ~ 25 GHz



8-DPSK HIGH CHANNEL, CARRIER LEVEL

8-DPSK HIGH CHANNEL, BAND EDGE

8-DPSK HIGH CHANNEL, SPURIOUS
30 MHz ~ 3 GHz



8-DPSK HIGH CHANNEL, SPURIOUS
3 GHz ~ 25 GHz



GFSK HOPPING, CARRIER LEVEL



GFSK HOPPING BAND EDGE (LOW)

GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz



GFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)

8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS 30 MHz ~ 3 GHz



8-DPSK Hopping Mode, SPURIOUS 3GHz ~ 25 GHz



A.7 Conducted Emissions

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Ear

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.220	41.38	9.83	62.82	21.44	Peak	L	Pass
1**	0.220	25.86	9.83	52.82	26.96	AV	L	Pass
2	0.356	36.38	10.79	58.82	22.44	Peak	L	Pass
2**	0.356	25.60	10.79	48.82	23.22	AV	L	Pass
3	0.646	35.92	10.26	56.00	20.08	Peak	L	Pass
3**	0.646	24.25	10.26	46.00	21.75	AV	L	Pass
4	1.856	36.01	10.24	56.00	19.99	Peak	L	Pass
4**	1.856	25.09	10.24	46.00	20.91	AV	L	Pass
5	2.406	35.89	10.34	56.00	20.11	Peak	L	Pass
5**	2.406	24.05	10.34	46.00	21.95	AV	L	Pass
6	5.666	35.83	10.32	60.00	24.17	Peak	L	Pass
6**	5.666	24.58	10.32	50.00	25.42	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.200	36.63	9.84	63.61	26.98	Peak	N	Pass
1**	0.200	25.39	9.84	53.61	28.22	AV	N	Pass
2	0.666	36.21	10.41	56.00	19.79	Peak	N	Pass
2**	0.666	24.70	10.41	46.00	21.30	AV	N	Pass
3	1.070	36.21	10.15	56.00	19.79	Peak	N	Pass
3**	1.070	24.42	10.15	46.00	21.58	AV	N	Pass
4	1.736	35.67	10.21	56.00	20.33	Peak	N	Pass
4**	1.736	24.22	10.21	46.00	21.78	AV	N	Pass
5	2.956	36.06	10.26	56.00	19.94	Peak	N	Pass
5**	2.956	24.89	10.26	46.00	21.11	AV	N	Pass
6	8.880	37.17	10.34	60.00	22.83	Peak	N	Pass
6**	8.880	25.85	10.34	50.00	24.15	AV	N	Pass

Right Ear

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.202	36.91	9.84	63.53	26.62	Peak	L	Pass
1**	0.202	25.65	9.84	53.53	27.88	AV	L	Pass
2	0.354	35.78	10.80	58.87	23.09	Peak	L	Pass
2**	0.354	24.76	10.80	48.87	24.11	AV	L	Pass
3	0.684	35.45	10.58	56.00	20.55	Peak	L	Pass
3**	0.684	24.57	10.58	46.00	21.43	AV	L	Pass
4	1.262	35.29	10.52	56.00	20.71	Peak	L	Pass
4**	1.262	24.80	10.52	46.00	21.20	AV	L	Pass
5	2.006	36.44	10.31	56.00	19.56	Peak	L	Pass
5**	2.006	24.86	10.31	46.00	21.14	AV	L	Pass
6	4.250	36.14	9.96	56.00	19.86	Peak	L	Pass
6**	4.250	23.83	9.96	46.00	22.17	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.154	46.73	9.86	65.78	19.05	Peak	N	Pass
1**	0.154	26.60	9.86	55.78	29.18	AV	N	Pass
2	0.268	38.01	9.82	61.18	23.17	Peak	N	Pass
2**	0.268	25.00	9.82	51.18	26.18	AV	N	Pass
3	0.616	36.17	10.23	56.00	19.83	Peak	N	Pass
3**	0.616	25.19	10.23	46.00	20.81	AV	N	Pass
4	1.298	35.83	10.57	56.00	20.17	Peak	N	Pass
4**	1.298	24.87	10.57	46.00	21.13	AV	N	Pass
5	1.892	35.58	10.73	56.00	20.42	Peak	N	Pass
5**	1.892	24.67	10.73	46.00	21.33	AV	N	Pass
6	3.414	35.80	10.30	56.00	20.20	Peak	N	Pass
6**	3.414	24.01	10.30	46.00	21.99	AV	N	Pass

A.8 Radiated Spurious Emission

Note [1]: The symbol of "--" in the table which means not application.

Note [2]: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note [3]: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note [4]: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Ear

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.536	21.56	-25.70	40.0	18.44	Peak	355.00	100	Horizontal	Pass
2	105.757	28.15	-28.04	43.5	15.35	Peak	158.00	200	Horizontal	Pass
3	325.171	29.57	-21.24	46.0	16.43	Peak	238.00	100	Horizontal	Pass
4	342.146	29.80	-21.15	46.0	16.20	Peak	229.00	100	Horizontal	Pass
5	497.782	29.65	-15.84	46.0	16.35	Peak	57.00	200	Horizontal	Pass
6	930.887	33.64	-7.89	46.0	12.36	Peak	117.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	44.599	24.45	-24.92	40.0	15.55	Peak	267.00	100	Vertical	Pass
2	51.922	24.37	-24.86	40.0	15.63	Peak	193.00	100	Vertical	Pass
3	106.824	29.87	-27.85	43.5	13.63	Peak	284.00	100	Vertical	Pass
4	332.106	28.52	-21.08	46.0	17.48	Peak	0.00	200	Vertical	Pass
5	479.546	32.04	-16.34	46.0	13.96	Peak	37.00	100	Vertical	Pass
6	621.554	33.31	-12.66	46.0	12.69	Peak	360.00	100	Vertical	Pass

Test Data and Plots

Right Ear

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.876	22.07	-25.64	40.0	17.93	Peak	321.00	100	Horizontal	Pass
2	106.436	27.29	-27.90	43.5	16.21	Peak	353.00	200	Horizontal	Pass
3	332.494	29.10	-21.06	46.0	16.90	Peak	245.00	100	Horizontal	Pass
4	357.181	29.16	-20.29	46.0	16.84	Peak	245.00	100	Horizontal	Pass
5	480.565	28.83	-16.30	46.0	17.17	Peak	196.00	200	Horizontal	Pass
6	839.319	31.64	-8.88	46.0	14.36	Peak	328.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.825	25.91	-24.85	40.0	14.09	Peak	360.00	100	Vertical	Pass
2	63.222	23.70	-26.03	40.0	16.30	Peak	303.00	100	Vertical	Pass
3	105.709	31.18	-28.06	43.5	12.32	Peak	328.00	100	Vertical	Pass
4	331.864	29.13	-21.10	46.0	16.87	Peak	178.00	200	Vertical	Pass
5	461.359	30.48	-16.96	46.0	15.52	Peak	46.00	100	Vertical	Pass
6	603.416	31.53	-12.99	46.0	14.47	Peak	0.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Ear

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.600	43.62	74.0	30.38	Peak	76.00	100	Horizontal	Pass
1**	1000.600	32.27	54.0	21.73	AV	76.00	100	Horizontal	Pass
2	2401.800	101.24	74.0	-27.24	Peak	264.00	200	Horizontal	N/A
2**	2401.800	100.80	54.0	-46.80	AV	264.00	200	Horizontal	N/A
3	4816.400	48.90	74.0	25.10	Peak	171.00	200	Horizontal	Pass
3**	4816.400	39.39	54.0	14.61	AV	171.00	200	Horizontal	Pass
4	6649.800	51.68	74.0	22.32	Peak	220.00	200	Horizontal	Pass
4**	6649.800	42.19	54.0	11.81	AV	220.00	200	Horizontal	Pass
5	7206.138	45.13	74.0	28.87	Peak	173.00	150	Horizontal	Pass
5**	7206.138	40.36	54.0	13.64	AV	173.00	150	Horizontal	Pass
6	15560.588	51.14	74.0	22.86	Peak	16.00	200	Horizontal	Pass
6**	15560.588	40.92	54.0	13.08	AV	16.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.100	46.72	74.0	27.28	Peak	6.00	100	Vertical	Pass
1**	1000.100	33.91	54.0	20.09	AV	6.00	100	Vertical	Pass
2	2402.200	92.19	74.0	-18.19	Peak	119.00	150	Vertical	N/A
2**	2402.200	91.74	54.0	-37.74	AV	119.00	150	Vertical	N/A
3	4946.800	48.93	74.0	25.07	Peak	8.00	150	Vertical	Pass
3**	4946.800	40.40	54.0	13.60	AV	8.00	150	Vertical	Pass
4	7206.425	44.79	74.0	29.21	Peak	175.00	150	Vertical	Pass
4**	7206.425	39.73	54.0	14.27	AV	175.00	150	Vertical	Pass
5	12608.550	48.44	74.0	25.56	Peak	208.00	100	Vertical	Pass
5**	12608.550	38.66	54.0	15.34	AV	208.00	100	Vertical	Pass
6	17438.775	51.57	74.0	22.43	Peak	111.00	100	Vertical	Pass
6**	17438.775	42.29	54.0	11.71	AV	111.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	43.37	74.0	30.63	Peak	139.00	300	Horizontal	Pass
1**	1330.800	33.49	54.0	20.51	AV	139.00	300	Horizontal	Pass
2	2440.800	98.15	74.0	-24.15	Peak	258.00	200	Horizontal	N/A
2**	2440.800	96.45	54.0	-42.45	AV	258.00	200	Horizontal	N/A
3	4950.800	48.69	74.0	25.31	Peak	107.00	200	Horizontal	Pass
3**	4950.800	40.23	54.0	13.77	AV	107.00	200	Horizontal	Pass
4	7323.438	45.49	74.0	28.51	Peak	175.00	150	Horizontal	Pass
4**	7323.438	41.61	54.0	12.39	AV	175.00	150	Horizontal	Pass
5	12669.500	48.17	74.0	25.83	Peak	141.00	300	Horizontal	Pass
5**	12669.500	37.52	54.0	16.48	AV	141.00	300	Horizontal	Pass
6	17390.475	52.09	74.0	21.91	Peak	0.00	100	Horizontal	Pass
6**	17390.475	42.77	54.0	11.23	AV	0.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.200	48.77	74.0	25.23	Peak	352.00	200	Vertical	Pass
1**	1164.200	39.57	54.0	14.43	AV	352.00	200	Vertical	Pass
2	2441.000	88.97	74.0	-14.97	Peak	5.00	100	Vertical	N/A
2**	2441.000	88.69	54.0	-34.69	AV	5.00	100	Vertical	N/A
3	4753.000	48.83	74.0	25.17	Peak	20.00	100	Vertical	Pass
3**	4753.000	39.46	54.0	14.54	AV	20.00	100	Vertical	Pass
4	6492.200	51.63	74.0	22.37	Peak	262.00	200	Vertical	Pass
4**	6492.200	42.10	54.0	11.90	AV	262.00	200	Vertical	Pass
5	12216.112	48.03	74.0	25.97	Peak	34.00	200	Vertical	Pass
5**	12216.112	37.84	54.0	16.16	AV	34.00	200	Vertical	Pass
6	15791.849	51.48	74.0	22.52	Peak	75.00	200	Vertical	Pass
6**	15791.849	41.66	54.0	12.34	AV	75.00	200	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.900	43.88	74.0	30.12	Peak	141.00	400	Horizontal	Pass
1**	1493.900	32.46	54.0	21.54	AV	141.00	400	Horizontal	Pass
2	2479.900	97.54	74.0	-23.54	Peak	31.00	100	Horizontal	N/A
2**	2479.900	96.82	54.0	-42.82	AV	31.00	100	Horizontal	N/A
3	4840.000	49.08	74.0	24.92	Peak	68.00	100	Horizontal	Pass
3**	4840.000	39.59	54.0	14.41	AV	68.00	100	Horizontal	Pass
4	7440.450	45.30	74.0	28.70	Peak	183.00	150	Horizontal	Pass
4**	7440.450	41.78	54.0	12.22	AV	183.00	150	Horizontal	Pass
5	12051.662	48.44	74.0	25.56	Peak	360.00	300	Horizontal	Pass
5**	12051.662	38.41	54.0	15.59	AV	360.00	300	Horizontal	Pass
6	17383.651	52.47	74.0	21.53	Peak	324.00	400	Horizontal	Pass
6**	17383.651	42.99	54.0	11.01	AV	324.00	400	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.300	47.28	74.0	26.72	Peak	199.00	400	Vertical	Pass
1**	1164.300	33.92	54.0	20.08	AV	199.00	400	Vertical	Pass
2	2480.200	88.90	74.0	-14.90	Peak	7.00	150	Vertical	N/A
2**	2480.200	88.31	54.0	-34.31	AV	7.00	150	Vertical	N/A
3	4991.800	49.49	74.0	24.51	Peak	179.00	150	Vertical	Pass
3**	4991.800	39.90	54.0	14.10	AV	179.00	150	Vertical	Pass
4	7440.450	43.54	74.0	30.46	Peak	4.00	150	Vertical	Pass
4**	7440.450	40.32	54.0	13.68	AV	4.00	150	Vertical	Pass
5	12474.000	48.15	74.0	25.85	Peak	109.00	400	Vertical	Pass
5**	12474.000	38.97	54.0	15.03	AV	109.00	400	Vertical	Pass
6	16407.676	51.57	74.0	22.43	Peak	360.00	300	Vertical	Pass
6**	16407.676	42.24	54.0	11.76	AV	360.00	300	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	43.27	74.0	30.73	Peak	133.00	300	Horizontal	Pass
1**	1332.600	33.09	54.0	20.91	AV	133.00	300	Horizontal	Pass
2	2401.800	100.15	74.0	-26.15	Peak	258.00	150	Horizontal	N/A
2**	2401.800	96.84	54.0	-42.84	AV	258.00	150	Horizontal	N/A
3	4964.400	49.19	74.0	24.81	Peak	310.00	150	Horizontal	Pass
3**	4964.400	39.92	54.0	14.08	AV	310.00	150	Horizontal	Pass
4	6660.800	51.32	74.0	22.68	Peak	220.00	300	Horizontal	Pass
4**	6660.800	41.82	54.0	12.18	AV	220.00	300	Horizontal	Pass
5	12602.512	48.85	74.0	25.15	Peak	258.00	400	Horizontal	Pass
5**	12602.512	38.65	54.0	15.35	AV	258.00	400	Horizontal	Pass
6	17371.050	52.76	74.0	21.24	Peak	93.00	400	Horizontal	Pass
6**	17371.050	42.98	54.0	11.02	AV	93.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.600	46.38	74.0	27.62	Peak	27.00	200	Vertical	Pass
1**	1161.600	33.20	54.0	20.80	AV	27.00	200	Vertical	Pass
2	2402.200	91.09	74.0	-17.09	Peak	117.00	200	Vertical	N/A
2**	2402.200	88.05	54.0	-34.05	AV	117.00	200	Vertical	N/A
3	4973.800	48.97	74.0	25.03	Peak	30.00	100	Vertical	Pass
3**	4973.800	39.46	54.0	14.54	AV	30.00	100	Vertical	Pass
4	6930.400	50.93	74.0	23.07	Peak	188.00	200	Vertical	Pass
4**	6930.400	42.46	54.0	11.54	AV	188.00	200	Vertical	Pass
5	12642.187	48.00	74.0	26.00	Peak	192.00	200	Vertical	Pass
5**	12642.187	38.03	54.0	15.97	AV	192.00	200	Vertical	Pass
6	16592.213	52.35	74.0	21.65	Peak	17.00	100	Vertical	Pass
6**	16592.213	42.04	54.0	11.96	AV	17.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	42.21	74.0	31.79	Peak	131.00	300	Horizontal	Pass
1**	1327.400	35.33	54.0	18.67	AV	131.00	300	Horizontal	Pass
2	2440.900	97.14	74.0	-23.14	Peak	263.00	200	Horizontal	N/A
2**	2440.900	93.62	54.0	-39.62	AV	263.00	200	Horizontal	N/A
3	4952.200	49.20	74.0	24.80	Peak	318.00	150	Horizontal	Pass
3**	4952.200	39.79	54.0	14.21	AV	318.00	150	Horizontal	Pass
4	7323.150	44.18	74.0	29.82	Peak	175.00	150	Horizontal	Pass
4**	7323.150	40.23	54.0	13.77	AV	175.00	150	Horizontal	Pass
5	12467.963	48.73	74.0	25.27	Peak	73.00	300	Horizontal	Pass
5**	12467.963	39.49	54.0	14.51	AV	73.00	300	Horizontal	Pass
6	15790.276	53.03	74.0	20.97	Peak	16.00	300	Horizontal	Pass
6**	15790.276	44.00	54.0	10.00	AV	16.00	300	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.200	47.92	74.0	26.08	Peak	360.00	200	Vertical	Pass
1**	1164.200	38.56	54.0	15.44	AV	360.00	200	Vertical	Pass
2	2441.100	88.41	74.0	-14.41	Peak	359.00	200	Vertical	N/A
2**	2441.100	88.08	54.0	-34.08	AV	359.00	200	Vertical	N/A
3	4996.000	50.12	74.0	23.88	Peak	333.00	100	Vertical	Pass
3**	4996.000	40.17	54.0	13.83	AV	333.00	100	Vertical	Pass
4	6956.000	51.84	74.0	22.16	Peak	300.00	200	Vertical	Pass
4**	6956.000	41.55	54.0	12.45	AV	300.00	200	Vertical	Pass
5	12483.775	48.24	74.0	25.76	Peak	190.00	100	Vertical	Pass
5**	12483.775	38.87	54.0	15.13	AV	190.00	100	Vertical	Pass
6	15803.924	51.65	74.0	22.35	Peak	36.00	400	Vertical	Pass
6**	15803.924	43.87	54.0	10.13	AV	36.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	42.84	74.0	31.16	Peak	164.00	100	Horizontal	Pass
1**	1328.500	32.54	54.0	21.46	AV	164.00	100	Horizontal	Pass
2	2480.200	97.03	74.0	-23.03	Peak	258.00	100	Horizontal	N/A
2**	2480.200	96.83	54.0	-42.83	AV	258.00	100	Horizontal	N/A
3	4956.600	49.04	74.0	24.96	Peak	186.00	100	Horizontal	Pass
3**	4956.600	40.21	54.0	13.79	AV	186.00	100	Horizontal	Pass
4	6933.400	51.46	74.0	22.54	Peak	141.00	100	Horizontal	Pass
4**	6933.400	42.57	54.0	11.43	AV	141.00	100	Horizontal	Pass
5	12458.474	48.53	74.0	25.47	Peak	123.00	400	Horizontal	Pass
5**	12458.474	39.15	54.0	14.85	AV	123.00	400	Horizontal	Pass
6	16175.362	52.22	74.0	21.78	Peak	326.00	200	Horizontal	Pass
6**	16175.362	42.71	54.0	11.29	AV	326.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	48.73	74.0	25.27	Peak	18.00	400	Vertical	Pass
1**	1165.200	38.82	54.0	15.18	AV	18.00	400	Vertical	Pass
2	2480.200	88.41	74.0	-14.41	Peak	360.00	100	Vertical	N/A
2**	2480.200	88.07	54.0	-34.07	AV	360.00	100	Vertical	N/A
3	4968.400	49.60	74.0	24.40	Peak	197.00	150	Vertical	Pass
3**	4968.400	39.37	54.0	14.63	AV	197.00	150	Vertical	Pass
4	6490.600	51.63	74.0	22.37	Peak	19.00	100	Vertical	Pass
4**	6490.600	41.90	54.0	12.10	AV	19.00	100	Vertical	Pass
5	11448.487	48.31	74.0	25.69	Peak	276.00	300	Vertical	Pass
5**	11448.487	37.20	54.0	16.80	AV	276.00	300	Vertical	Pass
6	15799.200	52.23	74.0	21.77	Peak	0.00	400	Vertical	Pass
6**	15799.200	43.88	54.0	10.12	AV	0.00	400	Vertical	Pass

Right Ear

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	44.49	74.0	29.51	Peak	138.00	300	Horizontal	Pass
1**	1333.100	34.22	54.0	19.78	AV	138.00	300	Horizontal	Pass
2	2402.100	101.55	74.0	-27.55	Peak	90.00	150	Horizontal	N/A
2**	2402.100	101.18	54.0	-47.18	AV	90.00	150	Horizontal	N/A
3	5257.600	50.34	74.0	23.66	Peak	298.00	150	Horizontal	Pass
3**	5257.600	40.13	54.0	13.87	AV	298.00	150	Horizontal	Pass
4	6978.200	51.48	74.0	22.52	Peak	264.00	100	Horizontal	Pass
4**	6978.200	42.69	54.0	11.31	AV	264.00	100	Horizontal	Pass
5	11898.713	48.15	74.0	25.85	Peak	0.00	100	Horizontal	Pass
5**	11898.713	38.65	54.0	15.35	AV	0.00	100	Horizontal	Pass
6	16175.625	51.75	74.0	22.25	Peak	206.00	200	Horizontal	Pass
6**	16175.625	42.30	54.0	11.70	AV	206.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.100	48.01	74.0	25.99	Peak	360.00	300	Vertical	Pass
1**	1164.100	40.94	54.0	13.06	AV	360.00	300	Vertical	Pass
2	2402.000	100.22	74.0	-26.22	Peak	259.00	150	Vertical	N/A
2**	2402.000	99.75	54.0	-45.75	AV	259.00	150	Vertical	N/A
3	4948.600	49.00	74.0	25.00	Peak	331.00	150	Vertical	Pass
3**	4948.600	40.55	54.0	13.45	AV	331.00	150	Vertical	Pass
4	6838.600	50.93	74.0	23.07	Peak	165.00	100	Vertical	Pass
4**	6838.600	41.31	54.0	12.69	AV	165.00	100	Vertical	Pass
5	12840.825	48.12	74.0	25.88	Peak	57.00	400	Vertical	Pass
5**	12840.825	38.26	54.0	15.74	AV	57.00	400	Vertical	Pass
6	16311.599	51.71	74.0	22.29	Peak	115.00	300	Vertical	Pass
6**	16311.599	41.40	54.0	12.60	AV	115.00	300	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	44.63	74.0	29.37	Peak	131.00	150	Horizontal	Pass
1**	1332.900	33.43	54.0	20.57	AV	131.00	150	Horizontal	Pass
2	2440.800	99.24	74.0	-25.24	Peak	96.00	200	Horizontal	N/A
2**	2440.800	98.54	54.0	-44.54	AV	96.00	200	Horizontal	N/A
3	4947.000	49.23	74.0	24.77	Peak	195.00	150	Horizontal	Pass
3**	4947.000	41.17	54.0	12.83	AV	195.00	150	Horizontal	Pass
4	6955.800	51.56	74.0	22.44	Peak	338.00	300	Horizontal	Pass
4**	6955.800	41.72	54.0	12.28	AV	338.00	300	Horizontal	Pass
5	11451.938	48.12	74.0	25.88	Peak	312.00	200	Horizontal	Pass
5**	11451.938	38.39	54.0	15.61	AV	312.00	200	Horizontal	Pass
6	17405.438	52.45	74.0	21.55	Peak	341.00	300	Horizontal	Pass
6**	17405.438	42.59	54.0	11.41	AV	341.00	300	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.100	47.67	74.0	26.33	Peak	197.00	100	Vertical	Pass
1**	1163.100	41.04	54.0	12.96	AV	197.00	100	Vertical	Pass
2	2441.100	97.68	74.0	-23.68	Peak	243.00	200	Vertical	N/A
2**	2441.100	97.49	54.0	-43.49	AV	243.00	200	Vertical	N/A
3	4986.200	49.24	74.0	24.76	Peak	95.00	150	Vertical	Pass
3**	4986.200	40.11	54.0	13.89	AV	95.00	150	Vertical	Pass
4	6715.000	51.27	74.0	22.73	Peak	250.00	100	Vertical	Pass
4**	6715.000	41.12	54.0	12.88	AV	250.00	100	Vertical	Pass
5	12459.912	47.82	74.0	26.18	Peak	243.00	100	Vertical	Pass
5**	12459.912	39.17	54.0	14.83	AV	243.00	100	Vertical	Pass
6	15794.475	52.34	74.0	21.66	Peak	188.00	100	Vertical	Pass
6**	15794.475	42.90	54.0	11.10	AV	188.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	44.07	74.0	29.93	Peak	167.00	100	Horizontal	Pass
1**	1328.400	33.21	54.0	20.79	AV	167.00	100	Horizontal	Pass
2	2480.200	96.73	74.0	-22.73	Peak	90.00	150	Horizontal	N/A
2**	2480.200	96.39	54.0	-42.39	AV	90.00	150	Horizontal	N/A
3	4959.800	48.05	74.0	25.95	Peak	196.00	150	Horizontal	Pass
3**	4959.800	43.49	54.0	10.51	AV	196.00	150	Horizontal	Pass
4	6635.600	51.26	74.0	22.74	Peak	316.00	100	Horizontal	Pass
4**	6635.600	41.18	54.0	12.82	AV	316.00	100	Horizontal	Pass
5	11715.000	48.11	74.0	25.89	Peak	140.00	100	Horizontal	Pass
5**	11715.000	38.56	54.0	15.44	AV	140.00	100	Horizontal	Pass
6	15758.775	51.87	74.0	22.13	Peak	55.00	100	Horizontal	Pass
6**	15758.775	41.77	54.0	12.23	AV	55.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.700	49.85	74.0	24.15	Peak	360.00	150	Vertical	Pass
1**	1161.700	35.94	54.0	18.06	AV	360.00	150	Vertical	Pass
2	2480.200	96.08	74.0	-22.08	Peak	147.00	200	Vertical	N/A
2**	2480.200	95.78	54.0	-41.78	AV	147.00	200	Vertical	N/A
3	4960.400	47.79	74.0	26.21	Peak	0.00	150	Vertical	Pass
3**	4960.400	43.27	54.0	10.73	AV	0.00	150	Vertical	Pass
4	6889.800	50.98	74.0	23.02	Peak	198.00	100	Vertical	Pass
4**	6889.800	41.36	54.0	12.64	AV	198.00	100	Vertical	Pass
5	11718.162	48.92	74.0	25.08	Peak	124.00	200	Vertical	Pass
5**	11718.162	38.47	54.0	15.53	AV	124.00	200	Vertical	Pass
6	17387.323	52.22	74.0	21.78	Peak	189.00	200	Vertical	Pass
6**	17387.323	43.40	54.0	10.60	AV	189.00	200	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	46.64	74.0	27.36	Peak	126.00	200	Horizontal	Pass
1**	1330.700	33.23	54.0	20.77	AV	126.00	200	Horizontal	Pass
2	2402.100	101.90	74.0	-27.90	Peak	89.00	150	Horizontal	N/A
2**	2402.100	101.52	54.0	-47.52	AV	89.00	150	Horizontal	N/A
3	4990.600	48.99	74.0	25.01	Peak	54.00	200	Horizontal	Pass
3**	4990.600	40.50	54.0	13.50	AV	54.00	200	Horizontal	Pass
4	6929.000	51.83	74.0	22.17	Peak	297.00	300	Horizontal	Pass
4**	6929.000	42.10	54.0	11.90	AV	297.00	300	Horizontal	Pass
5	12851.849	48.51	74.0	25.49	Peak	235.00	100	Horizontal	Pass
5**	12851.849	39.28	54.0	14.72	AV	235.00	100	Horizontal	Pass
6	15796.838	52.31	74.0	21.69	Peak	274.00	400	Horizontal	Pass
6**	15796.838	42.71	54.0	11.29	AV	274.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.000	50.07	74.0	23.93	Peak	360.00	300	Vertical	Pass
1**	1165.000	35.66	54.0	18.34	AV	360.00	300	Vertical	Pass
2	2402.000	99.71	74.0	-25.71	Peak	104.00	200	Vertical	N/A
2**	2402.000	99.14	54.0	-45.14	AV	104.00	200	Vertical	N/A
3	4952.600	49.19	74.0	24.81	Peak	349.00	100	Vertical	Pass
3**	4952.600	39.81	54.0	14.19	AV	349.00	100	Vertical	Pass
4	6957.600	51.19	74.0	22.81	Peak	173.00	300	Vertical	Pass
4**	6957.600	42.72	54.0	11.28	AV	173.00	300	Vertical	Pass
5	12453.012	48.85	74.0	25.15	Peak	225.00	100	Vertical	Pass
5**	12453.012	39.23	54.0	14.77	AV	225.00	100	Vertical	Pass
6	17393.625	51.87	74.0	22.13	Peak	285.00	200	Vertical	Pass
6**	17393.625	43.40	54.0	10.60	AV	285.00	200	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	42.53	74.0	31.47	Peak	145.00	100	Horizontal	Pass
1**	1330.200	33.29	54.0	20.71	AV	145.00	100	Horizontal	Pass
2	2440.900	98.55	74.0	-24.55	Peak	91.00	200	Horizontal	N/A
2**	2440.900	95.55	54.0	-41.55	AV	91.00	200	Horizontal	N/A
3	4994.200	49.13	74.0	24.87	Peak	324.00	200	Horizontal	Pass
3**	4994.200	39.52	54.0	14.48	AV	324.00	200	Horizontal	Pass
4	6600.400	51.32	74.0	22.68	Peak	0.00	400	Horizontal	Pass
4**	6600.400	41.47	54.0	12.53	AV	0.00	400	Horizontal	Pass
5	12442.375	47.68	74.0	26.32	Peak	0.00	100	Horizontal	Pass
5**	12442.375	39.59	54.0	14.41	AV	0.00	100	Horizontal	Pass
6	17415.412	51.80	74.0	22.20	Peak	191.00	100	Horizontal	Pass
6**	17415.412	42.31	54.0	11.69	AV	191.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.500	49.62	74.0	24.38	Peak	12.00	300	Vertical	Pass
1**	1163.500	39.32	54.0	14.68	AV	12.00	300	Vertical	Pass
2	2441.200	97.62	74.0	-23.62	Peak	140.00	150	Vertical	N/A
2**	2441.200	97.37	54.0	-43.37	AV	140.00	150	Vertical	N/A
3	4973.800	49.31	74.0	24.69	Peak	230.00	150	Vertical	Pass
3**	4973.800	39.44	54.0	14.56	AV	230.00	150	Vertical	Pass
4	6924.000	52.06	74.0	21.94	Peak	88.00	100	Vertical	Pass
4**	6924.000	41.36	54.0	12.64	AV	88.00	100	Vertical	Pass
5	12601.362	47.98	74.0	26.02	Peak	259.00	400	Vertical	Pass
5**	12601.362	38.70	54.0	15.30	AV	259.00	400	Vertical	Pass
6	15795.787	52.00	74.0	22.00	Peak	257.00	300	Vertical	Pass
6**	15795.787	42.49	54.0	11.51	AV	257.00	300	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	43.53	74.0	30.47	Peak	139.00	200	Horizontal	Pass
1**	1331.800	33.18	54.0	20.82	AV	139.00	200	Horizontal	Pass
2	2479.900	96.12	74.0	-22.12	Peak	97.00	150	Horizontal	N/A
2**	2479.900	92.15	54.0	-38.15	AV	97.00	150	Horizontal	N/A
3	4950.400	48.76	74.0	25.24	Peak	242.00	100	Horizontal	Pass
3**	4950.400	39.78	54.0	14.22	AV	242.00	100	Horizontal	Pass
4	6268.600	51.40	74.0	22.60	Peak	220.00	100	Horizontal	Pass
4**	6268.600	41.01	54.0	12.99	AV	220.00	100	Horizontal	Pass
5	12466.813	48.38	74.0	25.62	Peak	289.00	400	Horizontal	Pass
5**	12466.813	38.99	54.0	15.01	AV	289.00	400	Horizontal	Pass
6	17432.738	52.19	74.0	21.81	Peak	168.00	200	Horizontal	Pass
6**	17432.738	42.60	54.0	11.40	AV	168.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.700	51.28	74.0	22.72	Peak	30.00	200	Vertical	Pass
1**	1165.700	35.98	54.0	18.02	AV	30.00	200	Vertical	Pass
2	2479.800	96.00	74.0	-22.00	Peak	235.00	100	Vertical	N/A
2**	2479.800	94.94	54.0	-40.94	AV	235.00	100	Vertical	N/A
3	4891.200	49.31	74.0	24.69	Peak	340.00	100	Vertical	Pass
3**	4891.200	39.61	54.0	14.39	AV	340.00	100	Vertical	Pass
4	6844.200	51.77	74.0	22.23	Peak	273.00	200	Vertical	Pass
4**	6844.200	41.84	54.0	12.16	AV	273.00	200	Vertical	Pass
5	12447.838	48.46	74.0	25.54	Peak	117.00	100	Vertical	Pass
5**	12447.838	39.87	54.0	14.13	AV	117.00	100	Vertical	Pass
6	15805.500	51.96	74.0	22.04	Peak	273.00	300	Vertical	Pass
6**	15805.500	43.31	54.0	10.69	AV	273.00	300	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note [1]: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note [2]: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note [3]: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note [4]: The Level (dBuV/m) has been corrected by factor.

Note [5]: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

Left Ear

GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2310.500	56.73	74.0	17.27	Peak	267.00	100	Horizontal	Pass
1**	2310.500	44.60	54.0	9.40	AV	267.00	100	Horizontal	Pass
2	2389.833	55.18	74.0	18.82	Peak	53.00	200	Horizontal	Pass
2**	2389.833	44.61	54.0	9.39	AV	53.00	200	Horizontal	Pass

GFSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.58	74.0	18.42	Peak	80.00	100	Horizontal	Pass
1**	2483.500	44.96	54.0	9.04	AV	80.00	100	Horizontal	Pass
2	2486.200	56.48	74.0	17.52	Peak	314.00	100	Horizontal	Pass
2**	2486.200	44.70	54.0	9.30	AV	314.00	100	Horizontal	Pass

Test Data and Plots

Right Ear

GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2377.167	57.66	74.0	16.34	Peak	131.00	150	Horizontal	Pass
1**	2377.167	44.83	54.0	9.17	AV	131.00	150	Horizontal	Pass
2	2389.833	54.93	74.0	19.07	Peak	21.00	150	Horizontal	Pass
2**	2389.833	44.69	54.0	9.31	AV	21.00	150	Horizontal	Pass

GFSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.167	57.62	74.0	16.38	Peak	323.00	200	Horizontal	Pass
1**	2386.167	45.22	54.0	8.78	AV	323.00	200	Horizontal	Pass
2	2389.833	55.01	74.0	18.99	Peak	141.00	200	Horizontal	Pass
2**	2389.833	44.73	54.0	9.27	AV	141.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26050270-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-EE26050270-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-EE26050270-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the “inspection and testing dedicated stamp” or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--