



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.92	3.75	77.87	1.09	---	---
3DH5	Ant1	2402	2.91	3.74	77.81	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441





3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.39	2.69	1.10	38.60	≤54	PASS
				AV	2377.595	-58.79	2.69	1.10	40.20	≤54	PASS
				AV	2390.000	-59.44	2.69	1.10	39.55	≤54	PASS
				Peak	2310.000	-53.23	2.69	0.00	44.66	≤74	PASS
				Peak	2345.465	-48.7	2.69	0.00	49.19	≤74	PASS
				Peak	2390.000	-52.07	2.69	0.00	45.82	≤74	PASS
		High	2480	AV	2483.500	-58.39	2.69	1.10	40.60	≤54	PASS
				AV	2484.240	-57.26	2.69	1.10	41.73	≤54	PASS
				AV	2500.000	-59.29	2.69	1.10	39.70	≤54	PASS
				Peak	2483.500	-47.38	2.69	0.00	50.51	≤74	PASS
				Peak	2484.800	-44.82	2.69	0.00	53.07	≤74	PASS
				Peak	2500.000	-51.69	2.69	0.00	46.20	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-61.34	2.69	1.09	37.64	≤54	PASS
				AV	2376.650	-58.59	2.69	1.09	40.39	≤54	PASS
				AV	2390.000	-59.97	2.69	1.09	39.01	≤54	PASS
				Peak	2310.000	-50.05	2.69	0.00	47.84	≤74	PASS
				Peak	2387.570	-48.8	2.69	0.00	49.09	≤74	PASS
				Peak	2390.000	-53.23	2.69	0.00	44.66	≤74	PASS
		High	2480	AV	2483.500	-58.5	2.69	1.09	40.48	≤54	PASS
				AV	2484.000	-58.19	2.69	1.09	40.79	≤54	PASS
				AV	2500.000	-59.66	2.69	1.09	39.32	≤54	PASS
				Peak	2483.500	-51.22	2.69	0.00	46.67	≤74	PASS
				Peak	2496.880	-48.07	2.69	0.00	49.82	≤74	PASS
				Peak	2500.000	-51.95	2.69	0.00	45.94	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-60.86	2.69	1.09	38.12	≤54	PASS
				AV	2374.970	-58.73	2.69	1.09	40.25	≤54	PASS
				AV	2390.000	-59.26	2.69	1.09	39.72	≤54	PASS
				Peak	2310.000	-51.44	2.69	0.00	46.45	≤74	PASS
				Peak	2388.095	-48.54	2.69	0.00	49.35	≤74	PASS
				Peak	2390.000	-51.36	2.69	0.00	46.53	≤74	PASS
		High	2480	AV	2483.500	-59.13	2.69	1.09	39.85	≤54	PASS
				AV	2483.600	-58.4	2.69	1.09	40.58	≤54	PASS
				AV	2500.000	-59.76	2.69	1.09	39.22	≤54	PASS
				Peak	2483.500	-52.15	2.69	0.00	45.74	≤74	PASS
				Peak	2485.200	-48.11	2.69	0.00	49.78	≤74	PASS
				Peak	2500.000	-51.68	2.69	0.00	46.21	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

