Tx. Spurious NVNT n40 2422MHz Ant0 Ref



Tx. Spurious NVNT n40 2422MHz Ant0 Emission



Tx. Spurious NVNT n40 2437MHz Ant0 Ref



Tx. Spurious NVNT n40 2437MHz Ant0 Emission



Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.445 8 GHz	-10.171 dBm			
2	N		f	26.016 5 GHz	-45.979 dBm			
3	N		f	5.000 2 GHz	-57.525 dBm			
4	N		f	7.409 0 GHz	-57.309 dBm			
5	N		f	9.657 1 GHz	-57.107 dBm			
6								
7								
8								
9								
10								
11								

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.62	-20	Pass
NVNT	b	2437	Ant1	-49.35	-20	Pass
NVNT	b	2462	Ant1	-49.99	-20	Pass
NVNT	g	2412	Ant1	-45.48	-20	Pass
NVNT	g	2437	Ant1	-43.73	-20	Pass
NVNT	g	2462	Ant1	-42.81	-20	Pass
NVNT	n20	2412	Ant1	-43.71	-20	Pass
NVNT	n20	2437	Ant1	-42.65	-20	Pass
NVNT	n20	2462	Ant1	-42.4	-20	Pass
NVNT	n40	2422	Ant1	-40.39	-20	Pass
NVNT	n40	2437	Ant1	-39.74	-20	Pass
NVNT	n40	2452	Ant1	-39.18	-20	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref



Tx. Spurious NVNT b 2412MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.410 5 GHz	4.100 dBm			
2	N		f	26.182 4 GHz	-44.998 dBm			
3	N		f	4.965 8 GHz	-57.396 dBm			
4	N		f	7.064 0 GHz	-57.235 dBm			
5	N		f	9.546 8 GHz	-55.605 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT b 2437MHz Ant1 Ref



Tx. Spurious NVNT b 2437MHz Ant1 Emission



Tx. Spurious NVNT b 2462MHz Ant1 Ref



Tx. Spurious NVNT b 2462MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.462 6 GHz	1.775 dBm			
2	N		f	25.996 2 GHz	-45.634 dBm			
3	N		f	5.099 9 GHz	-56.700 dBm			
4	N		f	7.488 4 GHz	-56.656 dBm			
5	N		f	10.009 2 GHz	-56.661 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT g 2412MHz Ant1 Ref



Tx. Spurious NVNT g 2412MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.408 8 GHz	-4.291 dBm			
2	N		f	26.004 1 GHz	-46.227 dBm			
3	N		f	4.966 7 GHz	-56.923 dBm			
4	N		f	7.183 1 GHz	-57.234 dBm			
5	N		f	9.539 8 GHz	-55.828 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT g 2437MHz Ant1 Ref



Tx. Spurious NVNT g 2437MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.430 8 GHz	-5.909 dBm			
2	N		f	26.119 7 GHz	-45.552 dBm			
3	N		f	5.059 3 GHz	-56.727 dBm			
4	N		f	7.484 0 GHz	-56.814 dBm			
5	N		f	9.613 9 GHz	-56.507 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT g 2462MHz Ant1 Ref



Tx. Spurious NVNT g 2462MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.464 4 GHz	-3.971 dBm			
2	N		f	26.019 1 GHz	-45.544 dBm			
3	N		f	5.109 6 GHz	-57.010 dBm			
4	N		f	7.461 9 GHz	-56.143 dBm			
5	N		f	9.801 0 GHz	-57.592 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT n20 2412MHz Ant1 Ref



Tx. Spurious NVNT n20 2412MHz Ant1 Emission



Tx. Spurious NVNT n20 2437MHz Ant1 Ref



Tx. Spurious NVNT n20 2437MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.432 6 GHz	-7.040 dBm			
2	N		f	25.787 1 GHz	-45.589 dBm			
3	N		f	4.997 5 GHz	-57.328 dBm			
4	N		f	7.351 6 GHz	-56.171 dBm			
5	N		f	9.933 3 GHz	-56.140 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT n20 2462MHz Ant1 Ref



Tx. Spurious NVNT n20 2462MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.464 4 GHz	-5.603 dBm			
2	N		f	26.024 4 GHz	-45.506 dBm			
3	N		f	5.121 9 GHz	-56.674 dBm			
4	N		f	7.408 1 GHz	-55.778 dBm			
5	N		f	9.756 8 GHz	-57.335 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT n40 2422MHz Ant1 Ref



Tx. Spurious NVNT n40 2422MHz Ant1 Emission



Tx. Spurious NVNT n40 2437MHz Ant1 Ref



Tx. Spurious NVNT n40 2437MHz Ant1 Emission



Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission



C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	92.7	0.33	1.36
NVNT	b	2437	Ant0	92.7	0.33	1.36
NVNT	b	2462	Ant0	92.7	0.33	1.36
NVNT	g	2412	Ant0	95.65	0.19	0.73
NVNT	g	2437	Ant0	95.65	0.19	0.73
NVNT	g	2462	Ant0	95.66	0.19	0.73
NVNT	n20	2412	Ant0	95.69	0.19	0.73
NVNT	n20	2437	Ant0	95.69	0.19	0.73
NVNT	n20	2462	Ant0	95.69	0.19	0.73
NVNT	n40	2422	Ant0	93.16	0.31	1.18
NVNT	n40	2437	Ant0	93.14	0.31	1.19
NVNT	n40	2452	Ant0	93.14	0.31	1.19

Test Graphs

Duty Cycle NVNT b 2412MHz Ant0



Duty Cycle NVNT b 2437MHz Ant0



Duty Cycle NVNT b 2462MHz Ant0



Duty Cycle NVNT g 2412MHz Ant0



Duty Cycle NVNT g 2437MHz Ant0



Duty Cycle NVNT g 2462MHz Ant0



Duty Cycle NVNT n20 2412MHz Ant0



Duty Cycle NVNT n20 2437MHz Ant0



Duty Cycle NVNT n20 2462MHz Ant0



Duty Cycle NVNT n40 2422MHz Ant0



Duty Cycle NVNT n40 2437MHz Ant0



Duty Cycle NVNT n40 2452MHz Ant0



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.13	0	0.15
NVNT	b	2437	Ant1	99.16	0	0.15
NVNT	b	2462	Ant1	99.16	0	0.15
NVNT	g	2412	Ant1	97.68	0.1	0.37
NVNT	g	2437	Ant1	97.75	0.1	0.37
NVNT	g	2462	Ant1	97.68	0.1	0.37
NVNT	n20	2412	Ant1	97.33	0.12	0.44
NVNT	n20	2437	Ant1	97.25	0.12	0.44
NVNT	n20	2462	Ant1	97.25	0.12	0.44
NVNT	n40	2422	Ant1	94.71	0.24	0.9
NVNT	n40	2437	Ant1	94.7	0.24	0.9
NVNT	n40	2452	Ant1	94.7	0.24	0.9

Test Graphs

Duty Cycle NVNT b 2412MHz Ant1



Duty Cycle NVNT b 2437MHz Ant1



Duty Cycle NVNT b 2462MHz Ant1



Duty Cycle NVNT g 2412MHz Ant1



Duty Cycle NVNT g 2437MHz Ant1



Duty Cycle NVNT g 2462MHz Ant1



Duty Cycle NVNT n20 2412MHz Ant1



Duty Cycle NVNT n20 2437MHz Ant1



Duty Cycle NVNT n20 2462MHz Ant1



Duty Cycle NVNT n40 2422MHz Ant1



Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1



C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-52.41	4.16	-	47.01	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-58.34	4.16	0.33	41.41	Average	54	Pass
NVNT	b	2412	Ant0	2389.209	-47.29	4.16	-	52.13	Peak	74	Pass
NVNT	b	2412	Ant0	2389.677	-56.04	4.16	0.33	43.71	Average	54	Pass
NVNT	b	2412	Ant0	2390	-48.51	4.16	-	50.91	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-56.53	4.16	0.33	43.22	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-47.3	4.16	-	52.12	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-55.38	4.16	0.33	44.37	Average	54	Pass
NVNT	b	2462	Ant0	2483.994	-44.57	4.16	-	54.85	Peak	74	Pass
NVNT	b	2462	Ant0	2484.153	-54.03	4.16	0.33	45.72	Average	54	Pass
NVNT	b	2462	Ant0	2500	-48.89	4.16	-	50.53	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-57.7	4.16	0.33	42.05	Average	54	Pass
NVNT	g	2412	Ant0	2310	-49.23	4.16	-	50.19	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-57.94	4.16	0.19	41.67	Average	54	Pass
NVNT	g	2412	Ant0	2388.741	-34.79	4.16	-	64.63	Peak	74	Pass
NVNT	g	2412	Ant0	2389.794	-51.99	4.16	0.19	47.62	Average	54	Pass
NVNT	g	2412	Ant0	2390	-39.03	4.16	-	60.39	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-53.49	4.16	0.19	46.12	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-33.58	4.16	-	65.84	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-50.96	4.16	0.19	48.65	Average	54	Pass
NVNT	g	2462	Ant0	2483.835	-29.23	4.16	-	70.19	Peak	74	Pass
NVNT	g	2462	Ant0	2483.782	-46.58	4.16	0.19	49.03	Average	54	Pass
NVNT	g	2462	Ant0	2500	-50.14	4.16	-	49.28	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-57.83	4.16	0.19	41.78	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-51.26	4.16	-	48.16	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-58.94	4.16	0.19	40.67	Average	54	Pass
NVNT	n20	2412	Ant0	2388.975	-37.71	4.16	-	61.71	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.794	-52.15	4.16	0.19	47.46	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-39.56	4.16	-	59.86	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-52.79	4.16	0.19	46.82	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-37.05	4.16	-	62.37	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-51.08	4.16	0.19	48.53	Average	54	Pass
NVNT	n20	2462	Ant0	2483.57	-30.56	4.16	-	68.86	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.623	-50.05	4.16	0.19	48.56	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-49.18	4.16	-	50.24	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-57.56	4.16	0.19	42.05	Average	54	Pass

NVNT	n40	2422	Ant0	2310	-51.25	4.16	-	48.17	Peak	74	Pass
NVNT	n40	2422	Ant0	2310	-58.35	4.16	0.31	41.38	Average	54	Pass
NVNT	n40	2422	Ant0	2389.662	-35.92	4.16	-	63.50	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.662	-53.67	4.16	0.31	46.06	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-44.22	4.16	-	55.20	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-54.1	4.16	0.31	45.63	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-38.26	4.16	-	61.16	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-51.02	4.16	0.31	48.71	Average	54	Pass
NVNT	n40	2452	Ant0	2484.166	-33.69	4.16	-	65.73	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.542	-49.94	4.16	0.31	49.79	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-49.04	4.16	-	50.38	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-57.99	4.16	0.31	41.74	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak



Restrict Band NVNT b 2412MHz Ant0 Average



Restrict Band NVNT b 2462MHz Ant0 Peak



Restrict Band NVNT b 2462MHz Ant0 Average



Restrict Band NVNT g 2412MHz Ant0 Peak



Restrict Band NVNT g 2412MHz Ant0 Average



Restrict Band NVNT g 2462MHz Ant0 Peak



Restrict Band NVNT g 2462MHz Ant0 Average



Restrict Band NVNT n20 2412MHz Ant0 Peak



Restrict Band NVNT n20 2412MHz Ant0 Average



Restrict Band NVNT n20 2462MHz Ant0 Peak



Restrict Band NVNT n20 2462MHz Ant0 Average



Restrict Band NVNT n40 2422MHz Ant0 Peak



Restrict Band NVNT n40 2422MHz Ant0 Average



Restrict Band NVNT n40 2452MHz Ant0 Peak



Restrict Band NVNT n40 2452MHz Ant0 Average



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.86	4.30	-	47.70	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-59	4.30	0	40.56	Average	54	Pass
NVNT	b	2412	Ant1	2389.443	-46.25	4.30	-	53.31	Peak	74	Pass
NVNT	b	2412	Ant1	2389.092	-55.13	4.30	0	44.43	Average	54	Pass
NVNT	b	2412	Ant1	2390	-47.31	4.30	-	52.25	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.88	4.30	0	43.68	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-45.98	4.30	-	53.58	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-55.45	4.30	0	44.11	Average	54	Pass
NVNT	b	2462	Ant1	2484.842	-45.23	4.30	-	54.33	Peak	74	Pass
NVNT	b	2462	Ant1	2484.948	-54.09	4.30	0	45.47	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.29	4.30	-	50.27	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.63	4.30	0	41.93	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.05	4.30	-	49.51	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.7	4.30	0.1	40.96	Average	54	Pass
NVNT	g	2412	Ant1	2389.443	-46.83	4.30	-	52.73	Peak	74	Pass
NVNT	g	2412	Ant1	2388.741	-56.82	4.30	0.1	42.84	Average	54	Pass
NVNT	g	2412	Ant1	2390	-49.25	4.30	-	50.31	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-57.61	4.30	0.1	42.05	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-46.39	4.30	-	53.17	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-54.65	4.30	0.1	45.01	Average	54	Pass
NVNT	g	2462	Ant1	2483.941	-40.05	4.30	-	59.51	Peak	74	Pass
NVNT	g	2462	Ant1	2483.888	-53.72	4.30	0.1	45.94	Average	54	Pass
NVNT	g	2462	Ant1	2500	-50.34	4.30	-	49.22	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-57.9	4.30	0.1	41.76	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-48.03	4.30	-	51.53	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-58.13	4.30	0.12	41.55	Average	54	Pass
NVNT	n20	2412	Ant1	2389.092	-42.82	4.30	-	56.74	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.092	-55.12	4.30	0.12	44.56	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-44.96	4.30	-	54.60	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-56.12	4.30	0.12	43.56	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-45.46	4.30	-	54.10	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-54.72	4.30	0.12	44.96	Average	54	Pass
NVNT	n20	2462	Ant1	2483.941	-39.59	4.30	-	59.97	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.57	-53.44	4.30	0.12	46.24	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-50.02	4.30	-	49.54	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-57.79	4.30	0.12	41.89	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-51.52	4.30	-	48.04	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-58.43	4.30	0.24	41.37	Average	54	Pass

NVNT	n40	2422	Ant1	2389.52	-38.78	4.30	-	47.70	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.946	-53.28	4.30	0.24	40.80	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-38.81	4.30	-	53.31	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-53.28	4.30	0.24	44.67	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-42.21	4.30	-	52.25	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-53.4	4.30	0.24	43.92	Average	54	Pass
NVNT	n40	2452	Ant1	2484.01	-38.78	4.30	-	53.58	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.556	-53.49	4.30	0.24	44.35	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-48.69	4.30	-	54.33	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-57.74	4.30	0.24	45.71	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average



Restrict Band NVNT b 2462MHz Ant1 Peak



Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n20 2412MHz Ant1 Peak



Restrict Band NVNT n20 2412MHz Ant1 Average



Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average



Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average



Ant0 + Ant1

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0+Ant1	2310	53.38	Peak	74	Pass
NVNT	b	2412	Ant0+Ant1	2310	47.02	Average	54	Pass
NVNT	b	2412	Ant0+Ant1	2389.443	58.76	Peak	74	Pass
NVNT	b	2412	Ant0+Ant1	2389.092	50.10	Average	54	Pass
NVNT	b	2412	Ant0+Ant1	2390	57.63	Peak	74	Pass
NVNT	b	2412	Ant0+Ant1	2390	49.47	Average	54	Pass
NVNT	b	2462	Ant0+Ant1	2483.5	58.90	Peak	74	Pass
NVNT	b	2462	Ant0+Ant1	2483.5	50.26	Average	54	Pass
NVNT	b	2462	Ant0+Ant1	2484.842	60.61	Peak	74	Pass
NVNT	b	2462	Ant0+Ant1	2484.948	51.62	Average	54	Pass
NVNT	b	2462	Ant0+Ant1	2500	56.42	Peak	74	Pass
NVNT	b	2462	Ant0+Ant1	2500	48.01	Average	54	Pass
NVNT	g	2412	Ant0+Ant1	2310	55.88	Peak	74	Pass
NVNT	g	2412	Ant0+Ant1	2310	47.34	Average	54	Pass
NVNT	g	2412	Ant0+Ant1	2389.443	66.60	Peak	74	Pass
NVNT	g	2412	Ant0+Ant1	2388.741	51.58	Average	54	Pass
NVNT	g	2412	Ant0+Ant1	2390	62.76	Peak	74	Pass
NVNT	g	2412	Ant0+Ant1	2390	50.34	Average	54	Pass
NVNT	g	2462	Ant0+Ant1	2483.5	67.66	Peak	74	Pass
NVNT	g	2462	Ant0+Ant1	2483.5	53.04	Average	54	Pass
NVNT	g	2462	Ant0+Ant1	2483.941	72.42	Peak	74	Pass
NVNT	g	2462	Ant0+Ant1	2483.888	53.64	Average	54	Pass
NVNT	g	2462	Ant0+Ant1	2500	55.27	Peak	74	Pass
NVNT	g	2462	Ant0+Ant1	2500	47.79	Average	54	Pass
NVNT	n20	2412	Ant0+Ant1	2310	56.03	Peak	74	Pass
NVNT	n20	2412	Ant0+Ant1	2310	47.14	Average	54	Pass
NVNT	n20	2412	Ant0+Ant1	2389.092	65.60	Peak	74	Pass
NVNT	n20	2412	Ant0+Ant1	2389.092	52.15	Average	54	Pass
NVNT	n20	2412	Ant0+Ant1	2390	63.64	Peak	74	Pass
NVNT	n20	2412	Ant0+Ant1	2390	51.36	Average	54	Pass
NVNT	n20	2462	Ant0+Ant1	2483.5	65.20	Peak	74	Pass
NVNT	n20	2462	Ant0+Ant1	2483.5	52.95	Average	54	Pass
NVNT	n20	2462	Ant0+Ant1	2483.941	71.53	Peak	74	Pass
NVNT	n20	2462	Ant0+Ant1	2483.57	53.50	Average	54	Pass
NVNT	n20	2462	Ant0+Ant1	2500	55.92	Peak	74	Pass
NVNT	n20	2462	Ant0+Ant1	2500	47.99	Average	54	Pass
NVNT	n40	2422	Ant0+Ant1	2310	54.13	Peak	74	Pass
NVNT	n40	2422	Ant0+Ant1	2310	47.40	Average	54	Pass

NVNT	n40	2422	Ant0+Ant1	2389.52	64.81	Peak	74	Pass
NVNT	n40	2422	Ant0+Ant1	2389.946	49.84	Average	54	Pass
NVNT	n40	2422	Ant0+Ant1	2390	60.33	Peak	74	Pass
NVNT	n40	2422	Ant0+Ant1	2390	51.18	Average	54	Pass
NVNT	n40	2452	Ant0+Ant1	2483.5	63.82	Peak	74	Pass
NVNT	n40	2452	Ant0+Ant1	2483.5	52.66	Average	54	Pass
NVNT	n40	2452	Ant0+Ant1	2484.01	67.65	Peak	74	Pass
NVNT	n40	2452	Ant0+Ant1	2484.556	53.51	Average	54	Pass
NVNT	n40	2452	Ant0+Ant1	2500	58.60	Peak	74	Pass
NVNT	n40	2452	Ant0+Ant1	2500	49.97	Average	54	Pass