

AppendixA

Test Information:

Sample No.:	3T95-3	Test Date:	2026/09/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kenny Qiu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.3	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.7
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	200256	2026/02/27	2027/02/26
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
JD	Test software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*


6dB Emission Bandwidth

Chain 0, BLE 1M

Channel	Result (MHz)	Limit (MHz)	Verdict
Low	0.672	≥0.5	Pass
Middle	0.676	≥0.5	Pass
High	0.668	≥0.5	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:54:53

BLE_1M_Middle_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:02:00

BLE_1M_High_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:04:55


99% Occupied Bandwidth

Chain 0, BLE 1M

Channel	99% OBW (MHz)
Low	1.028
Middle	1.028
High	1.028


BLE 1M

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:55:18

BLE_1M_Middle_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:02:25

BLE_1M_High_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:05:24


Maximum Conducted Output Power

Chain 0, BLE 1M

Channel	Peak Output Power (dBm)	Limit (dBm)	Verdict
Low	-3.62	30.00	Pass
Middle	-2.45	30.00	Pass
High	-1.83	30.00	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:56:10

BLE_1M_Middle_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:02:48

BLE_1M_High_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:05:47


Power Spectral Density

Chain 0, BLE 1M

Channel	Result (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-20.24	8	Pass
Middle	-18.85	8	Pass
High	-18.30	8	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:01:03

BLE_1M_Middle_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:04:12

BLE_1M_High_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:07:24


Duty Cycle

Chain 0, BLE 1M

Channel	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
Middle	2.120	2.510	84.46	0.73	472	0.500

BLE 1M

BLE_1M_Middle_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:53:50

Conducted Spurious Emission


BLE 1M

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:56:25

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:56:43

BLE_1M_Low_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 21:57:52

BLE_1M_Middle_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:03:03

BLE_1M_Middle_Channel




ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:03:42


BLE_1M_High_Channel



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:06:03



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:06:21



ProjectNo.:2603X78429E-RF Tester:Kenny Qiu
Date: 16.SEP.2026 22:06:57

***** END *****