



802.11a_5825MHz




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 19.AUG.2025 23:52:47

802.11ac20_5745MHz




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 19.AUG.2025 23:57:37

802.11ac20_5785MHz




ProjectNo.:2501V71414E-RF Tester:Cheeb Huang
Date: 30.DEC.2025 16:46:37

802.11ac20_5825MHz




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:03:14

802.11ac40_5755MHz




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:06:21

802.11ac40_5795MHz




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:07:11

802.11ax20_5745MHz_RU_Full




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:09:24

802.11ax20_5785MHz_RU_Full




ProjectNo.:2501V71414E-RF Tester:Cheeb Huang
Date: 30.DEC.2025 16:56:23

802.11ax20_5825MHz_RU_Full




ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:13:33

802.11ax40_5755MHz_RU_Full



ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:15:50

802.11ax40_5795MHz_RU_Full



ProjectNo.:2501V71414E-RF Tester:Brian Li
Date: 20.AUG.2025 00:17:02

Maximum Conducted Output Power**Test Information:**

Sample No.:	37MJ-1	Test Date:	2025/11/19~2025/11/28
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.2-26.6	Relative Humidity: (%)	31-39	ATM Pressure: (kPa)	100.5-100.9
------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	18.36	24	Pass
	5200	20.8	24	Pass
	5240	16.92	24	Pass
802.11ac20	5180	17.08	24	Pass
	5200	20.76	24	Pass
	5240	16.66	24	Pass
802.11ac40	5190	16.18	24	Pass
	5230	15.77	24	Pass
802.11ax20_RU_Full	5180	18.41	24	Pass
	5200	20.32	24	Pass
	5240	18.35	24	Pass
802.11ax40_RU_Full	5190	17.74	24	Pass
	5230	17.6	24	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	16.21	24	Pass
	5280	20.74	24	Pass
	5320	17.92	24	Pass
802.11ac20	5260	16.28	24	Pass
	5280	20.73	24	Pass
	5320	17.58	24	Pass
802.11ac40	5270	17.0	24	Pass
	5310	16.64	24	Pass
802.11ax20_RU_Full	5260	17.91	24	Pass
	5280	21.16	24	Pass
	5320	18.79	24	Pass
802.11ax40_RU_Full	5270	18.61	24	Pass
	5310	18.64	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	17.9	24	Pass
	5580	20.77	24	Pass
	5700	17.19	24	Pass
	5720	16.98	24	Pass
802.11ac20	5500	17.59	24	Pass
	5580	20.62	24	Pass
	5700	16.46	24	Pass
	5720	16.48	24	Pass
802.11ac40	5510	15.92	24	Pass
	5550	20.71	24	Pass
	5670	15.74	24	Pass
	5710	15.55	24	Pass
802.11ax20_RU_Full	5500	19.69	24	Pass
	5580	21.0	24	Pass
	5700	19.01	24	Pass
	5720	18.6	24	Pass
802.11ax40_RU_Full	5510	17.79	24	Pass
	5550	21.05	24	Pass
	5670	18.12	24	Pass
	5710	18.32	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	18.39	30	Pass
	5785	20.9	30	Pass
	5825	17.91	30	Pass
802.11ac20	5745	18.4	30	Pass
	5785	21.13	30	Pass
	5825	17.64	30	Pass
802.11ac40	5755	17.7	30	Pass
	5795	17.68	30	Pass
802.11ax20_RU_Full	5745	19.32	30	Pass
	5785	20.77	30	Pass
	5825	19.15	30	Pass
802.11ax40_RU_Full	5755	18.82	30	Pass
	5795	18.43	30	Pass

Power Spectral Density**Test Information:**

Sample No.:	37MJ-1	Test Date:	2025/11/19~2025/11/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	Rainbow Zhu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5-26.1	Relative Humidity: (%)	48-52	ATM Pressure: (kPa)	100.2-101.1
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	8.29	0	8.29	11	Pass
	5200	10.68	0	10.68	11	Pass
	5240	7.05	0	7.05	11	Pass
802.11ac20	5180	6.73	0	6.73	11	Pass
	5200	10.43	0	10.43	11	Pass
	5240	6.67	0	6.67	11	Pass
802.11ac40	5190	4.74	0	4.74	11	Pass
	5230	4.33	0	4.33	11	Pass
802.11ax20_RU_Full	5180	8.22	0	8.22	11	Pass
	5200	9.96	0	9.96	11	Pass
	5240	8.20	0	8.20	11	Pass
802.11ax40_RU_Full	5190	6.73	0	6.73	11	Pass
	5230	6.38	0	6.38	11	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	6.31	0	6.31	11	Pass
	5280	10.93	0	10.93	11	Pass
	5320	7.69	0	7.69	11	Pass
802.11ac20	5260	6.22	0	6.22	11	Pass
	5280	10.64	0	10.64	11	Pass
	5320	7.12	0	7.12	11	Pass
802.11ac40	5270	5.73	0	5.73	11	Pass
	5310	5.37	0	5.37	11	Pass
802.11ax20_RU_Full	5260	7.71	0	7.71	11	Pass
	5280	10.62	0	10.62	11	Pass
	5320	8.80	0	8.80	11	Pass
802.11ax40_RU_Full	5270	7.12	0	7.12	11	Pass
	5310	7.04	0	7.04	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	7.89	0	7.89	11	Pass
	5580	10.69	0	10.69	11	Pass
	5700	7.12	0	7.12	11	Pass
	5720	5.12	0	5.12	11	Pass
		7.52	0	7.52	11	Pass
802.11ac20	5500	7.69	0	7.69	11	Pass
	5580	10.63	0	10.63	11	Pass
	5700	6.26	0	6.26	11	Pass
	5720	4.32	0	4.32	11	Pass
		6.90	0	6.90	11	Pass
802.11ac40	5510	4.54	0	4.54	11	Pass
	5550	9.65	0	9.65	11	Pass
	5670	4.18	0	4.18	11	Pass
	5710	-4.71	0	-4.71	11	Pass
		4.34	0	4.34	11	Pass
802.11ax20_RU_Full	5500	9.23	0	9.23	11	Pass
	5580	10.58	0	10.58	11	Pass
	5700	8.74	0	8.74	11	Pass
	5720	6.99	0	6.99	11	Pass
		8.99	0	8.99	11	Pass
802.11ax40_RU_Full	5510	6.28	0	6.28	11	Pass
	5550	9.32	0	9.32	11	Pass
	5670	6.67	0	6.67	11	Pass
	5710	-2.16	0	-2.16	11	Pass
		7.04	0	7.04	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	5.65	0	5.65	30	Pass
	5785	8.26	0	8.26	30	Pass
	5825	4.80	0	4.80	30	Pass
802.11ac20	5745	5.22	0	5.22	30	Pass
	5785	7.99	0	7.99	30	Pass
	5825	4.80	0	4.80	30	Pass
802.11ac40	5755	3.56	0	3.56	30	Pass
	5795	3.36	0	3.36	30	Pass
802.11ax20_RU_Full	5745	6.27	0	6.27	30	Pass
	5785	7.71	0	7.71	30	Pass
	5825	5.83	0	5.83	30	Pass
802.11ax40_RU_Full	5755	4.71	0	4.71	30	Pass
	579	4.50	0	4.50	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:44:06

802.11a_5200MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 10:53:11

802.11a_5240MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:45:30

802.11ac20_5180MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:25:13

802.11ac20_5200MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 10:55:37

802.11ac20_5240MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:26:20

802.11ac40_5190MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:36:53

802.11ac40_5230MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:37:32

802.11ax20_5180MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:49:20

802.11ax20_5200MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 10:56:57

802.11ax20_5240MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:51:52


802.11ax40_5190MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:07:26


5250-5350MHz

802.11ax40_5230MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:07:58

802.11a_5260MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:46:52

802.11a_5280MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:00:37

802.11a_5320MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:48:03

802.11ac20_5260MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:27:03

802.11ac20_5280MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:01:33

802.11ac20_5320MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:28:08

802.11ac40_5270MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:38:24

802.11ac40_5310MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:39:02

802.11ax20_5260MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:52:46

802.11ax20_5280MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:02:22

802.11ax20_5320MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:54:30

802.11ax40_5270MHz_RU_FULL




802.11ax40_5310MHz_RU_FULL




5470-5725MHz


802.11a_5500MHz




802.11a_5580MHz




802.11a_5700MHz



802.11a_5720MHz




802.11ac20_5500MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:28:35

802.11ac20_5580MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:09:36

802.11ac20_5700MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:30:08

802.11ac20_5720MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:30:57

802.11ac40_5510MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:39:51

802.11ac40_5550MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:12:42

802.11ac40_5670MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:41:14

802.11ac40_5710MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:42:05

802.11ax20_5500MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:55:18

802.11ax20_5580MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:14:37

802.11ax20_5700MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 19:59:18

802.11ax20_5720MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:00:23

802.11ax40_5510MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:09:48

802.11ax40_5550MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:15:42

802.11ax40_5670MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:11:03


802.11ax40_5710MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:11:49


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:51:33

802.11a_5785MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:19:51

802.11a_5825MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 20:52:31

802.11ac20_5745MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:31:38

802.11ac20_5785MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:20:57

802.11ac20_5825MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:33:03

802.11ac40_5755MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:42:44

802.11ac40_5795MHz




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 19.NOV.2025 21:43:22

802.11ax20_5745MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:03:25

802.11ax20_5785MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 21.NOV.2025 11:18:46

802.11ax20_5825MHz_RU_FULL




ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:04:29

802.11ax40_5755MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:12:31

802.11ax40_5795MHz_RU_FULL



ProjectNo.:2501V71414E-RF Tester:Rainbow Zhu
Date: 20.NOV.2025 20:13:04

Duty Cycle**Test Information:**

Sample No.:	37MJ-1	Test Date:	2025/08/19~2025/12/30
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li&Cheeb Huang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	26.2-26.6	Relative Humidity: (%)	31-39	ATM Pressure: (kPa)	100.5-100.9
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------


Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.388	1.405	98.79	/	/	0.010
802.11ac20	5200	1.303	1.317	98.94	/	/	0.010
802.11ac40	5190	0.629	0.638	98.59	/	/	0.010
802.11ax20_RU_Full	5200	1.012	1.023	98.92	/	/	0.010
802.11ax40_RU_Full	5190	0.534	0.541	98.71	/	/	0.010


Duty Cycle = Ton/(Ton+Toff)*100%

5150-5250MHz


802.11a_5200MHz




802.11ac20_5200MHz




802.11ac40_5190MHz



802.11ax20_5200MHz_RU_Full



802.11ax40_5190MHz_RU_Full



RF EXPOSURE EVALUATION

Applicable Standard

According to subpart 15.247 (i) and subpart 2.1091 systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to RF energy level in excess of the communication guidelines.

Limits for General Population/Uncontrolled Exposure

Limits for General Population/Uncontrolled Exposure				
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (Minutes)
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

f = frequency in MHz

* = Plane-wave equivalent power density

Result

Calculated Formulary:

Predication of MPE limit at a given distance

$$S = \frac{PG}{4\pi R^2}$$

S = power density (in appropriate units, e.g. mW/cm²)

P = power input to the antenna (in appropriate units, e.g., mW).

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain.

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm)

Result

Mode	Frequency (MHz)	Antenna Gain [#]		Tune up conducted power [#]		Evaluation Distance (cm)	Power Density (mW/cm ²)	MPE Limit (mW/cm ²)
		(dBi)	(numeric)	(dBm)	(mW)			
2.4G WIFI	2412-2462	3.17	2.07	28	630.96	20	0.2598	1
BLE	2402-2480	3.17	2.07	9	7.94	20	0.0033	1
5G WIFI	5150-5250	2.34	1.71	21	125.89	20	0.0428	1
	5250-5350	2.66	1.85	22	158.49	20	0.0583	1
	5470-5725	2.40	1.74	22	158.49	20	0.0549	1
	5725-5850	2.57	1.81	22	158.49	20	0.0571	1

Note 1: The tune up conducted power and antenna gain was declared by the applicant.

Note 2: BLE ,2.4G Wi-Fi and 5G Wi-Fi cannot transmit at same time.

Note: To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 20cm from nearby persons

EUT PHOTOGRAPHS

Please refer to the attachment 2501V71414E-RF-EXP External photo and 2501V71414E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501V71414E-RF-00B-TSP Test Setup photo.

******* END OF REPORT *******