



























**Duty Cycle
Test Result**


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b	Ant1	2412	0.32	0.33	96.97	0.13
11b	Ant1	2437	0.32	0.33	96.97	0.13
11b	Ant1	2462	0.32	0.33	96.97	0.13
11g	Ant1	2412	0.27	0.28	96.43	0.16
11g	Ant1	2417	0.27	0.30	90.00	0.46
11g	Ant1	2437	0.27	0.28	96.43	0.16
11g	Ant1	2457	0.28	0.30	93.33	0.30
11g	Ant1	2462	0.27	0.28	96.43	0.16
11n20SISO	Ant1	2412	0.29	0.30	96.67	0.15
11n20SISO	Ant1	2437	0.29	0.30	96.67	0.15
11n20SISO	Ant1	2457	0.29	0.32	90.63	0.43
11n20SISO	Ant1	2462	0.29	0.30	96.67	0.15
11n40SISO	Ant1	2422	0.29	0.30	96.67	0.15
11n40SISO	Ant1	2427	0.29	0.32	90.63	0.43
11n40SISO	Ant1	2437	0.29	0.32	90.63	0.43
11n40SISO	Ant1	2442	0.30	0.33	90.91	0.41
11n40SISO	Ant1	2447	0.29	0.32	90.63	0.43
11n40SISO	Ant1	2452	0.29	0.30	96.67	0.15
11ax20SISO	Ant1	2412	0.26	0.27	96.30	0.16
11ax20SISO	Ant1	2437	0.26	0.27	96.30	0.16
11ax20SISO	Ant1	2457	0.27	0.30	90.00	0.46
11ax20SISO	Ant1	2462	0.26	0.29	89.66	0.47
11ax40SISO	Ant1	2422	0.26	0.29	89.66	0.47
11ax40SISO	Ant1	2427	0.27	0.29	93.10	0.31
11ax40SISO	Ant1	2437	0.26	0.27	96.30	0.16
11ax40SISO	Ant1	2442	0.26	0.29	89.66	0.47
11ax40SISO	Ant1	2447	0.26	0.29	89.66	0.47
11ax40SISO	Ant1	2452	0.27	0.30	90.00	0.46

Test Graphs












NTNV-11ax20SISO-Ant1-2412




NTNV-11ax20SISO-Ant1-2437




NTNV-11ax20SISO-Ant1-2457




NTNV-11ax20SISO-Ant1-2462




NTNV-11ax40SISO-Ant1-2422




NTNV-11ax40SISO-Ant1-2427




NTVN-11ax40SISO-Ant1-2437



NTVN-11ax40SISO-Ant1-2442



NTVN-11ax40SISO-Ant1-2447




NTVN-11ax40SISO-Ant1-2452

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	30.39	56.09	25.62	-30.47	40.00	14.38	PK	Horizontal	PASS
2	61.24	50.95	24.34	-26.61	40.00	15.66	PK	Horizontal	PASS
3	158.14	58.24	28.46	-29.78	43.50	15.04	PK	Horizontal	PASS
4	263.59	54.28	29.49	-24.79	47.00	17.51	PK	Horizontal	PASS
5	339.69	58.07	35.55	-22.52	47.00	11.45	PK	Horizontal	PASS
6	597.43	56.92	40.42	-16.50	47.00	6.58	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph**Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	44.21	55.06	28.03	-27.03	40.00	11.97	PK	Vertical	PASS
2	60.70	55.19	28.60	-26.59	40.00	11.40	PK	Vertical	PASS
3	114.01	56.67	26.43	-30.24	43.50	17.07	PK	Vertical	PASS
4	237.83	57.51	32.44	-25.07	47.00	14.56	PK	Vertical	PASS
5	346.67	51.46	29.41	-22.05	47.00	17.59	PK	Vertical	PASS
6	599.52	51.75	35.37	-16.38	47.00	11.63	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2412.87	95.41	-0.18	95.23	-	-	RMS	Horizontal	NA
2	4824.50	48.17	-6.96	41.21	54.00	12.79	RMS	Horizontal	PASS
3	6175.50	40.86	-3.28	37.58	54.00	16.42	RMS	Horizontal	PASS
4	17949.50	30.72	16.57	47.29	54.00	6.71	RMS	Horizontal	PASS
5	2412.87	97.40	-0.18	97.22	-	-	PK	Horizontal	NA
6	4824.00	52.17	-6.96	45.21	74.00	28.79	PK	Horizontal	PASS
7	6148.00	49.18	-3.28	45.90	74.00	28.10	PK	Horizontal	PASS
8	17983.00	36.60	17.04	53.64	74.00	20.36	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2413.53	103.97	-0.17	103.80	-	-	RMS	Vertical	NA
2	4824.50	53.44	-6.96	46.48	54.00	7.52	RMS	Vertical	PASS
3	7234.00	43.25	-0.37	42.88	54.00	11.12	RMS	Vertical	PASS
4	8442.50	40.13	1.53	41.66	54.00	12.34	RMS	Vertical	PASS
5	2414.80	106.06	-0.15	105.91	-	-	PK	Vertical	NA
6	4824.00	54.94	-6.96	47.98	74.00	26.02	PK	Vertical	PASS
7	7233.50	48.66	-0.38	48.28	74.00	25.72	PK	Vertical	PASS
8	8442.00	44.53	1.52	46.05	74.00	27.95	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.13	39.08	-5.00	34.08	54.00	19.92	RMS	Horizontal	PASS
2	2435.07	90.84	0.09	90.93	-	-	RMS	Horizontal	NA
3	4874.50	45.49	-6.39	39.10	54.00	14.90	RMS	Horizontal	PASS
4	17964.00	29.96	16.78	46.74	54.00	7.26	RMS	Horizontal	PASS
5	1440.07	49.65	-5.00	44.65	74.00	29.35	PK	Horizontal	PASS
6	2434.27	92.21	0.09	92.30	-	-	PK	Horizontal	NA
7	2921.93	46.88	1.70	48.58	74.00	25.42	PK	Horizontal	PASS
8	17988.00	37.45	17.11	54.56	74.00	19.44	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2436.20	102.20	0.10	102.30	-	-	RMS	Vertical	NA
2	2515.80	42.53	0.92	43.45	54.00	10.55	RMS	Vertical	PASS
3	4874.50	50.14	-6.39	43.75	54.00	10.25	RMS	Vertical	PASS
4	17949.50	30.29	16.57	46.86	54.00	7.14	RMS	Vertical	PASS
5	2436.07	103.96	0.10	104.06	-	-	PK	Vertical	NA
6	2515.73	48.97	0.92	49.89	74.00	24.11	PK	Vertical	PASS
7	4874.00	52.67	-6.40	46.27	74.00	27.73	PK	Vertical	PASS
8	17956.00	38.35	16.66	55.01	74.00	18.99	PK	Vertical	PASS


Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.13	40.61	-5.00	35.61	54.00	18.39	RMS	Horizontal	PASS
2	2463.93	91.66	0.45	92.11	-	-	RMS	Horizontal	NA
3	2946.13	39.77	1.83	41.60	54.00	12.40	RMS	Horizontal	PASS
4	17981.00	30.70	17.01	47.71	54.00	6.29	RMS	Horizontal	PASS
5	1196.07	48.71	-5.81	42.90	74.00	31.10	PK	Horizontal	PASS
6	1440.27	51.58	-5.00	46.58	74.00	27.42	PK	Horizontal	PASS
7	2461.13	93.42	0.41	93.83	-	-	PK	Horizontal	NA
8	17879.50	38.76	15.97	54.73	74.00	19.27	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2462.60	102.39	0.43	102.82	-	-	RMS	Vertical	NA
2	2880.07	43.09	1.48	44.57	54.00	9.43	RMS	Vertical	PASS
3	4924.50	48.91	-6.06	42.85	54.00	11.15	RMS	Vertical	PASS
4	17956.50	30.57	16.67	47.24	54.00	6.76	RMS	Vertical	PASS
5	2461.07	104.11	0.40	104.51	-	-	PK	Vertical	NA
6	2543.93	49.79	1.01	50.80	74.00	23.20	PK	Vertical	PASS
7	4924.00	52.31	-6.06	46.25	74.00	27.75	PK	Vertical	PASS
8	17983.50	37.43	17.04	54.47	74.00	19.53	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1439.73	35.54	-5.00	30.54	54.00	23.46	RMS	Horizontal	PASS
2	2410.93	91.15	-0.20	90.95	-	-	RMS	Horizontal	NA
3	2880.27	37.19	1.48	38.67	54.00	15.33	RMS	Horizontal	PASS
4	17968.50	29.16	16.83	45.99	54.00	8.01	RMS	Horizontal	PASS
5	1440.40	44.83	-5.00	39.83	74.00	34.17	PK	Horizontal	PASS
6	2414.27	96.52	-0.15	96.37	-	-	PK	Horizontal	NA
7	2880.00	43.63	1.48	45.11	74.00	28.89	PK	Horizontal	PASS
8	17978.00	37.34	16.97	54.31	74.00	19.69	PK	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2410.87	100.40	-0.20	100.20	-	-	RMS	Vertical	NA
2	2488.13	41.52	0.73	42.25	54.00	11.75	RMS	Vertical	PASS
3	2879.93	43.23	1.48	44.71	54.00	9.29	RMS	Vertical	PASS
4	17967.00	30.13	16.82	46.95	54.00	7.05	RMS	Vertical	PASS
5	2413.40	106.42	-0.17	106.25	-	-	PK	Vertical	NA
6	2496.13	47.70	0.83	48.53	74.00	25.47	PK	Vertical	PASS
7	2879.87	46.06	1.48	47.54	74.00	26.46	PK	Vertical	PASS
8	17962.50	37.15	16.75	53.90	74.00	20.10	PK	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1047.67	41.58	-6.95	34.63	54.00	19.37	RMS	Horizontal	PASS
2	2435.73	88.37	0.10	88.47	-	-	RMS	Horizontal	NA
3	2915.00	39.45	1.66	41.11	54.00	12.89	RMS	Horizontal	PASS
4	17752.50	30.99	15.92	46.91	54.00	7.09	RMS	Horizontal	PASS
5	1439.00	48.45	-5.01	43.44	74.00	30.56	PK	Horizontal	PASS
6	2436.00	93.97	0.10	94.07	-	-	PK	Horizontal	NA
7	2961.33	47.11	1.94	49.05	74.00	24.95	PK	Horizontal	PASS
8	17752.00	39.69	15.91	55.60	74.00	18.40	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1439.47	40.07	-5.00	35.07	54.00	18.93	RMS	Vertical	PASS
2	2435.73	100.64	0.10	100.74	-	-	RMS	Vertical	NA
3	2880.13	45.30	1.48	46.78	54.00	7.22	RMS	Vertical	PASS
4	17984.50	29.52	17.06	46.58	54.00	7.42	RMS	Vertical	PASS
5	1439.40	50.44	-5.00	45.44	74.00	28.56	PK	Vertical	PASS
6	2435.73	106.07	0.10	106.17	-	-	PK	Vertical	NA
7	2880.13	49.15	1.48	50.63	74.00	23.37	PK	Vertical	PASS
8	17982.50	37.52	17.03	54.55	74.00	19.45	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.20	46.15	-5.00	41.15	54.00	12.85	RMS	Horizontal	PASS
2	2463.20	89.58	0.43	90.01	-	-	RMS	Horizontal	NA
3	6693.50	39.87	-1.40	38.47	54.00	15.53	RMS	Horizontal	PASS
4	17942.00	29.83	16.47	46.30	54.00	7.70	RMS	Horizontal	PASS
5	1440.13	49.28	-5.00	44.28	74.00	29.72	PK	Horizontal	PASS
6	2466.60	95.61	0.48	96.09	-	-	PK	Horizontal	NA
7	6686.00	47.43	-1.43	46.00	74.00	28.00	PK	Horizontal	PASS
8	17950.50	37.71	16.58	54.29	74.00	19.71	PK	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2460.80	100.06	0.40	100.46	-	-	RMS	Vertical	NA
2	2880.07	42.83	1.48	44.31	54.00	9.69	RMS	Vertical	PASS
3	8617.50	39.79	1.29	41.08	54.00	12.92	RMS	Vertical	PASS
4	17986.00	29.60	17.08	46.68	54.00	7.32	RMS	Vertical	PASS
5	2460.80	104.91	0.40	105.31	-	-	PK	Vertical	NA
6	2879.87	45.90	1.48	47.38	74.00	26.62	PK	Vertical	PASS
7	3666.00	47.27	-10.66	36.61	74.00	37.39	PK	Vertical	PASS
8	18000.00	37.10	17.28	54.38	74.00	19.62	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.07	42.23	-5.00	37.23	54.00	16.77	RMS	Horizontal	PASS
2	2436.00	88.06	0.10	88.16	-	-	RMS	Horizontal	NA
3	2880.00	39.47	1.48	40.95	54.00	13.05	RMS	Horizontal	PASS
4	17966.50	29.76	16.81	46.57	54.00	7.43	RMS	Horizontal	PASS
5	1439.73	52.32	-5.00	47.32	74.00	26.68	PK	Horizontal	PASS
6	2435.60	95.03	0.10	95.13	-	-	PK	Horizontal	NA
7	2821.73	47.47	1.27	48.74	74.00	25.26	PK	Horizontal	PASS
8	17959.00	38.16	16.71	54.87	74.00	19.13	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	6
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1439.93	44.67	-5.00	39.67	54.00	14.33	RMS	Vertical	PASS
2	2438.20	100.20	0.13	100.33	-	-	RMS	Vertical	NA
3	2880.00	45.83	1.48	47.31	54.00	6.69	RMS	Vertical	PASS
4	17946.00	30.15	16.52	46.67	54.00	7.33	RMS	Vertical	PASS
5	1198.53	52.15	-5.79	46.36	74.00	27.64	PK	Vertical	PASS
6	2435.60	106.13	0.10	106.23	-	-	PK	Vertical	NA
7	2880.13	48.75	1.48	50.23	74.00	23.77	PK	Vertical	PASS
8	17967.00	37.77	16.82	54.59	74.00	19.41	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1256.93	37.79	-5.59	32.20	54.00	21.80	RMS	Horizontal	PASS
2	1439.93	43.02	-5.00	38.02	54.00	15.98	RMS	Horizontal	PASS
3	2420.20	86.40	-0.09	86.31	-	-	RMS	Horizontal	NA
4	17991.50	29.60	17.16	46.76	54.00	7.24	RMS	Horizontal	PASS
5	1440.27	51.95	-5.00	46.95	74.00	27.05	PK	Horizontal	PASS
6	2419.87	91.33	-0.09	91.24	-	-	PK	Horizontal	NA
7	7296.00	47.62	-0.31	47.31	74.00	26.69	PK	Horizontal	PASS
8	17740.00	38.82	15.81	54.63	74.00	19.37	PK	Horizontal	PASS


Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.53	41.13	-5.00	36.13	54.00	17.87	RMS	Vertical	PASS
2	2419.47	95.35	-0.09	95.26	-	-	RMS	Vertical	NA
3	2880.07	43.30	1.48	44.78	54.00	9.22	RMS	Vertical	PASS
4	17977.50	29.60	16.96	46.56	54.00	7.44	RMS	Vertical	PASS
5	1440.47	53.63	-5.00	48.63	74.00	25.37	PK	Vertical	PASS
6	2423.60	100.88	-0.05	100.83	-	-	PK	Vertical	NA
7	2880.07	45.77	1.48	47.25	74.00	26.75	PK	Vertical	PASS
8	17958.50	38.82	16.69	55.51	74.00	18.49	PK	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.20	38.79	-5.00	33.79	54.00	20.21	RMS	Horizontal	PASS
2	2410.67	92.49	-0.20	92.29	-	-	RMS	Horizontal	NA
3	2880.07	38.15	1.48	39.63	54.00	14.37	RMS	Horizontal	PASS
4	17994.50	29.81	17.20	47.01	54.00	6.99	RMS	Horizontal	PASS
5	1440.07	49.54	-5.00	44.54	74.00	29.46	PK	Horizontal	PASS
6	2410.67	97.82	-0.20	97.62	-	-	PK	Horizontal	NA
7	2880.07	43.97	1.48	45.45	74.00	28.55	PK	Horizontal	PASS
8	17965.50	37.19	16.79	53.98	74.00	20.02	PK	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2410.87	101.76	-0.20	101.56	-	-	RMS	Vertical	NA
2	2488.20	40.21	0.73	40.94	54.00	13.06	RMS	Vertical	PASS
3	2880.00	44.24	1.48	45.72	54.00	8.28	RMS	Vertical	PASS
4	17995.50	29.50	17.21	46.71	54.00	7.29	RMS	Vertical	PASS
5	2411.47	107.56	-0.19	107.37	-	-	PK	Vertical	NA
6	2491.07	48.04	0.77	48.81	74.00	25.19	PK	Vertical	PASS
7	2879.93	46.65	1.48	48.13	74.00	25.87	PK	Vertical	PASS
8	17943.00	38.18	16.48	54.66	74.00	19.34	PK	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1439.73	45.00	-5.00	40.00	54.00	14.00	RMS	Horizontal	PASS
2	2424.40	86.00	-0.03	85.97	-	-	RMS	Horizontal	NA
3	2775.53	39.70	1.05	40.75	54.00	13.25	RMS	Horizontal	PASS
4	17974.50	29.58	16.92	46.50	54.00	7.50	RMS	Horizontal	PASS
5	1440.13	50.93	-5.00	45.93	74.00	28.07	PK	Horizontal	PASS
6	2423.87	91.66	-0.04	91.62	-	-	PK	Horizontal	NA
7	2675.20	48.31	0.93	49.24	74.00	24.76	PK	Horizontal	PASS
8	17957.50	38.19	16.68	54.87	74.00	19.13	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.60	40.13	-5.00	35.13	54.00	18.87	RMS	Vertical	PASS
2	2427.13	95.60	0.00	95.60	-	-	RMS	Vertical	NA
3	2880.20	44.38	1.48	45.86	54.00	8.14	RMS	Vertical	PASS
4	17948.00	30.22	16.55	46.77	54.00	7.23	RMS	Vertical	PASS
5	1440.53	50.42	-5.00	45.42	74.00	28.58	PK	Vertical	PASS
6	2423.33	101.00	-0.05	100.95	-	-	PK	Vertical	NA
7	2982.93	47.90	2.11	50.01	74.00	23.99	PK	Vertical	PASS
8	17768.00	38.25	16.04	54.29	74.00	19.71	PK	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2374.83	40.80	-0.49	40.31	54.00	13.69	RMS	Horizontal	PASS
2	2385.89	42.21	-0.42	41.79	54.00	12.21	RMS	Horizontal	PASS
3	2387.27	41.44	-0.41	41.03	54.00	12.97	RMS	Horizontal	PASS
4	2318.89	49.07	-0.83	48.24	74.00	25.76	PK	Horizontal	PASS
5	2376.33	50.26	-0.47	49.79	74.00	24.21	PK	Horizontal	PASS
6	2386.19	50.60	-0.42	50.18	74.00	23.82	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2375.13	48.43	-0.48	47.95	54.00	6.05	RMS	Vertical	PASS
2	2386.04	50.93	-0.42	50.51	54.00	3.49	RMS	Vertical	PASS
3	2387.31	49.17	-0.41	48.76	54.00	5.24	RMS	Vertical	PASS
4	2375.43	55.35	-0.48	54.87	74.00	19.13	PK	Vertical	PASS
5	2386.30	57.01	-0.41	56.60	74.00	17.40	PK	Vertical	PASS
6	2387.27	55.76	-0.41	55.35	74.00	18.65	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2487.56	38.68	0.73	39.41	54.00	14.59	RMS	Horizontal	PASS
2	2494.33	38.66	0.81	39.47	54.00	14.53	RMS	Horizontal	PASS
3	2498.90	40.60	0.87	41.47	54.00	12.53	RMS	Horizontal	PASS
4	2486.84	49.54	0.72	50.26	74.00	23.74	PK	Horizontal	PASS
5	2489.70	49.97	0.76	50.73	74.00	23.27	PK	Horizontal	PASS
6	2499.04	50.71	0.87	51.58	74.00	22.42	PK	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2488.88	44.46	0.75	45.21	54.00	8.79	RMS	Vertical	PASS
2	2490.30	44.57	0.76	45.33	54.00	8.67	RMS	Vertical	PASS
3	2499.18	47.78	0.87	48.65	54.00	5.35	RMS	Vertical	PASS
4	2487.59	54.46	0.73	55.19	74.00	18.81	PK	Vertical	PASS
5	2491.67	53.22	0.78	54.00	74.00	20.00	PK	Vertical	PASS
6	2499.62	54.95	0.88	55.83	74.00	18.17	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2326.39	39.23	-0.78	38.45	54.00	15.55	RMS	Vertical	PASS
2	2385.14	45.49	-0.42	45.07	54.00	8.93	RMS	Vertical	PASS
3	2389.73	50.60	-0.39	50.21	54.00	3.79	RMS	Vertical	PASS
4	2329.31	51.02	-0.77	50.25	74.00	23.75	PK	Vertical	PASS
5	2383.35	57.34	-0.44	56.90	74.00	17.10	PK	Vertical	PASS
6	2389.85	63.72	-0.39	63.33	74.00	10.67	PK	Vertical	PASS