



Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2339.20	37.68	-0.70	36.98	54.00	17.02	RMS	Horizontal	PASS
2	2369.34	37.89	-0.52	37.37	54.00	16.63	RMS	Horizontal	PASS
3	2389.70	41.79	-0.39	41.40	54.00	12.60	RMS	Horizontal	PASS
4	2346.93	49.48	-0.66	48.82	74.00	25.18	PK	Horizontal	PASS
5	2387.49	54.19	-0.41	53.78	74.00	20.22	PK	Horizontal	PASS
6	2388.95	55.08	-0.39	54.69	74.00	19.31	PK	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	2
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2377.10	38.19	-0.47	37.72	54.00	16.28	Horizontal	PASS
2	2384.90	38.60	-0.42	38.18	54.00	15.82	Horizontal	PASS
3	2389.39	40.02	-0.39	39.63	54.00	14.37	Horizontal	PASS
4	2376.48	49.45	-0.47	48.98	74.00	25.02	Horizontal	PASS
5	2383.93	50.15	-0.43	49.72	74.00	24.28	Horizontal	PASS
6	2388.85	51.23	-0.39	50.84	74.00	23.16	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	2
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.54	43.62	-0.44	43.18	54.00	10.82	Vertical	PASS
2	2387.25	45.82	-0.41	45.41	54.00	8.59	Vertical	PASS
3	2389.55	47.26	-0.39	46.87	54.00	7.13	Vertical	PASS
4	2385.06	56.94	-0.42	56.52	74.00	17.48	Vertical	PASS
5	2386.62	58.40	-0.41	57.99	74.00	16.01	Vertical	PASS
6	2389.08	59.21	-0.39	58.82	74.00	15.18	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	38.44	0.69	39.13	54.00	14.87	Horizontal	PASS
2	2486.80	38.05	0.72	38.77	54.00	15.23	Horizontal	PASS
3	2488.47	37.92	0.74	38.66	54.00	15.34	Horizontal	PASS
4	2484.28	50.46	0.69	51.15	74.00	22.85	Horizontal	PASS
5	2486.88	50.24	0.72	50.96	74.00	23.04	Horizontal	PASS
6	2488.28	51.33	0.74	52.07	74.00	21.93	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.09	45.10	0.69	45.79	54.00	8.21	Vertical	PASS
2	2485.87	44.42	0.71	45.13	54.00	8.87	Vertical	PASS
3	2488.65	42.00	0.74	42.74	54.00	11.26	Vertical	PASS
4	2484.09	61.58	0.69	62.27	74.00	11.73	Vertical	PASS
5	2486.64	59.02	0.72	59.74	74.00	14.26	Vertical	PASS
6	2488.78	60.19	0.75	60.94	74.00	13.06	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.62	39.95	0.68	40.63	54.00	13.37	RMS	Horizontal	PASS
2	2489.63	38.71	0.76	39.47	54.00	14.53	RMS	Horizontal	PASS
3	2497.12	37.90	0.85	38.75	54.00	15.25	RMS	Horizontal	PASS
4	2485.33	53.82	0.70	54.52	74.00	19.48	PK	Horizontal	PASS
5	2487.63	52.13	0.73	52.86	74.00	21.14	PK	Horizontal	PASS
6	2498.54	49.66	0.86	50.52	74.00	23.48	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.98	47.51	0.69	48.20	54.00	5.80	RMS	Vertical	PASS
2	2485.50	47.15	0.70	47.85	54.00	6.15	RMS	Vertical	PASS
3	2499.23	41.27	0.87	42.14	54.00	11.86	RMS	Vertical	PASS
4	2485.26	62.91	0.70	63.61	74.00	10.39	PK	Vertical	PASS
5	2487.68	62.07	0.73	62.80	74.00	11.20	PK	Vertical	PASS
6	2498.54	53.16	0.86	54.02	74.00	19.98	PK	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2363.11	38.09	-0.56	37.53	54.00	16.47	RMS	Horizontal	PASS
2	2381.63	38.70	-0.44	38.26	54.00	15.74	RMS	Horizontal	PASS
3	2388.99	41.83	-0.39	41.44	54.00	12.56	RMS	Horizontal	PASS
4	2381.97	52.52	-0.44	52.08	74.00	21.92	PK	Horizontal	PASS
5	2384.88	53.08	-0.42	52.66	74.00	21.34	PK	Horizontal	PASS
6	2388.28	56.17	-0.41	55.76	74.00	18.24	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2331.18	40.25	-0.76	39.49	54.00	14.51	RMS	Vertical	PASS
2	2385.07	46.13	-0.42	45.71	54.00	8.29	RMS	Vertical	PASS
3	2389.47	50.70	-0.39	50.31	54.00	3.69	RMS	Vertical	PASS
4	2330.43	50.93	-0.76	50.17	74.00	23.83	PK	Vertical	PASS
5	2384.92	59.84	-0.42	59.42	74.00	14.58	PK	Vertical	PASS
6	2388.54	65.19	-0.41	64.78	74.00	9.22	PK	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.88	39.04	0.69	39.73	54.00	14.27	Horizontal	PASS
2	2485.97	38.40	0.71	39.11	54.00	14.89	Horizontal	PASS
3	2488.15	38.31	0.73	39.04	54.00	14.96	Horizontal	PASS
4	2484.07	52.84	0.69	53.53	74.00	20.47	Horizontal	PASS
5	2485.66	51.51	0.70	52.21	74.00	21.79	Horizontal	PASS
6	2487.99	51.19	0.73	51.92	74.00	22.08	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.94	45.58	0.70	46.28	54.00	7.72	Vertical	PASS
2	2487.51	42.98	0.73	43.71	54.00	10.29	Vertical	PASS
3	2489.85	42.37	0.76	43.13	54.00	10.87	Vertical	PASS
4	2484.91	62.47	0.70	63.17	74.00	10.83	Vertical	PASS
5	2487.41	61.79	0.73	62.52	74.00	11.48	Vertical	PASS
6	2489.77	58.90	0.76	59.66	74.00	14.34	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.58	41.43	0.68	42.11	54.00	11.89	RMS	Horizontal	PASS
2	2486.94	39.23	0.72	39.95	54.00	14.05	RMS	Horizontal	PASS
3	2497.55	38.19	0.85	39.04	54.00	14.96	RMS	Horizontal	PASS
4	2484.92	57.61	0.70	58.31	74.00	15.69	PK	Horizontal	PASS
5	2490.59	52.16	0.76	52.92	74.00	21.08	PK	Horizontal	PASS
6	2496.21	50.91	0.83	51.74	74.00	22.26	PK	Horizontal	PASS


Project Information			
Mode:	802.11n20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.55	49.08	0.68	49.76	54.00	4.24	RMS	Vertical	PASS
2	2489.00	44.57	0.75	45.32	54.00	8.68	RMS	Vertical	PASS
3	2497.98	40.46	0.85	41.31	54.00	12.69	RMS	Vertical	PASS
4	2485.26	67.34	0.70	68.04	74.00	5.96	PK	Vertical	PASS
5	2490.37	61.30	0.76	62.06	74.00	11.94	PK	Vertical	PASS
6	2496.30	57.83	0.84	58.67	74.00	15.33	PK	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2336.06	37.91	-0.73	37.18	54.00	16.82	RMS	Horizontal	PASS
2	2365.15	38.04	-0.55	37.49	54.00	16.51	RMS	Horizontal	PASS
3	2389.31	41.00	-0.39	40.61	54.00	13.39	RMS	Horizontal	PASS
4	2336.54	48.95	-0.72	48.23	74.00	25.77	PK	Horizontal	PASS
5	2383.50	57.77	-0.44	57.33	74.00	16.67	PK	Horizontal	PASS
6	2386.98	58.49	-0.41	58.08	74.00	15.92	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2350.41	41.24	-0.64	40.60	54.00	13.40	RMS	Vertical	PASS
2	2388.30	48.81	-0.41	48.40	54.00	5.60	RMS	Vertical	PASS
3	2389.62	48.99	-0.39	48.60	54.00	5.40	RMS	Vertical	PASS
4	2383.50	65.33	-0.44	64.89	74.00	9.11	PK	Vertical	PASS
5	2386.67	66.25	-0.41	65.84	74.00	8.16	PK	Vertical	PASS
6	2389.84	67.16	-0.39	66.77	74.00	7.23	PK	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	4
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.55	42.21	-0.42	41.79	54.00	12.21	Horizontal	PASS
2	2388.12	43.51	-0.41	43.10	54.00	10.90	Horizontal	PASS
3	2389.71	43.52	-0.39	43.13	54.00	10.87	Horizontal	PASS
4	2386.47	57.49	-0.41	57.08	74.00	16.92	Horizontal	PASS
5	2388.34	59.65	-0.41	59.24	74.00	14.76	Horizontal	PASS
6	2389.81	61.19	-0.39	60.80	74.00	13.20	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	4
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.15	49.48	-0.42	49.06	54.00	4.94	Vertical	PASS
2	2387.98	51.40	-0.41	50.99	54.00	3.01	Vertical	PASS
3	2389.58	51.84	-0.39	51.45	54.00	2.55	Vertical	PASS
4	2386.84	65.80	-0.41	65.39	74.00	8.61	Vertical	PASS
5	2388.12	67.76	-0.41	67.35	74.00	6.65	Vertical	PASS
6	2389.81	70.63	-0.39	70.24	74.00	3.76	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	7
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.12	41.33	0.69	42.02	54.00	11.98	Horizontal	PASS
2	2486.19	40.58	0.71	41.29	54.00	12.71	Horizontal	PASS
3	2489.54	39.34	0.76	40.10	54.00	13.90	Horizontal	PASS
4	2484.51	55.49	0.69	56.18	74.00	17.82	Horizontal	PASS
5	2486.38	53.67	0.72	54.39	74.00	19.61	Horizontal	PASS
6	2489.50	54.21	0.75	54.96	74.00	19.04	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	7
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.43	50.39	0.69	51.08	54.00	2.92	Vertical	PASS
2	2486.66	49.24	0.72	49.96	54.00	4.04	Vertical	PASS
3	2488.72	48.28	0.74	49.02	54.00	4.98	Vertical	PASS
4	2484.90	64.71	0.70	65.41	74.00	8.59	Vertical	PASS
5	2486.30	63.46	0.72	64.18	74.00	9.82	Vertical	PASS
6	2487.98	64.72	0.73	65.45	74.00	8.55	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	8
SN:	-	Engineer:	Oushuyan
Remark:	Power 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.22	42.19	0.69	42.88	54.00	11.12	Horizontal	PASS
2	2486.52	40.25	0.72	40.97	54.00	13.03	Horizontal	PASS
3	2489.77	39.93	0.76	40.69	54.00	13.31	Horizontal	PASS
4	2484.19	58.17	0.69	58.86	74.00	15.14	Horizontal	PASS
5	2486.16	56.06	0.71	56.77	74.00	17.23	Horizontal	PASS
6	2488.53	53.60	0.74	54.34	74.00	19.66	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	8
SN:	-	Engineer:	Oushuyan
Remark:	Power 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.55	51.76	0.69	52.45	54.00	1.55	Vertical	PASS
2	2486.38	49.77	0.72	50.49	54.00	3.51	Vertical	PASS
3	2489.85	48.44	0.76	49.20	54.00	4.80	Vertical	PASS
4	2484.01	68.99	0.69	69.68	74.00	4.32	Vertical	PASS
5	2485.90	66.70	0.71	67.41	74.00	6.59	Vertical	PASS
6	2488.17	64.56	0.73	65.29	74.00	8.71	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2485.68	40.84	0.70	41.54	54.00	12.46	RMS	Horizontal	PASS
2	2492.69	39.42	0.79	40.21	54.00	13.79	RMS	Horizontal	PASS
3	2499.46	38.98	0.88	39.86	54.00	14.14	RMS	Horizontal	PASS
4	2485.78	59.93	0.70	60.63	74.00	13.37	PK	Horizontal	PASS
5	2490.85	54.85	0.77	55.62	74.00	18.38	PK	Horizontal	PASS
6	2499.90	52.09	0.88	52.97	74.00	21.03	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.39	48.52	0.69	49.21	54.00	4.79	RMS	Vertical	PASS
2	2486.63	48.41	0.72	49.13	54.00	4.87	RMS	Vertical	PASS
3	2489.11	48.15	0.75	48.90	54.00	5.10	RMS	Vertical	PASS
4	2485.47	69.07	0.70	69.77	74.00	4.23	PK	Vertical	PASS
5	2487.38	68.49	0.73	69.22	74.00	4.78	PK	Vertical	PASS
6	2494.76	62.45	0.82	63.27	74.00	10.73	PK	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2361.91	37.85	-0.56	37.29	54.00	16.71	RMS	Horizontal	PASS
2	2380.36	38.93	-0.45	38.48	54.00	15.52	RMS	Horizontal	PASS
3	2389.62	41.91	-0.39	41.52	54.00	12.48	RMS	Horizontal	PASS
4	2362.40	49.46	-0.56	48.90	74.00	25.10	PK	Horizontal	PASS
5	2378.87	50.39	-0.46	49.93	74.00	24.07	PK	Horizontal	PASS
6	2389.55	56.09	-0.39	55.70	74.00	18.30	PK	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 19		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2369.12	39.67	-0.52	39.15	54.00	14.85	RMS	Vertical	PASS
2	2383.53	44.74	-0.44	44.30	54.00	9.70	RMS	Vertical	PASS
3	2389.58	50.53	-0.39	50.14	54.00	3.86	RMS	Vertical	PASS
4	2374.09	52.65	-0.49	52.16	74.00	21.84	PK	Vertical	PASS
5	2382.90	58.18	-0.44	57.74	74.00	16.26	PK	Vertical	PASS
6	2389.40	65.75	-0.39	65.36	74.00	8.64	PK	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	39.48	0.68	40.16	54.00	13.84	Horizontal	PASS
2	2485.05	38.82	0.70	39.52	54.00	14.48	Horizontal	PASS
3	2487.35	38.55	0.73	39.28	54.00	14.72	Horizontal	PASS
4	2483.88	52.30	0.69	52.99	74.00	21.01	Horizontal	PASS
5	2485.07	51.80	0.70	52.50	74.00	21.50	Horizontal	PASS
6	2487.04	50.47	0.72	51.19	74.00	22.81	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	10
SN:	-	Engineer:	Oushuyan
Remark:	Power 19		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.17	46.26	0.69	46.95	54.00	7.05	Vertical	PASS
2	2486.27	44.27	0.72	44.99	54.00	9.01	Vertical	PASS
3	2490.46	42.34	0.76	43.10	54.00	10.90	Vertical	PASS
4	2484.36	62.85	0.69	63.54	74.00	10.46	Vertical	PASS
5	2486.13	60.10	0.71	60.81	74.00	13.19	Vertical	PASS
6	2489.08	59.64	0.75	60.39	74.00	13.61	Vertical	PASS
7	2499.97	50.33	0.88	51.21	74.00	22.79	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.60	41.27	0.68	41.95	54.00	12.05	RMS	Horizontal	PASS
2	2486.99	39.15	0.72	39.87	54.00	14.13	RMS	Horizontal	PASS
3	2494.19	38.39	0.81	39.20	54.00	14.80	RMS	Horizontal	PASS
4	2483.62	59.60	0.68	60.28	74.00	13.72	PK	Horizontal	PASS
5	2486.36	54.70	0.72	55.42	74.00	18.58	PK	Horizontal	PASS
6	2492.15	50.11	0.79	50.90	74.00	23.10	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 18		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.55	49.22	0.68	49.90	54.00	4.10	RMS	Vertical	PASS
2	2485.81	47.26	0.71	47.97	54.00	6.03	RMS	Vertical	PASS
3	2489.75	43.65	0.76	44.41	54.00	9.59	RMS	Vertical	PASS
4	2483.72	68.33	0.68	69.01	74.00	4.99	PK	Vertical	PASS
5	2485.88	65.35	0.71	66.06	74.00	7.94	PK	Vertical	PASS
6	2492.41	58.66	0.79	59.45	74.00	14.55	PK	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2365.46	38.23	-0.55	37.68	54.00	16.32	RMS	Horizontal	PASS
2	2383.86	40.37	-0.43	39.94	54.00	14.06	RMS	Horizontal	PASS
3	2389.58	40.99	-0.39	40.60	54.00	13.40	RMS	Horizontal	PASS
4	2359.03	49.37	-0.58	48.79	74.00	25.21	PK	Horizontal	PASS
5	2388.35	57.09	-0.41	56.68	74.00	17.32	PK	Horizontal	PASS
6	2389.71	57.86	-0.39	57.47	74.00	16.53	PK	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 16		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2379.28	45.13	-0.46	44.67	54.00	9.33	Vertical	PASS
2	2385.31	47.53	-0.42	47.11	54.00	6.89	Vertical	PASS
3	2389.05	49.02	-0.39	48.63	54.00	5.37	Vertical	PASS
4	2378.79	57.03	-0.46	56.57	74.00	17.43	Vertical	PASS
5	2385.27	62.86	-0.42	62.44	74.00	11.56	Vertical	PASS
6	2388.43	66.27	-0.41	65.86	74.00	8.14	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	4
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.59	42.43	-0.44	41.99	54.00	12.01	Horizontal	PASS
2	2388.12	43.51	-0.41	43.10	54.00	10.90	Horizontal	PASS
3	2389.40	43.70	-0.39	43.31	54.00	10.69	Horizontal	PASS
4	2383.14	58.10	-0.44	57.66	74.00	16.34	Horizontal	PASS
5	2388.07	57.59	-0.41	57.18	74.00	16.82	Horizontal	PASS
6	2389.58	58.18	-0.39	57.79	74.00	16.21	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	4
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.77	50.22	-0.44	49.78	54.00	4.22	Vertical	PASS
2	2386.47	50.68	-0.41	50.27	54.00	3.73	Vertical	PASS
3	2389.85	52.48	-0.39	52.09	54.00	1.91	Vertical	PASS
4	2382.59	67.07	-0.44	66.63	74.00	7.37	Vertical	PASS
5	2388.07	66.26	-0.41	65.85	74.00	8.15	Vertical	PASS
6	2389.67	66.49	-0.39	66.10	74.00	7.90	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	7
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.31	41.71	0.69	42.40	54.00	11.60	Horizontal	PASS
2	2485.87	41.46	0.71	42.17	54.00	11.83	Horizontal	PASS
3	2489.66	39.86	0.76	40.62	54.00	13.38	Horizontal	PASS
4	2484.28	54.20	0.69	54.89	74.00	19.11	Horizontal	PASS
5	2486.81	56.02	0.72	56.74	74.00	17.26	Horizontal	PASS
6	2487.40	56.80	0.73	57.53	74.00	16.47	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	7
SN:	-	Engineer:	Oushuyan
Remark:	Power 18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.08	51.33	0.69	52.02	54.00	1.98	Vertical	PASS
2	2485.41	51.17	0.70	51.87	54.00	2.13	Vertical	PASS
3	2488.06	49.63	0.73	50.36	54.00	3.64	Vertical	PASS
4	2484.63	64.49	0.70	65.19	74.00	8.81	Vertical	PASS
5	2487.08	67.29	0.73	68.02	74.00	5.98	Vertical	PASS
6	2491.65	65.65	0.78	66.43	74.00	7.57	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	8
SN:	-	Engineer:	Oushuyan
Remark:	Power 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.22	42.45	0.69	43.14	54.00	10.86	Horizontal	PASS
2	2485.68	41.23	0.70	41.93	54.00	12.07	Horizontal	PASS
3	2488.79	40.11	0.75	40.86	54.00	13.14	Horizontal	PASS
4	2479.70	58.12	0.64	58.76	-	-	Horizontal	NA
5	2483.64	60.07	0.68	60.75	74.00	13.25	Horizontal	PASS
6	2484.59	58.34	0.70	59.04	74.00	14.96	Horizontal	PASS
7	2484.88	55.79	0.70	56.49	74.00	17.51	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	8
SN:	-	Engineer:	Oushuyan
Remark:	Power 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.59	52.11	0.70	52.81	54.00	1.19	Vertical	PASS
2	2486.67	50.74	0.72	51.46	54.00	2.54	Vertical	PASS
3	2490.91	49.45	0.77	50.22	54.00	3.78	Vertical	PASS
4	2483.64	70.25	0.68	70.93	74.00	3.07	Vertical	PASS
5	2484.63	68.05	0.70	68.75	74.00	5.25	Vertical	PASS
6	2485.90	64.72	0.71	65.43	74.00	8.57	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.62	40.03	0.70	40.73	54.00	13.27	RMS	Horizontal	PASS
2	2492.14	39.16	0.79	39.95	54.00	14.05	RMS	Horizontal	PASS
3	2495.61	38.93	0.82	39.75	54.00	14.25	RMS	Horizontal	PASS
4	2484.01	61.45	0.69	62.14	74.00	11.86	PK	Horizontal	PASS
5	2487.18	59.43	0.73	60.16	74.00	13.84	PK	Horizontal	PASS
6	2494.59	55.98	0.82	56.80	74.00	17.20	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.62	46.87	0.70	47.57	54.00	6.43	RMS	Vertical	PASS
2	2486.70	47.01	0.72	47.73	54.00	6.27	RMS	Vertical	PASS
3	2489.56	46.30	0.76	47.06	54.00	6.94	RMS	Vertical	PASS
4	2483.64	70.43	0.68	71.11	74.00	2.89	PK	Vertical	PASS
5	2487.24	69.14	0.73	69.87	74.00	4.13	PK	Vertical	PASS
6	2492.55	66.32	0.79	67.11	74.00	6.89	PK	Vertical	PASS

~The End~