


Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.36	34.96	10.82	45.78	54.00	8.22	Vertical	PASS
2	5355.37	34.66	10.83	45.49	54.00	8.51	Vertical	PASS
3	5356.80	34.68	10.85	45.53	54.00	8.47	Vertical	PASS
4	5351.49	47.08	10.81	57.89	74.00	16.11	Vertical	PASS
5	5354.49	46.65	10.83	57.48	74.00	16.52	Vertical	PASS
6	5357.68	46.98	10.85	57.83	74.00	16.17	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.55	34.16	10.80	44.96	54.00	9.04	RMS	Horizontal	PASS
2	5358.76	33.81	10.86	44.67	54.00	9.33	RMS	Horizontal	PASS
3	5371.60	33.90	10.94	44.84	54.00	9.16	RMS	Horizontal	PASS
4	5350.68	47.74	10.80	58.54	74.00	15.46	PK	Horizontal	PASS
5	5361.01	46.35	10.87	57.22	74.00	16.78	PK	Horizontal	PASS
6	5371.09	45.29	10.93	56.22	74.00	17.78	PK	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.87	37.12	10.81	47.93	54.00	6.07	RMS	Vertical	PASS
2	5357.69	35.77	10.85	46.62	54.00	7.38	RMS	Vertical	PASS
3	5367.47	35.05	10.91	45.96	54.00	8.04	RMS	Vertical	PASS
4	5350.17	54.44	10.80	65.24	74.00	8.76	PK	Vertical	PASS
5	5355.70	52.79	10.83	63.62	74.00	10.38	PK	Vertical	PASS
6	5360.33	51.81	10.86	62.67	74.00	11.33	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5451.11	33.44	11.54	44.98	54.00	9.02	RMS	Horizontal	PASS
2	5455.70	33.46	11.55	45.01	54.00	8.99	RMS	Horizontal	PASS
3	5458.97	33.47	11.56	45.03	54.00	8.97	RMS	Horizontal	PASS
4	5454.38	45.39	11.55	56.94	74.00	17.06	PK	Horizontal	PASS
5	5469.00	47.72	11.58	59.30	68.20	8.90	PK	Horizontal	PASS
6	5469.87	47.32	11.58	58.90	68.20	9.30	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5451.23	33.76	11.54	45.30	54.00	8.70	RMS	Vertical	PASS
2	5457.08	34.12	11.55	45.67	54.00	8.33	RMS	Vertical	PASS
3	5459.72	34.43	11.56	45.99	54.00	8.01	RMS	Vertical	PASS
4	5458.19	47.45	11.55	59.00	74.00	15.00	PK	Vertical	PASS
5	5469.09	53.29	11.58	64.87	68.20	3.33	PK	Vertical	PASS
6	5469.78	53.17	11.58	64.75	68.20	3.45	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.40	33.59	11.55	45.14	54.00	8.86	Horizontal	PASS
2	5457.80	33.45	11.55	45.00	54.00	9.00	Horizontal	PASS
3	5459.60	33.34	11.56	44.90	54.00	9.10	Horizontal	PASS
4	5463.61	44.64	11.57	56.21	68.20	11.99	Horizontal	PASS
5	5466.81	44.33	11.57	55.90	68.20	12.30	Horizontal	PASS
6	5469.25	45.23	11.58	56.81	68.20	11.39	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	33.70	11.54	45.24	54.00	8.76	Vertical	PASS
2	5457.52	33.82	11.55	45.37	54.00	8.63	Vertical	PASS
3	5459.36	33.51	11.56	45.07	54.00	8.93	Vertical	PASS
4	5464.01	45.72	11.57	57.29	68.20	10.91	Vertical	PASS
5	5465.85	44.96	11.57	56.53	68.20	11.67	Vertical	PASS
6	5468.97	45.26	11.58	56.84	68.20	11.36	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.91	46.28	13.01	59.29	68.20	8.91	Horizontal	PASS
2	5730.11	45.17	13.06	58.23	68.20	9.97	Horizontal	PASS
3	5737.23	46.22	13.12	59.34	68.20	8.86	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.75	45.42	13.02	58.44	68.20	9.76	Vertical	PASS
2	5732.71	46.37	13.09	59.46	68.20	8.74	Vertical	PASS
3	5736.35	46.43	13.11	59.54	68.20	8.66	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.00	45.73	13.01	58.74	-	-	PK	Horizontal	NA
2	5729.11	45.35	13.05	58.40	68.20	9.80	PK	Horizontal	PASS
3	5735.26	45.30	13.10	58.40	68.20	9.80	PK	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.12	51.02	13.01	64.03	68.20	4.17	PK	Vertical	PASS
2	5727.40	49.38	13.03	62.41	68.20	5.79	PK	Vertical	PASS
3	5731.60	47.45	13.07	60.52	68.20	7.68	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5451.26	33.54	11.54	45.08	54.00	8.92	RMS	Horizontal	PASS
2	5456.84	33.42	11.55	44.97	54.00	9.03	RMS	Horizontal	PASS
3	5458.64	33.54	11.55	45.09	54.00	8.91	RMS	Horizontal	PASS
4	5451.71	45.98	11.54	57.52	74.00	16.48	PK	Horizontal	PASS
5	5466.33	47.02	11.57	58.59	68.20	9.61	PK	Horizontal	PASS
6	5469.81	47.70	11.58	59.28	68.20	8.92	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.87	34.05	11.54	45.59	54.00	8.41	RMS	Vertical	PASS
2	5456.81	34.07	11.55	45.62	54.00	8.38	RMS	Vertical	PASS
3	5459.75	34.46	11.56	46.02	54.00	7.98	RMS	Vertical	PASS
4	5462.55	49.25	11.56	60.81	68.20	7.39	PK	Vertical	PASS
5	5466.72	49.68	11.57	61.25	68.20	6.95	PK	Vertical	PASS
6	5469.45	53.16	11.58	64.74	68.20	3.46	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.72	33.69	11.54	45.23	54.00	8.77	Horizontal	PASS
2	5457.64	33.54	11.55	45.09	54.00	8.91	Horizontal	PASS
3	5459.28	33.27	11.56	44.83	54.00	9.17	Horizontal	PASS
4	5464.57	45.19	11.57	56.76	68.20	11.44	Horizontal	PASS
5	5467.05	45.21	11.57	56.78	68.20	11.42	Horizontal	PASS
6	5468.69	45.28	11.58	56.86	68.20	11.34	Horizontal	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.36	33.56	11.55	45.11	54.00	8.89	Vertical	PASS
2	5456.68	33.52	11.55	45.07	54.00	8.93	Vertical	PASS
3	5458.36	33.67	11.55	45.22	54.00	8.78	Vertical	PASS
4	5462.81	44.99	11.56	56.55	68.20	11.65	Vertical	PASS
5	5466.33	45.32	11.57	56.89	68.20	11.31	Vertical	PASS
6	5470.01	45.75	11.58	57.33	-	-	Vertical	NA


Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.03	45.33	13.02	58.35	68.20	9.85	Horizontal	PASS
2	5728.19	46.23	13.04	59.27	68.20	8.93	Horizontal	PASS
3	5730.79	45.96	13.06	59.02	68.20	9.18	Horizontal	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.79	46.10	13.01	59.11	68.20	9.09	Vertical	PASS
2	5730.27	46.16	13.06	59.22	68.20	8.98	Vertical	PASS
3	5735.07	46.08	13.10	59.18	68.20	9.02	Vertical	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.54	47.63	13.01	60.64	68.20	7.56	PK	Horizontal	PASS
2	5731.72	45.65	13.07	58.72	68.20	9.48	PK	Horizontal	PASS
3	5740.37	46.63	13.15	59.78	68.20	8.42	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.51	51.92	13.01	64.93	68.20	3.27	PK	Vertical	PASS
2	5726.11	51.54	13.02	64.56	68.20	3.64	PK	Vertical	PASS
3	5728.93	49.07	13.05	62.12	68.20	6.08	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.56	33.66	11.54	45.20	54.00	8.80	RMS	Horizontal	PASS
2	5454.84	33.55	11.55	45.10	54.00	8.90	RMS	Horizontal	PASS
3	5457.80	33.68	11.55	45.23	54.00	8.77	RMS	Horizontal	PASS
4	5457.68	46.88	11.55	58.43	74.00	15.57	PK	Horizontal	PASS
5	5464.53	46.83	11.57	58.40	68.20	9.80	PK	Horizontal	PASS
6	5469.49	47.84	11.58	59.42	68.20	8.78	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.44	35.42	11.54	46.96	54.00	7.04	RMS	Vertical	PASS
2	5454.56	36.07	11.55	47.62	54.00	6.38	RMS	Vertical	PASS
3	5458.80	37.27	11.56	48.83	54.00	5.17	RMS	Vertical	PASS
4	5463.33	52.35	11.57	63.92	68.20	4.28	PK	Vertical	PASS
5	5464.77	52.77	11.57	64.34	68.20	3.86	PK	Vertical	PASS
6	5469.89	53.66	11.58	65.24	68.20	2.96	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.48	33.49	11.54	45.03	54.00	8.97	Horizontal	PASS
2	5457.50	33.43	11.55	44.98	54.00	9.02	Horizontal	PASS
3	5458.16	33.26	11.55	44.81	54.00	9.19	Horizontal	PASS
4	5464.77	45.58	11.57	57.15	68.20	11.05	Horizontal	PASS
5	5467.29	45.41	11.57	56.98	68.20	11.22	Horizontal	PASS
6	5469.33	45.19	11.58	56.77	68.20	11.43	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.04	33.98	11.54	45.52	54.00	8.48	Vertical	PASS
2	5455.76	33.88	11.55	45.43	54.00	8.57	Vertical	PASS
3	5459.30	34.03	11.56	45.59	54.00	8.41	Vertical	PASS
4	5462.13	46.00	11.56	57.56	68.20	10.64	Vertical	PASS
5	5466.51	45.94	11.57	57.51	68.20	10.69	Vertical	PASS
6	5469.81	46.10	11.58	57.68	68.20	10.52	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	126
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.45	45.36	13.03	58.39	68.20	9.81	Horizontal	PASS
2	5732.77	45.65	13.09	58.74	68.20	9.46	Horizontal	PASS
3	5744.54	49.13	13.19	62.32	68.20	5.88	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	126
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.03	45.74	13.02	58.76	68.20	9.44	Vertical	PASS
2	5731.58	45.60	13.07	58.67	68.20	9.53	Vertical	PASS
3	5739.56	45.58	13.15	58.73	68.20	9.47	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.99	45.69	13.02	58.71	68.20	9.49	PK	Horizontal	PASS
2	5737.94	45.15	13.13	58.28	68.20	9.92	PK	Horizontal	PASS
3	5749.25	45.40	13.24	58.64	68.20	9.56	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.09	46.12	13.01	59.13	68.20	9.07	PK	Vertical	PASS
2	5733.39	46.14	13.09	59.23	68.20	8.97	PK	Vertical	PASS
3	5741.60	46.26	13.16	59.42	68.20	8.78	PK	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.96	33.57	11.54	45.11	54.00	8.89	RMS	Horizontal	PASS
2	5454.62	33.32	11.55	44.87	54.00	9.13	RMS	Horizontal	PASS
3	5458.73	33.50	11.56	45.06	54.00	8.94	RMS	Horizontal	PASS
4	5457.77	45.34	11.55	56.89	74.00	17.11	PK	Horizontal	PASS
5	5468.19	47.27	11.58	58.85	68.20	9.35	PK	Horizontal	PASS
6	5468.94	44.96	11.58	56.54	68.20	11.66	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.66	33.86	11.54	45.40	54.00	8.60	RMS	Vertical	PASS
2	5454.29	33.91	11.54	45.45	54.00	8.55	RMS	Vertical	PASS
3	5458.49	34.29	11.55	45.84	54.00	8.16	RMS	Vertical	PASS
4	5457.65	46.41	11.55	57.96	74.00	16.04	PK	Vertical	PASS
5	5464.59	48.11	11.57	59.68	68.20	8.52	PK	Vertical	PASS
6	5467.92	52.89	11.58	64.47	68.20	3.73	PK	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.44	33.49	11.54	45.03	54.00	8.97	Horizontal	PASS
2	5457.32	33.67	11.55	45.22	54.00	8.78	Horizontal	PASS
3	5458.72	33.49	11.56	45.05	54.00	8.95	Horizontal	PASS
4	5463.77	45.10	11.57	56.67	68.20	11.53	Horizontal	PASS
5	5466.81	44.68	11.57	56.25	68.20	11.95	Horizontal	PASS
6	5469.77	44.97	11.58	56.55	68.20	11.65	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.08	33.74	11.54	45.28	54.00	8.72	Vertical	PASS
2	5457.28	33.65	11.55	45.20	54.00	8.80	Vertical	PASS
3	5459.64	33.67	11.56	45.23	54.00	8.77	Vertical	PASS
4	5463.57	44.84	11.57	56.41	68.20	11.79	Vertical	PASS
5	5466.93	45.27	11.57	56.84	68.20	11.36	Vertical	PASS
6	5469.45	45.44	11.58	57.02	68.20	11.18	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.35	45.51	13.01	58.52	68.20	9.68	Horizontal	PASS
2	5728.95	44.92	13.05	57.97	68.20	10.23	Horizontal	PASS
3	5732.75	46.37	13.09	59.46	68.20	8.74	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.63	45.77	13.02	58.79	68.20	9.41	Vertical	PASS
2	5729.63	47.13	13.05	60.18	68.20	8.02	Vertical	PASS
3	5733.39	45.67	13.09	58.76	68.20	9.44	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.93	45.09	13.01	58.10	68.20	10.10	PK	Horizontal	PASS
2	5729.89	45.44	13.05	58.49	68.20	9.71	PK	Horizontal	PASS
3	5736.49	45.19	13.11	58.30	68.20	9.90	PK	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.84	49.82	13.01	62.83	68.20	5.37	PK	Vertical	PASS
2	5728.27	49.49	13.04	62.53	68.20	5.67	PK	Vertical	PASS
3	5734.60	46.50	13.10	59.60	68.20	8.60	PK	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 12.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.72	33.40	11.54	44.94	54.00	9.06	RMS	Horizontal	PASS
2	5454.68	33.38	11.55	44.93	54.00	9.07	RMS	Horizontal	PASS
3	5458.44	33.58	11.55	45.13	54.00	8.87	RMS	Horizontal	PASS
4	5453.04	45.35	11.54	56.89	74.00	17.11	PK	Horizontal	PASS
5	5458.76	45.57	11.56	57.13	74.00	16.87	PK	Horizontal	PASS
6	5469.89	46.00	11.58	57.58	68.20	10.62	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.08	34.28	11.54	45.82	54.00	8.18	RMS	Vertical	PASS
2	5455.16	34.63	11.55	46.18	54.00	7.82	RMS	Vertical	PASS
3	5459.44	35.26	11.56	46.82	54.00	7.18	RMS	Vertical	PASS
4	5453.48	48.40	11.54	59.94	74.00	14.06	PK	Vertical	PASS
5	5463.73	49.54	11.57	61.11	68.20	7.09	PK	Vertical	PASS
6	5465.81	52.06	11.57	63.63	68.20	4.57	PK	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	33.43	11.54	44.97	54.00	9.03	Horizontal	PASS
2	5456.18	33.44	11.55	44.99	54.00	9.01	Horizontal	PASS
3	5459.12	33.59	11.56	45.15	54.00	8.85	Horizontal	PASS
4	5465.13	45.43	11.57	57.00	68.20	11.20	Horizontal	PASS
5	5467.59	45.93	11.58	57.51	68.20	10.69	Horizontal	PASS
6	5468.61	44.54	11.58	56.12	68.20	12.08	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.16	33.89	11.54	45.43	54.00	8.57	Vertical	PASS
2	5456.36	34.06	11.55	45.61	54.00	8.39	Vertical	PASS
3	5458.94	34.02	11.56	45.58	54.00	8.42	Vertical	PASS
4	5464.23	45.60	11.57	57.17	68.20	11.03	Vertical	PASS
5	5467.47	45.60	11.58	57.18	68.20	11.02	Vertical	PASS
6	5469.45	46.53	11.58	58.11	68.20	10.09	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	126
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.96	45.48	13.02	58.50	68.20	9.70	Horizontal	PASS
2	5730.25	45.91	13.06	58.97	68.20	9.23	Horizontal	PASS
3	5737.67	50.80	13.13	63.93	68.20	4.27	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	126
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.31	45.42	13.02	58.44	68.20	9.76	Vertical	PASS
2	5729.69	45.64	13.05	58.69	68.20	9.51	Vertical	PASS
3	5736.13	45.55	13.11	58.66	68.20	9.54	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.34	45.62	13.01	58.63	68.20	9.57	PK	Horizontal	PASS
2	5734.04	45.82	13.10	58.92	68.20	9.28	PK	Horizontal	PASS
3	5742.10	45.67	13.17	58.84	68.20	9.36	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Oushuyan
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.24	47.58	13.02	60.60	68.20	7.60	PK	Vertical	PASS
2	5729.69	47.93	13.05	60.98	68.20	7.22	PK	Vertical	PASS
3	5734.84	47.35	13.10	60.45	68.20	7.75	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5633.29	45.76	12.19	57.95	68.20	10.25	PK	Horizontal	PASS
2	5673.45	45.17	12.52	57.69	85.59	27.90	PK	Horizontal	PASS
3	5717.51	51.36	12.94	64.30	110.10	45.80	PK	Horizontal	PASS
4	5874.24	45.54	13.39	58.93	105.41	46.48	PK	Horizontal	PASS
5	5913.74	45.59	13.26	58.85	76.50	17.65	PK	Horizontal	PASS
6	5935.69	46.17	13.25	59.42	68.20	8.78	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5626.46	45.34	12.13	57.47	68.20	10.73	PK	Vertical	PASS
2	5678.49	46.41	12.57	58.98	89.32	30.34	PK	Vertical	PASS
3	5717.35	59.21	12.93	72.14	110.06	37.92	PK	Vertical	PASS
4	5871.80	45.86	13.40	59.26	106.10	46.84	PK	Vertical	PASS
5	5903.99	45.51	13.27	58.78	83.71	24.93	PK	Vertical	PASS
6	5935.37	45.40	13.25	58.65	68.20	9.55	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5643.70	45.50	12.26	57.76	68.20	10.44	PK	Horizontal	PASS
2	5671.34	46.05	12.51	58.56	84.03	25.47	PK	Horizontal	PASS
3	5706.94	45.98	12.83	58.81	107.15	48.34	PK	Horizontal	PASS
4	5853.26	50.17	13.48	63.65	114.76	51.11	PK	Horizontal	PASS
5	5901.23	44.97	13.27	58.24	85.75	27.51	PK	Horizontal	PASS
6	5932.93	44.89	13.25	58.14	68.20	10.06	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5638.82	45.71	12.23	57.94	68.20	10.26	PK	Vertical	PASS
2	5674.10	45.58	12.53	58.11	86.07	27.96	PK	Vertical	PASS
3	5706.45	46.23	12.83	59.06	107.01	47.95	PK	Vertical	PASS
4	5853.26	58.51	13.48	71.99	114.76	42.77	PK	Vertical	PASS
5	5906.59	46.04	13.27	59.31	81.79	22.48	PK	Vertical	PASS
6	5935.37	45.74	13.25	58.99	68.20	9.21	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.24	45.79	12.20	57.99	68.20	10.21	PK	Horizontal	PASS
2	5674.59	45.34	12.54	57.88	86.44	28.56	PK	Horizontal	PASS
3	5721.57	53.80	12.97	66.77	114.39	47.62	PK	Horizontal	PASS
4	5868.38	45.55	13.41	58.96	107.05	48.09	PK	Horizontal	PASS
5	5911.96	45.38	13.27	58.65	77.82	19.17	PK	Horizontal	PASS
6	5943.50	45.48	13.24	58.72	68.20	9.48	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5639.14	45.04	12.23	57.27	68.20	10.93	PK	Vertical	PASS
2	5674.75	45.76	12.54	58.30	86.56	28.26	PK	Vertical	PASS
3	5717.18	58.47	12.93	71.40	110.01	38.61	PK	Vertical	PASS
4	5866.11	45.08	13.42	58.50	107.69	49.19	PK	Vertical	PASS
5	5905.45	45.84	13.27	59.11	82.63	23.52	PK	Vertical	PASS
6	5943.01	45.30	13.24	58.54	68.20	9.66	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.99	45.53	12.17	57.70	68.20	10.50	PK	Horizontal	PASS
2	5671.66	45.80	12.51	58.31	84.27	25.96	PK	Horizontal	PASS
3	5710.19	45.96	12.87	58.83	108.06	49.23	PK	Horizontal	PASS
4	5853.59	48.18	13.48	61.66	114.02	52.36	PK	Horizontal	PASS
5	5896.51	45.11	13.29	58.40	89.24	30.84	PK	Horizontal	PASS
6	5937.16	45.58	13.25	58.83	68.20	9.37	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5637.19	45.78	12.21	57.99	68.20	10.21	PK	Vertical	PASS
2	5676.70	45.81	12.56	58.37	88.00	29.63	PK	Vertical	PASS
3	5713.77	45.73	12.90	58.63	109.06	50.43	PK	Vertical	PASS
4	5856.35	54.45	13.47	67.92	110.42	42.50	PK	Vertical	PASS
5	5900.09	45.46	13.27	58.73	86.60	27.87	PK	Vertical	PASS
6	5941.38	45.88	13.25	59.13	68.20	9.07	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5645.49	45.37	12.27	57.64	68.20	10.56	PK	Horizontal	PASS
2	5667.27	46.27	12.47	58.74	81.02	22.28	PK	Horizontal	PASS
3	5717.02	60.55	12.93	73.48	109.97	36.49	PK	Horizontal	PASS
4	5870.99	45.46	13.40	58.86	106.32	47.46	PK	Horizontal	PASS
5	5899.44	46.27	13.27	59.54	87.08	27.54	PK	Horizontal	PASS
6	5945.29	45.04	13.24	58.28	68.20	9.92	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5643.70	46.20	12.26	58.46	68.20	9.74	PK	Vertical	PASS
2	5690.20	53.49	12.68	66.17	97.97	31.80	PK	Vertical	PASS
3	5717.02	69.13	12.93	82.06	109.97	27.91	PK	Vertical	PASS
4	5870.66	45.84	13.40	59.24	106.41	47.17	PK	Vertical	PASS
5	5891.80	46.05	13.31	59.36	92.74	33.38	PK	Vertical	PASS
6	5937.64	45.61	13.24	58.85	68.20	9.35	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5647.11	46.33	12.28	58.61	68.20	9.59	PK	Horizontal	PASS
2	5672.31	45.83	12.51	58.34	84.75	26.41	PK	Horizontal	PASS
3	5699.62	45.49	12.77	58.26	104.92	46.66	PK	Horizontal	PASS
4	5855.54	45.56	13.47	59.03	110.65	51.62	PK	Horizontal	PASS
5	5899.60	45.20	13.27	58.47	86.96	28.49	PK	Horizontal	PASS
6	5938.13	45.55	13.24	58.79	68.20	9.41	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5628.58	45.75	12.15	57.90	68.20	10.30	PK	Vertical	PASS
2	5683.69	46.54	12.61	59.15	93.17	34.02	PK	Vertical	PASS
3	5719.30	49.89	12.95	62.84	110.60	47.76	PK	Vertical	PASS
4	5862.04	51.07	13.44	64.51	108.83	44.32	PK	Vertical	PASS
5	5910.66	46.49	13.26	59.75	78.78	19.03	PK	Vertical	PASS
6	5941.71	45.50	13.25	58.75	68.20	9.45	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.41	45.03	12.20	57.23	68.20	10.97	PK	Horizontal	PASS
2	5676.70	45.47	12.56	58.03	88.00	29.97	PK	Horizontal	PASS
3	5722.39	53.24	12.98	66.22	116.24	50.02	PK	Horizontal	PASS
4	5878.14	45.33	13.37	58.70	102.87	44.17	PK	Horizontal	PASS
5	5903.83	45.19	13.27	58.46	83.83	25.37	PK	Horizontal	PASS
6	5940.73	45.76	13.25	59.01	68.20	9.19	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5630.53	45.62	12.16	57.78	68.20	10.42	PK	Vertical	PASS
2	5671.82	45.65	12.51	58.16	84.39	26.23	PK	Vertical	PASS
3	5721.74	61.23	12.97	74.20	114.76	40.56	PK	Vertical	PASS
4	5861.07	45.48	13.45	58.93	109.10	50.17	PK	Vertical	PASS
5	5906.27	45.60	13.27	58.87	82.03	23.16	PK	Vertical	PASS
6	5939.27	45.45	13.24	58.69	68.20	9.51	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.57	45.56	12.20	57.76	68.20	10.44	PK	Horizontal	PASS
2	5669.55	47.08	12.49	59.57	82.70	23.13	PK	Horizontal	PASS
3	5713.28	45.71	12.90	58.61	108.92	50.31	PK	Horizontal	PASS
4	5855.70	47.69	13.47	61.16	110.60	49.44	PK	Horizontal	PASS
5	5902.69	45.57	13.26	58.83	84.67	25.84	PK	Horizontal	PASS
6	5945.12	45.66	13.24	58.90	68.20	9.30	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5638.66	45.71	12.22	57.93	68.20	10.27	PK	Vertical	PASS
2	5673.77	45.68	12.53	58.21	85.83	27.62	PK	Vertical	PASS
3	5710.52	45.49	12.87	58.36	108.15	49.79	PK	Vertical	PASS
4	5856.19	54.90	13.47	68.37	110.47	42.10	PK	Vertical	PASS
5	5906.43	45.37	13.27	58.64	81.91	23.27	PK	Vertical	PASS
6	5946.75	45.99	13.25	59.24	68.20	8.96	PK	Vertical	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5648.25	46.14	12.30	58.44	68.20	9.76	PK	Horizontal	PASS
2	5673.45	46.44	12.52	58.96	85.59	26.63	PK	Horizontal	PASS
3	5716.86	59.68	12.93	72.61	109.92	37.31	PK	Horizontal	PASS
4	5860.58	45.20	13.45	58.65	109.24	50.59	PK	Horizontal	PASS
5	5901.88	45.62	13.27	58.89	85.27	26.38	PK	Horizontal	PASS
6	5938.94	45.12	13.24	58.36	68.20	9.84	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.99	46.65	12.17	58.82	68.20	9.38	PK	Vertical	PASS
2	5687.59	51.44	12.65	64.09	96.05	31.96	PK	Vertical	PASS
3	5717.02	66.70	12.93	79.63	109.97	30.34	PK	Vertical	PASS
4	5859.93	45.36	13.45	58.81	109.42	50.61	PK	Vertical	PASS
5	5903.50	45.29	13.26	58.55	84.07	25.52	PK	Vertical	PASS
6	5945.61	45.18	13.24	58.42	68.20	9.78	PK	Vertical	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5632.48	45.53	12.17	57.70	68.20	10.50	PK	Horizontal	PASS
2	5672.47	45.67	12.51	58.18	84.87	26.69	PK	Horizontal	PASS
3	5718.32	45.91	12.95	58.86	110.33	51.47	PK	Horizontal	PASS
4	5866.27	45.63	13.42	59.05	107.64	48.59	PK	Horizontal	PASS
5	5902.69	45.63	13.26	58.89	84.67	25.78	PK	Horizontal	PASS
6	5949.67	45.14	13.24	58.38	68.20	9.82	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5630.53	46.07	12.16	58.23	68.20	9.97	PK	Vertical	PASS
2	5676.86	46.82	12.56	59.38	88.12	28.74	PK	Vertical	PASS
3	5717.35	48.95	12.93	61.88	110.06	48.18	PK	Vertical	PASS
4	5861.88	49.65	13.44	63.09	108.87	45.78	PK	Vertical	PASS
5	5913.42	46.39	13.26	59.65	76.74	17.09	PK	Vertical	PASS
6	5948.54	45.35	13.24	58.59	68.20	9.61	PK	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5642.23	45.04	12.24	57.28	68.20	10.92	PK	Horizontal	PASS
2	5671.82	45.69	12.51	58.20	84.39	26.19	PK	Horizontal	PASS
3	5713.12	48.90	12.90	61.80	108.88	47.08	PK	Horizontal	PASS
4	5869.68	45.02	13.41	58.43	106.69	48.26	PK	Horizontal	PASS
5	5899.76	45.75	13.27	59.02	86.84	27.82	PK	Horizontal	PASS
6	5942.03	45.34	13.25	58.59	68.20	9.61	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.10	45.68	12.19	57.87	68.20	10.33	PK	Vertical	PASS
2	5670.20	46.15	12.49	58.64	83.19	24.55	PK	Vertical	PASS
3	5722.06	60.16	12.98	73.14	115.50	42.36	PK	Vertical	PASS
4	5876.84	45.49	13.37	58.86	103.83	44.97	PK	Vertical	PASS
5	5902.04	45.55	13.27	58.82	85.15	26.33	PK	Vertical	PASS
6	5949.35	45.30	13.24	58.54	68.20	9.66	PK	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5640.28	45.37	12.23	57.60	68.20	10.60	PK	Horizontal	PASS
2	5669.22	45.96	12.49	58.45	82.46	24.01	PK	Horizontal	PASS
3	5702.06	46.09	12.79	58.88	105.78	46.90	PK	Horizontal	PASS
4	5870.82	45.72	13.40	59.12	106.37	47.25	PK	Horizontal	PASS
5	5906.27	45.22	13.27	58.49	82.03	23.54	PK	Horizontal	PASS
6	5936.18	45.82	13.25	59.07	68.20	9.13	PK	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5626.46	46.08	12.13	58.21	68.20	9.99	PK	Vertical	PASS
2	5671.01	45.87	12.50	58.37	83.79	25.42	PK	Vertical	PASS
3	5699.62	45.75	12.77	58.52	104.92	46.40	PK	Vertical	PASS
4	5853.91	52.04	13.48	65.52	113.27	47.75	PK	Vertical	PASS
5	5909.68	45.73	13.26	58.99	79.50	20.51	PK	Vertical	PASS
6	5933.58	45.62	13.25	58.87	68.20	9.33	PK	Vertical	PASS