




Plot 93:

Test Date	2026-03-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.272
SAR 1g (W/Kg)	0.475
ConvF	0.90
Relative permittivity	40.40
Conductivity (S/m)	1.43

Maximum location: X=-69.00, Y=-32.00 ; SAR Peak: 0.77 W/kg






Plot 94:

Test Date	2026-03-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 25
Signal	NR FDD
Frequency	1905
SAR 10g (W/Kg)	0.682
SAR 1g (W/Kg)	1.203
ConvF	0.90
Relative permittivity	40.40
Conductivity (S/m)	1.43

Maximum location: X=14.00, Y=10.00 ; SAR Peak: 1.87 W/kg






Plot 95:

Test Date	2026-03-01
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 26
Signal	NR FDD
Frequency	819
SAR 10g (W/Kg)	0.066
SAR 1g (W/Kg)	0.315
ConvF	0.69
Relative permittivity	41.48
Conductivity (S/m)	0.87

Maximum location: X=-64.00, Y=-7.00 ; SAR Peak: 1.14 W/kg






Plot 96:

Test Date	2026-03-01
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 26
Signal	NR FDD
Frequency	819
SAR 10g (W/Kg)	0.051
SAR 1g (W/Kg)	0.120
ConvF	0.69
Relative permittivity	41.48
Conductivity (S/m)	0.87

Maximum location: X=-10.00, Y=-22.00 ; SAR Peak: 0.32 W/kg






Plot 97:

Test Date	2026-03-17
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 38
Signal	NR TDD
Frequency	2590
SAR 10g (W/Kg)	0.124
SAR 1g (W/Kg)	0.289
ConvF	0.98
Relative permittivity	39.56
Conductivity (S/m)	2.02

Maximum location: X=-16.00, Y=-12.00 ; SAR Peak: 1.12 W/kg






Plot 98:

Test Date	2026-03-17
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	NR band 38
Signal	NR TDD
Frequency	2590
SAR 10g (W/Kg)	0.089
SAR 1g (W/Kg)	0.228
ConvF	0.98
Relative permittivity	39.56
Conductivity (S/m)	2.02

Maximum location: X=1.00, Y=-1.00 ; SAR Peak: 0.69 W/kg






Plot 99:

Test Date	2026-03-20
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.034
SAR 1g (W/Kg)	0.063
ConvF	0.98
Relative permittivity	39.46
Conductivity (S/m)	1.92

Maximum location: X=-32.00, Y=-1.00 ; SAR Peak: 0.17 W/kg






Plot 100:

Test Date	2026-03-20
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.056
SAR 1g (W/Kg)	0.076
ConvF	0.98
Relative permittivity	39.46
Conductivity (S/m)	1.92

Maximum location: X=7.00, Y=9.00 ; SAR Peak: 0.10 W/kg






Plot 101:

Test Date	2026-03-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 66
Signal	NR FDD
Frequency	1777.5
SAR 10g (W/Kg)	0.065
SAR 1g (W/Kg)	0.093
ConvF	0.69
Relative permittivity	40.54
Conductivity (S/m)	1.39

Maximum location: X=-55.00, Y=-57.00 ; SAR Peak: 0.14 W/kg






Plot 102:

Test Date	2026-03-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 66
Signal	NR FDD
Frequency	1777.5
SAR 10g (W/Kg)	0.174
SAR 1g (W/Kg)	0.277
ConvF	0.69
Relative permittivity	40.54
Conductivity (S/m)	1.39

Maximum location: X=8.00, Y=9.00 ; SAR Peak: 0.38 W/kg






Plot 103:

Test Date	2026-02-27
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR band 71
Signal	NR FDD
Frequency	688
SAR 10g (W/Kg)	0.337
SAR 1g (W/Kg)	0.570
ConvF	0.71
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=-67.00, Y=-35.00 ; SAR Peak: 0.83 W/kg






Plot 104:

Test Date	2026-02-27
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 71
Signal	NR FDD
Frequency	688
SAR 10g (W/Kg)	0.124
SAR 1g (W/Kg)	0.200
ConvF	0.71
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=-17.00, Y=-1.00 ; SAR Peak: 0.30 W/kg






Plot 105:

Test Date	2026-05-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Cheek
Band	NR band 77
Signal	NR TDD
Frequency	3790
SAR 10g (W/Kg)	0.049
SAR 1g (W/Kg)	0.073
ConvF	0.91
Relative permittivity	38.09
Conductivity (S/m)	3.16

Maximum location: X=-40.00, Y=0.00 ; SAR Peak: 0.16 W/kg






Plot 106:

Test Date	2026-05-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	NR band 77
Signal	NR TDD
Frequency	3790
SAR 10g (W/Kg)	0.085
SAR 1g (W/Kg)	0.162
ConvF	0.91
Relative permittivity	38.09
Conductivity (S/m)	3.16

Maximum location: X=0.00, Y=-8.00 ; SAR Peak: 1.48 W/kg






Plot 107:

Test Date	2026-05-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Cheek
Band	NR band 78
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.049
SAR 1g (W/Kg)	0.096
ConvF	0.91
Relative permittivity	38.09
Conductivity (S/m)	3.16

Maximum location: X=-80.00, Y=-72.00 ; SAR Peak: 0.34 W/kg






Plot 108:

Test Date	2026-05-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Bottom Side
Band	NR band 78
Signal	NR TDD
Frequency	3750
SAR 10g (W/Kg)	0.070
SAR 1g (W/Kg)	0.125
ConvF	0.91
Relative permittivity	38.09
Conductivity (S/m)	3.16

Maximum location: X=16.00, Y=33.00 ; SAR Peak: 0.63 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※※END OF THE REPORT※※※※※