




Band2-9538-4-1000~3000MHz



Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz




Band2-9538-5-0.15~30MHz




Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



Appendix F: Frequency Stability

Test Result

WCDMA

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	12.84	0.006932	±2.5	PASS
Band2	9262	VN	NT	12.82	0.006921	±2.5	PASS
Band2	9262	VH	NT	12.42	0.006705	±2.5	PASS
Band2	9400	VL	NT	10.76	0.005723	±2.5	PASS
Band2	9400	VN	NT	11.50	0.006117	±2.5	PASS
Band2	9400	VH	NT	11.46	0.006096	±2.5	PASS
Band2	9538	VL	NT	7.90	0.004141	±2.5	PASS
Band2	9538	VN	NT	8.43	0.004419	±2.5	PASS
Band2	9538	VH	NT	8.25	0.004325	±2.5	PASS

HSDPA

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	12.41	0.006699	±2.5	PASS
Band2	9262	NV	-20	12.75	0.006883	±2.5	PASS
Band2	9262	NV	-10	12.93	0.006980	±2.5	PASS
Band2	9262	NV	0	13.04	0.007040	±2.5	PASS
Band2	9262	NV	10	13.28	0.007169	±2.5	PASS
Band2	9262	NV	20	13.03	0.007034	±2.5	PASS
Band2	9262	NV	30	12.74	0.006878	±2.5	PASS
Band2	9262	NV	40	13.35	0.007207	±2.5	PASS
Band2	9262	NV	50	12.99	0.007013	±2.5	PASS
Band2	9400	NV	-30	11.73	0.006239	±2.5	PASS
Band2	9400	NV	-20	11.17	0.005941	±2.5	PASS
Band2	9400	NV	-10	10.96	0.005830	±2.5	PASS
Band2	9400	NV	0	11.29	0.006005	±2.5	PASS
Band2	9400	NV	10	10.61	0.005644	±2.5	PASS
Band2	9400	NV	20	11.33	0.006027	±2.5	PASS
Band2	9400	NV	30	11.27	0.005995	±2.5	PASS
Band2	9400	NV	40	11.22	0.005968	±2.5	PASS
Band2	9400	NV	50	11.16	0.005936	±2.5	PASS
Band2	9538	NV	-30	8.00	0.004194	±2.5	PASS
Band2	9538	NV	-20	8.61	0.004514	±2.5	PASS
Band2	9538	NV	-10	8.50	0.004456	±2.5	PASS
Band2	9538	NV	0	8.22	0.004309	±2.5	PASS
Band2	9538	NV	10	8.29	0.004346	±2.5	PASS
Band2	9538	NV	20	8.15	0.004272	±2.5	PASS
Band2	9538	NV	30	8.61	0.004514	±2.5	PASS
Band2	9538	NV	40	8.50	0.004456	±2.5	PASS
Band2	9538	NV	50	7.93	0.004157	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	8.44	0.004556	±2.5	PASS
Band2	9262	1	VN	NT	7.35	0.003968	±2.5	PASS
Band2	9262	1	VH	NT	7.83	0.004227	±2.5	PASS
Band2	9262	2	VL	NT	8.19	0.004421	±2.5	PASS
Band2	9262	2	VN	NT	8.29	0.004475	±2.5	PASS
Band2	9262	2	VH	NT	8.20	0.004427	±2.5	PASS
Band2	9262	3	VL	NT	8.31	0.004486	±2.5	PASS
Band2	9262	3	VN	NT	8.66	0.004675	±2.5	PASS
Band2	9262	3	VH	NT	8.32	0.004491	±2.5	PASS
Band2	9262	4	VL	NT	7.87	0.004249	±2.5	PASS
Band2	9262	4	VN	NT	7.45	0.004022	±2.5	PASS
Band2	9262	4	VH	NT	7.52	0.004060	±2.5	PASS
Band2	9400	1	VL	NT	8.68	0.004617	±2.5	PASS
Band2	9400	1	VN	NT	7.78	0.004138	±2.5	PASS
Band2	9400	1	VH	NT	8.64	0.004596	±2.5	PASS
Band2	9400	2	VL	NT	8.04	0.004277	±2.5	PASS
Band2	9400	2	VN	NT	8.03	0.004271	±2.5	PASS
Band2	9400	2	VH	NT	8.18	0.004351	±2.5	PASS
Band2	9400	3	VL	NT	8.12	0.004319	±2.5	PASS
Band2	9400	3	VN	NT	7.91	0.004207	±2.5	PASS
Band2	9400	3	VH	NT	7.68	0.004085	±2.5	PASS
Band2	9400	4	VL	NT	8.91	0.004739	±2.5	PASS
Band2	9400	4	VN	NT	8.56	0.004553	±2.5	PASS
Band2	9400	4	VH	NT	7.89	0.004197	±2.5	PASS
Band2	9538	1	VL	NT	8.15	0.004272	±2.5	PASS
Band2	9538	1	VN	NT	8.91	0.004671	±2.5	PASS
Band2	9538	1	VH	NT	8.24	0.004320	±2.5	PASS
Band2	9538	2	VL	NT	8.27	0.004335	±2.5	PASS
Band2	9538	2	VN	NT	8.26	0.004330	±2.5	PASS
Band2	9538	2	VH	NT	8.65	0.004534	±2.5	PASS
Band2	9538	3	VL	NT	9.09	0.004765	±2.5	PASS
Band2	9538	3	VN	NT	8.76	0.004592	±2.5	PASS
Band2	9538	3	VH	NT	8.81	0.004618	±2.5	PASS
Band2	9538	4	VL	NT	7.96	0.004173	±2.5	PASS
Band2	9538	4	VN	NT	8.12	0.004257	±2.5	PASS
Band2	9538	4	VH	NT	9.17	0.004807	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	7.78	0.004200	±2.5	PASS
Band2	9262	1	NV	-20	7.32	0.003952	±2.5	PASS
Band2	9262	1	NV	-10	9.12	0.004923	±2.5	PASS
Band2	9262	1	NV	0	7.28	0.003930	±2.5	PASS
Band2	9262	1	NV	10	8.44	0.004556	±2.5	PASS
Band2	9262	1	NV	20	8.71	0.004702	±2.5	PASS
Band2	9262	1	NV	30	8.20	0.004427	±2.5	PASS
Band2	9262	1	NV	40	8.29	0.004475	±2.5	PASS
Band2	9262	1	NV	50	7.62	0.004114	±2.5	PASS
Band2	9262	2	NV	-30	8.37	0.004518	±2.5	PASS
Band2	9262	2	NV	-20	7.37	0.003979	±2.5	PASS
Band2	9262	2	NV	-10	7.87	0.004249	±2.5	PASS
Band2	9262	2	NV	0	7.85	0.004238	±2.5	PASS
Band2	9262	2	NV	10	7.60	0.004103	±2.5	PASS
Band2	9262	2	NV	20	7.62	0.004114	±2.5	PASS
Band2	9262	2	NV	30	8.01	0.004324	±2.5	PASS
Band2	9262	2	NV	40	7.57	0.004087	±2.5	PASS
Band2	9262	2	NV	50	8.52	0.004599	±2.5	PASS
Band2	9262	3	NV	-30	7.99	0.004313	±2.5	PASS
Band2	9262	3	NV	-20	7.98	0.004308	±2.5	PASS
Band2	9262	3	NV	-10	8.93	0.004821	±2.5	PASS
Band2	9262	3	NV	0	8.36	0.004513	±2.5	PASS
Band2	9262	3	NV	10	8.44	0.004556	±2.5	PASS
Band2	9262	3	NV	20	7.79	0.004205	±2.5	PASS
Band2	9262	3	NV	30	8.32	0.004491	±2.5	PASS
Band2	9262	3	NV	40	8.75	0.004724	±2.5	PASS
Band2	9262	3	NV	50	8.33	0.004497	±2.5	PASS
Band2	9262	4	NV	-30	8.22	0.004437	±2.5	PASS
Band2	9262	4	NV	-20	7.07	0.003817	±2.5	PASS
Band2	9262	4	NV	-10	8.01	0.004324	±2.5	PASS
Band2	9262	4	NV	0	9.41	0.005080	±2.5	PASS
Band2	9262	4	NV	10	8.43	0.004551	±2.5	PASS
Band2	9262	4	NV	20	8.28	0.004470	±2.5	PASS
Band2	9262	4	NV	30	8.65	0.004670	±2.5	PASS
Band2	9262	4	NV	40	8.62	0.004653	±2.5	PASS
Band2	9262	4	NV	50	8.52	0.004599	±2.5	PASS
Band2	9400	1	NV	-30	8.14	0.004330	±2.5	PASS
Band2	9400	1	NV	-20	6.68	0.003553	±2.5	PASS
Band2	9400	1	NV	-10	8.55	0.004548	±2.5	PASS

Band2	9400	1	NV	0	8.37	0.004452	±2.5	PASS
Band2	9400	1	NV	10	7.99	0.004250	±2.5	PASS
Band2	9400	1	NV	20	8.07	0.004293	±2.5	PASS
Band2	9400	1	NV	30	8.15	0.004335	±2.5	PASS
Band2	9400	1	NV	40	8.63	0.004590	±2.5	PASS
Band2	9400	1	NV	50	7.95	0.004229	±2.5	PASS
Band2	9400	2	NV	-30	8.40	0.004468	±2.5	PASS
Band2	9400	2	NV	-20	7.92	0.004213	±2.5	PASS
Band2	9400	2	NV	-10	8.02	0.004266	±2.5	PASS
Band2	9400	2	NV	0	8.15	0.004335	±2.5	PASS
Band2	9400	2	NV	10	8.46	0.004500	±2.5	PASS
Band2	9400	2	NV	20	8.54	0.004543	±2.5	PASS
Band2	9400	2	NV	30	8.50	0.004521	±2.5	PASS
Band2	9400	2	NV	40	7.95	0.004229	±2.5	PASS
Band2	9400	2	NV	50	9.11	0.004846	±2.5	PASS
Band2	9400	3	NV	-30	8.68	0.004617	±2.5	PASS
Band2	9400	3	NV	-20	8.76	0.004660	±2.5	PASS
Band2	9400	3	NV	-10	7.87	0.004186	±2.5	PASS
Band2	9400	3	NV	0	7.15	0.003803	±2.5	PASS
Band2	9400	3	NV	10	7.52	0.004000	±2.5	PASS
Band2	9400	3	NV	20	8.77	0.004665	±2.5	PASS
Band2	9400	3	NV	30	8.26	0.004394	±2.5	PASS
Band2	9400	3	NV	40	8.74	0.004649	±2.5	PASS
Band2	9400	3	NV	50	8.00	0.004255	±2.5	PASS
Band2	9400	4	NV	-30	6.65	0.003537	±2.5	PASS
Band2	9400	4	NV	-20	7.68	0.004085	±2.5	PASS
Band2	9400	4	NV	-10	8.22	0.004372	±2.5	PASS
Band2	9400	4	NV	0	6.90	0.003670	±2.5	PASS
Band2	9400	4	NV	10	8.11	0.004314	±2.5	PASS
Band2	9400	4	NV	20	9.06	0.004819	±2.5	PASS
Band2	9400	4	NV	30	8.15	0.004335	±2.5	PASS
Band2	9400	4	NV	40	8.89	0.004729	±2.5	PASS
Band2	9400	4	NV	50	8.74	0.004649	±2.5	PASS
Band2	9538	1	NV	-30	7.24	0.003795	±2.5	PASS
Band2	9538	1	NV	-20	8.05	0.004220	±2.5	PASS
Band2	9538	1	NV	-10	7.68	0.004026	±2.5	PASS
Band2	9538	1	NV	0	8.58	0.004498	±2.5	PASS
Band2	9538	1	NV	10	8.26	0.004330	±2.5	PASS
Band2	9538	1	NV	20	8.16	0.004278	±2.5	PASS
Band2	9538	1	NV	30	8.21	0.004304	±2.5	PASS
Band2	9538	1	NV	40	8.18	0.004288	±2.5	PASS

Band2	9538	1	NV	50	7.71	0.004042	±2.5	PASS
Band2	9538	2	NV	-30	8.23	0.004314	±2.5	PASS
Band2	9538	2	NV	-20	8.56	0.004487	±2.5	PASS
Band2	9538	2	NV	-10	8.35	0.004377	±2.5	PASS
Band2	9538	2	NV	0	8.62	0.004519	±2.5	PASS
Band2	9538	2	NV	10	8.04	0.004215	±2.5	PASS
Band2	9538	2	NV	20	8.76	0.004592	±2.5	PASS
Band2	9538	2	NV	30	8.26	0.004330	±2.5	PASS
Band2	9538	2	NV	40	8.71	0.004566	±2.5	PASS
Band2	9538	2	NV	50	8.91	0.004671	±2.5	PASS
Band2	9538	3	NV	-30	8.13	0.004262	±2.5	PASS
Band2	9538	3	NV	-20	8.27	0.004335	±2.5	PASS
Band2	9538	3	NV	-10	8.67	0.004545	±2.5	PASS
Band2	9538	3	NV	0	7.34	0.003848	±2.5	PASS
Band2	9538	3	NV	10	8.90	0.004666	±2.5	PASS
Band2	9538	3	NV	20	8.15	0.004272	±2.5	PASS
Band2	9538	3	NV	30	8.80	0.004613	±2.5	PASS
Band2	9538	3	NV	40	8.11	0.004251	±2.5	PASS
Band2	9538	3	NV	50	8.59	0.004503	±2.5	PASS
Band2	9538	4	NV	-30	9.01	0.004723	±2.5	PASS
Band2	9538	4	NV	-20	8.41	0.004409	±2.5	PASS
Band2	9538	4	NV	-10	7.65	0.004010	±2.5	PASS
Band2	9538	4	NV	0	8.51	0.004461	±2.5	PASS
Band2	9538	4	NV	10	8.76	0.004592	±2.5	PASS
Band2	9538	4	NV	20	8.55	0.004482	±2.5	PASS
Band2	9538	4	NV	30	7.60	0.003984	±2.5	PASS
Band2	9538	4	NV	40	8.77	0.004597	±2.5	PASS
Band2	9538	4	NV	50	7.47	0.003916	±2.5	PASS

HSUPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	10.86	0.005863	±2.5	PASS
Band2	9262	1	VN	NT	10.74	0.005798	±2.5	PASS
Band2	9262	1	VH	NT	10.94	0.005906	±2.5	PASS
Band2	9262	2	VL	NT	10.56	0.005701	±2.5	PASS
Band2	9262	2	VN	NT	11.54	0.006230	±2.5	PASS
Band2	9262	2	VH	NT	11.01	0.005944	±2.5	PASS
Band2	9262	3	VL	NT	10.54	0.005690	±2.5	PASS
Band2	9262	3	VN	NT	11.24	0.006068	±2.5	PASS
Band2	9262	3	VH	NT	10.46	0.005647	±2.5	PASS
Band2	9262	4	VL	NT	10.86	0.005863	±2.5	PASS
Band2	9262	4	VN	NT	10.81	0.005836	±2.5	PASS
Band2	9262	4	VH	NT	10.69	0.005771	±2.5	PASS
Band2	9262	5	VL	NT	10.94	0.005906	±2.5	PASS
Band2	9262	5	VN	NT	10.77	0.005814	±2.5	PASS
Band2	9262	5	VH	NT	11.66	0.006295	±2.5	PASS
Band2	9400	1	VL	NT	10.84	0.005766	±2.5	PASS
Band2	9400	1	VN	NT	11.20	0.005957	±2.5	PASS
Band2	9400	1	VH	NT	11.49	0.006112	±2.5	PASS
Band2	9400	2	VL	NT	11.30	0.006011	±2.5	PASS
Band2	9400	2	VN	NT	10.70	0.005691	±2.5	PASS
Band2	9400	2	VH	NT	10.76	0.005723	±2.5	PASS
Band2	9400	3	VL	NT	11.50	0.006117	±2.5	PASS
Band2	9400	3	VN	NT	10.67	0.005676	±2.5	PASS
Band2	9400	3	VH	NT	10.80	0.005745	±2.5	PASS
Band2	9400	4	VL	NT	11.82	0.006287	±2.5	PASS
Band2	9400	4	VN	NT	11.17	0.005941	±2.5	PASS
Band2	9400	4	VH	NT	11.01	0.005856	±2.5	PASS
Band2	9400	5	VL	NT	11.02	0.005862	±2.5	PASS
Band2	9400	5	VN	NT	11.37	0.006048	±2.5	PASS
Band2	9400	5	VH	NT	11.80	0.006277	±2.5	PASS
Band2	9538	1	VL	NT	11.13	0.005835	±2.5	PASS
Band2	9538	1	VN	NT	11.17	0.005856	±2.5	PASS
Band2	9538	1	VH	NT	11.57	0.006065	±2.5	PASS
Band2	9538	2	VL	NT	10.86	0.005693	±2.5	PASS
Band2	9538	2	VN	NT	10.89	0.005709	±2.5	PASS
Band2	9538	2	VH	NT	10.29	0.005394	±2.5	PASS
Band2	9538	3	VL	NT	10.86	0.005693	±2.5	PASS
Band2	9538	3	VN	NT	11.50	0.006029	±2.5	PASS

Band2	9538	3	VH	NT	11.20	0.005871	±2.5	PASS
Band2	9538	4	VL	NT	11.08	0.005808	±2.5	PASS
Band2	9538	4	VN	NT	11.79	0.006181	±2.5	PASS
Band2	9538	4	VH	NT	10.74	0.005630	±2.5	PASS
Band2	9538	5	VL	NT	11.25	0.005897	±2.5	PASS
Band2	9538	5	VN	NT	11.62	0.006091	±2.5	PASS
Band2	9538	5	VH	NT	11.00	0.005766	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	10.81	0.005836	±2.5	PASS
Band2	9262	1	NV	-20	10.94	0.005906	±2.5	PASS
Band2	9262	1	NV	-10	11.01	0.005944	±2.5	PASS
Band2	9262	1	NV	0	11.24	0.006068	±2.5	PASS
Band2	9262	1	NV	10	11.24	0.006068	±2.5	PASS
Band2	9262	1	NV	20	10.56	0.005701	±2.5	PASS
Band2	9262	1	NV	30	10.56	0.005701	±2.5	PASS
Band2	9262	1	NV	40	11.70	0.006316	±2.5	PASS
Band2	9262	1	NV	50	10.93	0.005900	±2.5	PASS
Band2	9262	2	NV	-30	11.08	0.005981	±2.5	PASS
Band2	9262	2	NV	-20	11.22	0.006057	±2.5	PASS
Band2	9262	2	NV	-10	10.69	0.005771	±2.5	PASS
Band2	9262	2	NV	0	10.85	0.005857	±2.5	PASS
Band2	9262	2	NV	10	11.09	0.005987	±2.5	PASS
Band2	9262	2	NV	20	11.04	0.005960	±2.5	PASS
Band2	9262	2	NV	30	11.04	0.005960	±2.5	PASS
Band2	9262	2	NV	40	10.94	0.005906	±2.5	PASS
Band2	9262	2	NV	50	10.73	0.005792	±2.5	PASS
Band2	9262	3	NV	-30	10.70	0.005776	±2.5	PASS
Band2	9262	3	NV	-20	10.30	0.005560	±2.5	PASS
Band2	9262	3	NV	-10	10.58	0.005712	±2.5	PASS
Band2	9262	3	NV	0	11.37	0.006138	±2.5	PASS
Band2	9262	3	NV	10	10.98	0.005927	±2.5	PASS
Band2	9262	3	NV	20	10.21	0.005512	±2.5	PASS
Band2	9262	3	NV	30	10.75	0.005803	±2.5	PASS
Band2	9262	3	NV	40	10.87	0.005868	±2.5	PASS
Band2	9262	3	NV	50	10.79	0.005825	±2.5	PASS
Band2	9262	4	NV	-30	10.83	0.005846	±2.5	PASS
Band2	9262	4	NV	-20	11.50	0.006208	±2.5	PASS
Band2	9262	4	NV	-10	10.79	0.005825	±2.5	PASS
Band2	9262	4	NV	0	10.86	0.005863	±2.5	PASS
Band2	9262	4	NV	10	10.90	0.005884	±2.5	PASS
Band2	9262	4	NV	20	11.85	0.006397	±2.5	PASS
Band2	9262	4	NV	30	10.88	0.005873	±2.5	PASS
Band2	9262	4	NV	40	11.64	0.006284	±2.5	PASS
Band2	9262	4	NV	50	10.96	0.005917	±2.5	PASS
Band2	9262	5	NV	-30	10.91	0.005890	±2.5	PASS
Band2	9262	5	NV	-20	11.14	0.006014	±2.5	PASS
Band2	9262	5	NV	-10	11.89	0.006419	±2.5	PASS

Band2	9262	5	NV	0	11.04	0.005960	±2.5	PASS
Band2	9262	5	NV	10	10.64	0.005744	±2.5	PASS
Band2	9262	5	NV	20	11.22	0.006057	±2.5	PASS
Band2	9262	5	NV	30	10.95	0.005911	±2.5	PASS
Band2	9262	5	NV	40	11.34	0.006122	±2.5	PASS
Band2	9262	5	NV	50	10.91	0.005890	±2.5	PASS
Band2	9400	1	NV	-30	11.40	0.006064	±2.5	PASS
Band2	9400	1	NV	-20	11.66	0.006202	±2.5	PASS
Band2	9400	1	NV	-10	10.83	0.005761	±2.5	PASS
Band2	9400	1	NV	0	11.59	0.006165	±2.5	PASS
Band2	9400	1	NV	10	10.37	0.005516	±2.5	PASS
Band2	9400	1	NV	20	11.04	0.005872	±2.5	PASS
Band2	9400	1	NV	30	11.10	0.005904	±2.5	PASS
Band2	9400	1	NV	40	11.74	0.006245	±2.5	PASS
Band2	9400	1	NV	50	11.35	0.006037	±2.5	PASS
Band2	9400	2	NV	-30	11.47	0.006101	±2.5	PASS
Band2	9400	2	NV	-20	10.78	0.005734	±2.5	PASS
Band2	9400	2	NV	-10	11.26	0.005989	±2.5	PASS
Band2	9400	2	NV	0	11.53	0.006133	±2.5	PASS
Band2	9400	2	NV	10	11.64	0.006191	±2.5	PASS
Band2	9400	2	NV	20	10.62	0.005649	±2.5	PASS
Band2	9400	2	NV	30	11.19	0.005952	±2.5	PASS
Band2	9400	2	NV	40	11.42	0.006074	±2.5	PASS
Band2	9400	2	NV	50	11.89	0.006324	±2.5	PASS
Band2	9400	3	NV	-30	11.19	0.005952	±2.5	PASS
Band2	9400	3	NV	-20	10.65	0.005665	±2.5	PASS
Band2	9400	3	NV	-10	11.63	0.006186	±2.5	PASS
Band2	9400	3	NV	0	11.14	0.005926	±2.5	PASS
Band2	9400	3	NV	10	10.64	0.005660	±2.5	PASS
Band2	9400	3	NV	20	11.15	0.005931	±2.5	PASS
Band2	9400	3	NV	30	10.76	0.005723	±2.5	PASS
Band2	9400	3	NV	40	11.52	0.006128	±2.5	PASS
Band2	9400	3	NV	50	11.58	0.006160	±2.5	PASS
Band2	9400	4	NV	-30	11.50	0.006117	±2.5	PASS
Band2	9400	4	NV	-20	10.45	0.005559	±2.5	PASS
Band2	9400	4	NV	-10	10.91	0.005803	±2.5	PASS
Band2	9400	4	NV	0	11.10	0.005904	±2.5	PASS
Band2	9400	4	NV	10	11.05	0.005878	±2.5	PASS
Band2	9400	4	NV	20	10.88	0.005787	±2.5	PASS
Band2	9400	4	NV	30	11.09	0.005899	±2.5	PASS
Band2	9400	4	NV	40	11.34	0.006032	±2.5	PASS

Band2	9400	4	NV	50	11.79	0.006271	±2.5	PASS
Band2	9400	5	NV	-30	11.64	0.006191	±2.5	PASS
Band2	9400	5	NV	-20	10.16	0.005404	±2.5	PASS
Band2	9400	5	NV	-10	11.07	0.005888	±2.5	PASS
Band2	9400	5	NV	0	11.35	0.006037	±2.5	PASS
Band2	9400	5	NV	10	11.52	0.006128	±2.5	PASS
Band2	9400	5	NV	20	11.47	0.006101	±2.5	PASS
Band2	9400	5	NV	30	10.94	0.005819	±2.5	PASS
Band2	9400	5	NV	40	11.19	0.005952	±2.5	PASS
Band2	9400	5	NV	50	11.21	0.005963	±2.5	PASS
Band2	9538	1	NV	-30	10.99	0.005761	±2.5	PASS
Band2	9538	1	NV	-20	11.64	0.006102	±2.5	PASS
Band2	9538	1	NV	-10	11.22	0.005882	±2.5	PASS
Band2	9538	1	NV	0	11.64	0.006102	±2.5	PASS
Band2	9538	1	NV	10	11.59	0.006076	±2.5	PASS
Band2	9538	1	NV	20	11.02	0.005777	±2.5	PASS
Band2	9538	1	NV	30	10.77	0.005646	±2.5	PASS
Band2	9538	1	NV	40	11.52	0.006039	±2.5	PASS
Band2	9538	1	NV	50	11.42	0.005987	±2.5	PASS
Band2	9538	2	NV	-30	11.32	0.005934	±2.5	PASS
Band2	9538	2	NV	-20	10.76	0.005641	±2.5	PASS
Band2	9538	2	NV	-10	10.91	0.005719	±2.5	PASS
Band2	9538	2	NV	0	11.51	0.006034	±2.5	PASS
Band2	9538	2	NV	10	11.08	0.005808	±2.5	PASS
Band2	9538	2	NV	20	11.42	0.005987	±2.5	PASS
Band2	9538	2	NV	30	11.11	0.005824	±2.5	PASS
Band2	9538	2	NV	40	11.26	0.005903	±2.5	PASS
Band2	9538	2	NV	50	11.22	0.005882	±2.5	PASS
Band2	9538	3	NV	-30	10.91	0.005719	±2.5	PASS
Band2	9538	3	NV	-20	10.62	0.005567	±2.5	PASS
Band2	9538	3	NV	-10	10.89	0.005709	±2.5	PASS
Band2	9538	3	NV	0	10.59	0.005551	±2.5	PASS
Band2	9538	3	NV	10	11.14	0.005840	±2.5	PASS
Band2	9538	3	NV	20	11.47	0.006013	±2.5	PASS
Band2	9538	3	NV	30	11.09	0.005814	±2.5	PASS
Band2	9538	3	NV	40	11.04	0.005787	±2.5	PASS
Band2	9538	3	NV	50	11.31	0.005929	±2.5	PASS
Band2	9538	4	NV	-30	10.74	0.005630	±2.5	PASS
Band2	9538	4	NV	-20	11.52	0.006039	±2.5	PASS
Band2	9538	4	NV	-10	11.26	0.005903	±2.5	PASS
Band2	9538	4	NV	0	10.78	0.005651	±2.5	PASS

Band2	9538	4	NV	10	11.25	0.005897	±2.5	PASS
Band2	9538	4	NV	20	11.69	0.006128	±2.5	PASS
Band2	9538	4	NV	30	10.70	0.005609	±2.5	PASS
Band2	9538	4	NV	40	10.91	0.005719	±2.5	PASS
Band2	9538	4	NV	50	11.11	0.005824	±2.5	PASS
Band2	9538	5	NV	-30	10.91	0.005719	±2.5	PASS
Band2	9538	5	NV	-20	10.46	0.005483	±2.5	PASS
Band2	9538	5	NV	-10	10.71	0.005614	±2.5	PASS
Band2	9538	5	NV	0	11.64	0.006102	±2.5	PASS
Band2	9538	5	NV	10	11.37	0.005960	±2.5	PASS
Band2	9538	5	NV	20	11.44	0.005997	±2.5	PASS
Band2	9538	5	NV	30	11.24	0.005892	±2.5	PASS
Band2	9538	5	NV	40	10.71	0.005614	±2.5	PASS
Band2	9538	5	NV	50	10.74	0.005630	±2.5	PASS