




Maximum conducted output power

Test Result

	TestMode	Frequency [MHz]	Conducted Average Power[dBm]	Conducted Limit[dBm]	Verdict
U-NII-1	11a	5180	20.359	≤23.98	PASS
		5200	20.569	≤23.98	PASS
		5240	20.329	≤23.98	PASS
	11n20SISO	5180	18.067	≤23.98	PASS
		5200	18.284	≤23.98	PASS
		5240	18.214	≤23.98	PASS
	11n40SISO	5190	18.256	≤23.98	PASS
		5230	18.113	≤23.98	PASS

	TestMode	Frequency [MHz]	Conducted Average Power[dBm]	Conducted Limit[dBm]	Verdict
U-NII-2A	11a	5260	20.782	≤23.98	PASS
		5300	20.908	≤23.98	PASS
		5320	20.638	≤23.98	PASS
	11n20SISO	5260	18.751	≤23.98	PASS
		5300	19.038	≤23.98	PASS
		5320	18.862	≤23.98	PASS
	11n40SISO	5270	18.954	≤23.98	PASS
		5310	18.725	≤23.98	PASS

	TestMode	Frequency [MHz]	Conducted Average Power[dBm]	Conducted Limit[dBm]	Verdict
U-NII-2C	11a	5500	20.755	≤23.98	PASS
		5600	20.559	≤23.98	PASS
		5700	20.256	≤23.98	PASS
		5720_UNII-2C	16.53	≤23.98	PASS
		5720_UNII-3	10.20	≤23.98	PASS
	11n20SISO	5500	19.142	≤23.98	PASS
		5600	18.653	≤23.98	PASS
		5700	18.178	≤23.98	PASS
		5720_UNII-2C	15.50	≤23.98	PASS
		5720_UNII-3	9.72	≤23.98	PASS
	11n40SISO	5510	18.873	≤23.98	PASS
		5590	18.604	≤23.98	PASS
		5670	18.158	≤23.98	PASS
		5710_UNII-2C	15.70	≤23.98	PASS
		5710_UNII-3	4.63	≤23.98	PASS

	TestMode	Frequency [MHz]	Conducted Average Power[dBm]	Conducted Limit[dBm]	Verdict
U-NII-3	11a	5745	20.123	≤30.00	PASS
		5785	20.121	≤30.00	PASS
		5825	20.032	≤30.00	PASS
	11n20SISO	5745	18.274	≤30.00	PASS
		5785	18.332	≤30.00	PASS
		5825	18.122	≤30.00	PASS
	11n40SISO	5755	18.217	≤30.00	PASS
		5795	18.336	≤30.00	PASS


**Maximum power spectral density
Test Result**


TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11a	Ant1	5180	5.02	≤11.00	PASS
11a	Ant1	5200	5.14	≤11.00	PASS
11a	Ant1	5240	5.56	≤11.00	PASS
11a	Ant1	5260	5.78	≤11.00	PASS
11a	Ant1	5300	5.45	≤11.00	PASS
11a	Ant1	5320	5.93	≤11.00	PASS
11a	Ant1	5500	5.93	≤11.00	PASS
11a	Ant1	5600	5.15	≤11.00	PASS
11a	Ant1	5700	6.46	≤11.00	PASS
11a	Ant1	5720 UNII-2C	6.17	≤11.00	PASS
11a	Ant1	5720 UNII-3	2.79	≤30.00	PASS
11a	Ant1	5745	2.98	≤30.00	PASS
11a	Ant1	5785	2.74	≤30.00	PASS
11a	Ant1	5825	2.88	≤30.00	PASS
11n20SISO	Ant1	5180	3.76	≤11.00	PASS
11n20SISO	Ant1	5200	3.78	≤11.00	PASS
11n20SISO	Ant1	5240	4.19	≤11.00	PASS
11n20SISO	Ant1	5260	4.61	≤11.00	PASS
11n20SISO	Ant1	5300	4.21	≤11.00	PASS
11n20SISO	Ant1	5320	4.43	≤11.00	PASS
11n20SISO	Ant1	5500	4.68	≤11.00	PASS
11n20SISO	Ant1	5600	3.96	≤11.00	PASS
11n20SISO	Ant1	5700	5.30	≤11.00	PASS
11n20SISO	Ant1	5720 UNII-2C	5.07	≤11.00	PASS
11n20SISO	Ant1	5720 UNII-3	1.78	≤30.00	PASS
11n20SISO	Ant1	5745	1.53	≤30.00	PASS
11n20SISO	Ant1	5785	1.56	≤30.00	PASS
11n20SISO	Ant1	5825	1.78	≤30.00	PASS
11n40SISO	Ant1	5190	0.74	≤11.00	PASS
11n40SISO	Ant1	5230	1.03	≤11.00	PASS
11n40SISO	Ant1	5270	1.53	≤11.00	PASS
11n40SISO	Ant1	5310	1.39	≤11.00	PASS
11n40SISO	Ant1	5510	1.61	≤11.00	PASS
11n40SISO	Ant1	5590	0.71	≤11.00	PASS
11n40SISO	Ant1	5670	2.32	≤11.00	PASS
11n40SISO	Ant1	5710 UNII-2C	2.01	≤11.00	PASS
11n40SISO	Ant1	5710 UNII-3	-2.44	≤30.00	PASS
11n40SISO	Ant1	5755	-1.85	≤30.00	PASS
11n40SISO	Ant1	5795	-1.78	≤30.00	PASS


Note:


- 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
- 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


Test Graphs


















Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	31.41	48.13	-31.31	16.82	40.00	23.18	PK	Horizontal	PASS
2	57.69	45.08	-26.27	18.81	40.00	21.19	PK	Horizontal	PASS
3	244.86	43.18	-24.34	18.84	46.00	27.16	PK	Horizontal	PASS
4	363.20	41.91	-20.50	21.41	46.00	24.59	PK	Horizontal	PASS
5	597.06	42.55	-16.53	26.02	46.00	19.98	PK	Horizontal	PASS
6	821.23	42.15	-12.97	29.18	46.00	16.82	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:			


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	58.13	48.71	-26.30	22.41	40.00	17.59	PK	Vertical	PASS
2	192.91	43.98	-27.32	16.66	43.50	26.84	PK	Vertical	PASS
3	246.65	43.21	-24.22	18.99	46.00	27.01	PK	Vertical	PASS
4	413.83	43.09	-20.42	22.67	46.00	23.33	PK	Vertical	PASS
5	614.04	43.05	-16.45	26.60	46.00	19.40	PK	Vertical	PASS
6	874.97	42.46	-12.01	30.45	46.00	15.55	PK	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 113		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7523.28	30.79	17.19	47.98	54.00	6.02	RMS	Horizontal	PASS
2	12225.67	33.12	7.62	40.74	54.00	13.26	RMS	Horizontal	PASS
3	15381.00	32.51	11.90	44.41	54.00	9.59	RMS	Horizontal	PASS
4	5186.21	88.75	10.88	99.63	-	-	PK	Horizontal	NA
5	7799.09	39.43	17.25	56.68	68.20	11.52	PK	Horizontal	PASS
6	9518.00	44.43	2.78	47.21	68.20	20.99	PK	Horizontal	PASS
7	14805.00	38.82	11.62	50.44	68.20	17.76	PK	Horizontal	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 113		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7525.73	30.46	17.18	47.64	54.00	6.36	RMS	Vertical	PASS
2	12022.67	34.53	6.64	41.17	54.00	12.83	RMS	Vertical	PASS
3	15544.33	32.60	11.58	44.18	54.00	9.82	RMS	Vertical	PASS
4	5178.86	88.20	10.89	99.09	-	-	PK	Vertical	NA
5	7502.98	38.85	17.32	56.17	74.00	17.83	PK	Vertical	PASS
6	10353.00	46.76	4.90	51.66	68.20	16.54	PK	Vertical	PASS
7	15541.00	40.32	11.61	51.93	74.00	22.07	PK	Vertical	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 114		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7528.18	30.55	17.16	47.71	54.00	6.29	RMS	Horizontal	PASS
2	12236.67	33.95	7.59	41.54	54.00	12.46	RMS	Horizontal	PASS
3	17931.67	30.29	16.34	46.63	54.00	7.37	RMS	Horizontal	PASS
4	5195.66	88.67	10.85	99.52	-	-	PK	Horizontal	NA
5	7745.19	39.50	17.16	56.66	74.00	17.34	PK	Horizontal	PASS
6	12223.00	41.16	7.64	48.80	74.00	25.20	PK	Horizontal	PASS
7	17982.67	38.28	16.73	55.01	74.00	18.99	PK	Horizontal	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 114		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7502.63	30.61	17.32	47.93	54.00	6.07	RMS	Vertical	PASS
2	12269.67	33.69	7.50	41.19	54.00	12.81	RMS	Vertical	PASS
3	17921.00	30.75	16.26	47.01	54.00	6.99	RMS	Vertical	PASS
4	5206.16	88.98	10.87	99.85	-	-	PK	Vertical	NA
5	7533.08	39.12	17.13	56.25	74.00	17.75	PK	Vertical	PASS
6	10399.67	46.25	4.99	51.24	68.20	16.96	PK	Vertical	PASS
7	17986.00	37.78	16.75	54.53	74.00	19.47	PK	Vertical	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 113		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7511.38	30.59	17.27	47.86	54.00	6.14	RMS	Horizontal	PASS
2	11689.00	34.77	6.47	41.24	54.00	12.76	RMS	Horizontal	PASS
3	17957.67	30.39	16.54	46.93	54.00	7.07	RMS	Horizontal	PASS
4	5238.01	89.02	11.05	100.07	-	-	PK	Horizontal	NA
5	7372.42	39.89	16.55	56.44	74.00	17.56	PK	Horizontal	PASS
6	12215.33	41.09	7.65	48.74	74.00	25.26	PK	Horizontal	PASS
7	17931.33	37.46	16.34	53.80	74.00	20.20	PK	Horizontal	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 113		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7488.97	30.40	17.28	47.68	54.00	6.32	RMS	Vertical	PASS
2	11969.67	37.09	6.61	43.70	54.00	10.30	RMS	Vertical	PASS
3	17987.00	29.61	16.76	46.37	54.00	7.63	RMS	Vertical	PASS
4	5235.91	89.17	11.04	100.21	-	-	PK	Vertical	NA
5	7817.99	39.06	17.29	56.35	68.20	11.85	PK	Vertical	PASS
6	11956.33	44.95	6.57	51.52	74.00	22.48	PK	Vertical	PASS
7	17989.67	37.20	16.78	53.98	74.00	20.02	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 105		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7506.48	30.75	17.30	48.05	54.00	5.95	RMS	Horizontal	PASS
2	12227.00	33.22	7.62	40.84	54.00	13.16	RMS	Horizontal	PASS
3	17946.33	30.30	16.46	46.76	54.00	7.24	RMS	Horizontal	PASS
4	5245.71	88.05	11.09	99.14	-	-	PK	Horizontal	NA
5	7442.77	38.97	17.01	55.98	74.00	18.02	PK	Horizontal	PASS
6	11663.00	42.13	6.50	48.63	74.00	25.37	PK	Horizontal	PASS
7	17939.67	38.32	16.40	54.72	74.00	19.28	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 105		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7485.47	30.84	17.27	48.11	54.00	5.89	RMS	Vertical	PASS
2	11531.33	33.73	6.53	40.26	54.00	13.74	RMS	Vertical	PASS
3	17906.00	30.89	16.14	47.03	54.00	6.97	RMS	Vertical	PASS
4	5245.01	89.05	11.09	100.14	-	-	PK	Vertical	NA
5	7291.21	40.42	16.38	56.80	74.00	17.20	PK	Vertical	PASS
6	10482.00	42.76	5.13	47.89	68.20	20.31	PK	Vertical	PASS
7	14787.67	39.69	11.48	51.17	68.20	17.03	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 109		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7542.53	31.48	17.07	48.55	54.00	5.45	RMS	Horizontal	PASS
2	12212.67	34.06	7.67	41.73	54.00	12.27	RMS	Horizontal	PASS
3	17989.67	29.57	16.78	46.35	54.00	7.65	RMS	Horizontal	PASS
4	5184.11	84.54	10.88	95.42	-	-	PK	Horizontal	NA
5	7480.22	39.19	17.25	56.44	74.00	17.56	PK	Horizontal	PASS
6	12257.00	42.14	7.54	49.68	74.00	24.32	PK	Horizontal	PASS
7	17935.67	37.62	16.37	53.99	74.00	20.01	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 109		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7462.37	30.50	17.16	47.66	54.00	6.34	RMS	Vertical	PASS
2	11741.33	34.03	6.47	40.50	54.00	13.50	RMS	Vertical	PASS
3	17982.00	29.89	16.73	46.62	54.00	7.38	RMS	Vertical	PASS
4	5196.71	86.04	10.85	96.89	-	-	PK	Vertical	NA
5	7672.03	39.78	16.81	56.59	74.00	17.41	PK	Vertical	PASS
6	10384.33	43.35	4.96	48.31	68.20	19.89	PK	Vertical	PASS
7	17860.00	38.65	15.89	54.54	74.00	19.46	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7432.97	31.19	16.88	48.07	54.00	5.93	RMS	Horizontal	PASS
2	11502.67	34.43	6.53	40.96	54.00	13.04	RMS	Horizontal	PASS
3	17965.67	30.02	16.60	46.62	54.00	7.38	RMS	Horizontal	PASS
4	5258.66	91.27	11.18	102.45	-	-	PK	Horizontal	NA
5	7524.68	39.79	17.18	56.97	74.00	17.03	PK	Horizontal	PASS
6	12226.33	41.28	7.62	48.90	74.00	25.10	PK	Horizontal	PASS
7	17956.67	38.36	16.53	54.89	74.00	19.11	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7458.52	30.77	17.15	47.92	54.00	6.08	RMS	Vertical	PASS
2	11171.00	35.41	5.31	40.72	54.00	13.28	RMS	Vertical	PASS
3	17932.67	30.56	16.35	46.91	54.00	7.09	RMS	Vertical	PASS
4	5265.66	91.08	11.24	102.32	-	-	PK	Vertical	NA
5	7527.83	39.44	17.16	56.60	74.00	17.40	PK	Vertical	PASS
6	10521.33	45.58	5.00	50.58	68.20	17.62	PK	Vertical	PASS
7	15489.33	40.37	11.88	52.25	74.00	21.75	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7548.13	30.64	17.04	47.68	54.00	6.32	RMS	Horizontal	PASS
2	12340.67	33.22	7.51	40.73	54.00	13.27	RMS	Horizontal	PASS
3	17944.00	30.53	16.44	46.97	54.00	7.03	RMS	Horizontal	PASS
4	5296.81	90.57	11.47	102.04	-	-	PK	Horizontal	NA
5	7450.47	40.24	17.10	57.34	74.00	16.66	PK	Horizontal	PASS
6	12391.00	41.46	7.62	49.08	74.00	24.92	PK	Horizontal	PASS
7	17895.67	38.47	16.07	54.54	74.00	19.46	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7666.43	30.79	16.78	47.57	54.00	6.43	RMS	Vertical	PASS
2	11958.33	35.44	6.57	42.01	54.00	11.99	RMS	Vertical	PASS
3	17974.33	30.19	16.67	46.86	54.00	7.14	RMS	Vertical	PASS
4	5300.32	91.39	11.50	102.89	-	-	PK	Vertical	NA
5	7494.92	40.02	17.32	57.34	74.00	16.66	PK	Vertical	PASS
6	10597.67	44.50	4.44	48.94	68.20	19.26	PK	Vertical	PASS
7	17981.00	38.35	16.71	55.06	74.00	18.94	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7498.07	30.70	17.33	48.03	54.00	5.97	RMS	Horizontal	PASS
2	12220.33	33.43	7.64	41.07	54.00	12.93	RMS	Horizontal	PASS
3	17935.00	30.01	16.37	46.38	54.00	7.62	RMS	Horizontal	PASS
4	5315.72	90.17	11.60	101.77	-	-	PK	Horizontal	NA
5	7498.07	39.66	17.33	56.99	74.00	17.01	PK	Horizontal	PASS
6	12261.33	41.13	7.53	48.66	74.00	25.34	PK	Horizontal	PASS
7	17969.67	38.32	16.63	54.95	74.00	19.05	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7483.37	30.94	17.26	48.20	54.00	5.80	RMS	Vertical	PASS
2	11450.33	33.94	6.36	40.30	54.00	13.70	RMS	Vertical	PASS
3	17983.00	30.14	16.73	46.87	54.00	7.13	RMS	Vertical	PASS
4	5323.77	91.15	11.66	102.81	-	-	PK	Vertical	NA
5	7496.67	39.14	17.32	56.46	74.00	17.54	PK	Vertical	PASS
6	11456.67	42.17	6.37	48.54	74.00	25.46	PK	Vertical	PASS
7	17960.00	38.12	16.56	54.68	74.00	19.32	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7555.83	31.06	16.98	48.04	54.00	5.96	RMS	Horizontal	PASS
2	12241.67	33.39	7.58	40.97	54.00	13.03	RMS	Horizontal	PASS
3	17994.67	29.64	16.82	46.46	54.00	7.54	RMS	Horizontal	PASS
4	5297.51	89.00	11.49	100.49	-	-	PK	Horizontal	NA
5	7526.43	39.15	17.17	56.32	74.00	17.68	PK	Horizontal	PASS
6	12229.67	41.01	7.62	48.63	74.00	25.37	PK	Horizontal	PASS
7	17783.33	39.02	15.58	54.60	74.00	19.40	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2a
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7553.38	31.09	16.99	48.08	54.00	5.92	RMS	Vertical	PASS
2	11822.67	34.22	6.46	40.68	54.00	13.32	RMS	Vertical	PASS
3	17938.33	30.44	16.39	46.83	54.00	7.17	RMS	Vertical	PASS
4	5294.71	89.22	11.46	100.68	-	-	PK	Vertical	NA
5	7668.18	39.59	16.79	56.38	74.00	17.62	PK	Vertical	PASS
6	11699.33	41.53	6.46	47.99	74.00	26.01	PK	Vertical	PASS
7	17963.33	38.00	16.58	54.58	74.00	19.42	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7502.98	30.79	17.32	48.11	54.00	5.89	RMS	Horizontal	PASS
2	12201.00	33.53	7.70	41.23	54.00	12.77	RMS	Horizontal	PASS
3	17965.00	31.25	16.59	47.84	54.00	6.16	RMS	Horizontal	PASS
4	5276.51	86.21	11.32	97.53	-	-	PK	Horizontal	NA
5	7521.18	39.38	17.21	56.59	74.00	17.41	PK	Horizontal	PASS
6	12256.67	41.63	7.54	49.17	74.00	24.83	PK	Horizontal	PASS
7	17920.67	38.08	16.25	54.33	74.00	19.67	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7466.92	30.81	17.18	47.99	54.00	6.01	RMS	Vertical	PASS
2	12158.67	34.40	7.17	41.57	54.00	12.43	RMS	Vertical	PASS
3	17994.00	29.78	16.82	46.60	54.00	7.40	RMS	Vertical	PASS
4	5265.31	86.79	11.23	98.02	-	-	PK	Vertical	NA
5	7389.57	39.74	16.49	56.23	74.00	17.77	PK	Vertical	PASS
6	12263.00	41.32	7.53	48.85	74.00	25.15	PK	Vertical	PASS
7	17987.00	37.52	16.76	54.28	74.00	19.72	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 107		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7484.07	30.63	17.26	47.89	54.00	6.11	RMS	Horizontal	PASS
2	12251.67	34.78	7.56	42.34	54.00	11.66	RMS	Horizontal	PASS
3	17988.33	30.05	16.77	46.82	54.00	7.18	RMS	Horizontal	PASS
4	5499.47	88.01	12.59	100.60	-	-	PK	Horizontal	NA
5	7518.38	39.53	17.22	56.75	74.00	17.25	PK	Horizontal	PASS
6	12223.00	41.14	7.64	48.78	74.00	25.22	PK	Horizontal	PASS
7	17901.33	37.91	16.11	54.02	74.00	19.98	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 107		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7473.92	30.50	17.21	47.71	54.00	6.29	RMS	Vertical	PASS
2	11736.67	34.36	6.47	40.83	54.00	13.17	RMS	Vertical	PASS
3	17975.00	30.23	16.67	46.90	54.00	7.10	RMS	Vertical	PASS
4	5495.62	87.54	12.58	100.12	-	-	PK	Vertical	NA
5	7738.54	39.34	17.13	56.47	74.00	17.53	PK	Vertical	PASS
6	11947.33	41.92	6.53	48.45	74.00	25.55	PK	Vertical	PASS
7	17942.00	37.76	16.42	54.18	74.00	19.82	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 109		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7454.32	30.72	17.12	47.84	54.00	6.16	RMS	Horizontal	PASS
2	12204.67	33.67	7.69	41.36	54.00	12.64	RMS	Horizontal	PASS
3	17902.00	30.34	16.12	46.46	54.00	7.54	RMS	Horizontal	PASS
4	5595.73	86.32	12.74	99.06	-	-	PK	Horizontal	NA
5	7541.13	39.63	17.08	56.71	74.00	17.29	PK	Horizontal	PASS
6	12419.00	41.50	7.56	49.06	74.00	24.94	PK	Horizontal	PASS
7	17926.33	38.36	16.30	54.66	74.00	19.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 109		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7485.82	30.31	17.28	47.59	54.00	6.41	RMS	Vertical	PASS
2	11949.67	34.54	6.54	41.08	54.00	12.92	RMS	Vertical	PASS
3	17960.67	30.03	16.56	46.59	54.00	7.41	RMS	Vertical	PASS
4	5598.53	86.92	12.74	99.66	-	-	PK	Vertical	NA
5	7351.07	39.95	16.61	56.56	74.00	17.44	PK	Vertical	PASS
6	11956.67	43.66	6.57	50.23	74.00	23.77	PK	Vertical	PASS
7	17890.00	37.99	16.05	54.04	74.00	19.96	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 104		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7722.79	30.87	17.05	47.92	54.00	6.08	RMS	Horizontal	PASS
2	11403.00	35.62	6.20	41.82	54.00	12.18	RMS	Horizontal	PASS
3	17731.00	31.40	15.57	46.97	54.00	7.03	RMS	Horizontal	PASS
4	5704.59	85.59	13.42	99.01	-	-	PK	Horizontal	NA
5	7527.13	39.08	17.17	56.25	74.00	17.75	PK	Horizontal	PASS
6	11405.00	43.60	6.20	49.80	74.00	24.20	PK	Horizontal	PASS
7	17952.00	37.61	16.50	54.11	74.00	19.89	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 104		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7715.44	30.85	17.00	47.85	54.00	6.15	RMS	Vertical	PASS
2	11400.00	37.36	6.19	43.55	54.00	10.45	RMS	Vertical	PASS
3	17994.00	29.69	16.82	46.51	54.00	7.49	RMS	Vertical	PASS
4	5698.98	87.32	13.37	100.69	-	-	PK	Vertical	NA
5	7733.99	38.97	17.10	56.07	74.00	17.93	PK	Vertical	PASS
6	11396.00	45.43	6.14	51.57	74.00	22.43	PK	Vertical	PASS
7	17103.33	40.12	13.48	53.60	68.20	14.60	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7510.33	31.27	17.27	48.54	54.00	5.46	RMS	Horizontal	PASS
2	12223.33	33.89	7.64	41.53	54.00	12.47	RMS	Horizontal	PASS
3	17966.33	30.31	16.61	46.92	54.00	7.08	RMS	Horizontal	PASS
4	5505.78	85.87	12.60	98.47	-	-	PK	Horizontal	NA
5	7565.98	39.53	16.89	56.42	74.00	17.58	PK	Horizontal	PASS
6	12246.00	42.01	7.57	49.58	74.00	24.42	PK	Horizontal	PASS
7	17896.33	38.43	16.08	54.51	74.00	19.49	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7726.29	30.96	17.06	48.02	54.00	5.98	RMS	Vertical	PASS
2	11705.00	34.79	6.46	41.25	54.00	12.75	RMS	Vertical	PASS
3	17988.33	29.93	16.77	46.70	54.00	7.30	RMS	Vertical	PASS
4	5496.67	85.22	12.58	97.80	-	-	PK	Vertical	NA
5	7673.78	39.96	16.81	56.77	74.00	17.23	PK	Vertical	PASS
6	12224.33	41.51	7.64	49.15	74.00	24.85	PK	Vertical	PASS
7	17974.33	37.97	16.67	54.64	74.00	19.36	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 99		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7520.48	30.73	17.21	47.94	54.00	6.06	RMS	Horizontal	PASS
2	11447.67	34.31	6.34	40.65	54.00	13.35	RMS	Horizontal	PASS
3	17991.67	30.08	16.80	46.88	54.00	7.12	RMS	Horizontal	PASS
4	5514.53	83.42	12.63	96.05	-	-	PK	Horizontal	NA
5	7442.77	39.36	17.01	56.37	74.00	17.63	PK	Horizontal	PASS
6	11758.33	42.88	6.47	49.35	74.00	24.65	PK	Horizontal	PASS
7	17974.00	37.85	16.67	54.52	74.00	19.48	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 99		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7460.62	31.09	17.15	48.24	54.00	5.76	RMS	Vertical	PASS
2	12206.00	33.95	7.68	41.63	54.00	12.37	RMS	Vertical	PASS
3	17957.33	30.10	16.54	46.64	54.00	7.36	RMS	Vertical	PASS
4	5513.83	82.15	12.63	94.78	-	-	PK	Vertical	NA
5	7489.32	38.90	17.29	56.19	74.00	17.81	PK	Vertical	PASS
6	12220.00	41.85	7.64	49.49	74.00	24.51	PK	Vertical	PASS
7	17989.00	37.60	16.78	54.38	74.00	19.62	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7484.42	30.74	17.26	48.00	54.00	6.00	RMS	Horizontal	PASS
2	11487.33	35.10	6.48	41.58	54.00	12.42	RMS	Horizontal	PASS
3	17911.33	30.39	16.19	46.58	54.00	7.42	RMS	Horizontal	PASS
4	5742.04	85.08	13.78	98.86	-	-	PK	Horizontal	NA
5	7872.94	39.36	17.34	56.70	68.20	11.50	PK	Horizontal	PASS
6	11486.67	43.29	6.47	49.76	74.00	24.24	PK	Horizontal	PASS
7	17913.67	38.42	16.20	54.62	74.00	19.38	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7477.77	31.46	17.23	48.69	54.00	5.31	RMS	Vertical	PASS
2	11488.33	38.71	6.48	45.19	54.00	8.81	RMS	Vertical	PASS
3	17993.00	29.82	16.80	46.62	54.00	7.38	RMS	Vertical	PASS
4	5751.49	86.88	13.88	100.76	-	-	PK	Vertical	NA
5	7918.80	39.35	17.36	56.71	68.20	11.49	PK	Vertical	PASS
6	11489.33	47.41	6.48	53.89	74.00	20.11	PK	Vertical	PASS
7	17227.67	41.24	13.75	54.99	68.20	13.21	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7452.57	30.89	17.11	48.00	54.00	6.00	RMS	Horizontal	PASS
2	11570.00	36.40	6.55	42.95	54.00	11.05	RMS	Horizontal	PASS
3	17968.33	30.09	16.62	46.71	54.00	7.29	RMS	Horizontal	PASS
4	5787.19	85.25	14.23	99.48	-	-	PK	Horizontal	NA
5	7990.90	39.41	17.32	56.73	68.20	11.47	PK	Horizontal	PASS
6	11568.33	42.57	6.55	49.12	74.00	24.88	PK	Horizontal	PASS
7	17957.00	37.66	16.54	54.20	74.00	19.80	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7509.98	30.65	17.28	47.93	54.00	6.07	RMS	Vertical	PASS
2	11570.67	42.01	6.55	48.56	54.00	5.44	RMS	Vertical	PASS
3	17976.33	30.38	16.68	47.06	54.00	6.94	RMS	Vertical	PASS
4	5783.69	86.16	14.20	100.36	-	-	PK	Vertical	NA
5	7788.59	39.15	17.23	56.38	68.20	11.82	PK	Vertical	PASS
6	11569.67	47.47	6.55	54.02	74.00	19.98	PK	Vertical	PASS
7	17349.33	43.82	13.70	57.52	68.20	10.68	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7504.73	30.88	17.31	48.19	54.00	5.81	RMS	Horizontal	PASS
2	11650.00	35.52	6.51	42.03	54.00	11.97	RMS	Horizontal	PASS
3	17997.33	29.89	16.84	46.73	54.00	7.27	RMS	Horizontal	PASS
4	5830.59	85.92	14.28	100.20	-	-	PK	Horizontal	NA
5	7525.73	39.27	17.18	56.45	74.00	17.55	PK	Horizontal	PASS
6	11647.00	44.31	6.51	50.82	74.00	23.18	PK	Horizontal	PASS
7	17957.33	37.62	16.54	54.16	74.00	19.84	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7421.42	31.18	16.74	47.92	54.00	6.08	RMS	Vertical	PASS
2	11649.33	41.57	6.51	48.08	54.00	5.92	RMS	Vertical	PASS
3	17979.67	29.80	16.71	46.51	54.00	7.49	RMS	Vertical	PASS
4	5824.99	86.12	14.30	100.42	-	-	PK	Vertical	NA
5	7752.89	39.52	17.18	56.70	68.20	11.50	PK	Vertical	PASS
6	11649.33	49.47	6.51	55.98	74.00	18.02	PK	Vertical	PASS
7	17477.33	43.57	14.01	57.58	68.20	10.62	PK	Vertical	PASS