



Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7460.62	31.44	17.15	48.59	54.00	5.41	RMS	Horizontal	PASS
2	11571.67	35.39	6.55	41.94	54.00	12.06	RMS	Horizontal	PASS
3	17990.33	30.12	16.79	46.91	54.00	7.09	RMS	Horizontal	PASS
4	5780.54	83.46	14.17	97.63	-	-	PK	Horizontal	NA
5	7516.28	39.60	17.24	56.84	74.00	17.16	PK	Horizontal	PASS
6	11610.00	42.35	6.55	48.90	74.00	25.10	PK	Horizontal	PASS
7	17901.67	38.54	16.12	54.66	74.00	19.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7731.89	30.52	17.09	47.61	54.00	6.39	RMS	Vertical	PASS
2	11571.33	38.71	6.55	45.26	54.00	8.74	RMS	Vertical	PASS
3	17979.00	30.14	16.70	46.84	54.00	7.16	RMS	Vertical	PASS
4	5781.59	85.01	14.17	99.18	-	-	PK	Vertical	NA
5	7462.37	38.72	17.16	55.88	74.00	18.12	PK	Vertical	PASS
6	11568.67	46.03	6.55	52.58	74.00	21.42	PK	Vertical	PASS
7	17358.67	43.12	13.68	56.80	68.20	11.40	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7488.27	30.40	17.29	47.69	54.00	6.31	RMS	Horizontal	PASS
2	12222.67	33.99	7.64	41.63	54.00	12.37	RMS	Horizontal	PASS
3	17974.33	30.02	16.67	46.69	54.00	7.31	RMS	Horizontal	PASS
4	5787.89	80.50	14.24	94.74	-	-	PK	Horizontal	NA
5	7467.62	39.35	17.19	56.54	74.00	17.46	PK	Horizontal	PASS
6	12446.67	41.84	7.46	49.30	74.00	24.70	PK	Horizontal	PASS
7	17983.00	37.76	16.73	54.49	74.00	19.51	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7536.93	30.65	17.11	47.76	54.00	6.24	RMS	Vertical	PASS
2	11589.00	37.33	6.56	43.89	54.00	10.11	RMS	Vertical	PASS
3	17917.00	30.32	16.23	46.55	54.00	7.45	RMS	Vertical	PASS
4	5779.84	81.43	14.16	95.59	-	-	PK	Vertical	NA
5	7456.07	39.03	17.13	56.16	74.00	17.84	PK	Vertical	PASS
6	11589.33	44.02	6.56	50.58	74.00	23.42	PK	Vertical	PASS
7	17972.67	38.28	16.65	54.93	74.00	19.07	PK	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 113		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5148.05	38.83	10.97	49.80	54.00	4.20	RMS	Horizontal	PASS
2	5148.70	38.68	10.97	49.65	54.00	4.35	RMS	Horizontal	PASS
3	5149.74	39.07	10.97	50.04	54.00	3.96	RMS	Horizontal	PASS
4	5146.98	54.67	10.97	65.64	74.00	8.36	PK	Horizontal	PASS
5	5147.57	54.33	10.97	65.30	74.00	8.70	PK	Horizontal	PASS
6	5149.65	54.05	10.97	65.02	74.00	8.98	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 113		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5147.21	37.25	10.97	48.22	54.00	5.78	RMS	Vertical	PASS
2	5148.35	38.43	10.97	49.40	54.00	4.60	RMS	Vertical	PASS
3	5149.68	38.63	10.97	49.60	54.00	4.40	RMS	Vertical	PASS
4	5147.27	54.61	10.97	65.58	74.00	8.42	PK	Vertical	PASS
5	5148.31	53.99	10.97	64.96	74.00	9.04	PK	Vertical	PASS
6	5149.65	54.01	10.97	64.98	74.00	9.02	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 106		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5147.57	33.34	10.97	44.31	54.00	9.69	RMS	Horizontal	PASS
2	5148.80	33.96	10.97	44.93	54.00	9.07	RMS	Horizontal	PASS
3	5149.58	34.28	10.97	45.25	54.00	8.75	RMS	Horizontal	PASS
4	5146.85	49.71	10.97	60.68	74.00	13.32	PK	Horizontal	PASS
5	5147.40	49.84	10.97	60.81	74.00	13.19	PK	Horizontal	PASS
6	5149.65	51.21	10.97	62.18	74.00	11.82	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 106		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5146.62	33.79	10.97	44.76	54.00	9.24	RMS	Vertical	PASS
2	5147.76	34.58	10.97	45.55	54.00	8.45	RMS	Vertical	PASS
3	5149.13	35.21	10.97	46.18	54.00	7.82	RMS	Vertical	PASS
4	5145.03	49.19	10.97	60.16	74.00	13.84	PK	Vertical	PASS
5	5147.34	51.20	10.97	62.17	74.00	11.83	PK	Vertical	PASS
6	5149.65	53.60	10.97	64.57	74.00	9.43	PK	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 106		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5142.18	33.58	10.96	44.54	54.00	9.46	RMS	Horizontal	PASS
2	5146.18	35.70	10.97	46.67	54.00	7.33	RMS	Horizontal	PASS
3	5149.24	36.61	10.97	47.58	54.00	6.42	RMS	Horizontal	PASS
4	5142.86	47.52	10.97	58.49	74.00	15.51	PK	Horizontal	PASS
5	5146.47	50.84	10.97	61.81	74.00	12.19	PK	Horizontal	PASS
6	5149.92	50.54	10.97	61.51	74.00	12.49	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 106		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5142.22	33.53	10.96	44.49	54.00	9.51	RMS	Vertical	PASS
2	5147.24	35.39	10.97	46.36	54.00	7.64	RMS	Vertical	PASS
3	5149.24	36.43	10.97	47.40	54.00	6.60	RMS	Vertical	PASS
4	5141.63	46.16	10.96	57.12	74.00	16.88	PK	Vertical	PASS
5	5146.64	49.81	10.97	60.78	74.00	13.22	PK	Vertical	PASS
6	5149.96	50.99	10.97	61.96	74.00	12.04	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.32	33.69	11.85	45.54	54.00	8.46	RMS	Horizontal	PASS
2	5352.89	32.77	11.86	44.63	54.00	9.37	RMS	Horizontal	PASS
3	5355.69	32.33	11.87	44.20	54.00	9.80	RMS	Horizontal	PASS
4	5350.61	45.35	11.85	57.20	74.00	16.80	PK	Horizontal	PASS
5	5352.43	46.93	11.86	58.79	74.00	15.21	PK	Horizontal	PASS
6	5355.78	44.68	11.87	56.55	74.00	17.45	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 110		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.19	34.15	11.85	46.00	54.00	8.00	RMS	Vertical	PASS
2	5352.17	33.28	11.86	45.14	54.00	8.86	RMS	Vertical	PASS
3	5354.25	33.08	11.87	44.95	54.00	9.05	RMS	Vertical	PASS
4	5350.71	46.51	11.85	58.36	74.00	15.64	PK	Vertical	PASS
5	5352.24	47.73	11.86	59.59	74.00	14.41	PK	Vertical	PASS
6	5354.25	45.34	11.87	57.21	74.00	16.79	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.42	35.75	11.85	47.60	54.00	6.40	RMS	Horizontal	PASS
2	5351.65	35.68	11.86	47.54	54.00	6.46	RMS	Horizontal	PASS
3	5355.72	33.07	11.87	44.94	54.00	9.06	RMS	Horizontal	PASS
4	5350.09	51.71	11.85	63.56	74.00	10.44	PK	Horizontal	PASS
5	5351.78	50.62	11.86	62.48	74.00	11.52	PK	Horizontal	PASS
6	5354.64	50.62	11.87	62.49	74.00	11.51	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.22	36.07	11.85	47.92	54.00	6.08	RMS	Vertical	PASS
2	5352.14	35.73	11.86	47.59	54.00	6.41	RMS	Vertical	PASS
3	5353.93	34.27	11.87	46.14	54.00	7.86	RMS	Vertical	PASS
4	5350.16	52.71	11.85	64.56	74.00	9.44	PK	Vertical	PASS
5	5352.11	50.90	11.86	62.76	74.00	11.24	PK	Vertical	PASS
6	5355.85	50.35	11.87	62.22	74.00	11.78	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.08	35.29	11.85	47.14	54.00	6.86	RMS	Horizontal	PASS
2	5354.21	34.53	11.87	46.40	54.00	7.60	RMS	Horizontal	PASS
3	5358.50	33.24	11.88	45.12	54.00	8.88	RMS	Horizontal	PASS
4	5351.44	51.25	11.86	63.11	74.00	10.89	PK	Horizontal	PASS
5	5355.36	48.28	11.87	60.15	74.00	13.85	PK	Horizontal	PASS
6	5358.46	48.75	11.88	60.63	74.00	13.37	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.34	35.88	11.85	47.73	54.00	6.27	RMS	Vertical	PASS
2	5353.78	35.06	11.87	46.93	54.00	7.07	RMS	Vertical	PASS
3	5355.87	34.94	11.87	46.81	54.00	7.19	RMS	Vertical	PASS
4	5351.61	52.18	11.86	64.04	74.00	9.96	PK	Vertical	PASS
5	5354.04	49.11	11.87	60.98	74.00	13.02	PK	Vertical	PASS
6	5358.20	48.25	11.88	60.13	74.00	13.87	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 107		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5457.89	31.17	12.51	43.68	54.00	10.32	RMS	Horizontal	PASS
2	5459.09	31.17	12.51	43.68	54.00	10.32	RMS	Horizontal	PASS
3	5459.90	31.61	12.51	44.12	54.00	9.88	RMS	Horizontal	PASS
4	5468.46	50.94	12.53	63.47	68.20	4.73	PK	Horizontal	PASS
5	5469.39	51.30	12.53	63.83	68.20	4.37	PK	Horizontal	PASS
6	5469.99	51.62	12.53	64.15	68.20	4.05	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 107		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5457.68	31.38	12.51	43.89	54.00	10.11	RMS	Vertical	PASS
2	5458.43	31.08	12.51	43.59	54.00	10.41	RMS	Vertical	PASS
3	5459.87	31.45	12.51	43.96	54.00	10.04	RMS	Vertical	PASS
4	5466.81	49.42	12.52	61.94	68.20	6.26	PK	Vertical	PASS
5	5468.64	50.58	12.53	63.11	68.20	5.09	PK	Vertical	PASS
6	5469.54	50.77	12.53	63.30	68.20	4.90	PK	Vertical	PASS

Project Information

Mode:	802.11a20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	-		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.18	51.31	13.62	64.93	68.20	3.27	PK	Horizontal	PASS
2	5725.90	51.19	13.62	64.81	68.20	3.39	PK	Horizontal	PASS
3	5727.46	48.38	13.64	62.02	68.20	6.18	PK	Horizontal	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	-		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.24	50.01	13.62	63.63	68.20	4.57	PK	Vertical	PASS
2	5725.96	50.67	13.63	64.30	68.20	3.90	PK	Vertical	PASS
3	5728.54	47.63	13.66	61.29	68.20	6.91	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.95	30.24	12.50	42.74	54.00	11.26	RMS	Horizontal	PASS
2	5456.12	30.53	12.50	43.03	54.00	10.97	RMS	Horizontal	PASS
3	5458.91	30.40	12.51	42.91	54.00	11.09	RMS	Horizontal	PASS
4	5457.11	43.75	12.50	56.25	74.00	17.75	PK	Horizontal	PASS
5	5458.91	42.08	12.51	54.59	74.00	19.41	PK	Horizontal	PASS
6	5467.95	47.55	12.53	60.08	68.20	8.12	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.38	30.36	12.50	42.86	54.00	11.14	RMS	Vertical	PASS
2	5456.84	30.51	12.50	43.01	54.00	10.99	RMS	Vertical	PASS
3	5459.06	30.42	12.51	42.93	54.00	11.07	RMS	Vertical	PASS
4	5467.98	46.82	12.53	59.35	68.20	8.85	PK	Vertical	PASS
5	5468.67	46.87	12.53	59.40	68.20	8.80	PK	Vertical	PASS
6	5469.45	47.08	12.53	59.61	68.20	8.59	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 96		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.39	50.39	13.62	64.01	68.20	4.19	PK	Horizontal	PASS
2	5725.75	49.66	13.62	63.28	68.20	4.92	PK	Horizontal	PASS
3	5729.41	47.99	13.66	61.65	68.20	6.55	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 96		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.18	51.49	13.62	65.11	68.20	3.09	PK	Vertical	PASS
2	5726.05	49.40	13.63	63.03	68.20	5.17	PK	Vertical	PASS
3	5729.17	48.89	13.66	62.55	68.20	5.65	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5455.96	33.13	12.50	45.63	54.00	8.37	RMS	Horizontal	PASS
2	5458.48	33.54	12.51	46.05	54.00	7.95	RMS	Horizontal	PASS
3	5459.88	33.74	12.51	46.25	54.00	7.75	RMS	Horizontal	PASS
4	5467.05	50.18	12.52	62.70	68.20	5.50	PK	Horizontal	PASS
5	5469.49	51.70	12.53	64.23	68.20	3.97	PK	Horizontal	PASS
6	5469.97	52.62	12.53	65.15	68.20	3.05	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 99		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5456.00	32.99	12.50	45.49	54.00	8.51	RMS	Vertical	PASS
2	5457.32	33.47	12.50	45.97	54.00	8.03	RMS	Vertical	PASS
3	5458.84	33.29	12.51	45.80	54.00	8.20	RMS	Vertical	PASS
4	5463.57	49.20	12.52	61.72	68.20	6.48	PK	Vertical	PASS
5	5467.05	50.14	12.52	62.66	68.20	5.54	PK	Vertical	PASS
6	5469.53	52.16	12.53	64.69	68.20	3.51	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 96		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.74	44.58	13.63	58.21	68.20	9.99	PK	Horizontal	PASS
2	5729.64	45.15	13.66	58.81	68.20	9.39	PK	Horizontal	PASS
3	5733.89	44.57	13.71	58.28	68.20	9.92	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Tian shuo
Remark:	X;Powersetting 96		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.79	46.09	13.63	59.72	68.20	8.48	PK	Vertical	PASS
2	5729.64	48.01	13.66	61.67	68.20	6.53	PK	Vertical	PASS
3	5734.14	45.76	13.71	59.47	68.20	8.73	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5647.60	42.10	13.00	55.10	68.20	13.10	PK	Horizontal	PASS
2	5659.30	42.07	13.08	55.15	75.11	19.96	PK	Horizontal	PASS
3	5932.28	42.62	13.99	56.61	68.20	11.59	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5643.53	42.75	12.97	55.72	68.20	12.48	PK	Vertical	PASS
2	5671.50	42.93	13.17	56.10	84.15	28.05	PK	Vertical	PASS
3	5910.82	42.79	14.06	56.85	78.66	21.81	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5642.07	41.61	12.96	54.57	68.20	13.63	PK	Horizontal	PASS
2	5893.75	41.99	14.12	56.11	91.29	35.18	PK	Horizontal	PASS
3	5926.91	43.64	14.01	57.65	68.20	10.55	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 108		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.10	42.25	12.96	55.21	68.20	12.99	PK	Vertical	PASS
2	5909.52	41.80	14.07	55.87	79.62	23.75	PK	Vertical	PASS
3	5923.34	42.09	14.02	56.11	69.43	13.32	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.10	42.32	12.96	55.28	68.20	12.92	PK	Horizontal	PASS
2	5665.48	42.33	13.12	55.45	79.69	24.24	PK	Horizontal	PASS
3	5920.09	42.34	14.03	56.37	71.82	15.45	PK	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5640.28	41.89	12.95	54.84	68.20	13.36	PK	Vertical	PASS
2	5922.52	42.25	14.02	56.27	70.03	13.76	PK	Vertical	PASS
3	5938.94	43.00	13.97	56.97	68.20	11.23	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5638.33	42.25	12.95	55.20	68.20	13.00	PK	Horizontal	PASS
2	5685.48	42.86	13.26	56.12	94.49	38.37	PK	Horizontal	PASS
3	5940.73	42.90	13.96	56.86	68.20	11.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5651.66	42.55	13.02	55.57	69.44	13.87	PK	Vertical	PASS
2	5909.84	42.17	14.07	56.24	79.38	23.14	PK	Vertical	PASS
3	5941.55	42.39	13.96	56.35	68.20	11.85	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5649.06	42.26	13.00	55.26	68.20	12.94	PK	Horizontal	PASS
2	5914.23	42.42	14.05	56.47	76.14	19.67	PK	Horizontal	PASS
3	5929.84	41.99	14.00	55.99	68.20	12.21	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 100		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5642.07	41.72	12.96	54.68	68.20	13.52	PK	Vertical	PASS
2	5899.11	42.25	14.10	56.35	87.32	30.97	PK	Vertical	PASS
3	5946.10	42.52	13.95	56.47	68.20	11.73	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.26	42.21	12.96	55.17	68.20	13.03	PK	Horizontal	PASS
2	5659.30	42.25	13.08	55.33	75.11	19.78	PK	Horizontal	PASS
3	5936.67	41.62	13.98	55.60	68.20	12.60	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Tian shuo
Remark:	X; Powersetting 102		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5645.32	42.70	12.98	55.68	68.20	12.52	PK	Vertical	PASS
2	5903.34	43.18	14.09	57.27	84.19	26.92	PK	Vertical	PASS
3	5941.87	42.66	13.96	56.62	68.20	11.58	PK	Vertical	PASS

~The End~