

深圳星河电波科技有限公司

样品承认书

客户名称： GRAB

项目名称： KARTACAM

样品名称： YX0186-KARTACAM-MAIN-V5.0
YX0186-KARTACAM-DIV-V1.0
YX0186-KARTACAM-WIFI-2-V3.0
YX0186-KARTACAM-WIFI-1-V1.0

规格/颜色： 黑色

签样日期： 2023.09.26

供方确认	制作	研发	结构	品质

客户确认	项 目	外 观	结 构	品质

结论	☐ 批量使用 MP ☐ 限量使用 () K
----	---

☐ ROHS


供方名称： 深圳星河电波科技有限公司

供方地址： 深圳市南山区中山园路君翔达大厦A座4楼F区

电话： 0755-86 696901

传真： 0755-86 696901

3. ICD图纸



MAIN天线FPC(黑色)

XXX

XXX

电解铜，PI基材

1

TEM

PART NAME

CLIENTELE UNMBE

P/N

MATERIAL

O'TY

REMARK

GENERAL TOLERANCE TABLE

LINEAR

ANGULAR

DIVISION

TOLERANCE

DIVISION

TOLERANCE

0-10

± 0.05

0-5°

$\pm 0.5^{\circ}$

10-50

± 0.10

5-20°

$\pm 1^{\circ}$

50-80

± 0.15

20-30°

$\pm 1.5^{\circ}$

>80

± 0.2

UNIT:

mm

MAT'L

CLIENTELE NUMBER

SEE NOTE

APPO

SEE NOTE

RF CHKO

SIZE

A4

NUMBER

XXXXXX

PART NAME:

YX0186-KARTACAM

PART NUMBER

CLIENTELE NUMBER

APPO

RF CHKO

SIZE

A4

NUMBER

XXXXXX

深圳星河电波科技有限公司

TITLE:

YX0186(MAIN天线FPC)

SCALE:


FULL


PAGE:

1 of 1


REV:

A0





REVISION	ECO#	REVISION NOTE	AUTHOR	DATE
A0		New release		26/09.23'



出货方式: 单 PCS 包装出货

字符说明:

1. 内容“XXXX”表示生产日期(年周, 如2101)


- 注:
- MATERIAL :18/12.5电解铜, PI基材. 图中绿色线表示铜层的轮廓, 紫色线表示外形.
 - 未注公差要求:A. 铜箔到铜箔 ± 0.05 B. 铜箔到外形 ± 0.15 (特殊要求的话做到 ± 0.10) C. 孔到外形的公差 ± 0.15 (特殊要求的话做到 ± 0.10) D. 孔径的尺寸公差 ± 0.05 E. 阻焊公差 ± 0.30 F. 外形到外形 ± 0.15 (特殊要求的话做到 ± 0.1) G. 冲孔与冲孔之间的距离公差 ± 0.1 H. 孔到铜箔 ± 0.15 .
 - 镀镍金: NI: 2-7um AU: 不小于0.025um (盐雾必须过48H), 油墨:
 - 此FPC背胶为:3M 9471LSE, 粘性要超强!
 - 表面无压伤, 划痕, 无油污, 斑点, 发黑等缺陷;
 - 首批模具样品:随机挑选5pcs做全尺寸测量, 报告及样品需转送HT品质部;
 - 尺寸要求:
 - S1尺寸:测量最小量为500中选取的任意35个产品的尺寸作cpk分析;
 - * 尺寸为重点管控尺寸;
 - 任何用料上的修改必须通过HT工程部门的书面同意, 并通过XH品质部门的各项测试;
 - 产品必须符合ROHS/HF/REACH标准;

					1	
	WIFI-1天线FPC(黑色)XXX		XXX	电解铜, PI基材	1	
TEM	PART NAME	CLIENTELE UNMBE	P/N	MATERIAL	O'TY	REMARK
GENERAL TOLERANCE TABLE		 PART NAME YX0186-KARTACAM		深圳星河电波科技有限公司		
LINEAR		UNIT				
ANGULAR		PART NUMBER				
DIVISION TOLERANCE		CLIENTELE NUMBER				
DIVISION TOLERANCE		MATERIAL		TITLE: YX0186(WIFI-1天线FPC)		
DIVISION TOLERANCE		FINISH				
DIVISION TOLERANCE		SIZE		SCALE: FULL PAGE: 1 of 1 REV: A0		
DIVISION TOLERANCE		R DR				
DIVISION TOLERANCE		XXXXXX				
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						
DIVISION TOLERANCE						

无源S参数

主集天线	分集天线
------	------

分集天线



RF1=0 Ω
RF2=0 Ω
RF3=5.2nh (LTE:12/13/28)
RF4=0 Ω

5.2nh

开关

0 Ω

0 Ω

1nh

NC


NC

0 Ω

主天线

ANT2



RF1=0 Ω
RF2=0 Ω
RF3=5.2nh (LTE:12/13/28)
RF4=0 Ω



















[illegible]

主集无源效率与增益

--

主集天线2D/3D图
























分集无源效率与增益

[illegible]

分集天线2D/3D图






WiFi天线无源效率与增益

Frequency	Efficiency	Efficiency	Gain/ dBi			Frequency	Efficiency	Efficiency	Gain/ dBi		
2400	-3.49	44.77	1.84			5150	-3.81	41.59	4.12		
2410	-3.37	46.03	1.86			5170	-3.6	43.65	4.45		
2420	-3.28	46.99	1.89			5190	-3.44	45.29	4.73		
2430	-3.17	48.19	2.26			5210	-3.29	46.88	4.74		
2440	-3.09	49.09	2.08			5230	-3.32	46.56	4.81		
2450	-2.68	53.95	2.11			5250	-3.05	49.55	5.11		
2460	-2.92	51.05	2.18			5270	-3.09	49.09	4.99		
2470	-2.87	51.64	2.41			5290	-2.99	50.23	5.2		
2480	-2.55	55.59	2.29			5310	-2.96	50.58	5.07		
2490	-2.46	56.75	2.55			5330	-2.7	53.7	5.54		
2500	-2.7	53.7	3.01			5350	-2.7	53.7	5.55		
						5370	-2.5	56.23	6.01		
						5390	-2.34	58.34	6.02		
						5410	-2.28	59.16	5.88		
						5430	-2.5	56.23	5.61		
						5450	-2.45	56.89	5.33		
						5470	-2.63	54.58	5.32		
						5490	-2.77	52.84	5.04		
						5510	-2.94	50.82	4.73		
						5530	-2.9	51.29	4.77		
						5550	-2.92	51.05	4.58		
						5570	-2.84	52	4.71		
						5590	-2.9	51.29	4.6		
						5610	-2.85	51.88	4.69		
						5630	-3.02	49.89	4.45		
						5650	-2.95	50.7	4.43		
						5670	-3	50.12	4.52		
						5690	-2.99	50.23	4.35		
						5710	-3.32	46.56	4.23		
						5730	-3.42	45.5	4.05		
						5750	-3.45	45.19	3.98		
						5770	-3.36	46.13	4.09		
						5790	-3.63	43.35	3.63		
						5810	-3.62	43.45	3.67		
						5830	-3.73	42.36	3.4		
						5850	-3.96	40.18	3.15		

WiFi天线2D/3D图



LORA天线无源效率与增益

Frequenc	Efficiency	Efficiency	Gain/ dBi								
700	-10.36	9.2	-3.97								
710	-9.97	10.07	-3.86								
720	-10.25	9.44	-4.68								
730	-9.85	10.35	-5.08								
740	-10.11	9.75	-5.23								
750	-9.73	10.64	-4.59								
760	-9.72	10.67	-4.75								
770	-9.61	10.94	-4.99								
780	-9.71	10.69	-5.31								
790	-8.27	14.89	-4.09								
800	-7.9	16.22	-4.79								
810	-7.47	17.91	-4.38								
820	-7.09	19.54	-4.58								
830	-6.31	23.39	-2.91								
840	-6.18	24.1	-2.63								
850	-5.85	26	-3.45								
860	-5.29	29.58	-2.53								
870	-4.74	33.57	-1.45								
880	-4.77	33.34	-1.62								
890	-4.39	36.39	-1.65								
900	-4.04	39.45	0.08								
910	-4.19	38.11	0								
920	-4.53	35.24	-0.74								
930	-4.91	32.28	-1								
940	-5.34	29.24	-0.51								
950	-6.25	23.71	-2								
960	-6.84	20.7	-3.25								

LORA天线2D/3D图

