

Spurious Emission at Antenna Terminals


4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.59	-25	45.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.92	-25	47.92	Pass	2986
30	1000	0.1	RMS	565.4	-65.02	-25	40.02	Pass	9701
1000	2490	1	RMS	2490	-48.75	-25	23.75	Pass	1491
2490	2580	1	RMS	2526	21.45	60	38.55	Pass	401
2580	3000	1	RMS	2993	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	7578	-57.43	-25	32.43	Pass	9002
12000	26000	1	RMS	25503	-56.7	-25	31.7	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.38	-25	44.38	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-25	48.01	Pass	2986
30	1000	0.1	RMS	590.4	-64.27	-25	39.27	Pass	9701
1000	2490	1	RMS	2489	-52.4	-25	27.4	Pass	1491
2490	2580	1	RMS	2550.975	22.65	60	37.35	Pass	401
2580	3000	1	RMS	2586	-38.9	-25	13.9	Pass	421
3000	12000	1	RMS	7653	-53.1	-25	28.1	Pass	9002
12000	26000	1	RMS	25501	-56.67	-25	31.67	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.46	-25	45.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	590.4	-64.45	-25	39.45	Pass	9701
1000	2490	1	RMS	2483	-52.51	-25	27.51	Pass	1491
2490	2580	1	RMS	2550.975	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2586	-39.88	-25	14.88	Pass	421
3000	12000	1	RMS	7653	-54.55	-25	29.55	Pass	9002
12000	26000	1	RMS	25501	-56.64	-25	31.64	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	59.09	Pass	2986
30	689	0.1	RMS	688.5	-65.73	-13	52.73	Pass	6591
689	726	0.1	RMS	699.268	20.99	60	39.01	Pass	401
726	1000	0.1	RMS	861.8	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	2097	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.21	-72.26	-13	59.26	Pass	2986
30	689	0.1	RMS	688.6	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	699.268	19.86	60	40.14	Pass	401
726	1000	0.1	RMS	944.9	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	2097	-49.35	-13	36.35	Pass	2001
3000	10000	1	RMS	6804	-45.65	-13	32.65	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	59.75	Pass	2986
30	689	0.1	RMS	626.9	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	707.038	21.13	60	38.87	Pass	401
726	1000	0.1	RMS	835.4	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1414	-45.57	-13	32.57	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	59.85	Pass	2986
30	689	0.1	RMS	604.9	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	707.038	20.05	60	39.95	Pass	401
726	1000	0.1	RMS	831.9	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1414	-46.77	-13	33.77	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	689	0.1	RMS	488.8	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	714.808	20.38	60	39.62	Pass	401
726	1000	0.1	RMS	834.3	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1429	-46.37	-13	33.37	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.2	-72.32	-13	59.32	Pass	2986
30	689	0.1	RMS	494.7	-65.89	-13	52.89	Pass	6591
689	726	0.1	RMS	714.808	19.75	60	40.25	Pass	401
726	1000	0.1	RMS	980.8	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1429	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	59.72	Pass	2986
30	689	0.1	RMS	688.5	-65.68	-13	52.68	Pass	6591
689	726	0.1	RMS	699.268	20.41	60	39.59	Pass	401
726	1000	0.1	RMS	967.2	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	2097	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	59.08	Pass	2986
30	689	0.1	RMS	688.5	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	699.268	19.31	60	40.69	Pass	401
726	1000	0.1	RMS	942	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	2097	-49.68	-13	36.68	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.23	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	498.6	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	706.205	20.5	60	39.5	Pass	401
726	1000	0.1	RMS	872.8	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1412	-45.19	-13	32.19	Pass	2001
3000	10000	1	RMS	6798	-45.61	-13	32.61	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.21	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	501.3	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	706.205	19.91	60	40.09	Pass	401
726	1000	0.1	RMS	845.7	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1412	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	689	0.1	RMS	492.4	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	713.235	20.63	60	39.37	Pass	401
726	1000	0.1	RMS	972.9	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	2139	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	6804	-45.54	-13	32.54	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	689	0.1	RMS	638.5	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	713.235	19.8	60	40.2	Pass	401
726	1000	0.1	RMS	852.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	2139	-50.62	-13	37.62	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.21	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	688.6	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	699.36	20.27	60	39.73	Pass	401
726	1000	0.1	RMS	913.9	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	2098	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	486.6	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	699.36	19.37	60	40.63	Pass	401
726	1000	0.1	RMS	960.6	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	2098	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	498.7	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	705.373	20.32	60	39.68	Pass	401
726	1000	0.1	RMS	849	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1410	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-13	59.49	Pass	2986
30	689	0.1	RMS	615.1	-66	-13	53	Pass	6591
689	726	0.1	RMS	705.373	20.02	60	39.98	Pass	401
726	1000	0.1	RMS	838.4	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1410	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	689	0.1	RMS	507.8	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	711.293	20.23	60	39.77	Pass	401
726	1000	0.1	RMS	978.2	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1422	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	689	0.1	RMS	614.1	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	711.385	19.06	60	40.94	Pass	401
726	1000	0.1	RMS	845.8	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1422	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	689	0.1	RMS	688.9	-65.58	-13	52.58	Pass	6591
689	726	0.1	RMS	699.545	19.9	60	40.1	Pass	401
726	1000	0.1	RMS	956	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	2098	-49.34	-13	36.34	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	59.45	Pass	2986
30	689	0.1	RMS	688.9	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	699.545	19.02	60	40.98	Pass	401
726	1000	0.1	RMS	968.2	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	2098	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.23	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	486.5	-65.93	-13	52.93	Pass	6591
689	726	0.1	RMS	703.06	20.34	60	39.66	Pass	401
726	1000	0.1	RMS	978.7	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1406	-44.15	-13	31.15	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	689	0.1	RMS	492.2	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	703.06	19.81	60	40.19	Pass	401
726	1000	0.1	RMS	843.2	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1406	-44.41	-13	31.41	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	59.63	Pass	2986
30	689	0.1	RMS	485	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	706.575	20.61	60	39.39	Pass	401
726	1000	0.1	RMS	980.4	-64.76	-13	51.76	Pass	2741
1000	3000	1	RMS	1413	-44.96	-13	31.96	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	689	0.1	RMS	483.6	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	706.575	19.66	60	40.34	Pass	401
726	1000	0.1	RMS	990.3	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1413	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	767	0.1	RMS	766.6	-65.53	-13	52.53	Pass	7371
767	797	0.1	RMS	777.35	20.52	60	39.48	Pass	401
797	1000	0.1	RMS	990.5	-65.17	-13	52.17	Pass	2031
1000	3000	1	RMS	2332	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6797	-45.6	-13	32.6	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	767	0.1	RMS	766.6	-65.44	-13	52.44	Pass	7371
767	797	0.1	RMS	777.35	19.65	60	40.35	Pass	401
797	1000	0.1	RMS	982.6	-65.16	-13	52.16	Pass	2031
1000	3000	1	RMS	2332	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	767	0.1	RMS	732.2	-65.66	-13	52.66	Pass	7371
767	797	0.1	RMS	779.825	20.77	60	39.23	Pass	401
797	1000	0.1	RMS	928.1	-65.24	-13	52.24	Pass	2031
1000	3000	1	RMS	1559	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	59.38	Pass	2986
30	767	0.1	RMS	745.3	-65.75	-13	52.75	Pass	7371
767	797	0.1	RMS	779.825	20.3	60	39.7	Pass	401
797	1000	0.1	RMS	827.5	-65.06	-13	52.06	Pass	2031
1000	3000	1	RMS	1559	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	767	0.1	RMS	737.9	-65.71	-13	52.71	Pass	7371
767	797	0.1	RMS	782.3	20.57	60	39.43	Pass	401
797	1000	0.1	RMS	841.8	-65.02	-13	52.02	Pass	2031
1000	3000	1	RMS	1564	-46.17	-13	33.17	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	767	0.1	RMS	759.7	-65.58	-13	52.58	Pass	7371
767	797	0.1	RMS	782.3	19.69	60	40.31	Pass	401
797	1000	0.1	RMS	991.4	-65.02	-13	52.02	Pass	2031
1000	3000	1	RMS	1564	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	767	0.1	RMS	766.9	-65.36	-13	52.36	Pass	7371
767	797	0.1	RMS	777.575	20.65	60	39.35	Pass	401
797	1000	0.1	RMS	825.5	-65.19	-13	52.19	Pass	2031
1000	3000	1	RMS	2332	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	767	0.1	RMS	766.9	-65.56	-13	52.56	Pass	7371
767	797	0.1	RMS	777.575	19.69	60	40.31	Pass	401
797	1000	0.1	RMS	892.3	-65.24	-13	52.24	Pass	2031
1000	3000	1	RMS	2332	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	694	0.1	RMS	693.6	-65.08	-13	52.08	Pass	6641
694	726	0.1	RMS	704.32	21.17	60	38.83	Pass	401
726	1000	0.1	RMS	853.9	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1408	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.45	-72.9	-13	59.9	Pass	2986
30	694	0.1	RMS	693.6	-65.61	-13	52.61	Pass	6641
694	726	0.1	RMS	704.32	20	60	40	Pass	401
726	1000	0.1	RMS	829	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1408	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.19	-71.5	-13	58.5	Pass	2986
30	694	0.1	RMS	488.1	-66.03	-13	53.03	Pass	6641
694	726	0.1	RMS	707.84	21.64	60	38.36	Pass	401
726	1000	0.1	RMS	985	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	1415	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	694	0.1	RMS	633.7	-65.96	-13	52.96	Pass	6641
694	726	0.1	RMS	707.84	21.21	60	38.79	Pass	401
726	1000	0.1	RMS	844.3	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1415	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	694	0.1	RMS	465.4	-65.96	-13	52.96	Pass	6641
694	726	0.1	RMS	711.36	21.32	60	38.68	Pass	401
726	1000	0.1	RMS	979.8	-65	-13	52	Pass	2741
1000	3000	1	RMS	1422	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	694	0.1	RMS	491	-65.96	-13	52.96	Pass	6641
694	726	0.1	RMS	711.36	20.39	60	39.61	Pass	401
726	1000	0.1	RMS	938.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1422	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	694	0.1	RMS	693.9	-64.6	-13	51.6	Pass	6641
694	726	0.1	RMS	704.56	21.37	60	38.63	Pass	401
726	1000	0.1	RMS	855.9	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1409	-45.29	-13	32.29	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.28	-72.43	-13	59.43	Pass	2986
30	694	0.1	RMS	693.9	-65.28	-13	52.28	Pass	6641
694	726	0.1	RMS	704.56	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	992.9	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1409	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6802	-45.56	-13	32.56	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	694	0.1	RMS	692.4	-64.11	-13	51.11	Pass	6641
694	726	0.1	RMS	705.6	21.59	60	38.41	Pass	401
726	1000	0.1	RMS	932.7	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1411	-44.93	-13	31.93	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.19	-72.57	-13	59.57	Pass	2986
30	694	0.1	RMS	692.3	-64.87	-13	51.87	Pass	6641
694	726	0.1	RMS	705.6	20.91	60	39.09	Pass	401
726	1000	0.1	RMS	990.9	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1411	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	694	0.1	RMS	693.4	-63.06	-13	50.06	Pass	6641
694	726	0.1	RMS	706.56	21.55	60	38.45	Pass	401
726	1000	0.1	RMS	832	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1413	-44.27	-13	31.27	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001



7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	694	0.1	RMS	693.4	-63.47	-13	50.47	Pass	6641
694	726	0.1	RMS	706.56	20.64	60	39.36	Pass	401
726	1000	0.1	RMS	908.5	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1413	-44.77	-13	31.77	Pass	2001
3000	10000	1	RMS	6796	-45.54	-13	32.54	Pass	7001



8. LTE_Band25


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	940.16	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-53.24	-13	40.24	Pass	841
1840	1925	1	RMS	1850.2	23.15	60	36.85	Pass	401
1925	3000	1	RMS	2999	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	838.7	-64.96	-13	51.96	Pass	9701
1000	1840	1	RMS	1840	-53.43	-13	40.43	Pass	841
1840	1925	1	RMS	1850.2	22.2	60	37.8	Pass	401
1925	3000	1	RMS	2935	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	846.1	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1836	-53.76	-13	40.76	Pass	841
1840	1925	1	RMS	1881.863	22.72	60	37.28	Pass	401
1925	3000	1	RMS	2990	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	5646	-43.61	-13	30.61	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	963.676	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1837	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1881.863	22.46	60	37.54	Pass	401
1925	3000	1	RMS	2994	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	5646	-43.83	-13	30.83	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	841.6	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1837	-53.76	-13	40.76	Pass	841
1840	1925	1	RMS	1913.738	22.49	60	37.51	Pass	401
1925	3000	1	RMS	3000	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11999	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	978.586	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1835	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1913.738	21.27	60	38.73	Pass	401
1925	3000	1	RMS	2993	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	952.969	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.28	-13	40.28	Pass	841
1840	1925	1	RMS	1850.2	23.06	60	36.94	Pass	401
1925	3000	1	RMS	2996	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11995	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	846	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.51	-13	40.51	Pass	841
1840	1925	1	RMS	1850.2	21.93	60	38.07	Pass	401
1925	3000	1	RMS	2995	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11995	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	853.703	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1836	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1881.225	22.71	60	37.29	Pass	401
1925	3000	1	RMS	2990	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	5644	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	979.787	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1838	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1881.225	22.27	60	37.73	Pass	401
1925	3000	1	RMS	2979	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	921.548	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1833	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1912.038	22.35	60	37.65	Pass	401
1925	3000	1	RMS	2980	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001



8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	843.1	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1831	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1912.25	21.45	60	38.55	Pass	401
1925	3000	1	RMS	2954	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	865.811	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-53.3	-13	40.3	Pass	841
1840	1925	1	RMS	1850.2	22.61	60	37.39	Pass	401
1925	3000	1	RMS	2929	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.71	-13	26.71	Pass	8001

