

Spurious Emission at Antenna Terminals


8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	849	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.42	-13	40.42	Pass	841
1840	1925	1	RMS	1850.2	21.82	60	38.18	Pass	401
1925	3000	1	RMS	2994	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	870.114	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1880.163	22.55	60	37.45	Pass	401
1925	3000	1	RMS	2983	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	5641	-43.81	-13	30.81	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	958.973	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1834	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1880.163	22.37	60	37.63	Pass	401
1925	3000	1	RMS	2994	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	5641	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	930.454	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1910.125	22.23	60	37.77	Pass	401
1925	3000	1	RMS	2985	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11986	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	877.319	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1910.125	21.25	60	38.75	Pass	401
1925	3000	1	RMS	2981	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	928.553	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1833	-47.63	-13	34.63	Pass	841
1840	1925	1	RMS	1850.413	23	60	37	Pass	401
1925	3000	1	RMS	2997	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11986	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	833.6	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1833	-48.23	-13	35.23	Pass	841
1840	1925	1	RMS	1850.413	22.1	60	37.9	Pass	401
1925	3000	1	RMS	2991	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11991	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	854.604	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1831	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1878.038	22.72	60	37.28	Pass	401
1925	3000	1	RMS	2995	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	5634	-44	-13	31	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	946.865	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1878.038	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2998	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	846.6	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1905.45	22.53	60	37.47	Pass	401
1925	3000	1	RMS	2987	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11984	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	854.003	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1837	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1905.45	21.58	60	38.42	Pass	401
1925	3000	1	RMS	2996	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13606	-39.72	-13	26.72	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	970.581	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-40.4	-13	27.4	Pass	841
1840	1925	1	RMS	1850.838	22.72	60	37.28	Pass	401
1925	3000	1	RMS	2996	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	846.2	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1838	-43.01	-13	30.01	Pass	841
1840	1925	1	RMS	1850.625	21.77	60	38.23	Pass	401
1925	3000	1	RMS	2993	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	976.084	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1836	-53.59	-13	40.59	Pass	841
1840	1925	1	RMS	1875.7	22.84	60	37.16	Pass	401
1925	3000	1	RMS	2987	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.82	-13	55.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	829.6	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1875.7	22.03	60	37.97	Pass	401
1925	3000	1	RMS	2998	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	855.004	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1900.775	22.54	60	37.46	Pass	401
1925	3000	1	RMS	2935	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11992	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	838.9	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1836	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1900.775	20.55	60	39.45	Pass	401
1925	3000	1	RMS	2977	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11990	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	995.097	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1833	-40.88	-13	27.88	Pass	841
1840	1925	1	RMS	1851.05	22.76	60	37.24	Pass	401
1925	3000	1	RMS	2994	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	850.801	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1833	-42.51	-13	29.51	Pass	841
1840	1925	1	RMS	1851.05	21.91	60	38.09	Pass	401
1925	3000	1	RMS	2939	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	821.2	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1838	-37.78	-13	24.78	Pass	841
1840	1925	1	RMS	1873.575	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13606	-39.76	-13	26.76	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.91	-13	56.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	849.6	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1838	-40.23	-13	27.23	Pass	841
1840	1925	1	RMS	1873.575	21.51	60	38.49	Pass	401
1925	3000	1	RMS	3000	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.21	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	978.986	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1835	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1895.888	22.75	60	37.25	Pass	401
1925	3000	1	RMS	2465	-51.16	-13	38.16	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	979.887	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1834	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1896.1	21.78	60	38.22	Pass	401
1925	3000	1	RMS	2997	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11994	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001



9. LTE_Band66


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	868.313	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1710.125	23.27	60	36.73	Pass	401
1790	3000	1	RMS	2978	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11986	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	846.9	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1710.125	22.53	60	37.47	Pass	401
1790	3000	1	RMS	2994	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11998	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	863.61	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1681	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1744.55	23.72	60	36.28	Pass	401
1790	3000	1	RMS	2997	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.22	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	832.3	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1676	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1744.325	23.21	60	36.79	Pass	401
1790	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	842	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1678	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1778.75	23.55	60	36.45	Pass	401
1790	3000	1	RMS	2976	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	998.999	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1682	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1778.75	22.89	60	37.11	Pass	401
1790	3000	1	RMS	2990	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	848.1	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-53.42	-13	40.42	Pass	701
1700	1790	1	RMS	1710.125	23.06	60	36.94	Pass	401
1790	3000	1	RMS	2983	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.19	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	834.2	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1710.125	22.15	60	37.85	Pass	401
1790	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	937.959	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1681	-54	-13	41	Pass	701
1700	1790	1	RMS	1743.65	23.89	60	36.11	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	849.3	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1677	-54	-13	41	Pass	701
1700	1790	1	RMS	1743.65	23.25	60	36.75	Pass	401
1790	3000	1	RMS	2981	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	852.302	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1678	-54	-13	41	Pass	701
1700	1790	1	RMS	1777.175	23.8	60	36.2	Pass	401
1790	3000	1	RMS	2974	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	985.791	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1681	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1777.175	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2928	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	836.6	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1710.125	22.85	60	37.15	Pass	401
1790	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11983	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	851.502	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1710.125	21.77	60	38.23	Pass	401
1790	3000	1	RMS	2984	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	846.2	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1682	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1742.75	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2981	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	872.516	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1677	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1742.75	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2981	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	929.553	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1677	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1775.15	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2979	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	986.191	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1676	-54	-13	41	Pass	701
1700	1790	1	RMS	1775.15	22.86	60	37.14	Pass	401
1790	3000	1	RMS	2994	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.74	-13	26.74	Pass	8001




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	846.2	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1693	-50.48	-13	37.48	Pass	701
1700	1790	1	RMS	1710.575	23.02	60	36.98	Pass	401
1790	3000	1	RMS	2992	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	838.3	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1693	-51.97	-13	38.97	Pass	701
1700	1790	1	RMS	1710.575	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2991	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	840	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1696	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1740.5	23.86	60	36.14	Pass	401
1790	3000	1	RMS	2982	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	993.596	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1680	-53.95	-13	40.95	Pass	701
1700	1790	1	RMS	1740.5	23.25	60	36.75	Pass	401
1790	3000	1	RMS	2998	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11987	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.19	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	849.7	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1683	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1770.425	23.68	60	36.32	Pass	401
1790	3000	1	RMS	1790	-50.84	-13	37.84	Pass	1211
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	897.932	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1675	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1770.425	22.5	60	37.5	Pass	401
1790	3000	1	RMS	2940	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11992	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	841	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1698	-41.62	-13	28.62	Pass	701
1700	1790	1	RMS	1710.8	22.93	60	37.07	Pass	401
1790	3000	1	RMS	2932	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11994	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	836.5	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1698	-42.73	-13	29.73	Pass	701
1700	1790	1	RMS	1710.8	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2978	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	934.156	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-54	-13	41	Pass	701
1700	1790	1	RMS	1738.25	23.72	60	36.28	Pass	401
1790	3000	1	RMS	2464	-51.18	-13	38.18	Pass	1211
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	984.99	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1738.25	23.43	60	36.57	Pass	401
1790	3000	1	RMS	2997	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	983.289	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1678	-54	-13	41	Pass	701
1700	1790	1	RMS	1765.7	23.57	60	36.43	Pass	401
1790	3000	1	RMS	1792	-28.71	-13	15.71	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	833.6	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1681	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1765.7	22.42	60	37.58	Pass	401
1790	3000	1	RMS	1792	-31.08	-13	18.08	Pass	1211
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.21	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	984.089	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1693	-45.17	-13	32.17	Pass	701
1700	1790	1	RMS	1711.025	22.8	60	37.2	Pass	401
1790	3000	1	RMS	2987	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11977	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.72	-13	57.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	849.5	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1693	-46.31	-13	33.31	Pass	701
1700	1790	1	RMS	1711.025	22.18	60	37.82	Pass	401
1790	3000	1	RMS	2930	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




9.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	939.66	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-46.59	-13	33.59	Pass	701
1700	1790	1	RMS	1736	23.95	60	36.05	Pass	401
1790	3000	1	RMS	2999	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




9.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	862.809	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-47.58	-13	34.58	Pass	701
1700	1790	1	RMS	1736	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2997	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




9.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	830.8	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1680	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1760.975	23.72	60	36.28	Pass	401
1790	3000	1	RMS	1797	-29.16	-13	16.16	Pass	1211
3000	12000	1	RMS	11989	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13606	-39.81	-13	26.81	Pass	8001



9.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	972.182	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1676	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1760.975	23.34	60	36.66	Pass	401
1790	3000	1	RMS	1797	-29.99	-13	16.99	Pass	1211
3000	12000	1	RMS	11992	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001



--BLANK BELOW--