


## **Annex C. LTE Spurious Emission at Antenna Terminals**

## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -69.7       | -13         | 56.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.63      | -13         | 57.63       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.618         | -63.66      | -13         | 50.66       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.77      | -13         | 38.77       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22.45       | 60          | 37.55       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -49.33      | -13         | 36.33       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.73      | -13         | 29.73       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16995           | -37.65      | -13         | 24.65       | Pass    | 8001        |




**1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.23      | -13         | 57.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.95      | -13         | 56.95       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.324         | -63.59      | -13         | 50.59       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.79      | -13         | 38.79       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 21.64       | 60          | 38.36       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2875            | -49.32      | -13         | 36.32       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.64      | -13         | 29.64       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17001           | -37.65      | -13         | 24.65       | Pass    | 8001        |




**1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.83      | -13         | 57.83       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.41      | -13         | 57.41       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 896.732         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -52.25      | -13         | 39.25       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1879.4          | 21.85       | 60          | 38.15       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -49.37      | -13         | 36.37       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.57      | -13         | 55.57       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.35      | -13         | 57.35       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 880.02          | -63.79      | -13         | 50.79       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -52.2       | -13         | 39.2        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1879.4          | 21          | 60          | 39          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2856            | -49.35      | -13         | 36.35       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11904           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16999           | -37.55      | -13         | 24.55       | Pass    | 8001        |




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.39      | -13         | 57.39       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.73      | -13         | 57.73       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.714         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1836            | -52.21      | -13         | 39.21       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1908.8          | 22.45       | 60          | 37.55       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2860            | -49.35      | -13         | 36.35       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.74      | -13         | 29.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -70.18      | -13         | 57.18       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.81      | -13         | 57.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.918         | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.24      | -13         | 39.24       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1908.8          | 21.49       | 60          | 38.51       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2875            | -49.31      | -13         | 36.31       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11907           | -42.76      | -13         | 29.76       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16992           | -37.65      | -13         | 24.65       | Pass    | 8001        |




**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.37      | -13         | 56.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.66      | -13         | 57.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.513         | -63.79      | -13         | 50.79       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -51.9       | -13         | 38.9        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22.35       | 60          | 37.65       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -49.38      | -13         | 36.38       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11896           | -42.71      | -13         | 29.71       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.58      | -13         | 24.58       | Pass    | 8001        |




**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.58      | -13         | 56.58       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.84      | -13         | 57.84       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.613         | -63.82      | -13         | 50.82       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.93      | -13         | 38.93       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 21.51       | 60          | 38.49       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.34      | -13         | 36.34       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.74      | -13         | 29.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.5       | -13         | 24.5        | Pass    | 8001        |




**1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.26      | -13         | 56.26       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.32      | -13         | 57.32       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 874.317         | -63.66      | -13         | 50.66       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1838            | -52.21      | -13         | 39.21       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1878.6          | 21.52       | 60          | 38.48       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2867            | -49.36      | -13         | 36.36       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11896           | -42.74      | -13         | 29.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17001           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.79      | -13         | 56.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.54      | -13         | 57.54       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.413         | -63.79      | -13         | 50.79       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.2       | -13         | 39.2        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1878.6          | 20.71       | 60          | 39.29       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -49.37      | -13         | 36.37       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.62      | -13         | 29.62       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16996           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.9       | -13         | 56.9        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70         | -13         | 57          | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.323         | -63.79      | -13         | 50.79       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.27      | -13         | 39.27       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1907.2          | 22.6        | 60          | 37.4        | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2867            | -49.37      | -13         | 36.37       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.71      | -13         | 29.71       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.61      | -13         | 24.61       | Pass    | 8001        |




**1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.19      | -13         | 57.19       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.38      | -13         | 57.38       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.726         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1836            | -52.26      | -13         | 39.26       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1907.2          | 21.65       | 60          | 38.35       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2861            | -49.33      | -13         | 36.33       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11908           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.58      | -13         | 24.58       | Pass    | 8001        |




**1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.46      | -13         | 57.46       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.8       | -13         | 57.8        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.217         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.9       | -13         | 38.9        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22.61       | 60          | 37.39       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -49.37      | -13         | 36.37       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.71      | -13         | 29.71       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.6       | -13         | 24.6        | Pass    | 8001        |




**1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.24      | -13         | 57.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.33            | -70.99      | -13         | 57.99       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 996.998         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52         | -13         | 39          | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 21.84       | 60          | 38.16       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.36      | -13         | 36.36       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11894           | -42.76      | -13         | 29.76       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16999           | -37.53      | -13         | 24.53       | Pass    | 8001        |




**1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.47      | -13         | 57.47       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.46      | -13         | 57.46       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.425         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1834            | -52.25      | -13         | 39.25       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1877.8          | 21.93       | 60          | 38.07       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2875            | -49.36      | -13         | 36.36       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16998           | -37.56      | -13         | 24.56       | Pass    | 8001        |




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -69.77      | -13         | 56.77       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.83      | -13         | 57.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.722         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.27      | -13         | 39.27       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1877.8          | 21.09       | 60          | 38.91       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2866            | -49.35      | -13         | 36.35       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.73      | -13         | 29.73       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.6       | -13         | 24.6        | Pass    | 8001        |




**1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.01      | -13         | 57.01       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.33      | -13         | 57.33       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.514         | -63.74      | -13         | 50.74       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1838            | -52.22      | -13         | 39.22       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1905.2          | 22.98       | 60          | 37.02       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2867            | -49.36      | -13         | 36.36       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11903           | -42.76      | -13         | 29.76       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17001           | -37.56      | -13         | 24.56       | Pass    | 8001        |




**1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.03      | -13         | 57.03       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71         | -13         | 58          | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.019         | -63.71      | -13         | 50.71       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -52.21      | -13         | 39.21       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1905.2          | 22.29       | 60          | 37.71       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.34      | -13         | 36.34       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.75      | -13         | 29.75       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.52      | -13         | 24.52       | Pass    | 8001        |




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.08      | -13         | 57.08       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.95      | -13         | 56.95       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.614         | -63.72      | -13         | 50.72       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -51.23      | -13         | 38.23       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 22.62       | 60          | 37.38       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2864            | -49.42      | -13         | 36.42       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.84      | -13         | 29.84       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17001           | -37.59      | -13         | 24.59       | Pass    | 8001        |




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.97      | -13         | 56.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.17      | -13         | 57.17       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.716         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -51.19      | -13         | 38.19       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 21.93       | 60          | 38.07       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -49.39      | -13         | 36.39       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11885           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.6       | -13         | 24.6        | Pass    | 8001        |




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.52      | -13         | 57.52       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.12      | -13         | 58.12       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.117         | -63.92      | -13         | 50.92       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -52.21      | -13         | 39.21       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1875.4          | 21.98       | 60          | 38.02       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -49.38      | -13         | 36.38       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16999           | -37.59      | -13         | 24.59       | Pass    | 8001        |




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.38      | -13         | 56.38       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -69.95      | -13         | 56.95       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.718         | -63.86      | -13         | 50.86       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1838            | -52.31      | -13         | 39.31       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1875.4          | 21.18       | 60          | 38.82       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2868            | -49.43      | -13         | 36.43       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.79      | -13         | 29.79       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.59      | -13         | 24.59       | Pass    | 8001        |




**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.2       | -13         | 57.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.81      | -13         | 57.81       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.519         | -63.8       | -13         | 50.8        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1836            | -52.32      | -13         | 39.32       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1900.4          | 22.31       | 60          | 37.69       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2861            | -49.39      | -13         | 36.39       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11906           | -42.78      | -13         | 29.78       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17001           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.07      | -13         | 57.07       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -69.78      | -13         | 56.78       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.298         | -63.86      | -13         | 50.86       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1834            | -52.33      | -13         | 39.33       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1900.6          | 21.41       | 60          | 38.59       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.43      | -13         | 36.43       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11905           | -42.9       | -13         | 29.9        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16998           | -37.65      | -13         | 24.65       | Pass    | 8001        |




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.41      | -13         | 57.41       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.6       | -13         | 56.6        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.616         | -63.95      | -13         | 50.95       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1837            | -48.67      | -13         | 35.67       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.8          | 22.46       | 60          | 37.54       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2872            | -49.41      | -13         | 36.41       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.83      | -13         | 29.83       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17003           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.56      | -13         | 56.56       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.04      | -13         | 58.04       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.616         | -63.72      | -13         | 50.72       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1838            | -48.41      | -13         | 35.41       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.8          | 21.66       | 60          | 38.34       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2873            | -49.44      | -13         | 36.44       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.83      | -13         | 29.83       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16995           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.85      | -13         | 57.85       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.24      | -13         | 57.24       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.126         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.29      | -13         | 39.29       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1873.2          | 21.76       | 60          | 38.24       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2869            | -49.42      | -13         | 36.42       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.76      | -13         | 29.76       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -68.8       | -13         | 55.8        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.69      | -13         | 56.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.421         | -63.69      | -13         | 50.69       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -52.26      | -13         | 39.26       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1873.2          | 21.02       | 60          | 38.98       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2874            | -49.37      | -13         | 36.37       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11907           | -42.87      | -13         | 29.87       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16998           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.85      | -13         | 57.85       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.74      | -13         | 57.74       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 892.129         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.25      | -13         | 39.25       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1895.8          | 22.36       | 60          | 37.64       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2856            | -49.41      | -13         | 36.41       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.77      | -13         | 29.77       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.66      | -13         | 24.66       | Pass    | 8001        |




**1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.64      | -13         | 56.64       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.59      | -13         | 57.59       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.226         | -63.8       | -13         | 50.8        | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1837            | -52.3       | -13         | 39.3        | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1895.8          | 21.36       | 60          | 38.64       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.43      | -13         | 36.43       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11889           | -42.84      | -13         | 29.84       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17004           | -37.63      | -13         | 24.63       | Pass    | 8001        |




**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,  
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.028           | -66.97      | -13         | 53.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.5       | -13         | 57.5        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.714         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -46.93      | -13         | 33.93       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1851            | 22.52       | 60          | 37.48       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2878            | -49.43      | -13         | 36.43       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11896           | -42.84      | -13         | 29.84       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.54      | -13         | 56.54       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.49      | -13         | 57.49       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.516         | -63.95      | -13         | 50.95       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1833            | -47.65      | -13         | 34.65       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1851            | 21.81       | 60          | 38.19       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.39      | -13         | 36.39       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.8       | -13         | 29.8        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16997           | -37.58      | -13         | 24.58       | Pass    | 8001        |




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.019           | -62.5       | -13         | 49.5        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -69.7       | -13         | 56.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.712         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -48.74      | -13         | 35.74       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1871            | 21.86       | 60          | 38.14       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2864            | -49.38      | -13         | 36.38       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11887           | -42.78      | -13         | 29.78       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16987           | -37.62      | -13         | 24.62       | Pass    | 8001        |




**1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.047           | -47.47      | -13         | 34.47       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.85      | -13         | 57.85       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.714         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1835            | -49.72      | -13         | 36.72       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1871            | 21.05       | 60          | 38.95       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2871            | -49.39      | -13         | 36.39       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.74      | -13         | 29.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16999           | -37.6       | -13         | 24.6        | Pass    | 8001        |




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.058           | -68.9       | -13         | 55.9        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.49      | -13         | 57.49       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.313         | -63.69      | -13         | 50.69       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.28      | -13         | 39.28       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1891            | 22.21       | 60          | 37.79       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2875            | -49.38      | -13         | 36.38       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11894           | -42.8       | -13         | 29.8        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16998           | -37.65      | -13         | 24.65       | Pass    | 8001        |



**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.62      | -13         | 55.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.98      | -13         | 56.98       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 866.011         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1834            | -52.28      | -13         | 39.28       | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1891            | 21.24       | 60          | 38.76       | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2866            | -49.39      | -13         | 36.39       | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11893           | -42.79      | -13         | 29.79       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 17000           | -37.59      | -13         | 24.59       | Pass    | 8001        |



## 2. LTE\_Band41 full


### 2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.7       | -25         | 40.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.88      | -25         | 41.88       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.221         | -59.69      | -25         | 34.69       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.25      | -25         | 21.25       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 22.29       | 60          | 37.71       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -44.8       | -25         | 19.8        | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11895           | -46.54      | -25         | 21.54       | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25881           | -36.62      | -25         | 11.62       | Pass    | 15002       |




## 2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.74      | -25         | 40.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.76      | -25         | 41.76       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.113         | -59.87      | -25         | 34.87       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.27      | -25         | 21.27       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 20.81       | 60          | 39.19       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -44.8       | -25         | 19.8        | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11902           | -46.53      | -25         | 21.53       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25901           | -36.57      | -25         | 11.57       | Pass    | 14502       |




### 2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.44      | -25         | 41.44       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.69      | -25         | 41.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.815         | -59.76      | -25         | 34.76       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.24      | -25         | 21.24       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 20.04       | 60          | 39.96       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.82      | -25         | 19.82       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11891           | -46.57      | -25         | 21.57       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25894           | -36.59      | -25         | 11.59       | Pass    | 14502       |




**2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.92      | -25         | 40.92       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.64      | -25         | 41.64       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 880.421         | -59.78      | -25         | 34.78       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.59      | -25         | 21.59       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.325        | 20.84       | 60          | 39.16       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2866.5          | -44.82      | -25         | 19.82       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -46.6       | -25         | 21.6        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25886           | -36.54      | -25         | 11.54       | Pass    | 14502       |




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.82      | -25         | 40.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -67.03      | -25         | 42.03       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.323         | -59.66      | -25         | 34.66       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.56      | -25         | 21.56       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.86         | 20.49       | 60          | 39.51       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2874.75         | -44.81      | -25         | 19.81       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11897           | -46.58      | -25         | 21.58       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25860           | -36.55      | -25         | 11.55       | Pass    | 14502       |




**2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -66.53      | -25         | 41.53       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -66.17      | -25         | 41.17       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 724.7           | -59.58      | -25         | 34.58       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.49      | -25         | 21.49       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2685.02         | 21.9        | 60          | 38.1        | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11896           | -46.59      | -25         | 21.59       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25866           | -36.56      | -25         | 11.56       | Pass    | 14502       |




**2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -67.06      | -25         | 42.06       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -66.68      | -25         | 41.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.018         | -59.79      | -25         | 34.79       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2071            | -46.13      | -25         | 21.13       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2685.02         | 21.04       | 60          | 38.96       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11902           | -46.56      | -25         | 21.56       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25881           | -36.54      | -25         | 11.54       | Pass    | 14502       |




**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.75      | -25         | 41.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.64      | -25         | 41.64       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.922         | -59.62      | -25         | 34.62       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -45.15      | -25         | 20.15       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 20.97       | 60          | 39.03       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2873.25         | -44.78      | -25         | 19.78       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11911           | -46.53      | -25         | 21.53       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25879           | -36.53      | -25         | 11.53       | Pass    | 14502       |




**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.49      | -25         | 40.49       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -66.36      | -25         | 41.36       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 897.232         | -59.82      | -25         | 34.82       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -45.33      | -25         | 20.33       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 20.43       | 60          | 39.57       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2874            | -44.79      | -25         | 19.79       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11901           | -46.57      | -25         | 21.57       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25889           | -36.55      | -25         | 11.55       | Pass    | 14502       |




**2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -66.13      | -25         | 41.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.43      | -25         | 41.43       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.019         | -59.72      | -25         | 34.72       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.5       | -25         | 21.5        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 21.7        | 60          | 38.3        | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.74      | -25         | 19.74       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11909           | -46.57      | -25         | 21.57       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25900           | -36.5       | -25         | 11.5        | Pass    | 14502       |




**2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.53      | -25         | 41.53       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.6       | -25         | 41.6        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 889.227         | -59.74      | -25         | 34.74       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.52      | -25         | 21.52       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 20.89       | 60          | 39.11       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -44.81      | -25         | 19.81       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11904           | -46.61      | -25         | 21.61       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25856           | -36.57      | -25         | 11.57       | Pass    | 14502       |




**2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.18      | -25         | 40.18       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.67      | -25         | 41.67       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.62          | -59.84      | -25         | 34.84       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2066            | -46.05      | -25         | 21.05       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2680.205        | 21.57       | 60          | 38.43       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871            | -44.76      | -25         | 19.76       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11901           | -46.52      | -25         | 21.52       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25890           | -36.54      | -25         | 11.54       | Pass    | 14502       |




**2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.76      | -25         | 41.76       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.26      | -25         | 42.26       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.426         | -59.82      | -25         | 34.82       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2066            | -46.17      | -25         | 21.17       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2680.205        | 21.33       | 60          | 38.67       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -44.76      | -25         | 19.76       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11906           | -46.52      | -25         | 21.52       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25908           | -36.63      | -25         | 11.63       | Pass    | 14502       |




**2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.23      | -25         | 40.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.01      | -25         | 42.01       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 885.324         | -59.82      | -25         | 34.82       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -35.97      | -25         | 10.97       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 21.06       | 60          | 38.94       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2870.25         | -44.79      | -25         | 19.79       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11899           | -46.57      | -25         | 21.57       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25886           | -36.59      | -25         | 11.59       | Pass    | 14502       |




**2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -67.36      | -25         | 42.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.85            | -58.92      | -25         | 33.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.223         | -59.78      | -25         | 34.78       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -34.41      | -25         | 9.41        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 21.56       | 60          | 38.44       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.81      | -25         | 19.81       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11898           | -46.58      | -25         | 21.58       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25886           | -36.59      | -25         | 11.59       | Pass    | 14502       |




**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.22      | -25         | 41.22       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.02      | -25         | 41.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.219         | -59.81      | -25         | 34.81       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.51      | -25         | 21.51       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 21.33       | 60          | 38.67       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2868            | -44.83      | -25         | 19.83       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11907           | -46.55      | -25         | 21.55       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25909           | -36.53      | -25         | 11.53       | Pass    | 14502       |




**2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.1       | -25         | 41.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.61      | -25         | 41.61       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.114         | -59.8       | -25         | 34.8        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.56      | -25         | 21.56       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 21.43       | 60          | 38.57       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2866.5          | -44.85      | -25         | 19.85       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -46.61      | -25         | 21.61       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25901           | -36.5       | -25         | 11.5        | Pass    | 14502       |




**2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.34      | -25         | 41.34       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -66.62      | -25         | 41.62       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.813         | -59.73      | -25         | 34.73       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2061            | -46.23      | -25         | 21.23       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2675.925        | 20.94       | 60          | 39.06       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2702.25         | -41.95      | -25         | 16.95       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11900           | -46.58      | -25         | 21.58       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25880           | -36.6       | -25         | 11.6        | Pass    | 14502       |




**2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.6       | -25         | 41.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -66.92      | -25         | 41.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.82          | -59.74      | -25         | 34.74       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2062            | -46.62      | -25         | 21.62       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2675.39         | 20.75       | 60          | 39.25       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2702.25         | -42.31      | -25         | 17.31       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11904           | -46.58      | -25         | 21.58       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25879           | -36.58      | -25         | 11.58       | Pass    | 14502       |




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.59      | -25         | 41.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -66.54      | -25         | 41.54       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.313         | -59.77      | -25         | 34.77       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -34.5       | -25         | 9.5         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 21.46       | 60          | 38.54       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2874.75         | -44.81      | -25         | 19.81       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11892           | -46.55      | -25         | 21.55       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25904           | -36.65      | -25         | 11.65       | Pass    | 14502       |




**2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -66.57      | -25         | 41.57       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -66.37      | -25         | 41.37       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 999.8           | -59.86      | -25         | 34.86       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -30.45      | -25         | 5.45        | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 20.84       | 60          | 39.16       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -44.81      | -25         | 19.81       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11932           | -46.61      | -25         | 21.61       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25874           | -36.56      | -25         | 11.56       | Pass    | 14502       |




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.29      | -25         | 41.29       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.94      | -25         | 41.94       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.825         | -59.86      | -25         | 34.86       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.59      | -25         | 21.59       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2583.905        | 21.36       | 60          | 38.64       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2871.75         | -44.8       | -25         | 19.8        | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -46.61      | -25         | 21.61       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25894           | -36.58      | -25         | 11.58       | Pass    | 14502       |




**2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -67.13      | -25         | 42.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -66.5       | -25         | 41.5        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.114         | -59.76      | -25         | 34.76       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.57      | -25         | 21.57       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2583.905        | 20.61       | 60          | 39.39       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2872.5          | -44.77      | -25         | 19.77       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -46.6       | -25         | 21.6        | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25882           | -36.63      | -25         | 11.63       | Pass    | 14502       |




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.1       | -25         | 41.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -66.86      | -25         | 41.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.012         | -59.84      | -25         | 34.84       | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2057            | -46.17      | -25         | 21.17       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2670.575        | 21.39       | 60          | 38.61       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2706.75         | -42.76      | -25         | 17.76       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11892           | -46.59      | -25         | 21.59       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25888           | -36.55      | -25         | 11.55       | Pass    | 14502       |



**2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -65.85      | -25         | 40.85       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 11.19           | -64.67      | -25         | 39.67       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.625         | -59.7       | -25         | 34.7        | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2057            | -45.84      | -25         | 20.84       | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2670.575        | 20.62       | 60          | 39.38       | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2706            | -42.76      | -25         | 17.76       | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11905           | -46.51      | -25         | 21.51       | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25907           | -36.63      | -25         | 11.63       | Pass    | 14502       |



### 3. LTE\_Band4


#### 3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.19      | -13         | 57.19       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.08      | -13         | 58.08       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.515         | -63.65      | -13         | 50.65       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.11      | -13         | 39.11       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.54       | 60          | 37.46       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2867            | -49.29      | -13         | 36.29       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.06      | -13         | 29.06       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -36.33      | -13         | 23.33       | Pass    | 8001        |




### 3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.24      | -13         | 57.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.64      | -13         | 57.64       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.323         | -63.7       | -13         | 50.7        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.2       | -13         | 39.2        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.74       | 60          | 38.26       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2867            | -49.37      | -13         | 36.37       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.06      | -13         | 29.06       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.58      | -13         | 57.58       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.82      | -13         | 57.82       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.698         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.69      | -13         | 39.69       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1732.013        | 22.72       | 60          | 37.28       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2868            | -49.34      | -13         | 36.34       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11906           | -42.1       | -13         | 29.1        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.34      | -13         | 23.34       | Pass    | 8001        |




**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.07      | -13         | 58.07       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -70.25      | -13         | 57.25       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.115         | -63.77      | -13         | 50.77       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.75      | -13         | 39.75       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1732.013        | 21.79       | 60          | 38.21       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2858            | -49.3       | -13         | 36.3        | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.11      | -13         | 29.11       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16403           | -36.45      | -13         | 23.45       | Pass    | 8001        |




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.46      | -13         | 57.46       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.1       | -13         | 58.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 892.929         | -63.87      | -13         | 50.87       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1671            | -52.79      | -13         | 39.79       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 22.74       | 60          | 37.26       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2872            | -49.36      | -13         | 36.36       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11903           | -42.07      | -13         | 29.07       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.37      | -13         | 23.37       | Pass    | 8001        |




**3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.3       | -13         | 57.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.72      | -13         | 57.72       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 887.626         | -63.82      | -13         | 50.82       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1677            | -52.72      | -13         | 39.72       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 21.84       | 60          | 38.16       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2870            | -49.32      | -13         | 36.32       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11906           | -42.19      | -13         | 29.19       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.44      | -13         | 23.44       | Pass    | 8001        |




**3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -71.13      | -13         | 58.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.8       | -13         | 57.8        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.125         | -63.82      | -13         | 50.82       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.18      | -13         | 39.18       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.54       | 60          | 37.46       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2867            | -49.36      | -13         | 36.36       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.18      | -13         | 29.18       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.19      | -13         | 57.19       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.63      | -13         | 57.63       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 866.011         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.3       | -13         | 39.3        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.86       | 60          | 38.14       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2858            | -49.42      | -13         | 36.42       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.05      | -13         | 29.05       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.39      | -13         | 23.39       | Pass    | 8001        |




### 3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.72      | -13         | 57.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -69.99      | -13         | 56.99       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.718         | -63.92      | -13         | 50.92       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -52.8       | -13         | 39.8        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 22.72       | 60          | 37.28       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2871            | -49.35      | -13         | 36.35       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.15      | -13         | 29.15       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.41      | -13         | 23.41       | Pass    | 8001        |




**3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.17      | -13         | 57.17       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.28      | -13         | 57.28       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.715         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.77      | -13         | 39.77       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 21.99       | 60          | 38.01       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2874            | -49.4       | -13         | 36.4        | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11897           | -42.19      | -13         | 29.19       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -68.82      | -13         | 55.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.79      | -13         | 57.79       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.412         | -63.85      | -13         | 50.85       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -52.79      | -13         | 39.79       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1752.163        | 22.46       | 60          | 37.54       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2862            | -49.35      | -13         | 36.35       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11903           | -42.12      | -13         | 29.12       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.38      | -13         | 23.38       | Pass    | 8001        |




**3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.14      | -13         | 57.14       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.64      | -13         | 57.64       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.823         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -52.78      | -13         | 39.78       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1752.163        | 21.67       | 60          | 38.33       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2864            | -49.39      | -13         | 36.39       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11897           | -42.15      | -13         | 29.15       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.31      | -13         | 23.31       | Pass    | 8001        |




### 3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.37      | -13         | 56.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.4       | -13         | 57.4        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.518         | -63.94      | -13         | 50.94       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.32      | -13         | 39.32       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.7        | 60          | 37.3        | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2863            | -49.35      | -13         | 36.35       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.08      | -13         | 29.08       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.43      | -13         | 23.43       | Pass    | 8001        |




**3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -69.62      | -13         | 56.62       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.7       | -13         | 57.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 882.822         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.4       | -13         | 39.4        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.94       | 60          | 38.06       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2870            | -49.4       | -13         | 36.4        | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.15      | -13         | 29.15       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.41      | -13         | 23.41       | Pass    | 8001        |




**3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.48      | -13         | 56.48       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.92      | -13         | 57.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.815         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1683            | -52.79      | -13         | 39.79       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1730.225        | 22.77       | 60          | 37.23       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2874            | -49.36      | -13         | 36.36       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11907           | -42.2       | -13         | 29.2        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.33      | -13         | 23.33       | Pass    | 8001        |




**3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.74      | -13         | 56.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.31      | -13         | 57.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.419         | -63.65      | -13         | 50.65       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.81      | -13         | 39.81       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1730.225        | 22.04       | 60          | 37.96       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2862            | -49.39      | -13         | 36.39       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.15      | -13         | 29.15       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.33      | -13         | 23.33       | Pass    | 8001        |




**3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.91      | -13         | 56.91       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.12      | -13         | 57.12       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.418         | -63.93      | -13         | 50.93       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1677            | -52.76      | -13         | 39.76       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1750.213        | 22.81       | 60          | 37.19       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2870            | -49.38      | -13         | 36.38       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11902           | -42.17      | -13         | 29.17       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.46      | -13         | 23.46       | Pass    | 8001        |




**3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.02      | -13         | 57.02       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.45      | -13         | 57.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.016         | -63.8       | -13         | 50.8        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.78      | -13         | 39.78       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1750.213        | 22.14       | 60          | 37.86       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2860            | -49.28      | -13         | 36.28       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.14      | -13         | 29.14       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.37      | -13         | 23.37       | Pass    | 8001        |




**3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.51      | -13         | 57.51       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.44      | -13         | 57.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.214         | -63.7       | -13         | 50.7        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -52.18      | -13         | 39.18       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 22.92       | 60          | 37.08       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2866            | -49.33      | -13         | 36.33       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.16      | -13         | 29.16       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.42      | -13         | 23.42       | Pass    | 8001        |




**3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.8       | -13         | 57.8        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.93      | -13         | 57.93       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.413         | -63.89      | -13         | 50.89       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -52.16      | -13         | 39.16       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 22.08       | 60          | 37.92       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2864            | -49.36      | -13         | 36.36       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11892           | -42.16      | -13         | 29.16       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.33      | -13         | 23.33       | Pass    | 8001        |




**3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.61      | -13         | 57.61       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.93      | -13         | 57.93       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.618         | -63.79      | -13         | 50.79       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1678            | -52.73      | -13         | 39.73       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1727.95         | 22.84       | 60          | 37.16       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2862            | -49.32      | -13         | 36.32       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.18      | -13         | 29.18       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -36.43      | -13         | 23.43       | Pass    | 8001        |




**3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.71      | -13         | 57.71       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.29      | -13         | 57.29       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.426         | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1677            | -52.74      | -13         | 39.74       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1727.95         | 21.96       | 60          | 38.04       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2862            | -49.34      | -13         | 36.34       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11897           | -42.09      | -13         | 29.09       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.47      | -13         | 57.47       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.68      | -13         | 57.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 863.61          | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1677            | -52.73      | -13         | 39.73       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 22.94       | 60          | 37.06       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2865            | -49.29      | -13         | 36.29       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11895           | -42.14      | -13         | 29.14       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.36      | -13         | 23.36       | Pass    | 8001        |




**3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.7       | -13         | 57.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.32      | -13         | 57.32       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.824         | -63.9       | -13         | 50.9        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -52.72      | -13         | 39.72       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 22.26       | 60          | 37.74       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2867            | -49.35      | -13         | 36.35       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11907           | -42.17      | -13         | 29.17       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.37      | -13         | 23.37       | Pass    | 8001        |




**3.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.37      | -13         | 57.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.38      | -13         | 57.38       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 894.83          | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -44.27      | -13         | 31.27       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.725        | 23.06       | 60          | 36.94       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2877            | -49.34      | -13         | 36.34       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11895           | -42.09      | -13         | 29.09       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.38      | -13         | 23.38       | Pass    | 8001        |




**3.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.87      | -13         | 57.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.48      | -13         | 57.48       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 872.115         | -63.77      | -13         | 50.77       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -43.81      | -13         | 30.81       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.725        | 22.22       | 60          | 37.78       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2867            | -49.31      | -13         | 36.31       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.13      | -13         | 29.13       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16403           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.37      | -13         | 57.37       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.63      | -13         | 57.63       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.518         | -63.83      | -13         | 50.83       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.45      | -13         | 39.45       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 22.83       | 60          | 37.17       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2859            | -49.32      | -13         | 36.32       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.11      | -13         | 29.11       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -36.37      | -13         | 23.37       | Pass    | 8001        |




**3.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.68      | -13         | 57.68       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -69.86      | -13         | 56.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.815         | -63.88      | -13         | 50.88       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.54      | -13         | 39.54       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 21.97       | 60          | 38.03       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2862            | -49.32      | -13         | 36.32       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11897           | -42.07      | -13         | 29.07       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.41      | -13         | 23.41       | Pass    | 8001        |




**3.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.54      | -13         | 57.54       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.3       | -13         | 57.3        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.823         | -63.81      | -13         | 50.81       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1678            | -52.72      | -13         | 39.72       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1740.788        | 22.76       | 60          | 37.24       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1767            | -45.53      | -13         | 32.53       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.08      | -13         | 29.08       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.41      | -13         | 23.41       | Pass    | 8001        |




**3.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.14      | -13         | 57.14       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.45      | -13         | 57.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.999         | -63.76      | -13         | 50.76       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1673            | -52.74      | -13         | 39.74       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1740.788        | 21.97       | 60          | 38.03       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1767            | -45.64      | -13         | 32.64       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.11      | -13         | 29.11       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.38      | -13         | 23.38       | Pass    | 8001        |




**3.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,  
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.95      | -13         | 57.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.8       | -13         | 57.8        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.299         | -63.84      | -13         | 50.84       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -42.6       | -13         | 29.6        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 23.17       | 60          | 36.83       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2875            | -49.28      | -13         | 36.28       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11907           | -42.06      | -13         | 29.06       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.39      | -13         | 23.39       | Pass    | 8001        |




**3.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.83      | -13         | 57.83       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.77      | -13         | 57.77       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.022         | -63.7       | -13         | 50.7        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -44.72      | -13         | 31.72       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 22.31       | 60          | 37.69       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2869            | -49.31      | -13         | 36.31       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.16      | -13         | 29.16       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.38      | -13         | 23.38       | Pass    | 8001        |




**3.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.87      | -13         | 56.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.94      | -13         | 57.94       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.918         | -63.75      | -13         | 50.75       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.66      | -13         | 39.66       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 22.72       | 60          | 37.28       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2865            | -49.29      | -13         | 36.29       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11901           | -42.12      | -13         | 29.12       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.29      | -13         | 23.29       | Pass    | 8001        |




**3.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.6       | -13         | 57.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.76      | -13         | 56.76       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 883.022         | -63.73      | -13         | 50.73       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1683            | -52.7       | -13         | 39.7        | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 22.06       | 60          | 37.94       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2856            | -49.31      | -13         | 36.31       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11899           | -42.17      | -13         | 29.17       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -36.42      | -13         | 23.42       | Pass    | 8001        |




**3.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.28      | -13         | 57.28       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.7       | -13         | 57.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.421         | -63.78      | -13         | 50.78       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.47      | -13         | 39.47       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 22.61       | 60          | 37.39       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1772            | -46.54      | -13         | 33.54       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.15      | -13         | 29.15       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -36.38      | -13         | 23.38       | Pass    | 8001        |



**3.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.31      | -13         | 57.31       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.16      | -13         | 57.16       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 882.122         | -63.75      | -13         | 50.75       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.45      | -13         | 39.45       | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 21.75       | 60          | 38.25       | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1772            | -47.15      | -13         | 34.15       | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11898           | -42.09      | -13         | 29.09       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -36.3       | -13         | 23.3        | Pass    | 8001        |



## 4. LTE\_Band5


### 4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.35      | -13         | 57.35       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.69      | -13         | 57.69       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -63.46      | -13         | 50.46       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 18.77       | 60          | 41.23       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.6           | -63.87      | -13         | 50.87       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.18      | -13         | 35.18       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7496            | -42.91      | -13         | 29.91       | Pass    | 7001        |




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.19      | -13         | 57.19       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.7       | -13         | 56.7        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -63.76      | -13         | 50.76       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 17.92       | 60          | 42.08       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 870.2           | -63.83      | -13         | 50.83       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -49.09      | -13         | 36.09       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -42.83      | -13         | 29.83       | Pass    | 7001        |




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.95      | -13         | 57.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.45      | -13         | 57.45       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 725.9           | -64.23      | -13         | 51.23       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836             | 19.53       | 60          | 40.47       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 1000            | -63.85      | -13         | 50.85       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -47.72      | -13         | 34.72       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7647            | -42.87      | -13         | 29.87       | Pass    | 7001        |




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.16      | -13         | 58.16       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.75      | -13         | 57.75       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 741.6           | -64.24      | -13         | 51.24       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 18.44       | 60          | 41.56       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 871.3           | -63.84      | -13         | 50.84       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -48.51      | -13         | 35.51       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7652            | -42.81      | -13         | 29.81       | Pass    | 7001        |




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.61      | -13         | 57.61       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.83      | -13         | 57.83       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 750.9           | -64.28      | -13         | 51.28       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.8           | 19.35       | 60          | 40.65       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 879.3           | -63.89      | -13         | 50.89       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -46.94      | -13         | 33.94       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7653            | -42.83      | -13         | 29.83       | Pass    | 7001        |




**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.38      | -13         | 57.38       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -69.89      | -13         | 56.89       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 747.8           | -64.18      | -13         | 51.18       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.9           | 18.51       | 60          | 41.49       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 865.6           | -63.89      | -13         | 50.89       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -48.06      | -13         | 35.06       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -42.85      | -13         | 29.85       | Pass    | 7001        |




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.82      | -13         | 56.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -70.92      | -13         | 57.92       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -63.64      | -13         | 50.64       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 18.96       | 60          | 41.04       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.5           | -63.65      | -13         | 50.65       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.34      | -13         | 35.34       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -42.82      | -13         | 29.82       | Pass    | 7001        |




**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.86      | -13         | 56.86       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.98      | -13         | 57.98       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.8       | -13         | 50.8        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 17.89       | 60          | 42.11       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 871.4           | -63.61      | -13         | 50.61       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -49.15      | -13         | 36.15       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -42.88      | -13         | 29.88       | Pass    | 7001        |




**4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.8       | -13         | 56.8        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.5       | -13         | 57.5        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 729.9           | -64.23      | -13         | 51.23       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 19.71       | 60          | 40.29       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 880.6           | -63.84      | -13         | 50.84       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -46.69      | -13         | 33.69       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -42.81      | -13         | 29.81       | Pass    | 7001        |




**4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.79      | -13         | 57.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.09      | -13         | 58.09       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 740.7           | -64.1       | -13         | 51.1        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 18.5        | 60          | 41.5        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.2           | -63.83      | -13         | 50.83       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -47.62      | -13         | 34.62       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -42.8       | -13         | 29.8        | Pass    | 7001        |




**4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.13      | -13         | 57.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.57      | -13         | 57.57       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 733.4           | -64.28      | -13         | 51.28       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 19.01       | 60          | 40.99       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 874.7           | -63.69      | -13         | 50.69       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -48.03      | -13         | 35.03       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -42.8       | -13         | 29.8        | Pass    | 7001        |




**4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71         | -13         | 58          | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.53      | -13         | 57.53       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 738.9           | -64.17      | -13         | 51.17       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 18.11       | 60          | 41.89       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 870.6           | -63.77      | -13         | 50.77       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -48.87      | -13         | 35.87       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7647            | -42.79      | -13         | 29.79       | Pass    | 7001        |




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.36      | -13         | 58.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.09      | -13         | 58.09       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -63.88      | -13         | 50.88       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 18.96       | 60          | 41.04       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 873.5           | -63.74      | -13         | 50.74       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.55      | -13         | 35.55       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7654            | -42.78      | -13         | 29.78       | Pass    | 7001        |




**4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.41      | -13         | 56.41       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.21      | -13         | 57.21       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.98      | -13         | 50.98       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 18.07       | 60          | 41.93       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 871.1           | -63.72      | -13         | 50.72       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -49.3       | -13         | 36.3        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7647            | -42.84      | -13         | 29.84       | Pass    | 7001        |




**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -69.01      | -13         | 56.01       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.9       | -13         | 57.9        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 750.7           | -64.14      | -13         | 51.14       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 19.68       | 60          | 40.32       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 881.1           | -63.75      | -13         | 50.75       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -46.74      | -13         | 33.74       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7653            | -42.85      | -13         | 29.85       | Pass    | 7001        |




**4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.4       | -13         | 56.4        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.83      | -13         | 57.83       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 732.7           | -64.14      | -13         | 51.14       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 18.84       | 60          | 41.16       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 882.5           | -63.73      | -13         | 50.73       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.69      | -13         | 34.69       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -42.8       | -13         | 29.8        | Pass    | 7001        |




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.61      | -13         | 57.61       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.9       | -13         | 57.9        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 730.2           | -64.23      | -13         | 51.23       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 18.93       | 60          | 41.07       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 870.6           | -63.8       | -13         | 50.8        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -48.52      | -13         | 35.52       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7648            | -42.84      | -13         | 29.84       | Pass    | 7001        |




**4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.87      | -13         | 57.87       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.71      | -13         | 57.71       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 744             | -64.13      | -13         | 51.13       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 18.26       | 60          | 41.74       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 876.2           | -63.79      | -13         | 50.79       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 2874            | -49.29      | -13         | 36.29       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7652            | -42.8       | -13         | 29.8        | Pass    | 7001        |




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.49      | -13         | 57.49       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.38      | -13         | 57.38       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.4           | -63.8       | -13         | 50.8        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 19.4        | 60          | 40.6        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 873.4           | -63.8       | -13         | 50.8        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -48.86      | -13         | 35.86       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7646            | -42.76      | -13         | 29.76       | Pass    | 7001        |




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.86      | -13         | 56.86       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.35      | -13         | 58.35       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.1           | -63.98      | -13         | 50.98       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 18.57       | 60          | 41.43       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 884.5           | -63.78      | -13         | 50.78       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 2862            | -49.29      | -13         | 36.29       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7646            | -42.82      | -13         | 29.82       | Pass    | 7001        |




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.015           | -70.3       | -13         | 57.3        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.62      | -13         | 56.62       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.4           | -64.1       | -13         | 51.1        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 20.04       | 60          | 39.96       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 871.5           | -63.75      | -13         | 50.75       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -47.82      | -13         | 34.82       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7648            | -42.8       | -13         | 29.8        | Pass    | 7001        |




**4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.92      | -13         | 57.92       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.29      | -13         | 58.29       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 731.4           | -64.19      | -13         | 51.19       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 18.91       | 60          | 41.09       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 876.5           | -63.76      | -13         | 50.76       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -48.71      | -13         | 35.71       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7652            | -42.84      | -13         | 29.84       | Pass    | 7001        |




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -70.6       | -13         | 57.6        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.62      | -13         | 57.62       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 749.3           | -64.13      | -13         | 51.13       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 19.75       | 60          | 40.25       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 996.9           | -63.9       | -13         | 50.9        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -49.33      | -13         | 36.33       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -42.81      | -13         | 29.81       | Pass    | 7001        |



**4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.72      | -13         | 57.72       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.11      | -13         | 58.11       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 737.4           | -64.21      | -13         | 51.21       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 18.83       | 60          | 41.17       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 877.4           | -63.7       | -13         | 50.7        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 2874            | -49.3       | -13         | 36.3        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -42.83      | -13         | 29.83       | Pass    | 7001        |



## 5. LTE\_Band7


### 5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.77      | -25         | 44.77       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.86      | -25         | 45.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 890.628         | -63.94      | -25         | 38.94       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -51.09      | -25         | 26.09       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.075        | 19.19       | 60          | 40.81       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2860            | -49.42      | -25         | 24.42       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11896           | -52.33      | -25         | 27.33       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25887           | -44.18      | -25         | 19.18       | Pass    | 14002       |




**5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.93      | -25         | 45.93       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.69      | -25         | 45.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.226         | -63.81      | -25         | 38.81       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2477            | -51.01      | -25         | 26.01       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.075        | 18.28       | 60          | 41.72       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2864            | -49.4       | -25         | 24.4        | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11897           | -52.29      | -25         | 27.29       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25898           | -44.13      | -25         | 19.13       | Pass    | 14002       |




### 5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.18      | -25         | 45.18       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.28      | -25         | 45.28       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.413         | -63.66      | -25         | 38.66       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2475            | -51.17      | -25         | 26.17       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2532.8          | 19.39       | 60          | 40.61       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2874            | -49.4       | -25         | 24.4        | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11900           | -52.32      | -25         | 27.32       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25885           | -44.15      | -25         | 19.15       | Pass    | 14002       |




**5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.51      | -25         | 45.51       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.59      | -25         | 45.59       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 878.419         | -63.83      | -25         | 38.83       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.11      | -25         | 26.11       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2532.8          | 18.82       | 60          | 41.18       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2872            | -49.41      | -25         | 24.41       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11898           | -52.2       | -25         | 27.2        | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25905           | -44.02      | -25         | 19.02       | Pass    | 14002       |




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71         | -25         | 46          | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.54      | -25         | 45.54       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.013         | -63.69      | -25         | 38.69       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -51.11      | -25         | 26.11       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2565.25         | 20.88       | 60          | 39.12       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2864            | -49.39      | -25         | 24.39       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11897           | -52.25      | -25         | 27.25       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25888           | -44.14      | -25         | 19.14       | Pass    | 14002       |




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.56      | -25         | 45.56       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.17      | -25         | 45.17       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 853.303         | -63.77      | -25         | 38.77       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.12      | -25         | 26.12       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2565.25         | 20          | 60          | 40          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2860            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11895           | -52.25      | -25         | 27.25       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25886           | -44.13      | -25         | 19.13       | Pass    | 14002       |




**5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.33      | -25         | 46.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.45      | -25         | 45.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.226         | -63.69      | -25         | 38.69       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -51.03      | -25         | 26.03       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.35         | 19.14       | 60          | 40.86       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2872            | -49.32      | -25         | 24.32       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11899           | -52.25      | -25         | 27.25       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25899           | -44.08      | -25         | 19.08       | Pass    | 14002       |




**5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.21      | -25         | 46.21       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -71.23      | -25         | 46.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.12          | -63.83      | -25         | 38.83       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.02      | -25         | 26.02       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.35         | 18.31       | 60          | 41.69       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2867            | -49.38      | -25         | 24.38       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11907           | -52.24      | -25         | 27.24       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25870           | -44.11      | -25         | 19.11       | Pass    | 14002       |




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -70.82      | -25         | 45.82       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.58      | -25         | 45.58       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.02          | -63.74      | -25         | 38.74       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2476            | -51.03      | -25         | 26.03       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2530.325        | 19.63       | 60          | 40.37       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2864            | -49.35      | -25         | 24.35       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11904           | -52.22      | -25         | 27.22       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25866           | -44.15      | -25         | 19.15       | Pass    | 14002       |




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.39      | -25         | 45.39       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.86      | -25         | 45.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.417         | -63.72      | -25         | 38.72       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.02      | -25         | 26.02       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2530.325        | 18.88       | 60          | 41.12       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2866            | -49.38      | -25         | 24.38       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11904           | -52.25      | -25         | 27.25       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25898           | -44.07      | -25         | 19.07       | Pass    | 14002       |




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.71      | -25         | 44.71       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.36      | -25         | 45.36       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.419         | -63.83      | -25         | 38.83       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2475            | -51.06      | -25         | 26.06       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2560.575        | 20.53       | 60          | 39.47       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2862            | -49.35      | -25         | 24.35       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11897           | -52.2       | -25         | 27.2        | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25897           | -44.14      | -25         | 19.14       | Pass    | 14002       |




**5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.17      | -25         | 46.17       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.13      | -25         | 46.13       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 874.217         | -63.81      | -25         | 38.81       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2478            | -51.18      | -25         | 26.18       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2560.575        | 19.65       | 60          | 40.35       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2863            | -49.34      | -25         | 24.34       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11900           | -52.29      | -25         | 27.29       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25895           | -44.14      | -25         | 19.14       | Pass    | 14002       |




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.23      | -25         | 45.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.49      | -25         | 44.49       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.614         | -63.67      | -25         | 38.67       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -51         | -25         | 26          | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.625        | 19          | 60          | 41          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2872            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11902           | -52.21      | -25         | 27.21       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25892           | -44.12      | -25         | 19.12       | Pass    | 14002       |




**5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.06      | -25         | 45.06       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.85      | -25         | 44.85       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.812         | -63.74      | -25         | 38.74       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -50.93      | -25         | 25.93       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.625        | 18.26       | 60          | 41.74       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2874            | -49.37      | -25         | 24.37       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11895           | -52.2       | -25         | 27.2        | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25870           | -44.11      | -25         | 19.11       | Pass    | 14002       |




**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.91      | -25         | 45.91       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.86      | -25         | 45.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.918         | -63.49      | -25         | 38.49       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2478            | -51.04      | -25         | 26.04       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2528.125        | 19.83       | 60          | 40.17       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2863            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11909           | -52.24      | -25         | 27.24       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25902           | -44.09      | -25         | 19.09       | Pass    | 14002       |




**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.81      | -25         | 45.81       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.02      | -25         | 46.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 887.025         | -63.76      | -25         | 38.76       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2476            | -51.02      | -25         | 26.02       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2528.125        | 19.06       | 60          | 40.94       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2874            | -49.35      | -25         | 24.35       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11899           | -52.27      | -25         | 27.27       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25896           | -44.13      | -25         | 19.13       | Pass    | 14002       |




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.31      | -25         | 45.31       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.2       | -25         | 45.2        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.52          | -63.65      | -25         | 38.65       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2478            | -51.05      | -25         | 26.05       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2555.625        | 19.88       | 60          | 40.12       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2867            | -49.3       | -25         | 24.3        | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11901           | -52.24      | -25         | 27.24       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25885           | -44.13      | -25         | 19.13       | Pass    | 14002       |




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.93      | -25         | 45.93       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.95      | -25         | 45.95       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.512         | -63.76      | -25         | 38.76       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.06      | -25         | 26.06       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2555.625        | 18.9        | 60          | 41.1        | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2868            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11903           | -52.2       | -25         | 27.2        | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25889           | -44.04      | -25         | 19.04       | Pass    | 14002       |




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.04      | -25         | 45.04       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.75      | -25         | 45.75       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 879.12          | -63.81      | -25         | 38.81       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2477            | -51.04      | -25         | 26.04       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.9          | 19.12       | 60          | 40.88       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2858            | -49.35      | -25         | 24.35       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11898           | -52.28      | -25         | 27.28       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25893           | -44.14      | -25         | 19.14       | Pass    | 14002       |




**5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.97      | -25         | 45.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.83      | -25         | 45.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.816         | -63.61      | -25         | 38.61       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.01      | -25         | 26.01       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2500.9          | 18.37       | 60          | 41.63       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2872            | -49.33      | -25         | 24.33       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11893           | -52.31      | -25         | 27.31       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25875           | -44.09      | -25         | 19.09       | Pass    | 14002       |




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.95      | -25         | 45.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -70.56      | -25         | 45.56       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.016         | -63.73      | -25         | 38.73       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2476            | -51.11      | -25         | 26.11       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2525.925        | 20.18       | 60          | 39.82       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2863            | -49.37      | -25         | 24.37       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11898           | -52.29      | -25         | 27.29       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25899           | -44.18      | -25         | 19.18       | Pass    | 14002       |




**5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.69      | -25         | 44.69       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -70.74      | -25         | 45.74       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.494         | -63.79      | -25         | 38.79       | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.04      | -25         | 26.04       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2525.925        | 19.62       | 60          | 40.38       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2870            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11907           | -52.27      | -25         | 27.27       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25899           | -44.08      | -25         | 19.08       | Pass    | 14002       |




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.73      | -25         | 45.73       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -71.14      | -25         | 46.14       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.413         | -63.7       | -25         | 38.7        | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2480            | -51.07      | -25         | 26.07       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2550.95         | 19.44       | 60          | 40.56       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2860            | -49.36      | -25         | 24.36       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11900           | -52.33      | -25         | 27.33       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25892           | -44.08      | -25         | 19.08       | Pass    | 14002       |



**5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.74      | -25         | 45.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.23      | -25         | 46.23       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 881.521         | -63.8       | -25         | 38.8        | Pass    | 9701        |
| 1000                  | 2480                 | 1         | RMS      | 2479            | -51.09      | -25         | 26.09       | Pass    | 1481        |
| 2480                  | 2590                 | 1         | RMS      | 2550.95         | 18.59       | 60          | 41.41       | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2872            | -49.39      | -25         | 24.39       | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 11910           | -52.23      | -25         | 27.23       | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25896           | -44.14      | -25         | 19.14       | Pass    | 14002       |



## 6. LTE\_Band12


### 6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.2       | -13         | 57.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.34      | -13         | 57.34       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 473.7           | -64.8       | -13         | 51.8        | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 19.13       | 60          | 40.87       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 881             | -63.63      | -13         | 50.63       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -47.87      | -13         | 34.87       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -42.87      | -13         | 29.87       | Pass    | 7001        |




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.89      | -13         | 56.89       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69         | -13         | 56          | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 470             | -64.81      | -13         | 51.81       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 18.29       | 60          | 41.71       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 866             | -63.58      | -13         | 50.58       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -48.58      | -13         | 35.58       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -42.82      | -13         | 29.82       | Pass    | 7001        |




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.32      | -13         | 58.32       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.16      | -13         | 57.16       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 495.2           | -64.8       | -13         | 51.8        | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.038         | 19.19       | 60          | 40.81       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 876.9           | -63.51      | -13         | 50.51       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2858            | -49.32      | -13         | 36.32       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7655            | -42.77      | -13         | 29.77       | Pass    | 7001        |




**6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.02      | -13         | 57.02       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.73      | -13         | 57.73       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 474.9           | -65.81      | -13         | 52.81       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.038         | 17.65       | 60          | 42.35       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 876.6           | -64.5       | -13         | 51.5        | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2870            | -50.34      | -13         | 37.34       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7653            | -43.8       | -13         | 30.8        | Pass    | 7001        |




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.23      | -13         | 59.23       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.62      | -13         | 57.62       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 476.9           | -65.79      | -13         | 52.79       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.808         | 18.45       | 60          | 41.55       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 867.1           | -64.6       | -13         | 51.6        | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1429            | -50.25      | -13         | 37.25       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.82      | -13         | 30.82       | Pass    | 7001        |




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.78      | -13         | 57.78       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.38      | -13         | 57.38       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 475.2           | -65.79      | -13         | 52.79       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.808         | 17.48       | 60          | 42.52       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 891.2           | -64.66      | -13         | 51.66       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -50.31      | -13         | 37.31       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7645            | -43.83      | -13         | 30.83       | Pass    | 7001        |




**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.79      | -13         | 58.79       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.65      | -13         | 57.65       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 474.5           | -65.73      | -13         | 52.73       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 18.23       | 60          | 41.77       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 888.1           | -64.75      | -13         | 51.75       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -48.47      | -13         | 35.47       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -43.83      | -13         | 30.83       | Pass    | 7001        |




**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -70.66      | -13         | 57.66       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.03      | -13         | 58.03       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 472.4           | -65.76      | -13         | 52.76       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 17.33       | 60          | 42.67       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 879.5           | -64.6       | -13         | 51.6        | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -49.14      | -13         | 36.14       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7648            | -43.87      | -13         | 30.87       | Pass    | 7001        |




**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.03      | -13         | 58.03       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.83      | -13         | 57.83       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 469.1           | -65.64      | -13         | 52.64       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.205         | 17.97       | 60          | 42.03       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 886.4           | -64.66      | -13         | 51.66       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1412            | -48.68      | -13         | 35.68       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7501            | -43.85      | -13         | 30.85       | Pass    | 7001        |




**6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.95      | -13         | 57.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.37      | -13         | 58.37       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 468.3           | -65.62      | -13         | 52.62       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.205         | 17          | 60          | 43          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 868.6           | -64.73      | -13         | 51.73       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1412            | -49.42      | -13         | 36.42       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.79      | -13         | 30.79       | Pass    | 7001        |




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.35      | -13         | 58.35       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.26      | -13         | 57.26       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 469.1           | -65.77      | -13         | 52.77       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 713.235         | 19          | 60          | 41          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 881.4           | -64.52      | -13         | 51.52       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2875            | -50.29      | -13         | 37.29       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.85      | -13         | 30.85       | Pass    | 7001        |




**6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.59      | -13         | 58.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.87      | -13         | 57.87       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 457.5           | -65.74      | -13         | 52.74       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 713.235         | 18.27       | 60          | 41.73       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 878.1           | -64.59      | -13         | 51.59       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -50.32      | -13         | 37.32       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7500            | -43.73      | -13         | 30.73       | Pass    | 7001        |




**6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.63      | -13         | 57.63       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.56      | -13         | 57.56       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 481.7           | -65.69      | -13         | 52.69       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 18.49       | 60          | 41.51       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 869.6           | -64.45      | -13         | 51.45       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -48.61      | -13         | 35.61       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7648            | -43.7       | -13         | 30.7        | Pass    | 7001        |




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.73      | -13         | 57.73       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.85      | -13         | 57.85       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 473.9           | -65.71      | -13         | 52.71       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 17.75       | 60          | 42.25       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 870.8           | -64.68      | -13         | 51.68       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -49.2       | -13         | 36.2        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.73      | -13         | 30.73       | Pass    | 7001        |




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.55      | -13         | 58.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.11      | -13         | 57.11       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 458.8           | -65.73      | -13         | 52.73       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 18.08       | 60          | 41.92       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 902             | -64.57      | -13         | 51.57       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2874            | -50.31      | -13         | 37.31       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7652            | -43.77      | -13         | 30.77       | Pass    | 7001        |




**6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.89      | -13         | 57.89       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.07      | -13         | 58.07       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 493.5           | -65.7       | -13         | 52.7        | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 17.23       | 60          | 42.77       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 988.8           | -64.56      | -13         | 51.56       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2857            | -50.29      | -13         | 37.29       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.82      | -13         | 30.82       | Pass    | 7001        |




**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.05      | -13         | 58.05       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.25      | -13         | 57.25       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 623.3           | -65.81      | -13         | 52.81       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 711.385         | 18.3        | 60          | 41.7        | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 875.3           | -64.25      | -13         | 51.25       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2874            | -50.24      | -13         | 37.24       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7640            | -43.78      | -13         | 30.78       | Pass    | 7001        |




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.85      | -13         | 57.85       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.73      | -13         | 57.73       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 472.9           | -65.68      | -13         | 52.68       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 711.385         | 17.75       | 60          | 42.25       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 881.2           | -64.5       | -13         | 51.5        | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2862            | -50.29      | -13         | 37.29       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7649            | -43.74      | -13         | 30.74       | Pass    | 7001        |




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -71.59      | -13         | 58.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.91      | -13         | 56.91       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 473.1           | -65.65      | -13         | 52.65       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.545         | 18.32       | 60          | 41.68       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 880.4           | -64.48      | -13         | 51.48       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1399            | -49.26      | -13         | 36.26       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.78      | -13         | 30.78       | Pass    | 7001        |




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.43      | -13         | 57.43       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.23      | -13         | 57.23       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 622.8           | -65.73      | -13         | 52.73       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.638         | 17.41       | 60          | 42.59       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 852.5           | -64.56      | -13         | 51.56       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1399            | -49.84      | -13         | 36.84       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -43.79      | -13         | 30.79       | Pass    | 7001        |




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.17      | -13         | 58.17       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -70.11      | -13         | 57.11       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 477.2           | -65.65      | -13         | 52.65       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.06          | 19.03       | 60          | 40.97       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 878.6           | -64.51      | -13         | 51.51       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -50.24      | -13         | 37.24       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7643            | -43.73      | -13         | 30.73       | Pass    | 7001        |




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.46      | -13         | 57.46       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.95      | -13         | 56.95       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 468.5           | -65.61      | -13         | 52.61       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.06          | 17.99       | 60          | 42.01       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 867.7           | -64.5       | -13         | 51.5        | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2873            | -50.27      | -13         | 37.27       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7650            | -43.72      | -13         | 30.72       | Pass    | 7001        |




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.18      | -13         | 58.18       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.3       | -13         | 57.3        | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 479.2           | -65.69      | -13         | 52.69       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.575         | 18.2        | 60          | 41.8        | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 892.3           | -64.53      | -13         | 51.53       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -48.92      | -13         | 35.92       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -43.78      | -13         | 30.78       | Pass    | 7001        |



**6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.99      | -13         | 57.99       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.18      | -13         | 57.18       | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 482.8           | -65.73      | -13         | 52.73       | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.575         | 17.69       | 60          | 42.31       | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 879.3           | -64.49      | -13         | 51.49       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -49.23      | -13         | 36.23       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 7651            | -43.78      | -13         | 30.78       | Pass    | 7001        |



## 7. LTE\_Band25


### 7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.7       | -13         | 58.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.01      | -13         | 58.01       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.213         | -64.69      | -13         | 51.69       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.73      | -13         | 39.73       | Pass    | 841         |
| 1840                  | 1925                 | 1         | RMS      | 1850.2          | 21.56       | 60          | 38.44       | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2879            | -50.26      | -13         | 37.26       | Pass    | 1076        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -42.91      | -13         | 29.91       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -37.44      | -13         | 24.44       | Pass    | 8001        |



**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.5       | -13         | 58.5        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -71.89      | -13         | 58.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.719         | -64.74      | -13         | 51.74       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.69      | -13         | 39.69       | Pass    | 841         |
| 1840                  | 1925                 | 1         | RMS      | 1850.2          | 20.75       | 60          | 39.25       | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2858            | -50.27      | -13         | 37.27       | Pass    | 1076        |
| 3000                  | 12000                | 1         | RMS      | 11900           | -43.05      | -13         | 30.05       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -37.29      | -13         | 24.29       | Pass    | 8001        |



**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.52      | -13         | 58.52       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.66      | -13         | 58.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 990.994         | -64.72      | -13         | 51.72       | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.1       | -13         | 40.1        | Pass    | 841         |
| 1840                  | 1925                 | 1         | RMS      | 1881.863        | 21.21       | 60          | 38.79       | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2868            | -50.28      | -13         | 37.28       | Pass    | 1076        |
| 3000                  | 12000                | 1         | RMS      | 11908           | -43.02      | -13         | 30.02       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -37.32      | -13         | 24.32       | Pass    | 8001        |

