



5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	689	0.1	RMS	488.5	-66.24	-13	53.24	Pass	6591
689	726	0.1	RMS	706.205	19.81	60	40.19	Pass	401
726	1000	0.1	RMS	882.9	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1412	-49.19	-13	36.19	Pass	2001
3000	10000	1	RMS	6800	-45.77	-13	32.77	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	689	0.1	RMS	623.5	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	706.205	18.77	60	41.23	Pass	401
726	1000	0.1	RMS	845.6	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1412	-50.33	-13	37.33	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	498.8	-66.28	-13	53.28	Pass	6591
689	726	0.1	RMS	713.235	19.97	60	40.03	Pass	401
726	1000	0.1	RMS	982.7	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1426	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6800	-45.72	-13	32.72	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.2	-72.8	-13	59.8	Pass	2986
30	689	0.1	RMS	485.3	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	713.235	18.97	60	41.03	Pass	401
726	1000	0.1	RMS	827.2	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1426	-49.48	-13	36.48	Pass	2001
3000	10000	1	RMS	6800	-45.75	-13	32.75	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.18	-72.86	-13	59.86	Pass	2986
30	689	0.1	RMS	688.6	-65.63	-13	52.63	Pass	6591
689	726	0.1	RMS	699.36	20.43	60	39.57	Pass	401
726	1000	0.1	RMS	850.5	-65.39	-13	52.39	Pass	2741
1000	3000	1	RMS	1398	-46.8	-13	33.8	Pass	2001
3000	10000	1	RMS	6800	-45.76	-13	32.76	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.2	-73.14	-13	60.14	Pass	2986
30	689	0.1	RMS	688.6	-65.83	-13	52.83	Pass	6591
689	726	0.1	RMS	699.36	19.65	60	40.35	Pass	401
726	1000	0.1	RMS	975.4	-65.4	-13	52.4	Pass	2741
1000	3000	1	RMS	1398	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6804	-45.76	-13	32.76	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.24	-72.69	-13	59.69	Pass	2986
30	689	0.1	RMS	484.1	-66.23	-13	53.23	Pass	6591
689	726	0.1	RMS	705.373	19.97	60	40.03	Pass	401
726	1000	0.1	RMS	950.1	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	1410	-46.4	-13	33.4	Pass	2001
3000	10000	1	RMS	6801	-45.81	-13	32.81	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	689	0.1	RMS	507.9	-66.27	-13	53.27	Pass	6591
689	726	0.1	RMS	705.373	19.08	60	40.92	Pass	401
726	1000	0.1	RMS	853.1	-65.32	-13	52.32	Pass	2741
1000	3000	1	RMS	1410	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	490.8	-66.23	-13	53.23	Pass	6591
689	726	0.1	RMS	711.385	19.96	60	40.04	Pass	401
726	1000	0.1	RMS	876.3	-65.31	-13	52.31	Pass	2741
1000	3000	1	RMS	1422	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	6800	-45.78	-13	32.78	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	689	0.1	RMS	483.7	-66.29	-13	53.29	Pass	6591
689	726	0.1	RMS	711.385	19.14	60	40.86	Pass	401
726	1000	0.1	RMS	838.7	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	1422	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	6800	-45.72	-13	32.72	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.27	-72.76	-13	59.76	Pass	2986
30	689	0.1	RMS	688.9	-65.55	-13	52.55	Pass	6591
689	726	0.1	RMS	699.545	19.86	60	40.14	Pass	401
726	1000	0.1	RMS	974.4	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	1399	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6799	-45.81	-13	32.81	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.19	-72.72	-13	59.72	Pass	2986
30	689	0.1	RMS	688.9	-65.7	-13	52.7	Pass	6591
689	726	0.1	RMS	699.545	18.97	60	41.03	Pass	401
726	1000	0.1	RMS	968.6	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1399	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	6797	-45.72	-13	32.72	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.17	-73.27	-13	60.27	Pass	2986
30	689	0.1	RMS	486.4	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	703.06	20.17	60	39.83	Pass	401
726	1000	0.1	RMS	934.7	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1406	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	608	-66.25	-13	53.25	Pass	6591
689	726	0.1	RMS	703.06	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	993.3	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	1406	-50.44	-13	37.44	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.19	-72.59	-13	59.59	Pass	2986
30	689	0.1	RMS	670.1	-66.16	-13	53.16	Pass	6591
689	726	0.1	RMS	706.575	20.7	60	39.3	Pass	401
726	1000	0.1	RMS	999.4	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1413	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	59.78	Pass	2986
30	689	0.1	RMS	480.2	-66.2	-13	53.2	Pass	6591
689	726	0.1	RMS	706.575	19.75	60	40.25	Pass	401
726	1000	0.1	RMS	739.4	-65.36	-13	52.36	Pass	2741
1000	3000	1	RMS	1413	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6801	-45.7	-13	32.7	Pass	7001



6. LTE_Band13


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.2	-72.92	-13	59.92	Pass	2986
30	767	0.1	RMS	766.6	-65.34	-13	52.34	Pass	7371
767	797	0.1	RMS	777.35	20.48	60	39.52	Pass	401
797	1000	0.1	RMS	926.3	-65.29	-13	52.29	Pass	2031
1000	3000	1	RMS	1554	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6796	-45.67	-13	32.67	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	59.8	Pass	2986
30	767	0.1	RMS	766.6	-65.34	-13	52.34	Pass	7371
767	797	0.1	RMS	777.35	19.61	60	40.39	Pass	401
797	1000	0.1	RMS	800.9	-65.23	-13	52.23	Pass	2031
1000	3000	1	RMS	1554	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	767	0.1	RMS	767	-65.71	-13	52.71	Pass	7371
767	797	0.1	RMS	779.825	20.68	60	39.32	Pass	401
797	1000	0.1	RMS	797.4	-65	-13	52	Pass	2031
1000	3000	1	RMS	1559	-50.74	-13	37.74	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.21	-72.41	-13	59.41	Pass	2986
30	767	0.1	RMS	744.7	-65.9	-13	52.9	Pass	7371
767	797	0.1	RMS	779.825	19.84	60	40.16	Pass	401
797	1000	0.1	RMS	797.1	-64.11	-13	51.11	Pass	2031
1000	3000	1	RMS	1559	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	767	0.1	RMS	756.2	-65.81	-13	52.81	Pass	7371
767	797	0.1	RMS	782.375	20.27	60	39.73	Pass	401
797	1000	0.1	RMS	797.6	-65.03	-13	52.03	Pass	2031
1000	3000	1	RMS	1564	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	767	0.1	RMS	739.2	-65.8	-13	52.8	Pass	7371
767	797	0.1	RMS	782.375	19.36	60	40.64	Pass	401
797	1000	0.1	RMS	799.5	-64.72	-13	51.72	Pass	2031
1000	3000	1	RMS	1564	-50.52	-13	37.52	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	767	0.1	RMS	766.9	-64.88	-13	51.88	Pass	7371
767	797	0.1	RMS	777.575	20.77	60	39.23	Pass	401
797	1000	0.1	RMS	799.4	-64.63	-13	51.63	Pass	2031
1000	3000	1	RMS	1555	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6803	-45.66	-13	32.66	Pass	7001



6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.21	-71.89	-13	58.89	Pass	2986
30	767	0.1	RMS	766.9	-65.36	-13	52.36	Pass	7371
767	797	0.1	RMS	777.575	19.81	60	40.19	Pass	401
797	1000	0.1	RMS	799.6	-64.59	-13	51.59	Pass	2031
1000	3000	1	RMS	1555	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001



7. LTE_Band14


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	778	0.1	RMS	777.7	-64.52	-13	51.52	Pass	7481
778	808	0.1	RMS	788.35	20.44	60	39.56	Pass	401
808	1000	0.1	RMS	950.9	-65	-13	52	Pass	1921
1000	3000	1	RMS	1576	-50.89	-13	37.89	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	778	0.1	RMS	777.6	-64.73	-13	51.73	Pass	7481
778	808	0.1	RMS	788.35	19.55	60	40.45	Pass	401
808	1000	0.1	RMS	864.4	-65.01	-13	52.01	Pass	1921
1000	3000	1	RMS	2995	-51.27	-13	38.27	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.18	-72.28	-13	59.28	Pass	2986
30	778	0.1	RMS	777.9	-65.27	-13	52.27	Pass	7481
778	808	0.1	RMS	790.825	20.41	60	39.59	Pass	401
808	1000	0.1	RMS	975.1	-65.17	-13	52.17	Pass	1921
1000	3000	1	RMS	2989	-51.35	-13	38.35	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-73.1	-13	60.1	Pass	2986
30	778	0.1	RMS	777.8	-65.5	-13	52.5	Pass	7481
778	808	0.1	RMS	790.825	19.56	60	40.44	Pass	401
808	1000	0.1	RMS	966.3	-64.99	-13	51.99	Pass	1921
1000	3000	1	RMS	2993	-51.35	-13	38.35	Pass	2001
3000	10000	1	RMS	6799	-45.52	-13	32.52	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	59.52	Pass	2986
30	778	0.1	RMS	749.6	-65.64	-13	52.64	Pass	7481
778	808	0.1	RMS	793.375	20.42	60	39.58	Pass	401
808	1000	0.1	RMS	984.3	-65.18	-13	52.18	Pass	1921
1000	3000	1	RMS	1586	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.22	-72.85	-13	59.85	Pass	2986
30	778	0.1	RMS	777.3	-65.68	-13	52.68	Pass	7481
778	808	0.1	RMS	793.375	19.67	60	40.33	Pass	401
808	1000	0.1	RMS	852.8	-65.2	-13	52.2	Pass	1921
1000	3000	1	RMS	1586	-50.64	-13	37.64	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	778	0.1	RMS	777.9	-64.2	-13	51.2	Pass	7481
778	808	0.1	RMS	788.575	20.43	60	39.57	Pass	401
808	1000	0.1	RMS	810.6	-64.85	-13	51.85	Pass	1921
1000	3000	1	RMS	2997	-51.36	-13	38.36	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	778	0.1	RMS	777.9	-64.3	-13	51.3	Pass	7481
778	808	0.1	RMS	788.575	19.43	60	40.57	Pass	401
808	1000	0.1	RMS	810.5	-64.94	-13	51.94	Pass	1921
1000	3000	1	RMS	2982	-51.34	-13	38.34	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



8. LTE_Band18(part22)


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	813.6	-64.3	-13	51.3	Pass	7841
814	841	0.1	RMS	824.328	20.66	60	39.34	Pass	401
841	1000	0.1	RMS	843.9	-64.64	-13	51.64	Pass	1591
1000	3000	1	RMS	1648	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	6802	-45.56	-13	32.56	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.6	-64.24	-13	51.24	Pass	7841
814	841	0.1	RMS	824.328	19.78	60	40.22	Pass	401
841	1000	0.1	RMS	842	-64.95	-13	51.95	Pass	1591
1000	3000	1	RMS	1648	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	813.9	-64.48	-13	51.48	Pass	7841
814	841	0.1	RMS	824.868	20.68	60	39.32	Pass	401
841	1000	0.1	RMS	842.1	-64.75	-13	51.75	Pass	1591
1000	3000	1	RMS	1649	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.9	-64.85	-13	51.85	Pass	7841
814	841	0.1	RMS	824.868	19.85	60	40.15	Pass	401
841	1000	0.1	RMS	841.5	-64.88	-13	51.88	Pass	1591
1000	3000	1	RMS	1649	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.8	-64.99	-13	51.99	Pass	7841
814	841	0.1	RMS	825.34	20.87	60	39.13	Pass	401
841	1000	0.1	RMS	841.8	-64.76	-13	51.76	Pass	1591
1000	3000	1	RMS	1650	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001



8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.7	-65.14	-13	52.14	Pass	7841
814	841	0.1	RMS	825.34	20.1	60	39.9	Pass	401
841	1000	0.1	RMS	842.1	-64.68	-13	51.68	Pass	1591
1000	3000	1	RMS	1650	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6798	-45.51	-13	32.51	Pass	7001



9. LTE_Band18(part90)


9.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.59	-13	52.59	Pass	401
0.15	30	0.01	Peak	0.18	-64.22	-13	51.22	Pass	2986
30	810	0.1	Peak	810	-52.01	-13	39.01	Pass	7801
810	829	0.1	Peak	815.368	25.39	60	34.61	Pass	401
829	1000	0.1	Peak	962.9	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	1630	-37.43	-13	24.43	Pass	2001
3000	10000	1	Peak	7948	-32.1	-13	19.1	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.12	-13	53.12	Pass	401
0.15	30	0.01	Peak	0.15	-64.01	-13	51.01	Pass	2986
30	810	0.1	Peak	810	-52.63	-13	39.63	Pass	7801
810	829	0.1	Peak	815.368	25.71	60	34.29	Pass	401
829	1000	0.1	Peak	954.4	-54.44	-13	41.44	Pass	1711
1000	3000	1	Peak	1631	-37.35	-13	24.35	Pass	2001
3000	10000	1	Peak	8225	-32.18	-13	19.18	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.21	-13	52.21	Pass	401
0.15	30	0.01	Peak	0.16	-64.9	-13	51.9	Pass	2986
30	810	0.1	Peak	808.7	-53.7	-13	40.7	Pass	7801
810	829	0.1	Peak	817.363	25.85	60	34.15	Pass	401
829	1000	0.1	Peak	829.3	-53.42	-13	40.42	Pass	1711
1000	3000	1	Peak	1635	-37.42	-13	24.42	Pass	2001
3000	10000	1	Peak	7319	-32.59	-13	19.59	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.81	-13	52.81	Pass	401
0.15	30	0.01	Peak	0.25	-65.01	-13	52.01	Pass	2986
30	810	0.1	Peak	808.7	-52.84	-13	39.84	Pass	7801
810	829	0.1	Peak	817.363	25.54	60	34.46	Pass	401
829	1000	0.1	Peak	832.9	-54	-13	41	Pass	1711
1000	3000	1	Peak	1635	-37.31	-13	24.31	Pass	2001
3000	10000	1	Peak	8777	-31.91	-13	18.91	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.17	-64.53	-13	51.53	Pass	2986
30	810	0.1	Peak	525.1	-54.58	-13	41.58	Pass	7801
810	829	0.1	Peak	819.358	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	830.3	-50.72	-13	37.72	Pass	1711
1000	3000	1	Peak	1639	-36.32	-13	23.32	Pass	2001
3000	10000	1	Peak	8721	-32.16	-13	19.16	Pass	7001



9.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.02	-13	53.02	Pass	401
0.15	30	0.01	Peak	0.2	-63.74	-13	50.74	Pass	2986
30	810	0.1	Peak	507.6	-54.8	-13	41.8	Pass	7801
810	829	0.1	Peak	819.358	25.85	60	34.15	Pass	401
829	1000	0.1	Peak	829.2	-52.16	-13	39.16	Pass	1711
1000	3000	1	Peak	1639	-35.89	-13	22.89	Pass	2001
3000	10000	1	Peak	6694	-32.11	-13	19.11	Pass	7001



10. LTE_Band19


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	2986
30	820	0.1	RMS	819.7	-64.08	-13	51.08	Pass	7901
820	856	0.1	RMS	830.35	20.95	60	39.05	Pass	401
856	1000	0.1	RMS	941.9	-65.19	-13	52.19	Pass	1441
1000	3000	1	RMS	1660	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	820	0.1	RMS	819.6	-64.49	-13	51.49	Pass	7901
820	856	0.1	RMS	830.35	20.07	60	39.93	Pass	401
856	1000	0.1	RMS	917.1	-65.23	-13	52.23	Pass	1441
1000	3000	1	RMS	1660	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	820	0.1	RMS	819.2	-63.94	-13	50.94	Pass	7901
820	856	0.1	RMS	835.3	20.11	60	39.89	Pass	401
856	1000	0.1	RMS	992.6	-65.31	-13	52.31	Pass	1441
1000	3000	1	RMS	1670	-46.64	-13	33.64	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	59.03	Pass	2986
30	820	0.1	RMS	819.2	-64.85	-13	51.85	Pass	7901
820	856	0.1	RMS	835.3	19.26	60	40.74	Pass	401
856	1000	0.1	RMS	868.8	-65.27	-13	52.27	Pass	1441
1000	3000	1	RMS	1670	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	820	0.1	RMS	819.2	-63.75	-13	50.75	Pass	7901
820	856	0.1	RMS	840.34	21.05	60	38.95	Pass	401
856	1000	0.1	RMS	966.4	-65.12	-13	52.12	Pass	1441
1000	3000	1	RMS	1680	-46.08	-13	33.08	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	820	0.1	RMS	819.2	-64.25	-13	51.25	Pass	7901
820	856	0.1	RMS	840.34	20.3	60	39.7	Pass	401
856	1000	0.1	RMS	946.7	-65.13	-13	52.13	Pass	1441
1000	3000	1	RMS	1680	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	820	0.1	RMS	813	-54.22	-13	41.22	Pass	7901
820	856	0.1	RMS	830.62	20.51	60	39.49	Pass	401
856	1000	0.1	RMS	891.2	-65.27	-13	52.27	Pass	1441
1000	3000	1	RMS	1661	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6798	-45.45	-13	32.45	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	820	0.1	RMS	813	-48.29	-13	35.29	Pass	7901
820	856	0.1	RMS	830.62	19.76	60	40.24	Pass	401
856	1000	0.1	RMS	965.8	-65.18	-13	52.18	Pass	1441
1000	3000	1	RMS	1661	-48.46	-13	35.46	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	820	0.1	RMS	815.5	-57.36	-13	44.36	Pass	7901
820	856	0.1	RMS	833.05	20.07	60	39.93	Pass	401
856	1000	0.1	RMS	857.8	-65.23	-13	52.23	Pass	1441
1000	3000	1	RMS	1666	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	820	0.1	RMS	815.5	-54.24	-13	41.24	Pass	7901
820	856	0.1	RMS	833.05	19.08	60	40.92	Pass	401
856	1000	0.1	RMS	962.1	-65.29	-13	52.29	Pass	1441
1000	3000	1	RMS	1666	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	820	0.1	RMS	818	-56.8	-13	43.8	Pass	7901
820	856	0.1	RMS	835.57	20.36	60	39.64	Pass	401
856	1000	0.1	RMS	932.8	-65.22	-13	52.22	Pass	1441
1000	3000	1	RMS	1671	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	820	0.1	RMS	818	-54.7	-13	41.7	Pass	7901
820	856	0.1	RMS	835.57	19.53	60	40.47	Pass	401
856	1000	0.1	RMS	865	-65.19	-13	52.19	Pass	1441
1000	3000	1	RMS	1671	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	820	0.1	RMS	817.5	-55.24	-13	42.24	Pass	7901
820	856	0.1	RMS	830.8	20.09	60	39.91	Pass	401
856	1000	0.1	RMS	977.1	-65.19	-13	52.19	Pass	1441
1000	3000	1	RMS	1661	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6796	-45.54	-13	32.54	Pass	7001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.33	-72.54	-13	59.54	Pass	2986
30	820	0.1	RMS	817.5	-56	-13	43	Pass	7901
820	856	0.1	RMS	830.8	19.21	60	40.79	Pass	401
856	1000	0.1	RMS	988.8	-65.26	-13	52.26	Pass	1441
1000	3000	1	RMS	1661	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001



11. LTE_Band25


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	991.094	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1836	-52.75	-13	39.75	Pass	841
1840	1925	1	RMS	1850.2	22.38	60	37.62	Pass	401
1925	3000	1	RMS	2986	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11994	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	59.85	Pass	2986
30	1000	0.1	RMS	948.766	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1836	-52.96	-13	39.96	Pass	841
1840	1925	1	RMS	1850.2	21.57	60	38.43	Pass	401
1925	3000	1	RMS	2998	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	851.502	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1833	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1881.863	22.06	60	37.94	Pass	401
1925	3000	1	RMS	2994	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13605	-39.68	-13	26.68	Pass	8001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	948.966	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1832	-53.73	-13	40.73	Pass	841
1840	1925	1	RMS	1881.863	21.14	60	38.86	Pass	401
1925	3000	1	RMS	2977	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.71	-13	26.71	Pass	8001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.21	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	935.958	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1835	-53.71	-13	40.71	Pass	841
1840	1925	1	RMS	1913.738	10.79	60	49.21	Pass	401
1925	3000	1	RMS	2983	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001



11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.18	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	973.382	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1834	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1913.738	10.03	60	49.97	Pass	401
1925	3000	1	RMS	2984	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001



11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	941.962	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1836	-52.63	-13	39.63	Pass	841
1840	1925	1	RMS	1850.2	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2928	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11997	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001

