



11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	838.5	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1836	-52.84	-13	39.84	Pass	841
1840	1925	1	RMS	1850.2	21.42	60	38.58	Pass	401
1925	3000	1	RMS	3000	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13607	-39.79	-13	26.79	Pass	8001



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	828.6	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1835	-53.73	-13	40.73	Pass	841
1840	1925	1	RMS	1881.225	21.96	60	38.04	Pass	401
1925	3000	1	RMS	2995	-51.24	-13	38.24	Pass	1076
3000	12000	1	RMS	11989	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.72	-13	26.72	Pass	8001



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	849.5	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1881.225	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2989	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13597	-39.74	-13	26.74	Pass	8001



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	990.093	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1835	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1912.038	15.62	60	44.38	Pass	401
1925	3000	1	RMS	2981	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	837.7	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1834	-53.77	-13	40.77	Pass	841
1840	1925	1	RMS	1912.038	14.94	60	45.06	Pass	401
1925	3000	1	RMS	3000	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11985	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13604	-39.78	-13	26.78	Pass	8001



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	952.669	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1836	-52.65	-13	39.65	Pass	841
1840	1925	1	RMS	1850.2	22.65	60	37.35	Pass	401
1925	3000	1	RMS	2993	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.27	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	877.319	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1836	-52.78	-13	39.78	Pass	841
1840	1925	1	RMS	1850.2	21.76	60	38.24	Pass	401
1925	3000	1	RMS	2982	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	840.3	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1834	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1880.163	22.32	60	37.68	Pass	401
1925	3000	1	RMS	2994	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11995	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	847.3	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1834	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1880.163	21.31	60	38.69	Pass	401
1925	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.39	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	996.598	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1835	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1910.338	19.8	60	40.2	Pass	401
1925	3000	1	RMS	2933	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11871	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	850.301	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1835	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1910.338	19.22	60	40.78	Pass	401
1925	3000	1	RMS	2972	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	849.1	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1833	-50.24	-13	37.24	Pass	841
1840	1925	1	RMS	1850.413	22.47	60	37.53	Pass	401
1925	3000	1	RMS	2980	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	931.555	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1833	-47.53	-13	34.53	Pass	841
1840	1925	1	RMS	1850.413	21.63	60	38.37	Pass	401
1925	3000	1	RMS	2988	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11857	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	967.779	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1834	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1878.038	21.95	60	38.05	Pass	401
1925	3000	1	RMS	2977	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	949.567	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1833	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1878.038	21.06	60	38.94	Pass	401
1925	3000	1	RMS	2995	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	847.6	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1838	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1905.45	23.19	60	36.81	Pass	401
1925	3000	1	RMS	2997	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3811	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	845.7	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1838	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1905.45	22.22	60	37.78	Pass	401
1925	3000	1	RMS	2993	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	832.6	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1836	-52.86	-13	39.86	Pass	841
1840	1925	1	RMS	1850.838	21.97	60	38.03	Pass	401
1925	3000	1	RMS	2987	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13605	-39.85	-13	26.85	Pass	8001



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	991.494	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1836	-52.95	-13	39.95	Pass	841
1840	1925	1	RMS	1850.625	21.26	60	38.74	Pass	401
1925	3000	1	RMS	2993	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.91	-13	26.91	Pass	8001



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	871.815	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1836	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1875.7	13.75	60	46.25	Pass	401
1925	3000	1	RMS	2997	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	991.694	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1833	-54	-13	41	Pass	841
1840	1925	1	RMS	1875.7	12.99	60	47.01	Pass	401
1925	3000	1	RMS	3000	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11992	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001



11.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	956.371	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1900.775	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2986	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	968.879	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1834	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1900.775	21.52	60	38.48	Pass	401
1925	3000	1	RMS	2988	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11998	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	845.3	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1835	-52.55	-13	39.55	Pass	841
1840	1925	1	RMS	1851.05	22.04	60	37.96	Pass	401
1925	3000	1	RMS	2990	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	841.3	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1835	-52.72	-13	39.72	Pass	841
1840	1925	1	RMS	1851.05	21.16	60	38.84	Pass	401
1925	3000	1	RMS	2989	-51.54	-13	38.54	Pass	1076
3000	12000	1	RMS	11991	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.18	-72.92	-13	59.92	Pass	2986
30	1000	0.1	RMS	963.676	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-53.67	-13	40.67	Pass	841
1840	1925	1	RMS	1873.575	13.49	60	46.51	Pass	401
1925	3000	1	RMS	2993	-51.54	-13	38.54	Pass	1076
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.85	-13	26.85	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	847.6	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1838	-53.6	-13	40.6	Pass	841
1840	1925	1	RMS	1873.575	12.8	60	47.2	Pass	401
1925	3000	1	RMS	2997	-51.56	-13	38.56	Pass	1076
3000	12000	1	RMS	11996	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13605	-39.9	-13	26.9	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	848.6	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1836	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1895.888	21.12	60	38.88	Pass	401
1925	3000	1	RMS	2980	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11986	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.9	-13	26.9	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	988.993	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1833	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1895.888	20.34	60	39.66	Pass	401
1925	3000	1	RMS	2983	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.94	-13	26.94	Pass	8001



12. LTE_Band26(part22)


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	813.5	-64.8	-13	51.8	Pass	7841
814	860	0.1	RMS	824.2	19.25	60	40.75	Pass	461
860	1000	0.1	RMS	931.3	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1648	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6798	-45.51	-13	32.51	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.19	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.6	-65.09	-13	52.09	Pass	7841
814	860	0.1	RMS	824.2	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	990.5	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-49.04	-13	36.04	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	813.4	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	836	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	980.7	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1672	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6799	-45.39	-13	32.39	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.7	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	836.1	18.68	60	41.32	Pass	461
860	1000	0.1	RMS	994.9	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1672	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	812.9	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	847.8	18.35	60	41.65	Pass	461
860	1000	0.1	RMS	887	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1695	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6802	-45.46	-13	32.46	Pass	7001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	778.2	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	847.9	17.52	60	42.48	Pass	461
860	1000	0.1	RMS	864.8	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1695	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	6800	-45.47	-13	32.47	Pass	7001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.5	-64.78	-13	51.78	Pass	7841
814	860	0.1	RMS	824.2	19.51	60	40.49	Pass	461
860	1000	0.1	RMS	869.9	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1648	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	814	0.1	RMS	813.5	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	824.2	18.49	60	41.51	Pass	461
860	1000	0.1	RMS	985.3	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.21	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	812.8	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	835.2	19.67	60	40.33	Pass	461
860	1000	0.1	RMS	978.5	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1670	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6802	-45.52	-13	32.52	Pass	7001



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	811.5	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	835.2	18.66	60	41.34	Pass	461
860	1000	0.1	RMS	878.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1670	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6799	-45.45	-13	32.45	Pass	7001



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.4	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	846.2	18.54	60	41.46	Pass	461
860	1000	0.1	RMS	928.6	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1692	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.4	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	846.2	17.73	60	42.27	Pass	461
860	1000	0.1	RMS	987.3	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	6799	-45.51	-13	32.51	Pass	7001



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	814	-64.49	-13	51.49	Pass	7841
814	860	0.1	RMS	824.3	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	979.3	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.7	-64.35	-13	51.35	Pass	7841
814	860	0.1	RMS	824.3	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	981	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1648	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	813.8	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	834.3	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	978.1	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1668	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6799	-45.43	-13	32.43	Pass	7001



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	812.3	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	834.3	19.22	60	40.78	Pass	461
860	1000	0.1	RMS	941.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1668	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813.5	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	844.3	20.14	60	39.86	Pass	461
860	1000	0.1	RMS	974.7	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1688	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	812.1	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	844.3	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	862	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1688	-48.25	-13	35.25	Pass	2001
3000	10000	1	RMS	6799	-45.45	-13	32.45	Pass	7001



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	811.4	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	824.6	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	948.3	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6801	-45.46	-13	32.46	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	811.3	-64.17	-13	51.17	Pass	7841
814	860	0.1	RMS	824.6	19.34	60	40.66	Pass	461
860	1000	0.1	RMS	992.5	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.18	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	813.6	-65.16	-13	52.16	Pass	7841
814	860	0.1	RMS	832.1	20.61	60	39.39	Pass	461
860	1000	0.1	RMS	994	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1664	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	814	-64.89	-13	51.89	Pass	7841
814	860	0.1	RMS	832.1	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	889.2	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1664	-48.45	-13	35.45	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.6	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	839.6	20.91	60	39.09	Pass	461
860	1000	0.1	RMS	943.5	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1679	-46.58	-13	33.58	Pass	2001
3000	10000	1	RMS	6801	-45.39	-13	32.39	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.25	-72.91	-13	59.91	Pass	2986
30	814	0.1	RMS	813.6	-65.24	-13	52.24	Pass	7841
814	860	0.1	RMS	839.6	19.95	60	40.05	Pass	461
860	1000	0.1	RMS	953	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1679	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



12.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	811.5	-54.06	-13	41.06	Pass	7841
814	860	0.1	RMS	824.8	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	872.2	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1649	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001



12.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	811.5	-52.8	-13	39.8	Pass	7841
814	860	0.1	RMS	824.8	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	990.1	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1649	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001



12.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.8	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	829.8	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	878.8	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1659	-47.86	-13	34.86	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001



12.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	814	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	829.8	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	935.9	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1659	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6800	-45.37	-13	32.37	Pass	7001



12.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.2	-65.13	-13	52.13	Pass	7841
814	860	0.1	RMS	834.8	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	973.6	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1669	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6799	-45.48	-13	32.48	Pass	7001



12.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	808.3	-65.03	-13	52.03	Pass	7841
814	860	0.1	RMS	834.8	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	889.8	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1669	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6802	-45.45	-13	32.45	Pass	7001



13. LTE_Band26(part90)


13.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.13	-13	53.13	Pass	401
0.15	30	0.01	Peak	0.16	-64.54	-13	51.54	Pass	2986
30	809	0.1	Peak	779.2	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	814.2	23.59	60	36.41	Pass	401
829	1000	0.1	Peak	843.8	-53.82	-13	40.82	Pass	1711
1000	3000	1	Peak	2891	-38.79	-13	25.79	Pass	2001
3000	10000	1	Peak	7722	-32.03	-13	19.03	Pass	7001




13.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.38	-64.34	-13	51.34	Pass	2986
30	809	0.1	Peak	498.8	-54.28	-13	41.28	Pass	7791
809	829	0.1	Peak	814.2	24.26	60	35.74	Pass	401
829	1000	0.1	Peak	996.4	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	2466	-38.93	-13	25.93	Pass	2001
3000	10000	1	Peak	8660	-32.29	-13	19.29	Pass	7001




13.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.56	-13	51.56	Pass	401
0.15	30	0.01	Peak	0.28	-64.8	-13	51.8	Pass	2986
30	809	0.1	Peak	797.5	-54.37	-13	41.37	Pass	7791
809	829	0.1	Peak	818.55	25.71	60	34.29	Pass	401
829	1000	0.1	Peak	831.3	-54.01	-13	41.01	Pass	1711
1000	3000	1	Peak	1637	-37.32	-13	24.32	Pass	2001
3000	10000	1	Peak	7683	-32.21	-13	19.21	Pass	7001




13.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.69	-13	51.69	Pass	401
0.15	30	0.01	Peak	0.54	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	746.7	-55.14	-13	42.14	Pass	7791
809	829	0.1	Peak	818.6	25.31	60	34.69	Pass	401
829	1000	0.1	Peak	839.3	-54.03	-13	41.03	Pass	1711
1000	3000	1	Peak	1637	-36.81	-13	23.81	Pass	2001
3000	10000	1	Peak	8666	-31.9	-13	18.9	Pass	7001



13.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.24	-13	52.24	Pass	401
0.15	30	0.01	Peak	0.17	-63.12	-13	50.12	Pass	2986
30	809	0.1	Peak	600.4	-53.92	-13	40.92	Pass	7791
809	829	0.1	Peak	822.8	24.88	60	35.12	Pass	401
829	1000	0.1	Peak	942.5	-53.14	-13	40.14	Pass	1711
1000	3000	1	Peak	1646	-37.82	-13	24.82	Pass	2001
3000	10000	1	Peak	7477	-32.06	-13	19.06	Pass	7001



13.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.44	-13	52.44	Pass	401
0.15	30	0.01	Peak	0.16	-63.39	-13	50.39	Pass	2986
30	809	0.1	Peak	743.9	-54.29	-13	41.29	Pass	7791
809	829	0.1	Peak	822.85	24.98	60	35.02	Pass	401
829	1000	0.1	Peak	846.1	-53.28	-13	40.28	Pass	1711
1000	3000	1	Peak	1646	-37.8	-13	24.8	Pass	2001
3000	10000	1	Peak	9042	-32.23	-13	19.23	Pass	7001

