



13.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.63	-13	52.63	Pass	401
0.15	30	0.01	Peak	0.17	-64.98	-13	51.98	Pass	2986
30	809	0.1	Peak	698.5	-54.63	-13	41.63	Pass	7791
809	829	0.1	Peak	814.25	24.57	60	35.43	Pass	401
829	1000	0.1	Peak	855.6	-53.61	-13	40.61	Pass	1711
1000	3000	1	Peak	2989	-39.15	-13	26.15	Pass	2001
3000	10000	1	Peak	9932	-31.93	-13	18.93	Pass	7001




13.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.64	-13	52.64	Pass	401
0.15	30	0.01	Peak	0.21	-65.25	-13	52.25	Pass	2986
30	809	0.1	Peak	738.1	-54.55	-13	41.55	Pass	7791
809	829	0.1	Peak	814.2	24.05	60	35.95	Pass	401
829	1000	0.1	Peak	833.3	-53.46	-13	40.46	Pass	1711
1000	3000	1	Peak	2442	-39.64	-13	26.64	Pass	2001
3000	10000	1	Peak	9868	-31.72	-13	18.72	Pass	7001




13.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.07	-13	52.07	Pass	401
0.15	30	0.01	Peak	1.29	-64.18	-13	51.18	Pass	2986
30	809	0.1	Peak	795.2	-54.51	-13	41.51	Pass	7791
809	829	0.1	Peak	817.75	23.64	60	36.36	Pass	401
829	1000	0.1	Peak	922.7	-53.93	-13	40.93	Pass	1711
1000	3000	1	Peak	1635	-38.98	-13	25.98	Pass	2001
3000	10000	1	Peak	9999	-31.92	-13	18.92	Pass	7001




13.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66	-13	53	Pass	401
0.15	30	0.01	Peak	0.15	-63.83	-13	50.83	Pass	2986
30	809	0.1	Peak	608.1	-54.21	-13	41.21	Pass	7791
809	829	0.1	Peak	817.8	23.99	60	36.01	Pass	401
829	1000	0.1	Peak	841.6	-53.97	-13	40.97	Pass	1711
1000	3000	1	Peak	2944	-39.41	-13	26.41	Pass	2001
3000	10000	1	Peak	6979	-31.51	-13	18.51	Pass	7001




13.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.83	-13	50.83	Pass	401
0.15	30	0.01	Peak	0.87	-62.68	-13	49.68	Pass	2986
30	809	0.1	Peak	712	-54.68	-13	41.68	Pass	7791
809	829	0.1	Peak	821.15	24.68	60	35.32	Pass	401
829	1000	0.1	Peak	829.3	-52.7	-13	39.7	Pass	1711
1000	3000	1	Peak	1643	-37.66	-13	24.66	Pass	2001
3000	10000	1	Peak	7322	-31.54	-13	18.54	Pass	7001




13.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.1	-13	53.1	Pass	401
0.15	30	0.01	Peak	0.38	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	378.3	-54.13	-13	41.13	Pass	7791
809	829	0.1	Peak	821.3	25.09	60	34.91	Pass	401
829	1000	0.1	Peak	829.1	-53.78	-13	40.78	Pass	1711
1000	3000	1	Peak	2464	-36.81	-13	23.81	Pass	2001
3000	10000	1	Peak	8178	-32.28	-13	19.28	Pass	7001




13.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.58	-13	51.58	Pass	401
0.15	30	0.01	Peak	0.18	-63.97	-13	50.97	Pass	2986
30	809	0.1	Peak	550.3	-54.43	-13	41.43	Pass	7791
809	829	0.1	Peak	814.3	24.05	60	35.95	Pass	401
829	1000	0.1	Peak	847.4	-54	-13	41	Pass	1711
1000	3000	1	Peak	2771	-38.3	-13	25.3	Pass	2001
3000	10000	1	Peak	7296	-32.13	-13	19.13	Pass	7001




13.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.2	-13	51.2	Pass	401
0.15	30	0.01	Peak	0.16	-64.47	-13	51.47	Pass	2986
30	809	0.1	Peak	745.1	-54.17	-13	41.17	Pass	7791
809	829	0.1	Peak	814.4	24.41	60	35.59	Pass	401
829	1000	0.1	Peak	987.2	-53.93	-13	40.93	Pass	1711
1000	3000	1	Peak	1629	-39.23	-13	26.23	Pass	2001
3000	10000	1	Peak	8722	-32.18	-13	19.18	Pass	7001




**13.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.08	-13	52.08	Pass	401
0.15	30	0.01	Peak	0.38	-65.17	-13	52.17	Pass	2986
30	809	0.1	Peak	806.7	-54.53	-13	41.53	Pass	7791
809	829	0.1	Peak	816.85	24.1	60	35.9	Pass	401
829	1000	0.1	Peak	916.3	-54.19	-13	41.19	Pass	1711
1000	3000	1	Peak	2863	-39.21	-13	26.21	Pass	2001
3000	10000	1	Peak	6968	-32.14	-13	19.14	Pass	7001




13.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.75	-13	52.75	Pass	401
0.15	30	0.01	Peak	0.33	-62.97	-13	49.97	Pass	2986
30	809	0.1	Peak	698.2	-53.42	-13	40.42	Pass	7791
809	829	0.1	Peak	816.85	24	60	36	Pass	401
829	1000	0.1	Peak	933.6	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	1634	-39.17	-13	26.17	Pass	2001
3000	10000	1	Peak	8759	-31.84	-13	18.84	Pass	7001




**13.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.16	-13	53.16	Pass	401
0.15	30	0.01	Peak	0.15	-62.73	-13	49.73	Pass	2986
30	809	0.1	Peak	716.1	-53.48	-13	40.48	Pass	7791
809	829	0.1	Peak	819.35	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	830.2	-51.1	-13	38.1	Pass	1711
1000	3000	1	Peak	1639	-36.99	-13	23.99	Pass	2001
3000	10000	1	Peak	7328	-32.32	-13	19.32	Pass	7001




13.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.62	-13	53.62	Pass	401
0.15	30	0.01	Peak	0.4	-64.4	-13	51.4	Pass	2986
30	809	0.1	Peak	763.6	-53.9	-13	40.9	Pass	7791
809	829	0.1	Peak	819.4	25.53	60	34.47	Pass	401
829	1000	0.1	Peak	834.4	-51.04	-13	38.04	Pass	1711
1000	3000	1	Peak	1639	-36.8	-13	23.8	Pass	2001
3000	10000	1	Peak	9906	-31.61	-13	18.61	Pass	7001




13.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.29	-13	51.29	Pass	401
0.15	30	0.01	Peak	0.16	-63.85	-13	50.85	Pass	2986
30	809	0.1	Peak	767.5	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	814.55	24.63	60	35.37	Pass	401
829	1000	0.1	Peak	832.3	-36.43	-13	23.43	Pass	1711
1000	3000	1	Peak	2444	-39.03	-13	26.03	Pass	2001
3000	10000	1	Peak	8768	-31.38	-13	18.38	Pass	7001



13.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.36	-13	52.36	Pass	401
0.15	30	0.01	Peak	0.37	-65.02	-13	52.02	Pass	2986
30	809	0.1	Peak	758.9	-54.85	-13	41.85	Pass	7791
809	829	0.1	Peak	814.55	24.33	60	35.67	Pass	401
829	1000	0.1	Peak	832.2	-32.74	-13	19.74	Pass	1711
1000	3000	1	Peak	1629	-38.79	-13	25.79	Pass	2001
3000	10000	1	Peak	7306	-31.21	-13	18.21	Pass	7001



14. LTE_Band38


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.42	-25	42.42	Pass	401
0.15	30	0.01	RMS	0.22	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	865.611	-60.88	-25	35.88	Pass	9701
1000	2560	1	RMS	2559	-47.16	-25	22.16	Pass	1561
2560	2630	1	RMS	2570.325	23.38	60	36.62	Pass	401
2630	3000	1	RMS	2999.075	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	3489	-66.62	-25	41.62	Pass	9002
12000	26500	1	RMS	25905	-50.69	-25	25.69	Pass	14502




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.16	-25	44.16	Pass	401
0.15	30	0.01	RMS	0.16	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	816.2	-60.94	-25	35.94	Pass	9701
1000	2560	1	RMS	2559	-47.17	-25	22.17	Pass	1561
2560	2630	1	RMS	2570.325	22.29	60	37.71	Pass	401
2630	3000	1	RMS	2999.075	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	3404	-54.99	-25	29.99	Pass	9002
12000	26500	1	RMS	25499	-50.72	-25	25.72	Pass	14502




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	42.54	Pass	2986
30	1000	0.1	RMS	855.404	-60.92	-25	35.92	Pass	9701
1000	2560	1	RMS	2559	-47.32	-25	22.32	Pass	1561
2560	2630	1	RMS	2592.9	22.92	60	37.08	Pass	401
2630	3000	1	RMS	2997.225	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	3421	-66.32	-25	41.32	Pass	9002
12000	26500	1	RMS	25510	-50.74	-25	25.74	Pass	14502




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	42.78	Pass	2986
30	1000	0.1	RMS	942.762	-60.95	-25	35.95	Pass	9701
1000	2560	1	RMS	2491	-47.36	-25	22.36	Pass	1561
2560	2630	1	RMS	2592.9	22.37	60	37.63	Pass	401
2630	3000	1	RMS	2998.15	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3488	-67.03	-25	42.03	Pass	9002
12000	26500	1	RMS	25496	-50.73	-25	25.73	Pass	14502




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	984.39	-60.88	-25	35.88	Pass	9701
1000	2560	1	RMS	2516	-47.35	-25	22.35	Pass	1561
2560	2630	1	RMS	2615.125	22.68	60	37.32	Pass	401
2630	3000	1	RMS	2993.525	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	3456	-65.1	-25	40.1	Pass	9002
12000	26500	1	RMS	25507	-50.74	-25	25.74	Pass	14502




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.43	-25	42.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	999.5	-60.87	-25	35.87	Pass	9701
1000	2560	1	RMS	2559	-47.39	-25	22.39	Pass	1561
2560	2630	1	RMS	2615.125	22.52	60	37.48	Pass	401
2630	3000	1	RMS	3000	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	6991	-67.92	-25	42.92	Pass	9002
12000	26500	1	RMS	25499	-50.73	-25	25.73	Pass	14502




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.17	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	970.981	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2553	-44.45	-25	19.45	Pass	1561
2560	2630	1	RMS	2570.325	23.24	60	36.76	Pass	401
2630	3000	1	RMS	3000	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	3445	-67.87	-25	42.87	Pass	9002
12000	26500	1	RMS	25516	-50.72	-25	25.72	Pass	14502




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.26	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	978.786	-60.8	-25	35.8	Pass	9701
1000	2560	1	RMS	2553	-38.15	-25	13.15	Pass	1561
2560	2630	1	RMS	2570.5	22.93	60	37.07	Pass	401
2630	3000	1	RMS	2999.075	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	3416	-67.06	-25	42.06	Pass	9002
12000	26500	1	RMS	25497	-50.59	-25	25.59	Pass	14502



14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.21	-25	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	952.769	-60.79	-25	35.79	Pass	9701
1000	2560	1	RMS	2559	-47.33	-25	22.33	Pass	1561
2560	2630	1	RMS	2590.45	22.75	60	37.25	Pass	401
2630	3000	1	RMS	2999.075	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	6980	-67.87	-25	42.87	Pass	9002
12000	26500	1	RMS	25500	-50.61	-25	25.61	Pass	14502



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68	-25	43	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	934.356	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2505	-47.31	-25	22.31	Pass	1561
2560	2630	1	RMS	2590.625	22.5	60	37.5	Pass	401
2630	3000	1	RMS	2998.15	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	6983	-67.83	-25	42.83	Pass	9002
12000	26500	1	RMS	25500	-50.68	-25	25.68	Pass	14502



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	927.352	-60.84	-25	35.84	Pass	9701
1000	2560	1	RMS	2510	-47.32	-25	22.32	Pass	1561
2560	2630	1	RMS	2610.575	23.21	60	36.79	Pass	401
2630	3000	1	RMS	2996.3	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3439	-56.28	-25	31.28	Pass	9002
12000	26500	1	RMS	25498	-50.63	-25	25.63	Pass	14502



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	927.952	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2498	-47.32	-25	22.32	Pass	1561
2560	2630	1	RMS	2610.575	22.29	60	37.71	Pass	401
2630	3000	1	RMS	2839.975	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	3428	-65.03	-25	40.03	Pass	9002
12000	26500	1	RMS	25504	-50.72	-25	25.72	Pass	14502



14.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	978.686	-60.65	-25	35.65	Pass	9701
1000	2560	1	RMS	2544	-44.29	-25	19.29	Pass	1561
2560	2630	1	RMS	2570.675	23.24	60	36.76	Pass	401
2630	3000	1	RMS	2998.15	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	6978	-67.89	-25	42.89	Pass	9002
12000	26500	1	RMS	25506	-50.71	-25	25.71	Pass	14502



14.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.2	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	979.687	-60.82	-25	35.82	Pass	9701
1000	2560	1	RMS	2545	-40.47	-25	15.47	Pass	1561
2560	2630	1	RMS	2570.675	22.07	60	37.93	Pass	401
2630	3000	1	RMS	3000	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	6995	-67.96	-25	42.96	Pass	9002
12000	26500	1	RMS	25499	-50.71	-25	25.71	Pass	14502



14.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.39	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	940.761	-60.87	-25	35.87	Pass	9701
1000	2560	1	RMS	2490	-47.32	-25	22.32	Pass	1561
2560	2630	1	RMS	2588.175	23.03	60	36.97	Pass	401
2630	3000	1	RMS	2995.375	-46.36	-25	21.36	Pass	401
3000	12000	1	RMS	6990	-67.93	-25	42.93	Pass	9002
12000	26500	1	RMS	25494	-50.69	-25	25.69	Pass	14502



14.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.24	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	980.887	-60.89	-25	35.89	Pass	9701
1000	2560	1	RMS	2506	-47.39	-25	22.39	Pass	1561
2560	2630	1	RMS	2588.175	22.45	60	37.55	Pass	401
2630	3000	1	RMS	3000	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	6983	-67.95	-25	42.95	Pass	9002
12000	26500	1	RMS	25501	-50.65	-25	25.65	Pass	14502



14.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	968.679	-60.97	-25	35.97	Pass	9701
1000	2560	1	RMS	2492	-47.38	-25	22.38	Pass	1561
2560	2630	1	RMS	2605.85	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2631.85	-37.21	-25	12.21	Pass	401
3000	12000	1	RMS	6979	-67.9	-25	42.9	Pass	9002
12000	26500	1	RMS	25500	-50.67	-25	25.67	Pass	14502



14.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	855.704	-60.78	-25	35.78	Pass	9701
1000	2560	1	RMS	2494	-47.3	-25	22.3	Pass	1561
2560	2630	1	RMS	2605.85	22.69	60	37.31	Pass	401
2630	3000	1	RMS	2631.85	-32.99	-25	7.99	Pass	401
3000	12000	1	RMS	7014	-67.95	-25	42.95	Pass	9002
12000	26500	1	RMS	25501	-50.7	-25	25.7	Pass	14502



14.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.33	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	908.139	-60.88	-25	35.88	Pass	9701
1000	2560	1	RMS	2536	-39.75	-25	14.75	Pass	1561
2560	2630	1	RMS	2570.85	23.11	60	36.89	Pass	401
2630	3000	1	RMS	3000	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	6980	-67.94	-25	42.94	Pass	9002
12000	26500	1	RMS	25519	-50.72	-25	25.72	Pass	14502



14.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.15	-67.19	-25	42.19	Pass	2986
30	1000	0.1	RMS	851.001	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2536	-35.2	-25	10.2	Pass	1561
2560	2630	1	RMS	2570.85	22.46	60	37.54	Pass	401
2630	3000	1	RMS	2967.625	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	6983	-67.97	-25	42.97	Pass	9002
12000	26500	1	RMS	25483	-50.71	-25	25.71	Pass	14502



14.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.17	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	960.774	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2551	-37.61	-25	12.61	Pass	1561
2560	2630	1	RMS	2585.9	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2999.075	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	7004	-67.91	-25	42.91	Pass	9002
12000	26500	1	RMS	25498	-50.63	-25	25.63	Pass	14502



14.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	942.462	-60.86	-25	35.86	Pass	9701
1000	2560	1	RMS	2551	-33.15	-25	8.15	Pass	1561
2560	2630	1	RMS	2586.075	22.05	60	37.95	Pass	401
2630	3000	1	RMS	2986.125	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	7009	-67.91	-25	42.91	Pass	9002
12000	26500	1	RMS	25893	-50.7	-25	25.7	Pass	14502



14.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.17	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	933.856	-60.82	-25	35.82	Pass	9701
1000	2560	1	RMS	2530	-47.31	-25	22.31	Pass	1561
2560	2630	1	RMS	2601.125	22.98	60	37.02	Pass	401
2630	3000	1	RMS	2636.475	-34.51	-25	9.51	Pass	401
3000	12000	1	RMS	7018	-67.97	-25	42.97	Pass	9002
12000	26500	1	RMS	25511	-50.64	-25	25.64	Pass	14502



14.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.17	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	842.7	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2530	-47.37	-25	22.37	Pass	1561
2560	2630	1	RMS	2601.125	22.49	60	37.51	Pass	401
2630	3000	1	RMS	2636.475	-32.82	-25	7.82	Pass	401
3000	12000	1	RMS	6977	-67.88	-25	42.88	Pass	9002
12000	26500	1	RMS	25489	-50.62	-25	25.62	Pass	14502



15. LTE_Band41 full


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.17	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	535.7	-60.3	-25	35.3	Pass	9701
1000	2486	1	RMS	2486	-46.99	-25	21.99	Pass	1487
2486	2700	1	RMS	2496.165	23.02	60	36.98	Pass	401
2700	3000	1	RMS	2999.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3072	-77.58	-25	52.58	Pass	9002
12000	26500	1	RMS	25502	-73.37	-25	48.37	Pass	14502




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.16	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	866.512	-60.83	-25	35.83	Pass	9701
1000	2486	1	RMS	2480	-46.21	-25	21.21	Pass	1487
2486	2700	1	RMS	2496.165	22.22	60	37.78	Pass	401
2700	3000	1	RMS	3000	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	3473	-68.13	-25	43.13	Pass	9002
12000	26500	1	RMS	25499	-73.43	-25	48.43	Pass	14502




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.27	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	865.111	-60.93	-25	35.93	Pass	9701
1000	2486	1	RMS	2482	-47.45	-25	22.45	Pass	1487
2486	2700	1	RMS	2590.325	22.66	60	37.34	Pass	401
2700	3000	1	RMS	2999.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3072	-77.17	-25	52.17	Pass	9002
12000	26500	1	RMS	25496	-73.36	-25	48.36	Pass	14502




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	866.912	-60.9	-25	35.9	Pass	9701
1000	2486	1	RMS	2480	-47.51	-25	22.51	Pass	1487
2486	2700	1	RMS	2590.325	21.76	60	38.24	Pass	401
2700	3000	1	RMS	2998.5	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	3072	-77.38	-25	52.38	Pass	9002
12000	26500	1	RMS	25497	-73.37	-25	48.37	Pass	14502




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	724.6	-59.36	-25	34.36	Pass	9701
1000	2486	1	RMS	2479	-47.53	-25	22.53	Pass	1487
2486	2700	1	RMS	2685.02	22.62	60	37.38	Pass	401
2700	3000	1	RMS	2998.5	-46.37	-25	21.37	Pass	401
3000	12000	1	RMS	3072	-77.76	-25	52.76	Pass	9002
12000	26500	1	RMS	25513	-73.43	-25	48.43	Pass	14502




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	724.7	-60.33	-25	35.33	Pass	9701
1000	2486	1	RMS	2481	-47.56	-25	22.56	Pass	1487
2486	2700	1	RMS	2685.02	20.85	60	39.15	Pass	401
2700	3000	1	RMS	2996.25	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	6975	-78.17	-25	53.17	Pass	9002
12000	26500	1	RMS	25498	-73.44	-25	48.44	Pass	14502




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-25	44.34	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	869.814	-61.03	-25	36.03	Pass	9701
1000	2486	1	RMS	2479	-42.78	-25	17.78	Pass	1487
2486	2700	1	RMS	2496.7	22.15	60	37.85	Pass	401
2700	3000	1	RMS	2994.75	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	3072	-77.42	-25	52.42	Pass	9002
12000	26500	1	RMS	25523	-73.43	-25	48.43	Pass	14502




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.51	-25	42.51	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	535.9	-60.79	-25	35.79	Pass	9701
1000	2486	1	RMS	2479	-38.22	-25	13.22	Pass	1487
2486	2700	1	RMS	2496.165	21.89	60	38.11	Pass	401
2700	3000	1	RMS	2999.25	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	7490	-78.07	-25	53.07	Pass	9002
12000	26500	1	RMS	25494	-73.34	-25	48.34	Pass	14502



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.21	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	973.482	-60.97	-25	35.97	Pass	9701
1000	2486	1	RMS	2482	-47.57	-25	22.57	Pass	1487
2486	2700	1	RMS	2588.185	22.91	60	37.09	Pass	401
2700	3000	1	RMS	2998.5	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	3072	-77.18	-25	52.18	Pass	9002
12000	26500	1	RMS	25505	-73.5	-25	48.5	Pass	14502



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.98	-25	42.98	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	998.199	-61.08	-25	36.08	Pass	9701
1000	2486	1	RMS	2481	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2588.185	21.93	60	38.07	Pass	401
2700	3000	1	RMS	3000	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	3072	-77.53	-25	52.53	Pass	9002
12000	26500	1	RMS	25498	-73.38	-25	48.38	Pass	14502



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	42.47	Pass	2986
30	1000	0.1	RMS	719.9	-60.99	-25	35.99	Pass	9701
1000	2486	1	RMS	2476	-47.44	-25	22.44	Pass	1487
2486	2700	1	RMS	2680.205	22.52	60	37.48	Pass	401
2700	3000	1	RMS	2999.25	-46.45	-25	21.45	Pass	401
3000	12000	1	RMS	3071	-78.13	-25	53.13	Pass	9002
12000	26500	1	RMS	25515	-73.43	-25	48.43	Pass	14502



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	719.8	-60.72	-25	35.72	Pass	9701
1000	2486	1	RMS	2486	-47.55	-25	22.55	Pass	1487
2486	2700	1	RMS	2680.205	21.76	60	38.24	Pass	401
2700	3000	1	RMS	2999.25	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	3072	-77.49	-25	52.49	Pass	9002
12000	26500	1	RMS	25504	-73.36	-25	48.36	Pass	14502



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.16	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	536.2	-60.68	-25	35.68	Pass	9701
1000	2486	1	RMS	2470	-39.9	-25	14.9	Pass	1487
2486	2700	1	RMS	2496.7	23.18	60	36.82	Pass	401
2700	3000	1	RMS	2998.5	-46.47	-25	21.47	Pass	401
3000	12000	1	RMS	6994	-78.12	-25	53.12	Pass	9002
12000	26500	1	RMS	25504	-73.51	-25	48.51	Pass	14502



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	536.1	-60.49	-25	35.49	Pass	9701
1000	2486	1	RMS	2470	-34.92	-25	9.92	Pass	1487
2486	2700	1	RMS	2496.7	22.71	60	37.29	Pass	401
2700	3000	1	RMS	3000	-46.46	-25	21.46	Pass	401
3000	12000	1	RMS	3072	-77.91	-25	52.91	Pass	9002
12000	26500	1	RMS	25514	-73.4	-25	48.4	Pass	14502



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.17	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	893.029	-60.83	-25	35.83	Pass	9701
1000	2486	1	RMS	2484	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2586.045	22.98	60	37.02	Pass	401
2700	3000	1	RMS	2998.5	-46.49	-25	21.49	Pass	401
3000	12000	1	RMS	6976	-78.12	-25	53.12	Pass	9002
12000	26500	1	RMS	25507	-73.39	-25	48.39	Pass	14502



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	992.395	-61.03	-25	36.03	Pass	9701
1000	2486	1	RMS	2484	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2586.045	21.85	60	38.15	Pass	401
2700	3000	1	RMS	2995.5	-46.46	-25	21.46	Pass	401
3000	12000	1	RMS	3072	-77	-25	52	Pass	9002
12000	26500	1	RMS	25513	-73.57	-25	48.57	Pass	14502



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	715.1	-60.42	-25	35.42	Pass	9701
1000	2486	1	RMS	2471	-47.63	-25	22.63	Pass	1487
2486	2700	1	RMS	2675.39	22.31	60	37.69	Pass	401
2700	3000	1	RMS	2702.25	-39.67	-25	14.67	Pass	401
3000	12000	1	RMS	3072	-76.95	-25	51.95	Pass	9002
12000	26500	1	RMS	25501	-73.4	-25	48.4	Pass	14502



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	715.1	-60.98	-25	35.98	Pass	9701
1000	2486	1	RMS	2484	-47.53	-25	22.53	Pass	1487
2486	2700	1	RMS	2675.39	20.75	60	39.25	Pass	401
2700	3000	1	RMS	2702.25	-36.96	-25	11.96	Pass	401
3000	12000	1	RMS	3072	-77.22	-25	52.22	Pass	9002
12000	26500	1	RMS	25501	-73.53	-25	48.53	Pass	14502



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	536.4	-59.2	-25	34.2	Pass	9701
1000	2486	1	RMS	2462	-36.92	-25	11.92	Pass	1487
2486	2700	1	RMS	2496.7	22.58	60	37.42	Pass	401
2700	3000	1	RMS	2999.25	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	3072	-77.66	-25	52.66	Pass	9002
12000	26500	1	RMS	25496	-73.55	-25	48.55	Pass	14502



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.18	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	536.4	-60.61	-25	35.61	Pass	9701
1000	2486	1	RMS	2461	-33.33	-25	8.33	Pass	1487
2486	2700	1	RMS	2496.7	22.19	60	37.81	Pass	401
2700	3000	1	RMS	3000	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	3072	-77.51	-25	52.51	Pass	9002
12000	26500	1	RMS	25516	-73.41	-25	48.41	Pass	14502



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.16	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	953.169	-61.16	-25	36.16	Pass	9701
1000	2486	1	RMS	2482	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2583.905	23.4	60	36.6	Pass	401
2700	3000	1	RMS	2999.25	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	6987	-78.23	-25	53.23	Pass	9002
12000	26500	1	RMS	25508	-73.58	-25	48.58	Pass	14502



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	986.591	-61.21	-25	36.21	Pass	9701
1000	2486	1	RMS	2485	-47.67	-25	22.67	Pass	1487
2486	2700	1	RMS	2583.905	22.03	60	37.97	Pass	401
2700	3000	1	RMS	3000	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	3072	-77.82	-25	52.82	Pass	9002
12000	26500	1	RMS	25501	-73.55	-25	48.55	Pass	14502



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	954.77	-61.07	-25	36.07	Pass	9701
1000	2486	1	RMS	2466	-47.69	-25	22.69	Pass	1487
2486	2700	1	RMS	2671.11	22.55	60	37.45	Pass	401
2700	3000	1	RMS	2706	-35.16	-25	10.16	Pass	401
3000	12000	1	RMS	6986	-78.22	-25	53.22	Pass	9002
12000	26500	1	RMS	25500	-73.55	-25	48.55	Pass	14502



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	964.276	-61.04	-25	36.04	Pass	9701
1000	2486	1	RMS	2482	-47.7	-25	22.7	Pass	1487
2486	2700	1	RMS	2671.11	21.35	60	38.65	Pass	401
2700	3000	1	RMS	2706.75	-33.41	-25	8.41	Pass	401
3000	12000	1	RMS	7015	-78.24	-25	53.24	Pass	9002
12000	26500	1	RMS	25501	-73.54	-25	48.54	Pass	14502



16. LTE_Band66


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	860.307	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1700	-53.05	-13	40.05	Pass	701
1700	1790	1	RMS	1710.125	23.09	60	36.91	Pass	401
1790	3000	1	RMS	2999	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11998	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13601	-39.58	-13	26.58	Pass	8001



16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	824.8	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1700	-53.21	-13	40.21	Pass	701
1700	1790	1	RMS	1710.125	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2985	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11997	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13599	-39.65	-13	26.65	Pass	8001



16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.18	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	899.233	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1698	-53.82	-13	40.82	Pass	701
1700	1790	1	RMS	1744.55	22.93	60	37.07	Pass	401
1790	3000	1	RMS	2995	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11995	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13598	-39.7	-13	26.7	Pass	8001

