


Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_11.31.28

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.52	3.82	74.0	17.48	Peak	64.00	150	Vertical	Pass
1**	5150.000	46.40	3.82	54.0	7.60	AV	64.00	150	Vertical	Pass
2	5145.450	56.79	3.95	74.0	17.21	Peak	182.00	150	Vertical	Pass
2**	5145.450	45.36	3.95	54.0	8.64	AV	182.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_11.30.16

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.38	3.82	74.0	18.62	Peak	0.05	150	Horizontal	Pass
1**	5150.000	45.90	3.82	54.0	8.10	AV	0.05	150	Horizontal	Pass
2	5142.850	56.63	4.02	74.0	17.37	Peak	198.00	150	Horizontal	Pass
2**	5142.850	45.15	4.02	54.0	8.85	AV	198.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_11.33.14

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	4.04	74.0	19.27	Peak	56.00	150	Vertical	Pass
1**	5350.000	44.71	4.04	54.0	9.29	AV	56.00	150	Vertical	Pass
2	5450.430	56.62	3.89	74.0	17.38	Peak	147.00	150	Vertical	Pass
2**	5450.430	44.77	3.89	54.0	9.23	AV	147.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_11.34.28

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.63	4.04	74.0	19.37	Peak	11.00	150	Horizontal	Pass
1**	5350.000	44.55	4.04	54.0	9.45	AV	11.00	150	Horizontal	Pass
2	5378.270	57.83	4.05	74.0	16.17	Peak	164.00	150	Horizontal	Pass
2**	5378.270	44.38	4.05	54.0	9.62	AV	164.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_11.37.55

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.37	3.82	74.0	16.63	Peak	56.00	150	Vertical	Pass
1**	5150.000	47.57	3.82	54.0	6.43	AV	56.00	150	Vertical	Pass
2	5148.050	58.23	3.87	74.0	15.77	Peak	68.00	150	Vertical	Pass
2**	5148.050	46.75	3.87	54.0	7.25	AV	68.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_11.36.38

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.54	3.82	74.0	17.46	Peak	197.00	150	Horizontal	Pass
1**	5150.000	47.32	3.82	54.0	6.68	AV	197.00	150	Horizontal	Pass
2	5148.700	57.43	3.85	74.0	16.57	Peak	193.00	150	Horizontal	Pass
2**	5148.700	46.60	3.85	54.0	7.40	AV	193.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_11.39.53

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.49	4.04	74.0	18.51	Peak	297.00	150	Vertical	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	297.00	150	Vertical	Pass
2	5437.230	56.67	3.72	74.0	17.33	Peak	302.00	150	Vertical	Pass
2**	5437.230	44.65	3.72	54.0	9.35	AV	302.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_11.41.07

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.53	4.04	74.0	19.47	Peak	84.00	150	Horizontal	Pass
1**	5350.000	44.71	4.04	54.0	9.29	AV	84.00	150	Horizontal	Pass
2	5371.120	56.91	3.98	74.0	17.09	Peak	313.00	150	Horizontal	Pass
2**	5371.120	44.41	3.98	54.0	9.59	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_19.45.48

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=9
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.49	3.82	74.0	19.51	Peak	203.99	150	Vertical	Pass
1**	5150.000	44.77	3.82	54.0	9.23	AV	203.99	150	Vertical	Pass
2	4862.050	56.02	4.00	74.0	17.98	Peak	23.00	150	Vertical	Pass
2**	4862.050	44.21	4.00	54.0	9.79	AV	23.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_19.44.17

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=9
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.91	3.82	74.0	16.09	Peak	213.01	150	Horizontal	Pass
1**	5150.000	48.79	3.82	54.0	5.21	AV	213.01	150	Horizontal	Pass
2	5149.350	57.95	3.84	74.0	16.05	Peak	264.00	150	Horizontal	Pass
2**	5149.350	48.72	3.84	54.0	5.28	AV	264.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_19.50.05

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.46	4.04	74.0	19.54	Peak	216.00	150	Vertical	Pass
1**	5350.000	44.53	4.04	54.0	9.47	AV	216.00	150	Vertical	Pass
2	5425.240	56.41	3.72	74.0	17.59	Peak	149.00	150	Vertical	Pass
2**	5425.240	44.47	3.72	54.0	9.53	AV	149.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_19.51.33

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.51	4.04	74.0	19.49	Peak	25.00	150	Horizontal	Pass
1**	5350.000	44.50	4.04	54.0	9.50	AV	25.00	150	Horizontal	Pass
2	5458.900	56.86	3.78	74.0	17.14	Peak	290.00	150	Horizontal	Pass
2**	5458.900	44.41	3.78	54.0	9.59	AV	290.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_18.41.04

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=8
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.52	3.82	74.0	18.48	Peak	0.04	150	Vertical	Pass
1**	5150.000	44.93	3.82	54.0	9.07	AV	0.04	150	Vertical	Pass
2	5094.100	56.41	3.67	74.0	17.59	Peak	356.00	150	Vertical	Pass
2**	5094.100	44.70	3.67	54.0	9.30	AV	356.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_18.39.28

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=8
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.70	3.82	74.0	16.30	Peak	266.00	150	Horizontal	Pass
1**	5150.000	48.20	3.82	54.0	5.80	AV	266.00	150	Horizontal	Pass
2	5148.050	58.87	3.87	74.0	15.13	Peak	253.00	150	Horizontal	Pass
2**	5148.050	48.58	3.87	54.0	5.42	AV	253.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.22.48

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.43	3.82	74.0	18.57	Peak	351.93	150	Vertical	Pass
1**	5150.000	44.61	3.82	54.0	9.39	AV	351.93	150	Vertical	Pass
2	5086.950	56.87	3.44	74.0	17.13	Peak	228.00	150	Vertical	Pass
2**	5086.950	44.52	3.44	54.0	9.48	AV	228.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.21.19

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.43	3.82	74.0	19.57	Peak	133.04	150	Horizontal	Pass
1**	5150.000	44.66	3.82	54.0	9.34	AV	133.04	150	Horizontal	Pass
2	5021.300	56.10	3.49	74.0	17.90	Peak	67.00	150	Horizontal	Pass
2**	5021.300	44.12	3.49	54.0	9.88	AV	67.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.24.31

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.67	4.04	74.0	19.33	Peak	313.00	150	Vertical	Pass
1**	5350.000	44.70	4.04	54.0	9.30	AV	313.00	150	Vertical	Pass
2	5423.590	57.04	3.72	74.0	16.96	Peak	277.00	150	Vertical	Pass
2**	5423.590	44.46	3.72	54.0	9.54	AV	277.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.25.51

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.33	4.04	74.0	19.67	Peak	286.00	150	Horizontal	Pass
1**	5350.000	44.82	4.04	54.0	9.18	AV	286.00	150	Horizontal	Pass
2	5359.460	57.31	4.23	74.0	16.69	Peak	301.00	150	Horizontal	Pass
2**	5359.460	44.70	4.23	54.0	9.30	AV	301.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_14.29.03

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.42	3.82	74.0	18.58	Peak	218.99	150	Vertical	Pass
1**	5150.000	44.66	3.82	54.0	9.34	AV	218.99	150	Vertical	Pass
2	5064.850	56.33	3.73	74.0	17.67	Peak	26.00	150	Vertical	Pass
2**	5064.850	44.24	3.73	54.0	9.76	AV	26.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.27.51

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.91	3.82	74.0	19.09	Peak	230.98	150	Horizontal	Pass
1**	5150.000	45.01	3.82	54.0	8.99	AV	230.98	150	Horizontal	Pass
2	5114.900	56.14	3.65	74.0	17.86	Peak	331.00	150	Horizontal	Pass
2**	5114.900	44.50	3.65	54.0	9.50	AV	331.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.30.42

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.63	4.04	74.0	19.37	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.53	4.04	54.0	9.47	AV	360.00	150	Vertical	Pass
2	5379.260	56.52	4.05	74.0	17.48	Peak	340.00	150	Vertical	Pass
2**	5379.260	44.47	4.05	54.0	9.53	AV	340.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.31.56

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	4.04	74.0	19.27	Peak	0.00	150	Horizontal	Pass
1**	5350.000	44.97	4.04	54.0	9.03	AV	0.00	150	Horizontal	Pass
2	5434.370	57.13	3.70	74.0	16.87	Peak	81.00	150	Horizontal	Pass
2**	5434.370	44.29	3.70	54.0	9.71	AV	81.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.35.37

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.15	3.82	74.0	18.85	Peak	160.00	150	Vertical	Pass
1**	5150.000	44.67	3.82	54.0	9.33	AV	160.00	150	Vertical	Pass
2	4952.400	55.85	3.94	74.0	18.15	Peak	268.00	150	Vertical	Pass
2**	4952.400	44.25	3.94	54.0	9.75	AV	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.33.53

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.00	3.82	74.0	19.00	Peak	236.96	150	Horizontal	Pass
1**	5150.000	44.69	3.82	54.0	9.31	AV	236.96	150	Horizontal	Pass
2	4854.250	56.10	4.24	74.0	17.90	Peak	294.00	150	Horizontal	Pass
2**	4854.250	44.47	4.24	54.0	9.53	AV	294.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.37.06

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=7
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.75	4.04	74.0	19.25	Peak	35.00	150	Vertical	Pass
1**	5350.000	44.53	4.04	54.0	9.47	AV	35.00	150	Vertical	Pass
2	5358.910	56.74	4.23	74.0	17.26	Peak	360.00	150	Vertical	Pass
2**	5358.910	44.86	4.23	54.0	9.14	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_14.38.20

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=7
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.70	4.04	74.0	19.30	Peak	142.00	150	Horizontal	Pass
1**	5350.000	44.76	4.04	54.0	9.24	AV	142.00	150	Horizontal	Pass
2	5376.620	56.32	4.02	74.0	17.68	Peak	40.00	150	Horizontal	Pass
2**	5376.620	44.42	4.02	54.0	9.58	AV	40.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_18.22.00

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=6
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.58	4.04	74.0	19.42	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.57	4.04	54.0	9.43	AV	360.00	150	Vertical	Pass
2	5416.220	56.56	3.74	74.0	17.44	Peak	360.00	150	Vertical	Pass
2**	5416.220	44.40	3.74	54.0	9.60	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_18.23.23

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=6
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	4.04	74.0	17.01	Peak	187.00	150	Horizontal	Pass
1**	5350.000	47.15	4.04	54.0	6.85	AV	187.00	150	Horizontal	Pass
2	5359.020	58.60	4.23	74.0	15.40	Peak	182.00	150	Horizontal	Pass
2**	5359.020	46.77	4.23	54.0	7.23	AV	182.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_15.07.54

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.18	3.78	68.2	14.02	Peak	127.58	150	Vertical	Pass
1**	5460.000	44.19	3.78	54.0	9.81	AV	127.58	150	Vertical	Pass
2	5463.400	55.53	3.88	68.2	12.67	Peak	360.00	150	Vertical	Pass
2**	5463.400	44.30	3.88	--	-44.30	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_15.09.10

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.78	3.78	68.2	13.42	Peak	188.53	150	Horizontal	Pass
1**	5460.000	44.22	3.78	54.0	9.78	AV	188.53	150	Horizontal	Pass
2	5464.960	55.99	3.94	68.2	12.21	Peak	0.00	150	Horizontal	Pass
2**	5464.960	44.34	3.94	--	-44.34	AV	0.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_15.12.20

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.94	4.31	68.2	12.26	Peak	136.00	150	Vertical	Pass
2	5798.125	57.12	4.72	68.2	11.08	Peak	179.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_15.10.49

EUT Name:	LTE MODEM	Temp.(°C):	22.9
Model Number:	CQS290	Humidity (%RH):	50
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.78	4.31	68.2	12.42	Peak	247.00	150	Horizontal	Pass
2	5790.250	57.50	4.82	68.2	10.70	Peak	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_16.40.05

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.93	3.78	68.2	14.27	Peak	212.45	150	Vertical	Pass
1**	5460.000	44.36	3.78	54.0	9.64	AV	212.45	150	Vertical	Pass
2	5466.880	55.67	4.00	68.2	12.53	Peak	296.00	150	Vertical	Pass
2**	5466.880	44.63	4.00	--	-44.63	AV	296.00	150	Vertical	N/A

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_16.42.34

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.88	3.78	68.2	13.32	Peak	226.71	150	Horizontal	Pass
1**	5460.000	45.53	3.78	54.0	8.47	AV	226.71	150	Horizontal	Pass
2	5467.240	58.14	4.02	68.2	10.06	Peak	191.00	150	Horizontal	Pass
2**	5467.240	47.66	4.02	--	-47.66	AV	191.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_16.36.40

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.95	4.31	68.2	12.25	Peak	359.00	150	Vertical	Pass
2	5759.875	57.81	4.63	68.2	10.39	Peak	72.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_16.34.23

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.44	4.31	68.2	9.76	Peak	261.00	150	Horizontal	Pass
2	5833.000	58.18	5.31	68.2	10.02	Peak	13.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_16.22.42

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=6
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.37	3.78	68.2	13.83	Peak	303.31	150	Vertical	Pass
1**	5460.000	44.24	3.78	54.0	9.76	AV	303.31	150	Vertical	Pass
2	5464.360	55.89	3.92	68.2	12.31	Peak	239.00	150	Vertical	Pass
2**	5464.360	44.37	3.92	--	-44.37	AV	239.00	150	Vertical	N/A

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_16.21.14

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=6
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.22	3.78	68.2	13.98	Peak	215.18	150	Horizontal	Pass
1**	5460.000	44.25	3.78	54.0	9.75	AV	215.18	150	Horizontal	Pass
2	5461.120	56.08	3.82	68.2	12.12	Peak	201.00	150	Horizontal	Pass
2**	5461.120	44.25	3.82	--	-44.25	AV	201.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_16.25.42

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.85	4.31	68.2	11.35	Peak	0.00	150	Vertical	Pass
2	5848.875	58.07	5.23	68.2	10.13	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_16.27.46

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.04	4.31	68.2	12.16	Peak	166.00	150	Horizontal	Pass
2	5828.250	58.07	5.28	68.2	10.13	Peak	325.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_17.58.11

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.83	3.78	68.2	12.37	Peak	191.69	150	Vertical	Pass
1**	5460.000	45.83	3.78	54.0	8.17	AV	191.69	150	Vertical	Pass
2	5468.080	57.70	4.05	68.2	10.50	Peak	137.00	150	Vertical	Pass
2**	5468.080	46.46	4.05	--	-46.46	AV	137.00	150	Vertical	N/A

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_17.56.29

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.67	3.78	68.2	13.53	Peak	241.41	150	Horizontal	Pass
1**	5460.000	44.25	3.78	54.0	9.75	AV	241.41	150	Horizontal	Pass
2	5466.160	56.16	3.98	68.2	12.04	Peak	360.00	150	Horizontal	Pass
2**	5466.160	44.51	3.98	--	-44.51	AV	360.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_18.04.18

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.42	4.31	68.2	11.78	Peak	215.00	150	Vertical	Pass
2	5846.375	58.45	5.28	68.2	9.75	Peak	253.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_18.05.56

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=11
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.13	4.31	68.2	12.07	Peak	0.00	150	Horizontal	Pass
2	5818.250	57.68	5.29	68.2	10.52	Peak	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.22.11

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.41	3.81	68.2	11.79	Peak	359.82	150	Vertical	Pass
2	5643.500	57.38	3.76	68.2	10.82	Peak	96.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.23.30

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.58	3.81	68.2	12.62	Peak	0.00	150	Horizontal	Pass
2	5633.000	56.54	3.70	68.2	11.66	Peak	184.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.38.54

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.88	6.44	68.2	11.32	Peak	246.02	150	Vertical	Pass
2	5966.850	59.20	6.26	68.2	9.00	Peak	82.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.37.41

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.70	6.44	68.2	11.50	Peak	216.08	150	Horizontal	Pass
2	5961.900	59.01	6.13	68.2	9.19	Peak	227.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.27.17

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.01	3.81	68.2	13.19	Peak	101.24	150	Vertical	Pass
2	5634.125	57.16	3.70	68.2	11.04	Peak	51.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.25.42

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.98	3.81	68.2	11.22	Peak	154.16	150	Horizontal	Pass
2	5640.250	57.96	3.74	68.2	10.24	Peak	263.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.33.07

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.96	6.44	68.2	11.24	Peak	272.99	150	Vertical	Pass
2	5958.000	58.59	6.12	68.2	9.61	Peak	52.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_21.34.36

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.23	6.44	68.2	10.97	Peak	0.00	150	Horizontal	Pass
2	5925.750	58.77	6.43	68.2	9.43	Peak	346.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139
Test Time: 2026-07-27_20.13.41

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.14	3.81	68.2	12.06	Peak	311.71	150	Vertical	Pass
2	5644.750	57.27	3.77	68.2	10.93	Peak	105.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_20.12.06

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=13
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.73	3.81	68.2	12.47	Peak	325.04	150	Horizontal	Pass
2	5622.750	56.35	3.63	68.2	11.85	Peak	46.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_20.32.58

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.97	6.44	68.2	11.23	Peak	87.89	150	Vertical	Pass
2	5947.950	58.34	6.18	68.2	9.86	Peak	192.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_20.31.40

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.04	6.44	68.2	12.16	Peak	359.68	150	Horizontal	Pass
2	5970.300	58.77	6.32	68.2	9.43	Peak	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_20.04.24

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.74	3.81	68.2	12.46	Peak	155.08	150	Vertical	Pass
2	5641.000	57.87	3.74	68.2	10.33	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26070139

Test Time: 2026-07-27_20.08.26

EUT Name:	LTE MODEM	Temp.(°C):	23.1
Model Number:	CQS290	Humidity (%RH):	51
Sample Number:	CC26060326-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=14
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	实验室数据线+天线: A22



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.84	3.81	68.2	12.36	Peak	172.13	150	Horizontal	Pass
2	5638.125	56.69	3.73	68.2	11.51	Peak	29.00	150	Horizontal	Pass