


2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	937.859	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1678	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1745.5	22.12	60	37.88	Pass	401
1765	3000	1	RMS	1765	-50.15	-13	37.15	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.18	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	981.087	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1676	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1745.5	21.3	60	38.7	Pass	401
1765	3000	1	RMS	1765	-50.69	-13	37.69	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	989.993	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-48.01	-13	35.01	Pass	701
1700	1765	1	RMS	1710.725	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2981	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.24	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	865.811	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1698	-48.01	-13	35.01	Pass	701
1700	1765	1	RMS	1710.725	21.26	60	38.74	Pass	401
1765	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11990	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	835.2	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1699	-47.75	-13	34.75	Pass	701
1700	1765	1	RMS	1725.838	21.95	60	38.05	Pass	401
1765	3000	1	RMS	2992	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11995	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	839	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1699	-48.91	-13	35.91	Pass	701
1700	1765	1	RMS	1725.838	21	60	39	Pass	401
1765	3000	1	RMS	2975	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11993	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.21	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	847.2	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1678	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1740.788	21.98	60	38.02	Pass	401
1765	3000	1	RMS	1767	-26.99	-13	13.99	Pass	1236
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	844.1	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1679	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1740.788	21.16	60	38.84	Pass	401
1765	3000	1	RMS	1767	-28.16	-13	15.16	Pass	1236
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	984.19	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-48.49	-13	35.49	Pass	701
1700	1765	1	RMS	1711.05	21.81	60	38.19	Pass	401
1765	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	59.9	Pass	2986
30	1000	0.1	RMS	822.8	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-48.54	-13	35.54	Pass	701
1700	1765	1	RMS	1711.05	21.05	60	38.95	Pass	401
1765	3000	1	RMS	2929	-51.36	-13	38.36	Pass	1236
3000	12000	1	RMS	11998	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13597	-39.83	-13	26.83	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	981.188	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1688	-53.25	-13	40.25	Pass	701
1700	1765	1	RMS	1723.563	21.8	60	38.2	Pass	401
1765	3000	1	RMS	2994	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	849.8	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1688	-53.52	-13	40.52	Pass	701
1700	1765	1	RMS	1723.563	20.88	60	39.12	Pass	401
1765	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	998.799	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-50.18	-13	37.18	Pass	701
1700	1765	1	RMS	1736.075	21.78	60	38.22	Pass	401
1765	3000	1	RMS	1772	-26.85	-13	13.85	Pass	1236
3000	12000	1	RMS	11991	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	847.8	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	37.51	Pass	701
1700	1765	1	RMS	1736.075	20.85	60	39.15	Pass	401
1765	3000	1	RMS	1772	-28.34	-13	15.34	Pass	1236
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	813.4	-64.46	-13	51.46	Pass	7841
814	860	0.1	RMS	824.3	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	941.6	-66.17	-13	53.17	Pass	1401
1000	3000	1	RMS	1648	-48.46	-13	35.46	Pass	2001
3000	10000	1	RMS	6801	-47.41	-13	34.41	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.4	-64.86	-13	51.86	Pass	7841
814	860	0.1	RMS	824.3	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	989.7	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6798	-47.44	-13	34.44	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811.8	-66.18	-13	53.18	Pass	7841
814	860	0.1	RMS	836.1	19.87	60	40.13	Pass	461
860	1000	0.1	RMS	867	-66.11	-13	53.11	Pass	1401
1000	3000	1	RMS	1672	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6801	-47.46	-13	34.46	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.18	-73.11	-13	60.11	Pass	2986
30	814	0.1	RMS	814	-66.16	-13	53.16	Pass	7841
814	860	0.1	RMS	836.1	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	978.2	-66.09	-13	53.09	Pass	1401
1000	3000	1	RMS	1672	-48.23	-13	35.23	Pass	2001
3000	10000	1	RMS	6800	-47.35	-13	34.35	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.17	-73.28	-13	60.28	Pass	2986
30	814	0.1	RMS	812.6	-62.98	-13	49.98	Pass	7841
814	860	0.1	RMS	847.9	19.95	60	40.05	Pass	461
860	1000	0.1	RMS	863	-66.07	-13	53.07	Pass	1401
1000	3000	1	RMS	1695	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6800	-47.47	-13	34.47	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-73.23	-13	60.23	Pass	2986
30	814	0.1	RMS	812.7	-63.54	-13	50.54	Pass	7841
814	860	0.1	RMS	847.9	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	866.6	-66.05	-13	53.05	Pass	1401
1000	3000	1	RMS	1695	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6800	-47.41	-13	34.41	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.2	-72.9	-13	59.9	Pass	2986
30	814	0.1	RMS	810.7	-64.75	-13	51.75	Pass	7841
814	860	0.1	RMS	824.3	19.49	60	40.51	Pass	461
860	1000	0.1	RMS	929.1	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1648	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6800	-47.43	-13	34.43	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.5	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	824.3	18.44	60	41.56	Pass	461
860	1000	0.1	RMS	870.7	-66.05	-13	53.05	Pass	1401
1000	3000	1	RMS	1648	-49.75	-13	36.75	Pass	2001
3000	10000	1	RMS	6799	-47.46	-13	34.46	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	810.9	-66.02	-13	53.02	Pass	7841
814	860	0.1	RMS	835.3	19.61	60	40.39	Pass	461
860	1000	0.1	RMS	957.4	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1670	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6800	-47.26	-13	34.26	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	811.8	-66.23	-13	53.23	Pass	7841
814	860	0.1	RMS	835.3	18.97	60	41.03	Pass	461
860	1000	0.1	RMS	880.5	-66.09	-13	53.09	Pass	1401
1000	3000	1	RMS	1670	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	6799	-47.49	-13	34.49	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	811	-63.54	-13	50.54	Pass	7841
814	860	0.1	RMS	846.3	19.8	60	40.2	Pass	461
860	1000	0.1	RMS	970.4	-65.99	-13	52.99	Pass	1401
1000	3000	1	RMS	1692	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6799	-47.46	-13	34.46	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.23	-73.38	-13	60.38	Pass	2986
30	814	0.1	RMS	813.8	-63.92	-13	50.92	Pass	7841
814	860	0.1	RMS	846.3	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	967.2	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1692	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6801	-47.31	-13	34.31	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	810.8	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	824.4	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	939	-66.09	-13	53.09	Pass	1401
1000	3000	1	RMS	1648	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6800	-47.39	-13	34.39	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.21	-73.39	-13	60.39	Pass	2986
30	814	0.1	RMS	813.6	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	824.4	17.85	60	42.15	Pass	461
860	1000	0.1	RMS	985.6	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1648	-50.96	-13	37.96	Pass	2001
3000	10000	1	RMS	6800	-47.42	-13	34.42	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-13	60.1	Pass	2986
30	814	0.1	RMS	811.7	-66.04	-13	53.04	Pass	7841
814	860	0.1	RMS	834.4	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	917.2	-66.08	-13	53.08	Pass	1401
1000	3000	1	RMS	1668	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6802	-47.45	-13	34.45	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	814	0.1	RMS	813	-66.24	-13	53.24	Pass	7841
814	860	0.1	RMS	834.4	18.42	60	41.58	Pass	461
860	1000	0.1	RMS	941.7	-66.15	-13	53.15	Pass	1401
1000	3000	1	RMS	1668	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6802	-47.46	-13	34.46	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	811.9	-63.55	-13	50.55	Pass	7841
814	860	0.1	RMS	844.4	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	951.3	-66.13	-13	53.13	Pass	1401
1000	3000	1	RMS	1688	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6799	-47.47	-13	34.47	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.17	-73.1	-13	60.1	Pass	2986
30	814	0.1	RMS	811.8	-63.88	-13	50.88	Pass	7841
814	860	0.1	RMS	844.4	18.67	60	41.33	Pass	461
860	1000	0.1	RMS	985	-66.01	-13	53.01	Pass	1401
1000	3000	1	RMS	1688	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6800	-47.39	-13	34.39	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.25	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	811.1	-64.61	-13	51.61	Pass	7841
814	860	0.1	RMS	824.6	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	887.8	-66.09	-13	53.09	Pass	1401
1000	3000	1	RMS	1649	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6802	-47.46	-13	34.46	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	811.1	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	824.6	18.65	60	41.35	Pass	461
860	1000	0.1	RMS	876.8	-66.15	-13	53.15	Pass	1401
1000	3000	1	RMS	1649	-50.11	-13	37.11	Pass	2001
3000	10000	1	RMS	6801	-47.41	-13	34.41	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	59.98	Pass	2986
30	814	0.1	RMS	813.2	-65.88	-13	52.88	Pass	7841
814	860	0.1	RMS	832.1	19.65	60	40.35	Pass	461
860	1000	0.1	RMS	979.8	-66.04	-13	53.04	Pass	1401
1000	3000	1	RMS	1664	-48.51	-13	35.51	Pass	2001
3000	10000	1	RMS	6801	-47.45	-13	34.45	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	60.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	813.2	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	832.1	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	879.4	-66.1	-13	53.1	Pass	1401
1000	3000	1	RMS	1664	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6802	-47.36	-13	34.36	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	812.5	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	839.6	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	980.5	-66.02	-13	53.02	Pass	1401
1000	3000	1	RMS	1679	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6799	-47.43	-13	34.43	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	809.8	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	839.6	19.11	60	40.89	Pass	461
860	1000	0.1	RMS	893.2	-66.08	-13	53.08	Pass	1401
1000	3000	1	RMS	1679	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6804	-47.46	-13	34.46	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.33	-25	48.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	539.7	-64.78	-25	39.78	Pass	9701
1000	2490	1	RMS	2490	-53.55	-25	28.55	Pass	1491
2490	2580	1	RMS	2500.35	20.48	60	39.52	Pass	401
2580	3000	1	RMS	2985	-53.03	-25	28.03	Pass	421
3000	12000	1	RMS	11983	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25492	-48.89	-25	23.89	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-25	48.08	Pass	401
0.15	30	0.01	RMS	0.15	-73.21	-25	48.21	Pass	2986
30	1000	0.1	RMS	539.7	-65.09	-25	40.09	Pass	9701
1000	2490	1	RMS	2490	-53.47	-25	28.47	Pass	1491
2490	2580	1	RMS	2500.35	19.6	60	40.4	Pass	401
2580	3000	1	RMS	2997	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11980	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	17799	-58.02	-25	33.02	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-25	48.39	Pass	401
0.15	30	0.01	RMS	0.2	-73.38	-25	48.38	Pass	2986
30	1000	0.1	RMS	572.2	-65.81	-25	40.81	Pass	9701
1000	2490	1	RMS	2486	-53.86	-25	28.86	Pass	1491
2490	2580	1	RMS	2532.75	20.24	60	39.76	Pass	401
2580	3000	1	RMS	2984	-53.05	-25	28.05	Pass	421
3000	12000	1	RMS	11980	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	17796	-58.11	-25	33.11	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-25	47.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-25	47.85	Pass	2986
30	1000	0.1	RMS	572.2	-65.92	-25	40.92	Pass	9701
1000	2490	1	RMS	2485	-53.92	-25	28.92	Pass	1491
2490	2580	1	RMS	2532.75	19.97	60	40.03	Pass	401
2580	3000	1	RMS	2998	-53.02	-25	28.02	Pass	421
3000	12000	1	RMS	11978	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	17803	-58.15	-25	33.15	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-25	47.23	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-25	47.84	Pass	2986
30	1000	0.1	RMS	604.7	-65.77	-25	40.77	Pass	9701
1000	2490	1	RMS	2487	-53.83	-25	28.83	Pass	1491
2490	2580	1	RMS	2565.375	20.08	60	39.92	Pass	401
2580	3000	1	RMS	2842	-53.03	-25	28.03	Pass	421
3000	12000	1	RMS	11978	-63.84	-25	38.84	Pass	9002
12000	26000	1	RMS	17792	-58.08	-25	33.08	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.39	-25	48.39	Pass	401
0.15	30	0.01	RMS	0.23	-73.31	-25	48.31	Pass	2986
30	1000	0.1	RMS	878.319	-66.06	-25	41.06	Pass	9701
1000	2490	1	RMS	2485	-53.91	-25	28.91	Pass	1491
2490	2580	1	RMS	2565.375	18.98	60	41.02	Pass	401
2580	3000	1	RMS	2836	-53.06	-25	28.06	Pass	421
3000	12000	1	RMS	11980	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	17794	-58.04	-25	33.04	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-25	48.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-25	47.77	Pass	2986
30	1000	0.1	RMS	540	-64.3	-25	39.3	Pass	9701
1000	2490	1	RMS	2483	-47.67	-25	22.67	Pass	1491
2490	2580	1	RMS	2500.575	20.46	60	39.54	Pass	401
2580	3000	1	RMS	2934	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11979	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	17800	-58.01	-25	33.01	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	48.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	47.64	Pass	2986
30	1000	0.1	RMS	540	-65.14	-25	40.14	Pass	9701
1000	2490	1	RMS	2483	-48.35	-25	23.35	Pass	1491
2490	2580	1	RMS	2500.575	19.62	60	40.38	Pass	401
2580	3000	1	RMS	2846	-53.03	-25	28.03	Pass	421
3000	12000	1	RMS	11982	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	17798	-58.04	-25	33.04	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-25	48.53	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-25	48.13	Pass	2986
30	1000	0.1	RMS	570	-65.39	-25	40.39	Pass	9701
1000	2490	1	RMS	2481	-53.87	-25	28.87	Pass	1491
2490	2580	1	RMS	2530.5	20.58	60	39.42	Pass	401
2580	3000	1	RMS	2995	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11982	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	17800	-58.11	-25	33.11	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	47.18	Pass	401
0.15	30	0.01	RMS	0.2	-72.83	-25	47.83	Pass	2986
30	1000	0.1	RMS	570	-65.9	-25	40.9	Pass	9701
1000	2490	1	RMS	2490	-53.88	-25	28.88	Pass	1491
2490	2580	1	RMS	2530.5	20.08	60	39.92	Pass	401
2580	3000	1	RMS	2844	-53.02	-25	28.02	Pass	421
3000	12000	1	RMS	11976	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	17809	-58.1	-25	33.1	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-25	49.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	600	-65.61	-25	40.61	Pass	9701
1000	2490	1	RMS	2486	-53.82	-25	28.82	Pass	1491
2490	2580	1	RMS	2560.65	20.26	60	39.74	Pass	401
2580	3000	1	RMS	2986	-53.02	-25	28.02	Pass	421
3000	12000	1	RMS	11983	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	17801	-58.09	-25	33.09	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-25	48.96	Pass	401
0.15	30	0.01	RMS	0.17	-73.46	-25	48.46	Pass	2986
30	1000	0.1	RMS	600	-65.37	-25	40.37	Pass	9701
1000	2490	1	RMS	2488	-53.87	-25	28.87	Pass	1491
2490	2580	1	RMS	2560.65	19.48	60	40.52	Pass	401
2580	3000	1	RMS	2989	-53.03	-25	28.03	Pass	421
3000	12000	1	RMS	11980	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	17801	-58.07	-25	33.07	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-25	48.28	Pass	401
0.15	30	0.01	RMS	0.16	-73.22	-25	48.22	Pass	2986
30	1000	0.1	RMS	540.2	-64.96	-25	39.96	Pass	9701
1000	2490	1	RMS	2488	-34.94	-25	9.94	Pass	1491
2490	2580	1	RMS	2500.8	20.54	60	39.46	Pass	401
2580	3000	1	RMS	2989	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11972	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	17798	-58.05	-25	33.05	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-25	46.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	540.2	-64.84	-25	39.84	Pass	9701
1000	2490	1	RMS	2488	-36.12	-25	11.12	Pass	1491
2490	2580	1	RMS	2500.8	19.75	60	40.25	Pass	401
2580	3000	1	RMS	2996	-53.02	-25	28.02	Pass	421
3000	12000	1	RMS	11982	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	17807	-58.13	-25	33.13	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-25	48.38	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-25	47.57	Pass	2986
30	1000	0.1	RMS	567.7	-65.84	-25	40.84	Pass	9701
1000	2490	1	RMS	2490	-53.84	-25	28.84	Pass	1491
2490	2580	1	RMS	2528.25	20.48	60	39.52	Pass	401
2580	3000	1	RMS	2994	-53.01	-25	28.01	Pass	421
3000	12000	1	RMS	11979	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	17800	-57.95	-25	32.95	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.74	-25	48.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-25	47.81	Pass	2986
30	1000	0.1	RMS	567.7	-66	-25	41	Pass	9701
1000	2490	1	RMS	2487	-53.84	-25	28.84	Pass	1491
2490	2580	1	RMS	2528.25	19.83	60	40.17	Pass	401
2580	3000	1	RMS	2989	-53.05	-25	28.05	Pass	421
3000	12000	1	RMS	11979	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	17805	-58.06	-25	33.06	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.84	-25	48.84	Pass	401
0.15	30	0.01	RMS	0.16	-73.09	-25	48.09	Pass	2986
30	1000	0.1	RMS	595.2	-65.92	-25	40.92	Pass	9701
1000	2490	1	RMS	2488	-53.87	-25	28.87	Pass	1491
2490	2580	1	RMS	2555.925	20.06	60	39.94	Pass	401
2580	3000	1	RMS	2582	-37.22	-25	12.22	Pass	421
3000	12000	1	RMS	11982	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	17800	-58.08	-25	33.08	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.17	-73.06	-25	48.06	Pass	2986
30	1000	0.1	RMS	595.2	-65.86	-25	40.86	Pass	9701
1000	2490	1	RMS	2484	-53.88	-25	28.88	Pass	1491
2490	2580	1	RMS	2555.925	19.08	60	40.92	Pass	401
2580	3000	1	RMS	2582	-39.68	-25	14.68	Pass	421
3000	12000	1	RMS	11982	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	17797	-58.05	-25	33.05	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-25	48.47	Pass	401
0.15	30	0.01	RMS	0.16	-73.33	-25	48.33	Pass	2986
30	1000	0.1	RMS	540.5	-64.47	-25	39.47	Pass	9701
1000	2490	1	RMS	2483	-37.83	-25	12.83	Pass	1491
2490	2580	1	RMS	2501.025	20.55	60	39.45	Pass	401
2580	3000	1	RMS	2990	-53.01	-25	28.01	Pass	421
3000	12000	1	RMS	11982	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	17801	-58.07	-25	33.07	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-25	48.07	Pass	401
0.15	30	0.01	RMS	0.22	-72.8	-25	47.8	Pass	2986
30	1000	0.1	RMS	540.5	-64.95	-25	39.95	Pass	9701
1000	2490	1	RMS	2483	-39.45	-25	14.45	Pass	1491
2490	2580	1	RMS	2501.025	19.63	60	40.37	Pass	401
2580	3000	1	RMS	2982	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11985	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	17803	-58.07	-25	33.07	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-25	47.63	Pass	2986
30	1000	0.1	RMS	565.5	-65.66	-25	40.66	Pass	9701
1000	2490	1	RMS	2490	-49.08	-25	24.08	Pass	1491
2490	2580	1	RMS	2526	20.59	60	39.41	Pass	401
2580	3000	1	RMS	2849	-53.04	-25	28.04	Pass	421
3000	12000	1	RMS	11978	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	17801	-57.96	-25	32.96	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	48.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-25	47.45	Pass	2986
30	1000	0.1	RMS	565.5	-65.9	-25	40.9	Pass	9701
1000	2490	1	RMS	2490	-51.19	-25	26.19	Pass	1491
2490	2580	1	RMS	2526	19.6	60	40.4	Pass	401
2580	3000	1	RMS	2982	-53.05	-25	28.05	Pass	421
3000	12000	1	RMS	11975	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	17804	-58.1	-25	33.1	Pass	14002

