

n71 SCS=15kHz CP_64QAM BW=20MHz HighChannel=137600 RB=106@0 NVNT



n71 SCS=15kHz CP_64QAM BW=20MHz HighChannel=137600 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n71 SCS=15kHz CP_256QAM BW=20MHz HighChannel=137600 RB=106@0 NVNT



n71 SCS=15kHz CP_256QAM BW=20MHz HighChannel=137600 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

PC 2



n77(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



01:57:10 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=20MHz LowChannel=630668 RB=50@0 NVNT



01:58:10 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=20MHz LowChannel=630668 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=20MHz LowChannel=630668 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



02:02:48 PM 12/25/2025

n77(3450-3550) SCS=30kHz CP_QPSK BW=20MHz LowChannel=630668 RB=51@0 NVNT



02:03:47 PM 12/25/2025

n77(3450-3550) SCS=30kHz CP_QPSK BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=20MHz LowChannel=630668 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=20MHz LowChannel=630668 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_64QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=20MHz LowChannel=630668 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_256QAM BW=20MHz LowChannel=630668 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	200.000 kHz	**3.542 42 GHz**	**5.35 dBm**	**-24.65 dB**
3.550 GHz	3.551 GHz	200.000 kHz	**3.550 65 GHz**	**-31.53 dBm**	**-18.53 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.551 14 GHz**	**-28.77 dBm**	**-15.77 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.555 14 GHz**	**-29.88 dBm**	**-16.88 dB**

02:12:24 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=50@0 NVNT



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	**3.549 11 GHz**	**17.63 dBm**	**-12.37 dB**
3.550 GHz	3.551 GHz	100.000 kHz	**3.550 00 GHz**	**-23.66 dBm**	**-10.66 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.552 51 GHz**	**-26.34 dBm**	**-13.34 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.555 02 GHz**	**-36.91 dBm**	**-23.91 dB**

02:13:24 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	200.000 kHz	**3.534 97 GHz**	**5.12 dBm**	**-24.88 dB**
3.550 GHz	3.551 GHz	200.000 kHz	**3.550 04 GHz**	**-32.05 dBm**	**-19.05 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.551 34 GHz**	**-29.14 dBm**	**-16.14 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.557 76 GHz**	**-29.81 dBm**	**-16.81 dB**

02:14:15 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=20MHz HighChannel=636000 RB=50@0 NVNT



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	**3.548 89 GHz**	**16.81 dBm**	**-13.19 dB**
3.550 GHz	3.551 GHz	100.000 kHz	**3.550 00 GHz**	**-22.95 dBm**	**-9.95 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.552 76 GHz**	**-25.73 dBm**	**-12.73 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.555 28 GHz**	**-37.42 dBm**	**-24.42 dB**

02:15:15 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=20MHz HighChannel=636000 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=20MHz HighChannel=636000 RB=50@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=20MHz HighChannel=636000 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_QPSK BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=20MHz HighChannel=636000 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=20MHz HighChannel=636000 RB=51@0 NVNT



n77(3450-3550) SCS=30kHz CP_64QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	200.000 kHz	**3.531 21 GHz**	**-0.76 dBm**	**-30.76 dB**
3.550 GHz	3.551 GHz	200.000 kHz	**3.550 02 GHz**	**-34.13 dBm**	**-21.13 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.551 13 GHz**	**-33.16 dBm**	**-20.16 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.555 70 GHz**	**-32.81 dBm**	**-19.81 dB**

02:25:28 PM 12/25/2025

n77(3450-3550) SCS=30kHz CP_256QAM BW=20MHz HighChannel=636000 RB=51@0 NVNT



2 Result Summary

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	**3.548 99 GHz**	**12.18 dBm**	**-17.82 dB**
3.550 GHz	3.551 GHz	100.000 kHz	**3.550 00 GHz**	**-25.72 dBm**	**-12.72 dB**
3.551 GHz	3.555 GHz	500.000 kHz	**3.551 99 GHz**	**-28.64 dBm**	**-15.64 dB**
3.555 GHz	3.570 GHz	1.000 MHz	**3.555 34 GHz**	**-40.36 dBm**	**-27.36 dB**

02:26:28 PM 12/25/2025

n77(3450-3550) SCS=30kHz CP_256QAM BW=20MHz HighChannel=636000 RB=1@50 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz LowChannel=631000 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=30MHz LowChannel=631000 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



02:31:48 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=30MHz LowChannel=631000 RB=75@0 NVNT



02:32:57 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_16QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=30MHz LowChannel=631000 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=30MHz LowChannel=631000 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=30MHz LowChannel=631000 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_QPSK BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=30MHz LowChannel=631000 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=30MHz LowChannel=631000 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_64QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=30MHz LowChannel=631000 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_256QAM BW=30MHz LowChannel=631000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz HighChannel=635666 RB=75@0 NVNT

n77(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=30MHz HighChannel=635666 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_16QAM BW=30MHz HighChannel=635666 RB=75@0 NVNT

n77(3450-3550) SCS=30kHz DFT_16QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=30MHz HighChannel=635666 RB=75@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=30MHz HighChannel=635666 RB=75@0 NVNT

n77(3450-3550) SCS=30kHz DFT_256QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=30MHz HighChannel=635666 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_QPSK BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=30MHz HighChannel=635666 RB=78@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=30MHz HighChannel=635666 RB=78@0 NVNT

n77(3450-3550) SCS=30kHz CP_64QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=30MHz HighChannel=635666 RB=78@0 NVNT

n77(3450-3550) SCS=30kHz CP_256QAM BW=30MHz HighChannel=635666 RB=1@77 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_16QAM BW=40MHz LowChannel=631334 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_16QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=40MHz LowChannel=631334 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=40MHz LowChannel=631334 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=40MHz LowChannel=631334 RB=106@0 NVNT



n77(3450-3550) SCS=30kHz CP_QPSK BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=40MHz LowChannel=631334 RB=106@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=40MHz LowChannel=631334 RB=106@0 NVNT



n77(3450-3550) SCS=30kHz CP_64QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=40MHz LowChannel=631334 RB=106@0 NVNT



n77(3450-3550) SCS=30kHz CP_256QAM BW=40MHz LowChannel=631334 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=100@0 NVNT

n77(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_16QAM BW=40MHz HighChannel=635332 RB=100@0 NVNT

n77(3450-3550) SCS=30kHz DFT_16QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=40MHz HighChannel=635332 RB=100@0 NVNT

n77(3450-3550) SCS=30kHz DFT_64QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=40MHz HighChannel=635332 RB=100@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=40MHz HighChannel=635332 RB=106@0 NVNT

n77(3450-3550) SCS=30kHz CP_QPSK BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=40MHz HighChannel=635332 RB=106@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=40MHz HighChannel=635332 RB=106@0 NVNT

n77(3450-3550) SCS=30kHz CP_64QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=40MHz HighChannel=635332 RB=106@0 NVNT

n77(3450-3550) SCS=30kHz CP_256QAM BW=40MHz HighChannel=635332 RB=1@105 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_16QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_16QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_QPSK BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz CP_QPSK BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_16QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz CP_16QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_64QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz CP_64QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz CP_256QAM BW=60MHz LowChannel=632000 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz CP_256QAM BW=60MHz LowChannel=632000 RB=1@0 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=1@161 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



04:11:03 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=162@0 NVNT

04:12:31 PM 12/25/2025

n77(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=1@161 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_16QAM BW=60MHz HighChannel=634666 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_16QAM BW=60MHz HighChannel=634666 RB=1@161 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_64QAM BW=60MHz HighChannel=634666 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_64QAM BW=60MHz HighChannel=634666 RB=1@161 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



n77(3450-3550) SCS=30kHz DFT_256QAM BW=60MHz HighChannel=634666 RB=162@0 NVNT



n77(3450-3550) SCS=30kHz DFT_256QAM BW=60MHz HighChannel=634666 RB=1@161 NVNT

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.