11AC20SISO_Ant2_5240



11AC20SISO_Ant2_5260



11AC20SISO_Ant2_5280



11AC20SISO_Ant2_5320



11AC20SISO_Ant2_5500



11AC20SISO_Ant2_5580



11AC20SISO_Ant2_5700



11AC20SISO_Ant2_5745



11AC20SISO_Ant2_5785



11AC20SISO_Ant2_5825



11AC40SISO_Ant2_5190



11AC40SISO_Ant2_5230



11AC40SISO_Ant2_5270



11AC40SISO_Ant2_5310



11AC40SISO_Ant2_5510



11AC40SISO_Ant2_5550



11AC40SISO_Ant2_5670



11AC40SISO_Ant2_5755



11AC40SISO_Ant2_5795



11AC80SISO_Ant2_5210



11AC80SISO_Ant2_5290



11AC80SISO_Ant2_5530



11AC80SISO_Ant2_5775



11AX20SISO_Ant2_5180



11AX20SISO_Ant2_5200



11AX20SISO_Ant2_5240



11AX20SISO_Ant2_5260



11AX20SISO_Ant2_5280



11AX20SISO_Ant2_5320



11AX20SISO_Ant2_5500



11AX20SISO_Ant2_5580



11AX20SISO_Ant2_5700



11AX20SISO_Ant2_5745



11AX20SISO_Ant2_5785



11AX20SISO_Ant2_5825



11AX40SISO_Ant2_5190



11AX40SISO_Ant2_5230



11AX40SISO_Ant2_5270



11AX40SISO_Ant2_5310



11AX40SISO_Ant2_5510



11AX40SISO_Ant2_5550



11AX40SISO_Ant2_5670



11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795



11AX80SISO_Ant2_5210



11AX80SISO_Ant2_5290



11AX80SISO_Ant2_5530



11AX80SISO_Ant2_5775


Spectrum
Ref Level 20.00 dBm Offset 15.94 dB RBW 500 kHz
Att 30 dB SWT 37.8 µs VBW 2 MHz Mode Auto FFT
SGL Count 100/100
1Rm AvgPwr
M1[1]
-11.97 dBm
5.765040 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
M1
CF 5.775 GHz
691 pts
Span 160.0 MHz
Date: 11.DEC.2025 17:15:03

Appendix D): Band Edge Measurements

Test Requirement 47 CFR Part 15, Subpart C 15.209 & 15.407(b)

Test Method: KDB 789033 D02 II G

Test Procedure:

1. The EUT operates at transmitting mode. The operate channel is tested to verify the largest transmission and spurious emissions power at the continuous transmission mode.

2. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:

(a) PEAK: RBW=VBW=1MHz / Sweep=AUTO

(b) AVERAGE: RBW=1MHz ; VBW=1/on time(1KHz) / Sweep=AUTO

Limit:

For transmitters operating in the 5.15-5.25 GHz band:	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).
For transmitters operating in the 5.25-5.35 GHz band:	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).
For transmitters operating in the 5.47-5.725 GHz band:	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz (68.2dBuV/m).
For transmitters operating in the 5.725-5.85 GHz band:	(i) All emissions shall be limited to a level of −27 dBm/MHz (68.2dBuV/m) at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz (105.2dBuV/m) at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz (110.8dBuV/m) at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz (122.2dBuV/m) at the band edge.

Test Setup Diagram



Ant1:

7.1.1 Test Result B1/2/3

TestMode	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Low	5180	-39.53	≤-27	PASS
	High	5320	-39.38	≤-27	PASS
	Low	5500	-38.08	≤-27	PASS
	High	5700	-37.08	≤-27	PASS
11N20SISO	Low	5180	-32.17	≤-27	PASS
	High	5320	-35.59	≤-27	PASS
	Low	5500	-35.68	≤-27	PASS
	High	5700	-31.12	≤-27	PASS
11N40SISO	Low	5190	-38.96	≤-27	PASS
	High	5310	-39.47	≤-27	PASS
	Low	5510	-37.81	≤-27	PASS
	High	5670	-39.29	≤-27	PASS
11AC20SISO	Low	5180	-34.75	≤-27	PASS
	High	5320	-38.52	≤-27	PASS
	Low	5500	-38.45	≤-27	PASS
	High	5700	-39.1	≤-27	PASS
11AC40SISO	Low	5190	-39.53	≤-27	PASS
	High	5310	-38.83	≤-27	PASS
	Low	5510	-38.59	≤-27	PASS
	High	5670	-38.31	≤-27	PASS
11AC80SISO	Low	5210	-38.7	≤-27	PASS
	High	5290	-36.72	≤-27	PASS
	Low	5530	-38.09	≤-27	PASS
11AX20SISO	Low	5180	-36.31	≤-27	PASS
	High	5320	-38.61	≤-27	PASS
	Low	5500	-38.09	≤-27	PASS
	High	5700	-37.76	≤-27	PASS
11AX40SISO	Low	5190	-39.16	≤-27	PASS
	High	5310	-39.05	≤-27	PASS
	Low	5510	-38.77	≤-27	PASS
	High	5670	-39.23	≤-27	PASS
11AX80SISO	Low	5210	-38.81	≤-27	PASS
	High	5290	-38.27	≤-27	PASS

	Low	5530	-37.25	≤-27	PASS

7.1.2 Test Result B4

TestMode	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Low	5745	5650~5700	-41.42	≤-26.14	PASS
			5700~5720	-41.41	≤10.05	PASS
			5720~5725	-40.33	≤15.98	PASS
			5760~5650	-41.01	≤-27	PASS
	High	5825	5850~5855	-38.62	≤17.43	PASS
			5855~5875	-39.37	≤10.51	PASS
			5875~5925	-39.04	≤-26.44	PASS
			5925~5935	-39.32	≤-27	PASS
11N20SISO	Low	5745	5650~5700	-41.74	≤-26.14	PASS
			5700~5720	-28.44	≤15.18	PASS
			5720~5725	-30.84	≤15.98	PASS
			5760~5650	-40.24	≤-27	PASS
	High	5825	5850~5855	-30.13	≤20.56	PASS
			5855~5875	-34.51	≤13.03	PASS
			5875~5925	-39.07	≤-26.29	PASS
			5925~5935	-39.77	≤-27	PASS
11N40SISO	Low	5755	5650~5700	-40.6	≤-26.94	PASS
			5700~5720	-39.79	≤10.76	PASS
			5720~5725	-40.45	≤15.90	PASS
			5780~5650	-40.74	≤-27	PASS
	High	5795	5850~5855	-41.11	≤15.85	PASS
			5855~5875	-37.32	≤11.48	PASS
			5875~5925	-40.32	≤-26.26	PASS
			5925~5935	-39.62	≤-27	PASS
11AC20SISO	Low	5745	5650~5700	-41.87	≤-26.88	PASS
			5700~5720	-39.25	≤11.68	PASS
			5720~5725	-40.93	≤15.98	PASS
			5760~5650	-40.62	≤-27	PASS
	High	5825	5850~5855	-40.41	≤15.65	PASS
			5855~5875	-39.04	≤10.79	PASS
			5875~5925	-40.72	≤-26.44	PASS
			5925~5935	-40.6	≤-27	PASS

11AC40SISO	Low	5755	5650~5700	-41.01	≤-26.50	PASS
			5700~5720	-39.49	≤11.47	PASS
			5720~5725	-39.97	≤15.90	PASS
			5780~5650	-40.34	≤-27	PASS
	High	5795	5850~5855	-40.33	≤15.85	PASS
			5855~5875	-37.82	≤10.54	PASS
			5875~5925	-40.05	≤-25.91	PASS
			5925~5935	-39.67	≤-27	PASS
11AC80SISO	Low	5775	5650~5700	-41.79	≤-26.38	PASS
			5700~5720	-34.03	≤10.83	PASS
			5720~5725	-38.94	≤15.67	PASS
			5800~5650	-38.42	≤-27	PASS
	High	5775	5850~5855	-39.9	≤15.98	PASS
			5855~5875	-37.77	≤11.89	PASS
			5875~5925	-40.26	≤-26.27	PASS
			5925~5935	-39.87	≤-27	PASS
11AX20SISO	Low	5745	5650~5700	-40.33	≤-25.52	PASS
			5700~5720	-39.26	≤10.56	PASS
			5720~5725	-38.64	≤15.98	PASS
			5760~5650	-40.52	≤-27	PASS
	High	5825	5850~5855	-41.45	≤15.65	PASS
			5855~5875	-40.09	≤10.13	PASS
			5875~5925	-40.39	≤-26.87	PASS
			5925~5935	-39.07	≤-27	PASS
11AX40SISO	Low	5755	5650~5700	-41.98	≤-25.92	PASS
			5700~5720	-38.89	≤10.10	PASS
			5720~5725	-39.41	≤15.90	PASS
			5780~5650	-39.93	≤-27	PASS
	High	5795	5850~5855	-39.73	≤16.39	PASS
			5855~5875	-39	≤10.01	PASS
			5875~5925	-39.51	≤-26.97	PASS
			5925~5935	-38.67	≤-27	PASS
11AX80SISO	Low	5775	5650~5700	-41.21	≤-26.71	PASS
			5700~5720	-37.76	≤10.20	PASS
			5720~5725	-39.64	≤15.67	PASS
			5800~5650	-40.5	≤-27	PASS
	High	5775	5850~5855	-38.48	≤16.59	PASS

			5855~5875	-35.26	≤11.97	PASS
			5875~5925	-40.56	≤-26.66	PASS
			5925~5935	-39.7	≤-27	PASS

7.1.3 Test Graphs B1/2/3

11A_Ant1_Low_5180



11A_Ant1_High_5320



11A_Ant1_Low_5500



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.50225 GHz	7.30 dBm		
M2		1	5.47 GHz	-40.98 dBm		
M3		1	5.446087 GHz	-38.08 dBm		

Date: 30.MAR.2026 12:28:16

11A_Ant1_High_5700



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.698553 GHz	6.84 dBm		
M2		1	5.725 GHz	-37.24 dBm		
M3		1	5.7253043 GHz	-37.08 dBm		

Date: 30.MAR.2026 12:29:06

11N20SISO_Ant1_Low_5180



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.1823 GHz	12.29 dBm		
M2		1	5.15 GHz	-32.75 dBm		
M3		1	5.14725 GHz	-32.17 dBm		

Date: 30.MAR.2026 12:30:44

11N20SISO_Ant1_High_5320



11N20SISO_Ant1_Low_5500



11N20SISO_Ant1_High_5700

Date: 30.MAR.2026 12:32:07

11N40SISO_Ant1_Low_5190



Date: 30.MAR.2026 12:36:45

11N40SISO_Ant1_High_5310



Date: 30.MAR.2026 12:38:09

11N40SISO_Ant1_Low_5510



11N40SISO_Ant1_High_5670



11AC20SISO_Ant1_Low_5180



11AC20SISO_Ant1_High_5320

11AC20SISO_Ant1_Low_5500



11AC20SISO_Ant1_High_5700



11AC40SISO_Ant1_Low_5190



11AC40SISO_Ant1_High_5310



Date: 30.MAR.2026 12:46:38

11AC40SISO_Ant1_Low_5510



Date: 30.MAR.2026 12:47:49

11AC40SISO_Ant1_High_5670



Date: 30.MAR.2026 12:48:09

11AC80SISO_Ant1_Low_5210



11AC80SISO_Ant1_High_5290



11AC80SISO_Ant1_Low_5530



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.52104 GHz	2.65 dBm		
M2		1	5.47 GHz	-40.12 dBm		
M3		1	5.454609 GHz	-38.09 dBm		

Date: 30.MAR.2026 12:51:52

11AX20SISO_Ant1_Low_5180



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.1823 GHz	12.26 dBm		
M2		1	5.15 GHz	-35.55 dBm		
M3		1	5.12899 GHz	-36.31 dBm		

Date: 30.MAR.2026 12:55:08

11AX20SISO_Ant1_High_5320



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.31771 GHz	9.87 dBm		
M2		1	5.35 GHz	-41.34 dBm		
M3		1	5.389275 GHz	-38.61 dBm		

Date: 30.MAR.2026 12:55:28

11AX20SISO_Ant1_Low_5500



11AX20SISO_Ant1_High_5700



11AX40SISO_Ant1_Low_5190



Date: 30.MAR.2026 13:00:15

11AX40SISO_Ant1_High_5310



Date: 30.MAR.2026 13:01:12

11AX40SISO_Ant1_Low_5510



Date: 30.MAR.2026 13:02:22

11AX40SISO_Ant1_High_5670



11AX80SISO_Ant1_Low_5210



11AX80SISO_Ant1_High_5290



11AX80SISO_Ant1_Low_5530



7.1.4 Test Graphs B4

11A_Ant1_Low_5745



11A_Ant1_High_5825



11N20SISO_Ant1_Low_5745

11N20SISO_Ant1_High_5825



11N40SISO_Ant1_Low_5755



11N40SISO_Ant1_High_5795



11AC20SISO_Ant1_Low_5745



11AC20SISO_Ant1_High_5825



11AC40SISO_Ant1_Low_5755



11AC40SISO_Ant1_High_5795



11AC80SISO_Ant1_Low_5775



11AC80SISO_Ant1_High_5775



11AX20SISO_Ant1_Low_5745



11AX20SISO_Ant1_High_5825



11AX40SISO_Ant1_Low_5755



11AX40SISO_Ant1_High_5795



11AX80SISO_Ant1_Low_5775



11AX80SISO_Ant1_High_5775


Spectrum
Ref Level 20.00 dBm Offset 15.82 dB RBW 1 MHz
Att 20 dB SWT 26.7 µs VBW 3 MHz Mode Auto FFT
SGL Count 300/300
1Pk Max
Limit Check PASS
Line Limit PASS
Limit
M1[1] -38.48 dBm
5.854565 GHz
M2[1] -35.26 dBm
5.867971 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
Start 5.75 GHz
691 pts
Stop 5.935 GHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 5.854565 GHz -38.48 dBm
M2 1 5.867971 GHz -35.26 dBm
M3 1 5.924543 GHz -40.56 dBm
M4 1 5.933659 GHz -39.70 dBm
Date: 30.MAR.2026 14:34:37

Ant2:

7.1.5 Test Result B1/2/3

TestMode	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Low	5180	-32.82	≤-27	PASS
	High	5320	-33.18	≤-27	PASS
	Low	5500	-31.7	≤-27	PASS
	High	5700	-32.39	≤-27	PASS
11N20SISO	Low	5180	-33.47	≤-27	PASS
	High	5320	-33.34	≤-27	PASS
	Low	5500	-31.74	≤-27	PASS
	High	5700	-32.12	≤-27	PASS
11N40SISO	Low	5190	-32.4	≤-27	PASS
	High	5310	-32.06	≤-27	PASS
	Low	5510	-31.61	≤-27	PASS
	High	5670	-32.84	≤-27	PASS
11AC20SISO	Low	5180	-31.95	≤-27	PASS
	High	5320	-33.12	≤-27	PASS
	Low	5500	-31.09	≤-27	PASS
	High	5700	-32.35	≤-27	PASS
11AC40SISO	Low	5190	-32.95	≤-27	PASS
	High	5310	-32.89	≤-27	PASS
	Low	5510	-32.23	≤-27	PASS
	High	5670	-33.6	≤-27	PASS
11AC80SISO	Low	5210	-33.03	≤-27	PASS
	High	5290	-32.97	≤-27	PASS
	Low	5530	-30.54	≤-27	PASS
11AX20SISO	Low	5180	-33.03	≤-27	PASS
	High	5320	-33.98	≤-27	PASS
	Low	5500	-32.41	≤-27	PASS
	High	5700	-32.69	≤-27	PASS
11AX40SISO	Low	5190	-33.12	≤-27	PASS
	High	5310	-31.65	≤-27	PASS
	Low	5510	-31.35	≤-27	PASS
	High	5670	-33.06	≤-27	PASS
11AX80SISO	Low	5210	-33.35	≤-27	PASS
	High	5290	-32.89	≤-27	PASS
	Low	5530	-30.67	≤-27	PASS

7.1.6 Test Result B4

TestMode	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Low	5745	5650~5700	-34.38	≤-26.26	PASS
			5700~5720	-34.51	≤10.42	PASS
			5720~5725	-34.53	≤15.98	PASS
			5760~5650	-34.62	≤-27	PASS
	High	5825	5850~5855	-32.56	≤15.65	PASS
			5855~5875	-33.86	≤10.51	PASS
			5875~5925	-34.92	≤-26.87	PASS
			5925~5935	-31.22	≤-27	PASS
11N20SISO	Low	5745	5650~5700	-35.81	≤-26.51	PASS
			5700~5720	-33.72	≤10.14	PASS
			5720~5725	-35.1	≤15.98	PASS
			5760~5650	-35.08	≤-27	PASS
	High	5825	5850~5855	-33.99	≤15.65	PASS
			5855~5875	-33.08	≤10.35	PASS
			5875~5925	-32.51	≤-25.57	PASS
			5925~5935	-32.79	≤-27	PASS
11N40SISO	Low	5755	5650~5700	-35.9	≤-26.94	PASS
			5700~5720	-29.71	≤14.16	PASS
			5720~5725	-29.2	≤17.68	PASS
			5780~5650	-34.55	≤-27	PASS
	High	5795	5850~5855	-33.37	≤15.85	PASS
			5855~5875	-32.59	≤10.01	PASS
			5875~5925	-30.96	≤-25.20	PASS
			5925~5935	-33.29	≤-27	PASS
11AC20SISO	Low	5745	5650~5700	-34.37	≤-26.14	PASS
			5700~5720	-33.56	≤10.23	PASS
			5720~5725	-33.73	≤16.36	PASS
			5760~5650	-34.24	≤-27	PASS
	High	5825	5850~5855	-34.26	≤15.65	PASS
			5855~5875	-32.1	≤11.06	PASS
			5875~5925	-33.61	≤-26.87	PASS
			5925~5935	-32.32	≤-27	PASS
11AC40SIS	Low	5755	5650~5700	-34.93	≤-26.94	PASS

O			5700~5720	-32.67	≤10.76	PASS
			5720~5725	-31.8	≤15.90	PASS
			5780~5650	-34.27	≤-27	PASS
	High	5795	5850~5855	-34.39	≤16.39	PASS
			5855~5875	-31.53	≤10.14	PASS
			5875~5925	-32.19	≤-25.73	PASS
			5925~5935	-34.41	≤-27	PASS
11AC80SISO	Low	5775	5650~5700	-34.53	≤-25.38	PASS
			5700~5720	-32.63	≤10.83	PASS
			5720~5725	-34.77	≤15.67	PASS
			5800~5650	-34.34	≤-27	PASS
	High	5775	5850~5855	-32.98	≤15.98	PASS
			5855~5875	-31.65	≤12.42	PASS
			5875~5925	-34.24	≤-26.86	PASS
			5925~5935	-33.28	≤-27	PASS
11AX20SISO	Low	5745	5650~5700	-34.54	≤-26.01	PASS
			5700~5720	-34.09	≤10.47	PASS
			5720~5725	-34.19	≤15.98	PASS
			5760~5650	-33.88	≤-27	PASS
	High	5825	5850~5855	-33.5	≤15.65	PASS
			5855~5875	-31.93	≤10.02	PASS
			5875~5925	-35.78	≤-26.87	PASS
			5925~5935	-33.8	≤-27	PASS
11AX40SISO	Low	5755	5650~5700	-33.96	≤-26.94	PASS
			5700~5720	-32.46	≤10.27	PASS
			5720~5725	-34.45	≤15.90	PASS
			5780~5650	-33.64	≤-27	PASS
	High	5795	5850~5855	-35.7	≤15.85	PASS
			5855~5875	-31.97	≤10.61	PASS
			5875~5925	-34.73	≤-26.97	PASS
			5925~5935	-33.35	≤-27	PASS
11AX80SISO	Low	5775	5650~5700	-34.84	≤-26.21	PASS
			5700~5720	-32.77	≤10.51	PASS
			5720~5725	-33.89	≤15.67	PASS
			5800~5650	-34.56	≤-27	PASS
	High	5775	5850~5855	-34.35	≤15.98	PASS
			5855~5875	-32.91	≤10.54	PASS

			5875~5925	-33.67	≤-25.67	PASS
			5925~5935	-32.9	≤-27	PASS

7.1.7 Test Graphs B1/2/3

11A_Ant2_Low_5180



11A_Ant2_High_5320



11A_Ant2_Low_5500



11A_Ant2_High_5700



11N20SISO_Ant2_Low_5180



11N20SISO_Ant2_High_5320



11N20SISO_Ant2_Low_5500



11N20SISO_Ant2_High_5700



Date: 30.MAR.2026 14:49:34

11N40SISO_Ant2_Low_5190



Date: 30.MAR.2026 14:50:48

11N40SISO_Ant2_High_5310



Date: 30.MAR.2026 14:51:09

11N40SISO_Ant2_Low_5510



11N40SISO_Ant2_High_5670

11AC20SISO_Ant2_Low_5180



11AC20SISO_Ant2_High_5320



11AC20SISO_Ant2_Low_5500



11AC20SISO_Ant2_High_5700



11AC40SISO_Ant2_Low_5190



11AC40SISO_Ant2_High_5310



11AC40SISO_Ant2_Low_5510



11AC40SISO_Ant2_High_5670