

深圳市利信辉电子有限公司

天线规格承认书

Antenna Specification for Approval

客户名称

Customer Name: 鑫纳电子

产品名称:

Product Name: 2.4G天线 全长35mm

客户型号:

Product Name:

产品料号:

Part NO.: C10-35-2.5

制表:

Write By: 周敏

日期:


Issued Date: 2018/04/24

客 户:

工程R&D Dept	采购Business Dept	承认 Approved By

利 信 辉

研发R&D Dept	工程 Engineer Dept	审核 Approval



利信辉电子技术有限公司

PART TITLE 锚璃磨备	2.4G天线	MATERIAL 第 踢	1mm白色镀银线	UNIT IN 等弁	mm	SCALE 掀瞰	5:1	VER. 喉棒	01
PART NO. 锚璃晤瘍	C10-33-2.0	DRWING 案莛	文 全	DATE 日	2015/12/09	CHECKING 机瞄		SUPPLIER CFM 鼎筒改 磨	

Product Specification

A. Electrical Characteristics Frequency

2400MHz ~2500MHz VSWR <3.0

Efficiency >30%

Impedance 50 Ohm

Polarization Line

Gain 0.17DBi

B. Material & Mechanical Characteristics

Material of Radiator Cu

Cable Type 1.0 19P 白色

Connector Type : NO

Dimension

C. Environmental

Operation Temperature - 30 °C ~ + 80 °C

Storage Temperature - 30 °C ~ + 85 °C

Test Equipment & Conditions

1. Network Analyzers :


Agilent 8753D 5071B

2. Communications Test Set:


Agilent E5515C

3. 3D Chamber Test System


Efficiency & Gain



(Testing by 3D anechoic chamber)



Phi axis test



Theta axis test

Efficiency & Gain

2.40 -2.17

2.440 0.12

2.48 0.17

Radiation Pattern:

