


















Occupied Channel Bandwidth




Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.766
NVNT	a	5200	16.927
NVNT	a	5240	16.901
NVNT	a	5745	16.928
NVNT	a	5785	17.05
NVNT	a	5825	16.932
NVNT	n20	5180	17.686
NVNT	n20	5200	17.644
NVNT	n20	5240	17.665
NVNT	n20	5745	17.687
NVNT	n20	5785	17.639
NVNT	n20	5825	17.634
NVNT	ac20	5180	17.675
NVNT	ac20	5200	17.603
NVNT	ac20	5240	17.643
NVNT	ac20	5745	17.719
NVNT	ac20	5785	17.607
NVNT	ac20	5825	17.669
NVNT	ax20	5180	18.906
NVNT	ax20	5200	18.856
NVNT	ax20	5240	18.893
NVNT	ax20	5745	18.813
NVNT	ax20	5785	18.895
NVNT	ax20	5825	18.858

























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	1.13	2.44	3.57	11	Pass
NVNT	a	5200	1.64	2.44	4.08	11	Pass
NVNT	a	5240	1.88	2.44	4.32	11	Pass
NVNT	n20	5180	-0.73	2.78	2.05	11	Pass
NVNT	n20	5200	-0.45	2.79	2.34	11	Pass
NVNT	n20	5240	0.62	2.79	3.41	11	Pass
NVNT	ac20	5180	-1.02	2.79	1.77	11	Pass
NVNT	ac20	5200	-0.6	2.79	2.19	11	Pass
NVNT	ac20	5240	-0.19	2.79	2.6	11	Pass
NVNT	ax20	5180	-1.84	3.15	1.31	11	Pass
NVNT	ax20	5200	-0.98	3.14	2.16	11	Pass
NVNT	ax20	5240	-0.57	3.15	2.58	11	Pass


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510k Hz)	Conducted PSD (dBm/500k Hz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
NVNT	a	5745	2.7	2.61	2.44	5.05	30	Pass
NVNT	a	5785	1.83	1.74	2.44	4.18	30	Pass
NVNT	a	5825	1.79	1.70	2.44	4.14	30	Pass
NVNT	n20	5745	-0.63	-0.72	2.79	2.07	30	Pass
NVNT	n20	5785	-0.49	-0.58	2.79	2.21	30	Pass
NVNT	n20	5825	-0.95	-1.04	2.79	1.75	30	Pass
NVNT	ac20	5745	-0.5	-0.59	2.8	2.21	30	Pass
NVNT	ac20	5785	-1.03	-1.12	2.78	1.66	30	Pass
NVNT	ac20	5825	-1.47	-1.56	2.78	1.22	30	Pass
NVNT	ax20	5745	-1.25	-1.34	3.15	1.81	30	Pass
NVNT	ax20	5785	-1.21	-1.30	3.15	1.85	30	Pass
NVNT	ax20	5825	-1.13	-1.22	3.15	1.93	30	Pass


























Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	-35.66	-27	Pass
NVNT	a	5240	-44.24	-27	Pass
NVNT	n20	5180	-39.82	-27	Pass
NVNT	n20	5240	-44.44	-27	Pass
NVNT	ac20	5180	-39.26	-27	Pass
NVNT	ac20	5240	-44.32	-27	Pass
NVNT	ax20	5180	-36.87	-27	Pass
NVNT	ax20	5240	-43.76	-27	Pass

Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-40.69	-27	Pass
NVNT	a	5825	-39.76	-27	Pass
NVNT	n20	5745	-41.86	-27	Pass
NVNT	n20	5825	-40.92	-27	Pass
NVNT	ac20	5745	-41.4	-27	Pass
NVNT	ac20	5825	-41.67	-27	Pass
NVNT	ax20	5745	-41.16	-27	Pass
NVNT	ax20	5825	-41.94	-27	Pass










Band Edge NVNT a 5825MHz High



Band Edge NVNT n20 5745MHz Low




Band Edge NVNT n20 5825MHz High






Band Edge NVNT ac20 5745MHz Low




Band Edge NVNT ac20 5825MHz High



Band Edge NVNT ax20 5745MHz Low










-6dB Bandwidth

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	14.44	0.5	Pass
NVNT	a	5785	13.23	0.5	Pass
NVNT	a	5825	13.12	0.5	Pass
NVNT	n20	5745	14.73	0.5	Pass
NVNT	n20	5785	16.72	0.5	Pass
NVNT	n20	5825	15.15	0.5	Pass
NVNT	ac20	5745	14.76	0.5	Pass
NVNT	ac20	5785	15.13	0.5	Pass
NVNT	ac20	5825	14.41	0.5	Pass
NVNT	ax20	5745	17.19	0.5	Pass
NVNT	ax20	5785	17.44	0.5	Pass
NVNT	ax20	5825	16.49	0.5	Pass











APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID.

※※※※※END OF THE REPORT※※※※※