



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: PROFESSIONAL SPEAKER

Test Model: MPD882XB


Environmental Conditions

Temperature:	24.2°C
Relative Humidity:	53.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun




A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.018	---	Pass
NVNT	1-DH5	2441	Ant1	1.051	---	Pass
NVNT	1-DH5	2480	Ant1	1.036	---	Pass
NVNT	2-DH5	2402	Ant1	1.278	---	Pass
NVNT	2-DH5	2441	Ant1	1.259	---	Pass
NVNT	2-DH5	2480	Ant1	1.315	---	Pass
NVNT	3-DH5	2402	Ant1	1.271	---	Pass
NVNT	3-DH5	2441	Ant1	1.307	---	Pass
NVNT	3-DH5	2480	Ant1	1.297	---	Pass




-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1






A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.17	30	Pass
NVNT	1-DH5	2441	Ant1	-2.82	30	Pass
NVNT	1-DH5	2480	Ant1	-6.06	30	Pass
NVNT	2-DH5	2402	Ant1	-0.04	30	Pass
NVNT	2-DH5	2441	Ant1	-2.93	30	Pass
NVNT	2-DH5	2480	Ant1	-6.11	30	Pass
NVNT	3-DH5	2402	Ant1	-0.04	30	Pass
NVNT	3-DH5	2441	Ant1	-2.91	30	Pass
NVNT	3-DH5	2480	Ant1	-6.13	30	Pass




Peak Power NVNT 1-DH5 2402MHz Ant1



Peak Power NVNT 1-DH5 2441MHz Ant1



Peak Power NVNT 1-DH5 2480MHz Ant1




Peak Power NVNT 2-DH5 2402MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Peak Power NVNT 2-DH5 2441MHz Ant1




Peak Power NVNT 2-DH5 2480MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Peak Power NVNT 3-DH5 2402MHz Ant1




Peak Power NVNT 3-DH5 2441MHz Ant1






A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.966	2402.944	0.978	0.701	Pass
NVNT	2-DH5	Ant1	2401.984	2402.988	1.004	0.877	Pass
NVNT	3-DH5	Ant1	2402.152	2403.152	1	0.871	Pass



CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1






A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.891	332.465	115	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.87	287	100	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.874	278.778	97	31600	400	Pass




Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated




Dwell NVNT 2-DH5 2402MHz Ant1 One Burst



Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated



Dwell NVNT 3-DH5 2402MHz Ant1 One Burst




Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated




A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass



Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1






A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-45.49	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-49.2	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-47.13	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-48.06	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-44.16	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-45.59	-20	Pass



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission

Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-42.49	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-42.75	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-41.7	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-44.35	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-40.58	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-46.04	-20	Pass




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission




A.7 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-34.85	-20	Pass
NVNT	1-DH5	2441	Ant1	-38.09	-20	Pass
NVNT	1-DH5	2480	Ant1	-37.95	-20	Pass
NVNT	2-DH5	2402	Ant1	-35.76	-20	Pass
NVNT	2-DH5	2441	Ant1	-43.53	-20	Pass
NVNT	2-DH5	2480	Ant1	-38.95	-20	Pass
NVNT	3-DH5	2402	Ant1	-41.77	-20	Pass
NVNT	3-DH5	2441	Ant1	-41.35	-20	Pass
NVNT	3-DH5	2480	Ant1	-38.55	-20	Pass




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission




A.8 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.12	1.13	0.35
NVNT	1-DH5	2441	Ant1	77.12	1.13	0.35
NVNT	1-DH5	2480	Ant1	77.04	1.13	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2480	Ant1	76.96	1.14	0.35




Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1




Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1




Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1



Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1






A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.46	3.38	48.18	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-56.79	3.38	41.85	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2353.776	-42.11	3.38	56.53	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2354.16	-46.01	3.38	52.63	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-47.75	3.38	50.89	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-52.95	3.38	45.69	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.66	3.38	47.98	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-56.67	3.38	41.97	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2497.672	-46.54	3.38	52.1	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2499.256	-55.7	3.38	42.94	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-47.32	3.38	51.32	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-56.64	3.38	42	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.55	3.38	47.09	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-56.86	3.38	41.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2353.872	-43.92	3.38	54.72	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2353.968	-48.63	3.38	50.01	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-48.97	3.38	49.67	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-54.48	3.38	44.16	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.69	3.38	48.95	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.71	3.38	41.93	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2499.208	-46.87	3.38	51.77	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2489.584	-56.2	3.38	42.44	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.9	3.38	49.74	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-56.8	3.38	41.84	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.21	3.38	48.43	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-56.99	3.38	41.65	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2354.16	-43.7	3.38	54.94	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2354.064	-48.91	3.38	49.73	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.19	3.38	48.45	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-54.45	3.38	44.19	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.14	3.38	49.5	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-56.63	3.38	42.01	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2493.04	-47.05	3.38	51.59	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2499.064	-56.37	3.38	42.27	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.39	3.38	48.25	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-56.75	3.38	41.89	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average



Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China.

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com