

Internal Photos of the EUT



Fig. 1




Fig. 2




Fig. 3 (Landturbo Pro Battery)



Fig. 4 (Landturbo Pro Battery)



Fig. 5 (Landturbo Pro Battery)




Fig. 6 (Landturbo Pro Battery)



Fig. 7 (Landturbo Battery)

Red + Black -

Lithium-ion Battery
 Model : ESB13-07
 Voltage : 48V DC
 Capacity: 13Ah
 Power : 624Wh
 Charge Limit Current: ≤5A
 Charge Limit Voltage: 54.6V/DC


IEC62133
 13INR19/66-5


⚠ WARNING UN38.3 MSDS

- Do not connect the positive and negative terminals of the battery.
- Do not expose the battery to high temperature, such as heating or in strong sunlight
- Do not submerge the battery in any kind of liquid and avoid drenching with rain.
- Do not disassemble the battery without professional guidance.
- Use only the specified charger.
- To reduce the risk of injury, user must read instruction manual.
- Pour prévenir les blessures, l'utilisateur doit lire le manuel d'utilisation

Zhejiang Yulun Technology Co., Ltd.

Fig. 8 (Landturbo Battery)



Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14