


Radiated Spurious Emission below 1GHz:

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes, only the worst case lowest channel of DH5 for GFSK was recorded in the report.

Test Graph

Horizontal:




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		31.6812	4.22	12.59	16.81	40.00	-23.19	QP	100	73
2		51.8703	1.02	14.44	15.46	40.00	-24.54	QP	100	150
3		141.8013	10.93	10.35	21.28	43.50	-22.22	QP	100	73
4		187.7859	8.31	12.21	20.52	43.50	-22.98	QP	100	90
5		236.8107	7.57	13.95	21.52	46.00	-24.48	QP	100	253
6	*	298.9486	10.67	16.28	26.95	46.00	-19.05	QP	100	270

Remark:

1. $\text{Margin} = \text{Measurement(Level)} - \text{Limit}$.
2. $\text{Measurement(Level)} = \text{Reading Level} + \text{Correct Factor}$.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Vertical:



Remark:


1. $\text{Margin} = \text{Measurement}(\text{Level}) - \text{Limit}$.
2. $\text{Measurement}(\text{Level}) = \text{Reading Level} + \text{Correct Factor}$.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

During the test, the Radiated Spurious Emission from above 1GHz was performed in all modes, only the worst case GFSK mode was recorded in the report.

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1647.509	14.03	35.63	49.66	74.00	24.34	PASS	Horizontal	PK
2	2649.843	16.89	36.19	53.08	74.00	20.92	PASS	Horizontal	PK
3	5053.136	-8.02	55.33	47.31	74.00	26.69	PASS	Horizontal	PK
4	7964.331	-1.39	52.70	51.31	74.00	22.69	PASS	Horizontal	PK
5	9607.440	1.38	54.38	55.76	74.00	18.24	PASS	Horizontal	PK
6	13695.71	7.27	50.70	57.97	74.00	16.03	PASS	Horizontal	PK
7	9608.440	1.37	45.26	46.63	54.00	7.37	PASS	Horizontal	AV
8	13723.71	7.21	39.25	46.46	54.00	7.54	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1771.784	14.38	35.78	50.16	74.00	23.84	PASS	Vertical	PK
2	2763.717	16.89	36.99	53.88	74.00	20.12	PASS	Vertical	PK
3	5066.137	-7.93	54.32	46.39	74.00	27.61	PASS	Vertical	PK
4	9608.440	1.37	53.52	54.89	74.00	19.11	PASS	Vertical	PK
5	13703.71	7.25	50.10	57.35	74.00	16.65	PASS	Vertical	PK
6	17908.99	15.19	46.76	61.95	74.00	12.05	PASS	Vertical	PK
7	9608.440	1.37	45.95	47.32	54.00	6.68	PASS	Vertical	AV
8	13726.71	7.21	39.67	46.88	54.00	7.12	PASS	Vertical	AV
9	17861.99	15.81	31.95	47.76	54.00	6.24	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18318.25	-26.81	63.77	36.96	74.00	37.04	PASS	Horizontal	PK
2	19633.42	-25.53	61.61	36.08	74.00	37.92	PASS	Horizontal	PK
3	20815.65	-25.68	61.75	36.07	74.00	37.93	PASS	Horizontal	PK
4	22196.78	-25.40	60.27	34.87	74.00	39.13	PASS	Horizontal	PK
5	23768.33	-22.44	58.48	36.04	74.00	37.96	PASS	Horizontal	PK
6	25315.39	-21.27	58.00	36.73	74.00	37.27	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18374.01	-26.74	63.32	36.58	74.00	37.42	PASS	Vertical	PK
2	19476.33	-25.60	61.56	35.96	74.00	38.04	PASS	Vertical	PK
3	20733.36	-25.79	60.85	35.06	74.00	38.94	PASS	Vertical	PK
4	22165.50	-25.47	60.38	34.91	74.00	39.09	PASS	Vertical	PK
5	23582.68	-23.11	58.40	35.29	74.00	38.71	PASS	Vertical	PK
6	25767.95	-20.81	57.08	36.27	74.00	37.73	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1864.724	14.51	35.95	50.46	74.00	23.54	PASS	Horizontal	PK
2	2896.926	17.69	36.09	53.78	74.00	20.22	PASS	Horizontal	PK
3	4679.111	-8.99	54.42	45.43	74.00	28.57	PASS	Horizontal	PK
4	7768.317	-1.67	51.21	49.54	74.00	24.46	PASS	Horizontal	PK
5	9763.450	1.24	51.51	52.75	74.00	21.25	PASS	Horizontal	PK
6	14392.75	9.59	47.51	57.10	74.00	16.90	PASS	Horizontal	PK
7	14343.75	8.94	36.67	45.61	54.00	8.39	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1597.639	13.72	35.50	49.22	74.00	24.78	PASS	Vertical	PK
2	2936.795	17.69	35.72	53.41	74.00	20.59	PASS	Vertical	PK
3	4830.122	-8.53	55.36	46.83	74.00	27.17	PASS	Vertical	PK
4	7728.315	-1.54	51.00	49.46	74.00	24.54	PASS	Vertical	PK
5	9763.450	1.24	51.68	52.92	74.00	21.08	PASS	Vertical	PK
6	14228.74	8.67	48.94	57.61	74.00	16.39	PASS	Vertical	PK
7	14238.74	8.79	36.80	45.59	54.00	8.41	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18438.95	-26.70	63.64	36.94	74.00	37.06	PASS	Horizontal	PK
2	19455.93	-25.61	61.59	35.98	74.00	38.02	PASS	Horizontal	PK
3	20693.58	-25.87	61.02	35.15	74.00	38.85	PASS	Horizontal	PK
4	22129.46	-25.54	61.40	35.86	74.00	38.14	PASS	Horizontal	PK
5	23337.19	-23.79	58.94	35.15	74.00	38.85	PASS	Horizontal	PK
6	24771.03	-21.94	57.90	35.96	74.00	38.04	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18571.56	-26.69	63.17	36.48	74.00	37.52	PASS	Vertical	PK
2	19674.56	-25.46	62.10	36.64	74.00	37.36	PASS	Vertical	PK
3	21332.47	-25.83	60.97	35.14	74.00	38.86	PASS	Vertical	PK
4	22937.67	-25.49	60.28	34.79	74.00	39.21	PASS	Vertical	PK
5	24008.72	-21.97	57.99	36.02	74.00	37.98	PASS	Vertical	PK
6	25526.54	-20.97	57.61	36.64	74.00	37.36	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1626.041	13.79	36.41	50.20	74.00	23.80	PASS	Horizontal	PK
2	2875.191	17.42	36.11	53.53	74.00	20.47	PASS	Horizontal	PK
3	4896.126	-8.30	53.59	45.29	74.00	28.71	PASS	Horizontal	PK
4	7712.314	-1.63	51.58	49.95	74.00	24.05	PASS	Horizontal	PK
5	9686.445	1.24	51.86	53.10	74.00	20.90	PASS	Horizontal	PK
6	16348.88	11.57	49.01	60.58	74.00	13.42	PASS	Horizontal	PK
7	16425.89	10.49	38.44	48.93	54.00	5.07	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1750.05	14.07	35.42	49.49	74.00	24.51	PASS	Vertical	PK
2	2832.922	17.33	35.87	53.20	74.00	20.80	PASS	Vertical	PK
3	4893.126	-8.32	54.13	45.81	74.00	28.19	PASS	Vertical	PK
4	7726.315	-1.55	51.38	49.83	74.00	24.17	PASS	Vertical	PK
5	10747.51	2.32	51.41	53.73	74.00	20.27	PASS	Vertical	PK
6	16345.88	11.53	48.47	60.00	74.00	14.00	PASS	Vertical	PK
7	16500.90	11.94	36.89	48.83	54.00	5.17	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18352.93	-26.76	63.91	37.15	74.00	36.85	PASS	Horizontal	PK
2	19472.25	-25.61	61.52	35.91	74.00	38.09	PASS	Horizontal	PK
3	20735.40	-25.79	61.29	35.50	74.00	38.50	PASS	Horizontal	PK
4	22227.72	-25.36	60.48	35.12	74.00	38.88	PASS	Horizontal	PK
5	23820.69	-22.29	58.45	36.16	74.00	37.84	PASS	Horizontal	PK
6	25241.60	-21.12	57.35	36.23	74.00	37.77	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/10

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18333.21	-26.79	63.43	36.64	74.00	37.36	PASS	Vertical	PK
2	19662.32	-25.48	61.49	36.01	74.00	37.99	PASS	Vertical	PK
3	20883.99	-25.80	61.43	35.63	74.00	38.37	PASS	Vertical	PK
4	22460.29	-25.07	60.51	35.44	74.00	38.56	PASS	Vertical	PK
5	23882.57	-22.17	58.19	36.02	74.00	37.98	PASS	Vertical	PK
6	25255.55	-21.15	57.43	36.28	74.00	37.72	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/10

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.86	51.82	74.00	22.18	PASS	Horizontal	PK
2	2390	15.96	27.81	43.77	54.00	10.23	PASS	Horizontal	AV