


802.11 ax20, 5500MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.62	3.98	54.60	74.00	19.40	Peak
2	5460.00	36.88	3.98	40.86	54.00	13.14	Average
3	5470.00	51.09	4.00	55.09	68.20	13.11	Peak

802.11 ax20, 5500MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	51.21	3.98	55.19	74.00	18.81	Peak
2	5460.00	37.47	3.98	41.45	54.00	12.55	Average
3	5470.00	51.83	4.00	55.83	68.20	12.37	Peak

802.11 ax20, 5700MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	53.97	4.63	58.60	68.20	9.60	Peak

802.11 ax20, 5700MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	59.04	4.63	63.67	68.20	4.53	Peak

802.11 ax40, 5510MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C low channel 5510MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	53.81	3.98	57.79	74.00	16.21	Peak
2	5460.00	38.79	3.98	42.77	54.00	11.23	Average
3	5470.00	57.56	4.00	61.56	68.20	6.64	Peak

802.11 ax40, 5510MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C low channel 5510MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	53.17	3.98	57.15	74.00	16.85	Peak
2	5460.00	41.49	3.98	45.47	54.00	8.53	Average
3	5466.78	60.96	4.00	64.96	68.20	3.24	Peak
4	5470.00	58.55	4.00	62.55	68.20	5.65	Peak

802.11 ax40, 5670MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C high channel 5670MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	55.36	4.63	59.99	68.20	8.21	Peak

802.11 ax40, 5670MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-2C high channel 5670MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	58.65	4.63	63.28	68.20	4.92	Peak

802.11ax80, 5530MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	52.86	3.98	56.84	74.00	17.16	Peak
2	5460.00	40.60	3.98	44.58	54.00	9.42	Average
3	5470.00	54.16	4.00	58.16	68.20	10.04	Peak

802.11ax80, 5530MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	59.95	3.98	63.93	74.00	10.07	Peak
2	5460.00	45.12	3.98	49.10	54.00	4.90	Average
3	5470.00	60.43	4.00	64.43	68.20	3.77	Peak

802.11ax80, 5610MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.72	4.63	55.35	68.20	12.85	Peak

802.11ax80, 5610MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	53.73	4.63	58.36	68.20	9.84	Peak

5725-5850MHz:

802.11a, 5745MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.78	9.15	59.93	68.20	8.27	Peak
2	5700.00	51.00	9.22	60.22	105.20	44.98	Peak
3	5720.00	58.44	9.32	67.76	110.80	43.04	Peak
4	5725.00	65.90	9.34	75.24	122.20	46.96	Peak

802.11a, 5745MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.86	9.15	60.01	68.20	8.19	Peak
2	5700.00	51.66	9.22	60.88	105.20	44.32	Peak
3	5720.00	60.25	9.32	69.57	110.80	41.23	Peak
4	5725.00	68.34	9.34	77.68	122.20	44.52	Peak

802.11a, 5825MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	61.46	4.95	66.41	122.20	55.79	Peak
2	5855.00	56.56	4.97	61.53	110.80	49.27	Peak
3	5875.00	51.33	5.00	56.33	105.20	48.87	Peak
4	5925.00	51.26	5.04	56.30	68.20	11.90	Peak

802.11a, 5825MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	65.12	4.95	70.07	122.20	52.13	Peak
2	5855.00	63.91	4.97	68.88	110.80	41.92	Peak
3	5875.00	51.86	5.00	56.86	105.20	48.34	Peak
4	5925.00	50.93	5.04	55.97	68.20	12.23	Peak

802.11 ac20, 5745MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.70	4.44	55.14	68.20	13.06	Peak
2	5700.00	51.89	4.56	56.45	105.20	48.75	Peak
3	5720.00	59.26	4.62	63.88	110.80	46.92	Peak
4	5725.00	62.67	4.63	67.30	122.20	54.90	Peak

802.11 ac20, 5745MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.73	4.44	55.17	68.20	13.03	Peak
2	5700.00	51.92	4.56	56.48	105.20	48.72	Peak
3	5720.00	60.45	4.62	65.07	110.80	45.73	Peak
4	5725.00	71.32	4.63	75.95	122.20	46.25	Peak

802.11 ac20, 5825MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	61.37	4.95	66.32	122.20	55.88	Peak
2	5855.00	59.24	4.97	64.21	110.80	46.59	Peak
3	5875.00	51.92	5.00	56.92	105.20	48.28	Peak
4	5925.00	52.01	5.04	57.05	68.20	11.15	Peak

802.11 ac20, 5825MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	66.54	4.95	71.49	122.20	50.71	Peak
2	5855.00	63.43	4.97	68.40	110.80	42.40	Peak
3	5875.00	53.39	5.00	58.39	105.20	46.81	Peak
4	5925.00	51.63	5.04	56.67	68.20	11.53	Peak

802.11 ac40, 5755MHz, Bandedge, Horizontal


Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 low channel 5755MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao

**802.11 ac40, 5755MHz, Bandedge, Vertical**


Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 low channel 5755MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao

**802.11 ac40, 5795MHz, Bandedge, Horizontal**


Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 high channel 5795MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao

**802.11 ac40, 5795MHz, Bandedge, Vertical**

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 high channel 5795MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 3Q11-1
Tester: Leo Xiao



802.11ac80, 5775MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.68	4.44	55.12	68.20	13.08	Peak
2	5700.00	62.36	4.56	66.92	105.20	38.28	Peak
3	5720.00	66.60	4.62	71.22	110.80	39.58	Peak
4	5725.00	66.02	4.63	70.65	122.20	51.55	Peak
5	5850.00	61.21	4.95	66.16	122.20	56.04	Peak
6	5855.00	58.51	4.97	63.48	110.80	47.32	Peak
7	5875.00	55.64	5.00	60.64	105.20	44.56	Peak
8	5925.00	51.57	5.04	56.61	68.20	11.59	Peak

802.11ac80, 5775MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	53.48	4.44	57.92	68.20	10.28	Peak
2	5700.00	69.21	4.56	73.77	105.20	31.43	Peak
3	5720.00	69.95	4.62	74.57	110.80	36.23	Peak
4	5725.00	71.09	4.63	75.72	122.20	46.48	Peak
5	5850.00	65.17	4.95	70.12	122.20	52.08	Peak
6	5855.00	65.67	4.97	70.64	110.80	40.16	Peak
7	5875.00	60.79	5.00	65.79	105.20	39.41	Peak
8	5925.00	51.37	5.04	56.41	68.20	11.79	Peak

802.11 ax20, 5745MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 3Q11-1
Tester: Leo Xiao



802.11 ax20, 5745MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 3Q11-1
Tester: Leo Xiao



802.11 ax20, 5825MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 3Q11-1
Tester: Leo Xiao



802.11 ax20, 5825MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 3Q11-1
Tester: Leo Xiao



802.11 ax40, 5755MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.50	4.44	54.94	68.20	13.26	Peak
2	5700.00	53.92	4.56	58.48	105.20	46.72	Peak
3	5720.00	65.23	4.62	69.85	110.80	40.95	Peak
4	5725.00	65.53	4.63	70.16	122.20	52.04	Peak

802.11 ax40, 5755MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	51.95	4.44	56.39	68.20	11.81	Peak
2	5700.00	58.08	4.56	62.64	105.20	42.56	Peak
3	5720.00	70.18	4.62	74.80	110.80	36.00	Peak
4	5725.00	71.33	4.63	75.96	122.20	46.24	Peak

802.11 ax40, 5795MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	56.86	4.95	61.81	122.20	60.39	Peak
2	5855.00	55.40	4.97	60.37	110.80	50.43	Peak
3	5875.00	51.47	5.00	56.47	105.20	48.73	Peak
4	5925.00	51.37	5.04	56.41	68.20	11.79	Peak

802.11 ax40, 5795MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	60.23	4.95	65.18	122.20	57.02	Peak
2	5855.00	58.95	4.97	63.92	110.80	46.88	Peak
3	5875.00	55.36	5.00	60.36	105.20	44.84	Peak
4	5925.00	51.58	5.04	56.62	68.20	11.58	Peak

802.11ax80, 5775MHz, Bandedge, Horizontal

Project No.: 2602V21032E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	51.31	4.44	55.75	68.20	12.45	Peak
2	5700.00	63.00	4.56	67.56	105.20	37.64	Peak
3	5720.00	64.72	4.62	69.34	110.80	41.46	Peak
4	5725.00	65.33	4.63	69.96	122.20	52.24	Peak
5	5850.00	62.66	4.95	67.61	122.20	54.59	Peak
6	5855.00	60.97	4.97	65.94	110.80	44.86	Peak
7	5875.00	57.22	5.00	62.22	105.20	42.98	Peak
8	5925.00	51.17	5.04	56.21	68.20	11.99	Peak

802.11ax80, 5775MHz, Bandedge, Vertical

Project No.: 2602V21032E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3Q11-1
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	53.75	4.44	58.19	68.20	10.01	Peak
2	5700.00	68.99	4.56	73.55	105.20	31.65	Peak
3	5720.00	70.66	4.62	75.28	110.80	35.52	Peak
4	5725.00	71.85	4.63	76.48	122.20	45.72	Peak
5	5850.00	68.74	4.95	73.69	122.20	48.51	Peak
6	5855.00	66.57	4.97	71.54	110.80	39.26	Peak
7	5875.00	61.52	5.00	66.52	105.20	38.68	Peak
8	5925.00	52.65	5.04	57.69	68.20	10.51	Peak

6.3 Emission Bandwidth

Test Information:

Serial No.:	3MHT-2	Test Date:	2026/08/03~2026/08/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5~26.7	Relative Humidity: (%)	64~67	ATM Pressure: (kPa)	99.9~100.2
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
R&S	Spectrum Analyzer	FSV40	101589	2026/07/08	2027/07/07
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	27.318
	5200	28.371
	5240	26.898
802.11ac20	5180	34.152
	5200	28.133
	5240	27.974
802.11ac40	5190	60.812
	5230	70.589
802.11ac80	5210	115.857
802.11ax20_RU_Full	5180	28.258
	5200	30.462
	5240	27.918
802.11ax40_RU_Full	5190	49.650
	5230	54.875
802.11ax80_RU_Full	5210	118.895

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	27.297
	5280	27.171
	5320	26.097
802.11ac20	5260	39.529
	5280	28.138
	5320	32.827
802.11ac40	5270	76.333
	5310	63.735
802.11ac80	5290	110.333
802.11ax20_RU_Full	5260	34.607
	5280	25.368
	5320	31.407
802.11ax40_RU_Full	5270	46.847
	5310	44.945
802.11ax80_RU_Full	5290	113.522

5470-5725MHz


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	27.592
	5600	29.830
	5700	38.389
	5720	38.018
802.11ac20	5500	34.060
	5600	39.992
	5700	38.885
	5720	40.791
802.11ac40	5510	73.901
	5590	67.185
	5670	77.323
	5710	81.217
802.11ac80	5530	120.030
	5610	150.533
	5690	155.807
802.11ax20_RU_Full	5500	36.615
	5600	25.786
	5700	34.895
	5720	37.943
802.11ax40_RU_Full	5510	53.440
	5590	57.219
	5670	62.647
	5710	58.323
802.11ax80_RU_Full	5530	112.058
	5610	139.890
	5690	150.426

6dB Emission Bandwidth
5725-5850MHz


Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	16.667	0.5	Pass
	5785	16.667	0.5	Pass
	5825	16.667	0.5	Pass
802.11ac20	5745	17.918	0.5	Pass
	5785	17.918	0.5	Pass
	5825	17.918	0.5	Pass
802.11ac40	5755	36.637	0.5	Pass
	5795	36.637	0.5	Pass
802.11ac80	5775	76.877	0.5	Pass
802.11ax20_RU_Full	5745	19.369	0.5	Pass
	5785	19.269	0.5	Pass
	5825	19.319	0.5	Pass
802.11ax40_RU_Full	5755	38.238	0.5	Pass
	5795	38.438	0.5	Pass
802.11ax80_RU_Full	5775	78.478	0.5	Pass

5150-5250MHz


802.11a_5180MHz




802.11a_5200MHz




802.11a_5240MHz




802.11ac20_5180MHz




802.11ac20_5200MHz



802.11ac20_5240MHz




802.11ac40_5190MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:14:12

802.11ac40_5230MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:16:05

802.11ac80_5210MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:17:10

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:58:30

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:59:43

802.11ax20_5240MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:00:58

802.11ax40_5190MHz_RU_Full




802.11ax40_5230MHz_RU_Full




5250-5350MHz


802.11ax80_5210MHz_RU_Full




802.11a_5260MHz




802.11a_5280MHz



802.11a_5320MHz




802.11ac20_5260MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:13:16

802.11ac20_5280MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:14:38

802.11ac20_5320MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:18:33

802.11ac40_5270MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:19:47

802.11ac40_5310MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:20:52

802.11ac80_5290MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:22:04


802.11ax20_5260MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:03:19


802.11ax20_5280MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:05:05


802.11ax20_5320MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:06:48


802.11ax40_5270MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:09:34


802.11ax40_5310MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:10:37

802.11ax80_5290MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:11:57


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:23:51

802.11a_5600MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:25:27

802.11a_5700MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:26:56

802.11a_5720MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:28:46

802.11ac20_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:26:30

802.11ac20_5600MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:34:19

802.11ac20_5700MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:36:16

802.11ac20_5720MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:37:43

802.11ac40_5510MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:41:28

802.11ac40_5590MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:43:57

802.11ac40_5670MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:45:32

802.11ac40_5710MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:46:34


802.11ac80_5530MHz




802.11ac80_5610MHz




802.11ac80_5690MHz




802.11ax20_5500MHz_RU_Full




802.11ax20_5600MHz_RU_Full




802.11ax20_5700MHz_RU_Full




802.11ax20_5720MHz_RU_Full




802.11ax40_5510MHz_RU_Full




802.11ax40_5590MHz_RU_Full




802.11ax40_5670MHz_RU_Full




802.11ax40_5710MHz_RU_Full



802.11ax80_5530MHz_RU_Full




802.11ax80_5610MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:01:18


802.11ax80_5690MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:04:27


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:52:16

802.11a_5785MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:53:29

802.11a_5825MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:54:46

802.11ac20_5745MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:01:39

802.11ac20_5785MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:03:12

802.11ac20_5825MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:04:29

802.11ac40_5755MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:05:42

802.11ac40_5795MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:06:53

802.11ac80_5775MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:08:36

802.11ax20_5745MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 08:51:28

802.11ax20_5785MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:59:54

802.11ax20_5825MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 17:00:57

802.11ax40_5755MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 08:56:42

802.11ax40_5795MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 08:57:47

802.11ax80_5775MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 08:58:51

6.4 99% Occupied Bandwidth

Test Information:

Serial No.:	3MHT-2	Test Date:	2026/08/03~2026/08/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.5~26.7	Relative Humidity: (%)	64~67	ATM Pressure: (kPa)	99.9~100.2
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
R&S	Spectrum Analyzer	FSV40	101589	2026/07/08	2027/07/07
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.950
	5200	16.900
	5240	16.900
802.11ac20	5180	18.150
	5200	18.200
	5240	18.150
802.11ac40	5190	36.700
	5230	36.600
802.11ac80	5210	76
802.11ax20_RU_Full	5180	19.250
	5200	19.250
	5240	19.250
802.11ax40_RU_Full	5190	37.900
	5230	37.800
802.11ax80_RU_Full	5210	77.600

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5260	16.950
	5280	16.900
	5320	16.900
802.11ac20	5260	18.100
	5280	18.150
	5320	18.050
802.11ac40	5270	36.700
	5310	36.600
802.11ac80	5290	75.800
802.11ax20_RU_Full	5260	19.200
	5280	19.300
	5320	19.250
802.11ax40_RU_Full	5270	37.900
	5310	37.800
802.11ax80_RU_Full	5290	77.400

5470-5725MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5500	17
	5600	17
	5700	17.300
	5720	17.500
802.11ac20	5500	18.150
	5600	18.200
	5700	18.600
	5720	18.550
802.11ac40	5510	36.700
	5590	36.800
	5670	37
	5710	37.200
802.11ac80	5530	76
	5610	76
	5690	76.400
802.11ax20_RU_Full	5500	19.350
	5600	19.300
	5700	19.450
	5720	19.400
802.11ax40_RU_Full	5510	37.900
	5590	37.900
	5670	38
	5710	38
802.11ax80_RU_Full	5530	77.600
	5610	77.800
	5690	77.600

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	17.500
	5785	17.500
	5825	17.950
802.11ac20	5745	18.500
	5785	18.550
	5825	19.150
802.11ac40	5755	37.200
	5795	37.300
802.11ac80	5775	77
802.11ax20_RU_Full	5745	19.550
	5785	19.500
	5825	19.650
802.11ax40_RU_Full	5755	38.100
	5795	38.100
802.11ax80_RU_Full	5775	78

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:52:26

802.11a_5200MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:53:38

802.11a_5240MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:54:53

802.11ac20_5180MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:10:26

802.11ac20_5200MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:12:00

802.11ac20_5240MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:13:11

802.11ac40_5190MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:14:29

802.11ac40_5230MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:16:17

802.11ac80_5210MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:17:26

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 13:58:49

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:00:04

802.11ax20_5240MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:01:19

802.11ax40_5190MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:02:46


802.11ax40_5230MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:03:58


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:07:04

802.11a_5260MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:24:06

802.11a_5280MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:26:10

802.11a_5320MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 14:27:30

802.11ac20_5260MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:13:36

802.11ac20_5280MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:15:00

802.11ac20_5320MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:18:52

802.11ac40_5270MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:20:03

802.11ac40_5310MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:21:07

802.11ac80_5290MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:22:18


802.11ax20_5260MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:03:44


802.11ax20_5280MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:05:25


802.11ax20_5320MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:07:06


802.11ax40_5270MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:09:46


802.11ax40_5310MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:10:49

802.11ax80_5290MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 15:12:11


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:24:13

802.11a_5600MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:25:47

802.11a_5700MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:27:24

802.11a_5720MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:29:10

802.11ac20_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:26:53

802.11ac20_5600MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:34:39


802.11ac20_5700MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 16:36:41


802.11ac20_5720MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 16:38:05


802.11ac40_5510MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 16:41:42


802.11ac40_5590MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 16:44:16


802.11ac40_5670MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 16:45:46


802.11ac40_5710MHz



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou


Date: 3.AUG.2026 16:46:47

802.11ac80_5530MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:48:40

802.11ac80_5610MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:49:53

802.11ac80_5690MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:50:53

802.11ax20_5500MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:30:41

802.11ax20_5600MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:32:05

802.11ax20_5700MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 15:33:27


802.11ax20_5720MHz_RU_Full




802.11ax40_5510MHz_RU_Full




802.11ax40_5590MHz_RU_Full




802.11ax40_5670MHz_RU_Full




802.11ax40_5710MHz_RU_Full



802.11ax80_5530MHz_RU_Full




802.11ax80_5610MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:01:33


802.11ax80_5690MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:04:38


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:52:36

802.11a_5785MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:53:51

802.11a_5825MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 3.AUG.2026 16:55:01

802.11ac20_5745MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 4.AUG.2026 09:01:58


802.11ac20_5785MHz




802.11ac20_5825MHz




802.11ac40_5755MHz




802.11ac40_5795MHz




802.11ac80_5775MHz



802.11ax20_5745MHz_RU_Full




802.11ax20_5785MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 17:00:16


802.11ax20_5825MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 3.AUG.2026 17:01:11


802.11ax40_5755MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 4.AUG.2026 08:56:52


802.11ax40_5795MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 4.AUG.2026 08:57:58

802.11ax80_5775MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou

Date: 4.AUG.2026 08:59:05

6.5 Maximum Conducted Output Power

Test Information:

Serial No.:	3MHT-2	Test Date:	2026/08/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.6	Relative Humidity: (%)	60	ATM Pressure: (kPa)	100.1
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2026/05/25	2027/05/24

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	12.94	24	Pass
	5200	12.99	24	Pass
	5240	13.25	24	Pass
802.11ac20	5180	13.02	24	Pass
	5200	13.02	24	Pass
	5240	13.31	24	Pass
802.11ac40	5190	13.0	24	Pass
	5230	13.03	24	Pass
802.11ac80	5210	10.78	24	Pass
802.11ax20_RU_Full	5180	12.98	24	Pass
	5200	13.06	24	Pass
	5240	13.45	24	Pass
802.11ax40_RU_Full	5190	12.17	24	Pass
	5230	12.2	24	Pass
802.11ax80_RU_Full	5210	11.09	24	Pass

Note: This EUT is a client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	13.32	24	Pass
	5280	13.31	24	Pass
	5320	13.04	24	Pass
802.11ac20	5260	13.39	24	Pass
	5280	13.24	24	Pass
	5320	13.12	24	Pass
802.11ac40	5270	13.22	24	Pass
	5310	13.15	24	Pass
802.11ac80	5290	13.01	24	Pass
802.11ax20_RU_Full	5260	13.5	24	Pass
	5280	13.43	24	Pass
	5320	13.34	24	Pass
802.11ax40_RU_Full	5270	13.42	24	Pass
	5310	13.28	24	Pass
802.11ax80_RU_Full	5290	12.24	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	13.25	24	Pass
	5600	13.11	24	Pass
	5700	12.03	24	Pass
	5720	11.15	24	Pass
802.11ac20	5500	13.41	24	Pass
	5600	13.11	24	Pass
	5700	12.26	24	Pass
	5720	11.15	24	Pass
802.11ac40	5510	12.38	24	Pass
	5590	11.92	24	Pass
	5670	11.27	24	Pass
	5710	10.87	24	Pass
802.11ac80	5530	12.11	24	Pass
	5610	11.74	24	Pass
	5690	10.97	24	Pass
802.11ax20_RU_Full	5500	12.38	24	Pass
	5600	12.26	24	Pass
	5700	11.28	24	Pass
	5720	10.25	24	Pass
802.11ax40_RU_Full	5510	12.4	24	Pass
	5590	12.24	24	Pass
	5670	11.43	24	Pass
	5710	10.92	24	Pass
802.11ax80_RU_Full	5530	12.38	24	Pass
	5610	11.97	24	Pass
	5690	11.19	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	12.0	30	Pass
	5785	11.86	30	Pass
	5825	11.55	30	Pass
802.11ac20	5745	12.07	30	Pass
	5785	11.92	30	Pass
	5825	11.69	30	Pass
802.11ac40	5755	11.8	30	Pass
	5795	11.57	30	Pass
802.11ac80	5775	11.61	30	Pass
802.11ax20_RU_Full	5745	12.14	30	Pass
	5785	11.99	30	Pass
	5825	11.77	30	Pass
802.11ax40_RU_Full	5755	12.01	30	Pass
	5795	11.94	30	Pass
802.11ax80_RU_Full	5775	11.96	30	Pass

6.6 Power Spectral Density

Test Information:

Serial No.:	3MHT-2	Test Date:	2026/08/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.6	Relative Humidity: (%)	60	ATM Pressure: (kPa)	100.1
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
R&S	Spectrum Analyzer	FSV40	101589	2026/07/08	2027/07/07
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	2.19	0	2.19	11	Pass
	5200	2.16	0	2.16	11	Pass
	5240	2.39	0	2.39	11	Pass
802.11ac20	5180	1.90	0	1.90	11	Pass
	5200	1.94	0	1.94	11	Pass
	5240	2.33	0	2.33	11	Pass
802.11ac40	5190	-0.57	0	-0.57	11	Pass
	5230	-0.62	0	-0.62	11	Pass
802.11ac80	5210	-5.91	0	-5.91	11	Pass
802.11ax20_RU_Full	5180	1.57	0	1.57	11	Pass
	5200	1.69	0	1.69	11	Pass
	5240	2.04	0	2.04	11	Pass
802.11ax40_RU_Full	5190	-1.43	0	-1.43	11	Pass
	5230	-1.23	0	-1.23	11	Pass
802.11ax80_RU_Full	5210	-5.91	0	-5.91	11	Pass

Note: This EUT is a client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	2.58	0	2.58	11	Pass
	5280	2.91	0	2.91	11	Pass
	5320	2.21	0	2.21	11	Pass
802.11ac20	5260	2.47	0	2.47	11	Pass
	5280	2.15	0	2.15	11	Pass
	5320	2.27	0	2.27	11	Pass
802.11ac40	5270	-0.51	0	-0.51	11	Pass
	5310	-0.52	0	-0.52	11	Pass
802.11ac80	5290	-3.89	0	-3.89	11	Pass
802.11ax20_RU_Full	5260	2.41	0	2.41	11	Pass
	5280	2.16	0	2.16	11	Pass
	5320	2.00	0	2.00	11	Pass
802.11ax40_RU_Full	5270	-0.23	0	-0.23	11	Pass
	5310	-0.43	0	-0.43	11	Pass
802.11ax80_RU_Full	5290	-4.61	0	-4.61	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	2.54	0	2.54	11	Pass
	5600	2.31	0	2.31	11	Pass
	5700	1.36	0	1.36	11	Pass
	5720	1.22	0	1.22	11	Pass
802.11ac20	5500	2.23	0	2.23	11	Pass
	5600	2.01	0	2.01	11	Pass
	5700	0.94	0	0.94	11	Pass
	5720	1.03	0	1.03	11	Pass
802.11ac40	5510	-1.42	0	-1.42	11	Pass
	5590	-1.69	0	-1.69	11	Pass
	5670	-2.18	0	-2.18	11	Pass
	5710	-2.53	0	-2.53	11	Pass
802.11ac80	5530	-4.81	0	-4.81	11	Pass
	5610	-4.86	0	-4.86	11	Pass
	5690	-5.74	0	-5.74	11	Pass
802.11ax20_RU_Full	5500	0.85	0	0.85	11	Pass
	5600	1.10	0	1.10	11	Pass
	5700	0.06	0	0.06	11	Pass
	5720	-0.15	0	-0.15	11	Pass
802.11ax40_RU_Full	5510	-1.31	0	-1.31	11	Pass
	5590	-1.23	0	-1.23	11	Pass
	5670	-2.33	0	-2.33	11	Pass
	5710	-2.45	0	-2.45	11	Pass
802.11ax80_RU_Full	5530	-4.44	0	-4.44	11	Pass
	5610	-4.97	0	-4.97	11	Pass
	5690	-5.60	0	-5.60	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-1.42	0	-1.42	30	Pass
	5785	-1.61	0	-1.61	30	Pass
	5825	-2.08	0	-2.08	30	Pass
802.11ac20	5745	-2.13	0	-2.13	30	Pass
	5785	-2.25	0	-2.25	30	Pass
	5825	-2.27	0	-2.27	30	Pass
802.11ac40	5755	-4.86	0	-4.86	30	Pass
	5795	-5.00	0	-5.00	30	Pass
802.11ac80	5775	-7.91	0	-7.91	30	Pass
802.11ax20_RU_Full	5745	-2.27	0	-2.27	30	Pass
	5785	-2.22	0	-2.22	30	Pass
	5825	-2.57	0	-2.57	30	Pass
802.11ax40_RU_Full	5755	-4.72	0	-4.72	30	Pass
	5795	-4.66	0	-4.66	30	Pass
802.11ax80_RU_Full	5775	-7.48	0	-7.48	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:23:11

802.11a_5200MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:24:20

802.11a_5240MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:25:26

802.11ac20_5180MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:49:12

802.11ac20_5200MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:50:07

802.11ac20_5240MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:50:52

802.11ac40_5190MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:04:18

802.11ac40_5230MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:05:23

802.11ac80_5210MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:15:41

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:40:28

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:41:40

802.11ax20_5240MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:42:47

802.11ax40_5190MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:08:30


802.11ax40_5230MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:11:58


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:37:58

802.11a_5260MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:26:29

802.11a_5280MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:27:46

802.11a_5320MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:29:11

802.11ac20_5260MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:52:35

802.11ac20_5280MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:53:49

802.11ac20_5320MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:54:19

802.11ac40_5270MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:06:27

802.11ac40_5310MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:07:30

802.11ac80_5290MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:16:12


802.11ax20_5260MHz_RU_Full




802.11ax20_5280MHz_RU_Full




802.11ax20_5320MHz_RU_Full




802.11ax40_5270MHz_RU_Full



802.11ax40_5310MHz_RU_Full




802.11ax80_5290MHz_RU_Full




5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:30:13

802.11a_5600MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:31:13

802.11a_5700MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:32:09

802.11a_5720MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:33:28

802.11ac20_5500MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:55:15

802.11ac20_5600MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:56:32

802.11ac20_5700MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:57:24

802.11ac20_5720MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:58:47

802.11ac40_5510MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:08:59

802.11ac40_5590MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:09:58

802.11ac40_5670MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:11:07

802.11ac40_5710MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:12:44

802.11ac80_5530MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:17:03

802.11ac80_5610MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:18:01

802.11ac80_5690MHz




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 16:19:00

802.11ax20_5500MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:48:37

802.11ax20_5600MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:49:23

802.11ax20_5700MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:51:56

802.11ax20_5720MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 14:53:36

802.11ax40_5510MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:22:08

802.11ax40_5590MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:24:43

802.11ax40_5670MHz_RU_Full




ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:26:04

802.11ax40_5710MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:34:00

802.11ax80_5530MHz_RU_Full



ProjectNo.:2602V21032E-RF Tester:Jojo Zhou
Date: 27.AUG.2026 15:39:38