



深圳市鸿联兴科技有限公司
Shenzhen Hong Lian Xing Technology Co., Ltd.

样品承认书

SPECIFICATION FOR APPROVAL

客户名称:
CUSTOMER NAME

产品名称: 2.4G 吸盘天线Suction cup antenna
PAPT NAME

产品型号: hlx-w5-034-148
PAPT MODEL

承 认 栏

供应商确认:

拟定	审核	批准

客户确认:

确认	审核	承认

厂址: 中国深圳市龙岗区园山街道大康路36号F栋Building F, No. 36 Dakang Road, Yuanshan Street, Longgang District, Shenzhen, China
Tel: 0755-29805767 FAX: 0755- 29805862 www.h-lx.com
手机13410704829(杨先生)
E-mail: yanghuahaoma@163.com


一、 电气性能 Electrical factor

1. 频率范围 Frenquency range	2400-2500 MHz
2. 输入阻抗 Impedance	50 Ω
3. 驻波比 VSWR	≤ 2
4. 增益 Gain	5 dBi
5.极化方式 Polarization	垂直 vertical
6.辐射方向 Radiation	全向 Omnidirectional
7.功率容量 Maximun power Input-	50W

二、 机械特性 Mechanical performance


1. 尺寸 Dimension	148 $\pm$ 2mm
2. 接头 Connector	SMA公头母针 SMA-M
3. 外罩材料 Radome material	TPE、
4. 外罩颜色 Radome color	黑色black
5. 工作温度 Working temperature	-20℃ $\sim$ 85℃
6. 存放温度 Storage temperature	-40℃ $\sim$ 90℃

三、 图纸 Drawings




四、性能测试performance testing


1. 阻抗图 SMITH





2. VSWR




3. 回损图 RETURN LOSS



测试系统Test System





T180-P0