



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	37.17	9.58	46.75	74.00	-27.25	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	39.12	9.30	48.42	68.20	-19.78	peak	
2		5460.000	34.82	9.31	44.13	68.20	-24.07	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	35.15	10.18	45.33	74.00	-28.67	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.47	9.30	44.77	68.20	-23.43	peak		
2	*	5460.000	36.31	9.31	45.62	68.20	-22.58	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11000.000	36.96	10.18	47.14	74.00	-26.86	peak		Comment

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	35.71	9.30	45.01	68.20	-23.19	peak		Comment
2	*	5460.000	36.94	9.31	46.25	68.20	-21.95	peak		Comment

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11490.000	34.80	9.70	44.50	74.00	-29.50	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	45.31	9.16	54.47	68.20	-13.73	peak		
2		5700.000	44.77	9.10	53.87	105.20	-51.33	peak		
3		5720.000	45.46	9.08	54.54	110.80	-56.26	peak		
4		5725.000	46.08	9.08	55.16	122.20	-67.04	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11490.000	37.02	9.70	46.72	74.00	-27.28	peak		Comment

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	46.72	9.16	55.88	68.20	-12.32	peak		Comment
2		5700.000	46.70	9.10	55.80	105.20	-49.40	peak		
3		5720.000	46.81	9.08	55.89	110.80	-54.91	peak		
4		5725.000	49.25	9.08	58.33	122.20	-63.87	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	35.37	10.18	45.55	74.00	-28.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	46.94	9.24	56.18	122.20	-66.02	peak		
2		5855.000	46.45	9.26	55.71	110.80	-55.09	peak		
3		5875.000	45.77	9.36	55.13	105.20	-50.07	peak		
4	*	5925.000	46.10	9.61	55.71	68.20	-12.49	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	36.38	10.18	46.56	74.00	-27.44	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	49.03	9.24	58.27	122.20	-63.93	peak	
2		5855.000	46.55	9.26	55.81	110.80	-54.99	peak	
3		5875.000	45.03	9.36	54.39	105.20	-50.81	peak	
4	*	5925.000	44.63	9.61	54.24	68.20	-13.96	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	37.51	9.24	46.75	68.20	-21.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.25	7.17	43.42	68.20	-24.78	peak		
2	*	5150.000	38.78	9.17	47.95	68.20	-20.25	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	34.92	9.24	44.16	68.20	-24.04 peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	36.25	7.17	43.42	68.20	-24.78 peak		
2	*	5150.000	40.21	9.17	49.38	68.20	-18.82 peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10620.000	37.20	9.54	46.74	74.00	-27.26	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	35.34	9.30	44.64	68.20	-23.56	peak		
2		5460.000	34.71	9.31	44.02	68.20	-24.18	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	38.35	9.54	47.89	74.00	-26.11	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.93	9.30	44.23	68.20	-23.97	peak		
2	*	5460.000	35.33	9.31	44.64	68.20	-23.56	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	37.10	10.15	47.25	74.00	-26.75	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.19	9.30	44.49	68.20	-23.71	peak		
2	*	5460.000	35.82	9.31	45.13	68.20	-23.07	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11020.000	38.01	10.15	48.16	74.00	-25.84	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	34.82	9.30	44.12	68.20	-24.08	peak		
2		5460.000	34.78	9.31	44.09	68.20	-24.11	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:118

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11100.000	33.66	9.84	43.50	74.00	-30.50	peak		Comment

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11100.000	35.28	9.84	45.12	74.00	-28.88	peak		Comment

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	33.88	9.76	43.64	74.00	-30.36	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	46.13	9.16	55.29	68.20	-12.91	peak		
2		5700.000	45.82	9.10	54.92	105.20	-50.28	peak		
3		5720.000	45.94	9.08	55.02	110.80	-55.78	peak		
4		5725.000	48.14	9.08	57.22	122.20	-64.98	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11510.000	35.68	9.76	45.44	74.00	-28.56	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	44.58	9.16	53.74	68.20	-14.46	peak		Comment
2		5700.000	44.51	9.10	53.61	105.20	-51.59	peak		
3		5720.000	46.03	9.08	55.11	110.80	-55.69	peak		
4		5725.000	47.33	9.08	56.41	122.20	-65.79	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	36.40	9.99	46.39	74.00	-27.61	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	45.78	9.24	55.02	122.20	-67.18	peak		
2		5855.000	46.24	9.26	55.50	110.80	-55.30	peak		
3		5875.000	46.11	9.36	55.47	105.20	-49.73	peak		
4	*	5925.000	46.09	9.61	55.70	68.20	-12.50	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11590.000	37.71	9.99	47.70	74.00	-26.30	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	46.39	9.24	55.63	122.20	-66.57	peak		Comment
2		5855.000	45.52	9.26	54.78	110.80	-56.02	peak		
3		5875.000	45.86	9.36	55.22	105.20	-49.98	peak		
4	*	5925.000	46.19	9.61	55.80	68.20	-12.40	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	33.97	9.28	43.25	68.20	-24.95	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	35.67	7.17	42.84	68.20	-25.36	peak		
2	*	5150.000	42.21	9.17	51.38	68.20	-16.82	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	36.05	9.28	45.33	68.20	-22.87	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	37.41	7.17	44.58	68.20	-23.62	peak		
2	*	5150.000	40.45	9.17	49.62	68.20	-18.58	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:58

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.000	37.30	9.49	46.79	68.20	-21.41	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	35.03	9.30	44.33	68.20	-23.87	peak		Comment
2	*	5460.000	35.06	9.31	44.37	68.20	-23.83	peak		Comment


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	34.54	10.07	44.61	74.00	-29.39	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	36.24	9.30	45.54	68.20	-22.66	peak		
2		5460.000	35.17	9.31	44.48	68.20	-23.72	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11060.000	35.65	10.07	45.72	74.00	-28.28	peak		Comment

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	35.42	9.30	44.72	68.20	-23.48	peak		Comment
2	*	5460.000	37.04	9.31	46.35	68.20	-21.85	peak		Comment

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:122

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:155

VERTICAL




HORIZONTALA

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	34.03	9.21	43.24	68.20	-24.96	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.26	7.17	43.43	68.20	-24.77	peak		
2	*	5150.000	41.67	9.17	50.84	68.20	-17.36	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10360.000	35.25	9.21	44.46	68.20	-23.74	peak		Comment

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	36.31	7.17	43.48	68.20	-24.72	peak		Comment
2	*	5150.000	39.50	9.17	48.67	68.20	-19.53	peak		Comment

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:64

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10640.000	36.70	9.58	46.28	74.00	-27.72	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	36.24	9.30	45.54	68.20	-22.66	peak		Comment
2		5460.000	36.06	9.31	45.37	68.20	-22.83	peak		Comment


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11000.000	34.37	10.18	44.55	74.00	-29.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	36.75	9.30	46.05	68.20	-22.15	peak		
2	*	5460.000	37.04	9.31	46.35	68.20	-21.85	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11000.000	36.41	10.18	46.59	74.00	-27.41	peak		Comment

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	34.62	9.30	43.92	68.20	-24.28	peak		Comment
2	*	5460.000	34.98	9.31	44.29	68.20	-23.91	peak		Comment

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	34.49	9.70	44.19	74.00	-29.81	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.55	9.16	54.71	68.20	-13.49	peak		
2		5700.000	46.34	9.10	55.44	105.20	-49.76	peak		
3		5720.000	45.61	9.08	54.69	110.80	-56.11	peak		
4		5725.000	48.10	9.08	57.18	122.20	-65.02	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	36.57	9.70	46.27	74.00	-27.73	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.60	9.16	54.76	68.20	-13.44	peak		
2		5700.000	45.65	9.10	54.75	105.20	-50.45	peak		
3		5720.000	45.90	9.08	54.98	110.80	-55.82	peak		
4		5725.000	47.53	9.08	56.61	122.20	-65.59	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	33.28	10.18	43.46	74.00	-30.54	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	47.54	9.24	56.78	122.20	-65.42	peak		
2		5855.000	47.46	9.26	56.72	110.80	-54.08	peak		
3		5875.000	45.92	9.36	55.28	105.20	-49.92	peak		
4	*	5925.000	46.23	9.61	55.84	68.20	-12.36	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11650.000	35.85	10.18	46.03	74.00	-27.97	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	45.73	9.24	54.97	122.20	-67.23	peak		Comment
2		5855.000	45.97	9.26	55.23	110.80	-55.57	peak		
3		5875.000	45.10	9.36	54.46	105.20	-50.74	peak		
4	*	5925.000	45.57	9.61	55.18	68.20	-13.02	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	34.77	9.24	44.01	68.20	-24.19	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	35.97	7.17	43.14	68.20	-25.06	peak		
2	*	5150.000	38.99	9.17	48.16	68.20	-20.04	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.000	37.01	9.24	46.25	68.20	-21.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	37.22	7.17	44.39	68.20	-23.81	peak		
2	*	5150.000	41.54	9.17	50.71	68.20	-17.49	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:62

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10620.000	37.09	9.54	46.63	74.00	-27.37	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	35.17	9.30	44.47	68.20	-23.73	peak		Comment
2	*	5460.000	36.05	9.31	45.36	68.20	-22.84	peak		Comment


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	34.79	10.15	44.94	74.00	-29.06	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.82	9.30	44.12	68.20	-24.08	peak		
2	*	5460.000	36.08	9.31	45.39	68.20	-22.81	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11020.000	35.35	10.15	45.50	74.00	-28.50	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	35.84	9.30	45.14	68.20	-23.06	peak		
2	*	5460.000	35.93	9.31	45.24	68.20	-22.96	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	34.82	9.76	44.58	74.00	-29.42	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.23	9.16	54.39	68.20	-13.81	peak		
2		5700.000	44.50	9.10	53.60	105.20	-51.60	peak		
3		5720.000	44.71	9.08	53.79	110.80	-57.01	peak		
4		5725.000	45.58	9.08	54.66	122.20	-67.54	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11510.000	36.25	9.76	46.01	74.00	-27.99	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	45.21	9.16	54.37	68.20	-13.83	peak		Comment
2		5700.000	44.66	9.10	53.76	105.20	-51.44	peak		
3		5720.000	44.78	9.08	53.86	110.80	-56.94	peak		
4		5725.000	44.85	9.08	53.93	122.20	-68.27	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	34.81	9.99	44.80	74.00	-29.20	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	45.75	9.24	54.99	122.20	-67.21	peak		
2		5855.000	45.74	9.26	55.00	110.80	-55.80	peak		
3		5875.000	45.96	9.36	55.32	105.20	-49.88	peak		
4	*	5925.000	45.36	9.61	54.97	68.20	-13.23	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11590.000	36.32	9.99	46.31	74.00	-27.69	peak		Comment

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	46.14	9.24	55.38	122.20	-66.82	peak		Comment
2		5855.000	45.65	9.26	54.91	110.80	-55.89	peak		
3		5875.000	45.05	9.36	54.41	105.20	-50.79	peak		
4	*	5925.000	45.85	9.61	55.46	68.20	-12.74	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	33.89	9.28	43.17	68.20	-25.03	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.21	7.17	44.38	68.20	-23.82	peak		
2	*	5150.000	39.94	9.17	49.11	68.20	-19.09	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	35.69	9.28	44.97	68.20	-23.23	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	35.68	7.17	42.85	68.20	-25.35	peak		
2	*	5150.000	38.79	9.17	47.96	68.20	-20.24	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:58

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	36.10	9.49	45.59	68.20	-22.61	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	34.90	9.30	44.20	68.20	-24.00	peak	
2	*	5460.000	35.51	9.31	44.82	68.20	-23.38	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	35.36	10.07	45.43	74.00	-28.57	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.60	9.30	43.90	68.20	-24.30	peak		
2	*	5460.000	34.95	9.31	44.26	68.20	-23.94	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11060.000	36.78	10.07	46.85	74.00	-27.15	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	36.04	9.30	45.34	68.20	-22.86	peak	
2	*	5460.000	36.72	9.31	46.03	68.20	-22.17	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:155

VERTICAL

Radiated Emission




Radiated Emission




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	36.74	9.87	46.61	74.00	-27.39 peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	45.22	9.16	54.38	68.20	-13.82 peak		
2		5700.000	46.05	9.10	55.15	105.20	-50.05 peak		
3		5720.000	45.94	9.08	55.02	110.80	-55.78 peak		
4		5725.000	46.73	9.08	55.81	122.20	-66.39 peak		
5		5850.000	45.76	9.24	55.00	122.20	-67.20 peak		
6		5855.000	45.23	9.26	54.49	110.80	-56.31 peak		
7		5875.000	44.97	9.36	54.33	105.20	-50.87 peak		
8	*	5925.000	44.89	9.61	54.50	68.20	-13.70 peak		

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple


c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker

on this peak.

d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.

e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

3.3.5.1 26 dB Bandwidth

Test Mode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	24.040	5168.840	5192.880	---	---
	Ant2	5180	21.800	5169.120	5190.920	---	---
	Ant1	5200	24.760	5187.400	5212.160	---	---
	Ant2	5200	23.360	5188.600	5211.960	---	---
	Ant1	5240	19.080	5230.240	5249.320	---	---
	Ant2	5240	19.360	5230.400	5249.760	---	---
	Ant1	5260	21.880	5248.840	5270.720	---	---
	Ant2	5260	23.800	5248.800	5272.600	---	---
	Ant1	5280	24.080	5268.600	5292.680	---	---
	Ant2	5280	24.280	5267.640	5291.920	---	---
	Ant1	5320	23.320	5308.120	5331.440	---	---
	Ant2	5320	23.120	5308.560	5331.680	---	---
	Ant1	5500	24.920	5488.720	5513.640	---	---
	Ant2	5500	24.040	5487.240	5511.280	---	---
	Ant1	5580	23.600	5568.520	5592.120	---	---
	Ant2	5580	22.440	5568.920	5591.360	---	---
	Ant1	5700	21.200	5689.520	5710.720	---	---
	Ant2	5700	22.960	5688.320	5711.280	---	---
	Ant1	5745	23.400	5733.800	5757.200	---	---
	Ant2	5745	22.480	5733.600	5756.080	---	---
	Ant1	5785	22.360	5773.160	5795.520	---	---
	Ant2	5785	22.920	5773.160	5796.080	---	---
	Ant1	5825	22.080	5814.320	5836.400	---	---
	Ant2	5825	24.000	5813.560	5837.560	---	---
11N20MIMO	Ant1	5180	23.480	5167.440	5190.920	---	---
	Ant2	5180	25.920	5166.640	5192.560	---	---
	Ant1	5200	23.040	5187.720	5210.760	---	---
	Ant2	5200	22.800	5188.440	5211.240	---	---
	Ant1	5240	20.040	5230.040	5250.080	---	---
	Ant2	5240	19.720	5230.160	5249.880	---	---
	Ant1	5260	23.360	5248.480	5271.840	---	---
	Ant2	5260	23.920	5248.200	5272.120	---	---
	Ant1	5280	22.840	5268.760	5291.600	---	---
	Ant2	5280	22.720	5268.960	5291.680	---	---
	Ant1	5320	24.680	5308.160	5332.840	---	---
	Ant2	5320	23.480	5308.120	5331.600	---	---
	Ant1	5500	22.440	5488.880	5511.320	---	---
	Ant2	5500	23.800	5487.000	5510.800	---	---
	Ant1	5580	24.440	5567.360	5591.800	---	---

	Ant2	5580	22.360	5568.960	5591.320	---	---
	Ant1	5700	24.560	5687.760	5712.320	---	---
	Ant2	5700	24.000	5687.800	5711.800	---	---
	Ant1	5745	24.360	5732.800	5757.160	---	---
	Ant2	5745	23.000	5733.320	5756.320	---	---
	Ant1	5785	27.840	5771.000	5798.840	---	---
	Ant2	5785	21.720	5774.680	5796.400	---	---
	Ant1	5825	23.360	5812.920	5836.280	---	---
	Ant2	5825	21.440	5814.160	5835.600	---	---
11N40MIMO	Ant1	5190	39.760	5169.840	5209.600	---	---
	Ant2	5190	38.640	5170.560	5209.200	---	---
	Ant1	5230	39.040	5210.560	5249.600	---	---
	Ant2	5230	39.280	5210.240	5249.520	---	---
	Ant1	5270	39.600	5250.080	5289.680	---	---
	Ant2	5270	39.200	5250.400	5289.600	---	---
	Ant1	5310	39.760	5290.240	5330.000	---	---
	Ant2	5310	38.640	5290.560	5329.200	---	---
	Ant1	5510	39.680	5489.920	5529.600	---	---
	Ant2	5510	39.680	5490.240	5529.920	---	---
	Ant1	5550	40.160	5529.920	5570.080	---	---
	Ant2	5550	38.800	5530.560	5569.360	---	---
	Ant1	5670	39.760	5650.000	5689.760	---	---
	Ant2	5670	38.880	5650.480	5689.360	---	---
	Ant1	5755	39.520	5734.760	5774.280	---	---
	Ant2	5755	39.680	5735.240	5774.920	---	---
	Ant1	5795	39.840	5775.480	5815.320	---	---
	Ant2	5795	39.360	5775.400	5814.760	---	---
11AC20MIMO	Ant1	5180	23.320	5167.760	5191.080	---	---
	Ant2	5180	23.000	5168.440	5191.440	---	---
	Ant1	5200	23.840	5187.840	5211.680	---	---
	Ant2	5200	22.920	5188.720	5211.640	---	---
	Ant1	5240	20.040	5229.760	5249.800	---	---
	Ant2	5240	19.720	5230.240	5249.960	---	---
	Ant1	5260	23.880	5248.200	5272.080	---	---
	Ant2	5260	23.320	5247.800	5271.120	---	---
	Ant1	5280	22.760	5268.480	5291.240	---	---
	Ant2	5280	23.680	5267.520	5291.200	---	---
	Ant1	5320	22.880	5308.280	5331.160	---	---
	Ant2	5320	22.960	5308.400	5331.360	---	---
	Ant1	5500	24.920	5486.440	5511.360	---	---
	Ant2	5500	24.560	5488.480	5513.040	---	---
	Ant1	5580	22.880	5568.760	5591.640	---	---

	Ant2	5580	23.920	5568.320	5592.240	---	---
	Ant1	5700	23.080	5687.680	5710.760	---	---
	Ant2	5700	23.080	5688.240	5711.320	---	---
	Ant1	5745	24.040	5732.880	5756.920	---	---
	Ant2	5745	24.280	5733.200	5757.480	---	---
	Ant1	5785	24.000	5772.720	5796.720	---	---
	Ant2	5785	22.840	5773.800	5796.640	---	---
	Ant1	5825	25.080	5812.120	5837.200	---	---
	Ant2	5825	23.040	5813.960	5837.000	---	---
11AC40MIMO	Ant1	5190	39.840	5170.080	5209.920	---	---
	Ant2	5190	39.520	5170.240	5209.760	---	---
	Ant1	5230	38.560	5210.880	5249.440	---	---
	Ant2	5230	38.960	5210.720	5249.680	---	---
	Ant1	5270	39.840	5250.000	5289.840	---	---
	Ant2	5270	39.680	5250.320	5290.000	---	---
	Ant1	5310	38.720	5290.400	5329.120	---	---
	Ant2	5310	39.120	5290.720	5329.840	---	---
	Ant1	5510	38.800	5490.320	5529.120	---	---
	Ant2	5510	38.000	5490.880	5528.880	---	---
	Ant1	5550	38.800	5530.480	5569.280	---	---
	Ant2	5550	39.360	5530.560	5569.920	---	---
	Ant1	5670	39.120	5650.240	5689.360	---	---
	Ant2	5670	39.760	5650.000	5689.760	---	---
	Ant1	5755	39.360	5735.560	5774.920	---	---
	Ant2	5755	38.640	5735.480	5774.120	---	---
	Ant1	5795	39.120	5775.320	5814.440	---	---
	Ant2	5795	38.480	5775.880	5814.360	---	---
11AC80MIMO	Ant1	5210	79.040	5170.800	5249.840	---	---
	Ant2	5210	78.400	5170.800	5249.200	---	---
	Ant1	5290	79.200	5250.320	5329.520	---	---
	Ant2	5290	78.240	5250.800	5329.040	---	---
	Ant1	5530	78.720	5490.800	5569.520	---	---
	Ant2	5530	78.720	5490.800	5569.520	---	---
	Ant1	5610	79.200	5570.480	5649.680	---	---
	Ant2	5610	78.720	5570.480	5649.200	---	---
	Ant1	5775	79.360	5735.000	5814.360	---	---
	Ant2	5775	78.080	5735.960	5814.040	---	---
11AX20MIMO	Ant1	5180	20.720	5169.520	5190.240	---	---
	Ant2	5180	20.560	5169.720	5190.280	---	---
	Ant1	5200	20.480	5189.680	5210.160	---	---
	Ant2	5200	20.680	5189.840	5210.520	---	---
	Ant1	5240	19.800	5230.040	5249.840	---	---

	Ant2	5240	19.600	5230.160	5249.760	---	---
	Ant1	5260	22.160	5249.360	5271.520	---	---
	Ant2	5260	21.720	5250.000	5271.720	---	---
	Ant1	5280	20.600	5269.960	5290.560	---	---
	Ant2	5280	20.600	5269.720	5290.320	---	---
	Ant1	5320	22.400	5309.000	5331.400	---	---
	Ant2	5320	22.920	5307.480	5330.400	---	---
	Ant1	5500	24.360	5489.360	5513.720	---	---
	Ant2	5500	21.360	5489.800	5511.160	---	---
	Ant1	5580	22.960	5569.000	5591.960	---	---
	Ant2	5580	24.680	5566.320	5591.000	---	---
	Ant1	5700	21.160	5689.320	5710.480	---	---
	Ant2	5700	21.240	5689.520	5710.760	---	---
	Ant1	5745	21.640	5734.520	5756.160	---	---
	Ant2	5745	21.360	5734.360	5755.720	---	---
	Ant1	5785	20.280	5774.960	5795.240	---	---
	Ant2	5785	20.360	5774.600	5794.960	---	---
	Ant1	5825	23.520	5813.200	5836.720	---	---
	Ant2	5825	21.920	5813.200	5835.120	---	---
11AX40MIMO	Ant1	5190	39.200	5170.400	5209.600	---	---
	Ant2	5190	39.200	5170.320	5209.520	---	---
	Ant1	5230	38.960	5210.480	5249.440	---	---
	Ant2	5230	38.960	5210.400	5249.360	---	---
	Ant1	5270	39.280	5250.160	5289.440	---	---
	Ant2	5270	39.120	5250.400	5289.520	---	---
	Ant1	5310	39.120	5290.320	5329.440	---	---
	Ant2	5310	39.120	5290.480	5329.600	---	---
	Ant1	5510	38.880	5490.480	5529.360	---	---
	Ant2	5510	39.120	5490.400	5529.520	---	---
	Ant1	5550	39.120	5530.400	5569.520	---	---
	Ant2	5550	39.200	5530.400	5569.600	---	---
	Ant1	5670	39.200	5650.320	5689.520	---	---
	Ant2	5670	39.120	5650.320	5689.440	---	---
	Ant1	5755	39.040	5735.400	5774.440	---	---
	Ant2	5755	39.280	5735.400	5774.680	---	---
	Ant1	5795	39.120	5775.400	5814.520	---	---
	Ant2	5795	39.120	5775.400	5814.520	---	---
11AX80MIMO	Ant1	5210	79.840	5170.000	5249.840	---	---
	Ant2	5210	80.160	5169.840	5250.000	---	---
	Ant1	5290	80.000	5249.840	5329.840	---	---
	Ant2	5290	80.000	5250.000	5330.000	---	---
	Ant1	5530	79.680	5490.000	5569.680	---	---

	Ant2	5530	79.040	5490.960	5570.000	---	---
	Ant1	5610	79.840	5570.000	5649.840	---	---
	Ant2	5610	79.520	5570.320	5649.840	---	---
	Ant1	5775	79.840	5735.000	5814.840	---	---
	Ant2	5775	79.840	5735.000	5814.840	---	---