

ANTENNA PASSIVE TEST REPORT

Application No. SZCR2401000206ME
 Applicant Guangdong Genial Technology CO., Ltd.
 Manufacturer Guangdong Genial Technology CO., Ltd.
 Product Name Wearable Digital Thermometer
 Model No. T31
 Trade Mark: GENIAL
 Standards ANSI/IEEE Std 149-2008
 Date Initial Sample(s) Received 2024-01-15
 Testing Start Date 2024-01-16
 Testing Finish Date 2024-01-16
 Report Issue Date 2024-01-17

*In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Keny Xu
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100020601

Page: 2 of 17

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024-01-15		Original

Authorized for issue by:				
				
		Reviewed by Mark Mao		
				
		Approved by Eric Fu		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100020601

Page: 3 of 17

2 Revision Version

Report No.	Version	Date	Memo
SZCR2401000206ME	00	01/17	Initial creation of report



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

3 Contents

	Page
1 COVER PAGE	1
2 REVISION VERSION	3
3 CONTENTS	4
4 GENERAL INFORMATION	5
4.1 TESTING LABORATORY	5
4.2 DETAILS OF APPLICANT	5
4.3 DETAILS OF MANUFACTURER	5
4.4 GENERAL DESCRIPTION OF EUT	5
4.5 TEST PROCEDURE	6
4.6 TEST SPECIFICATION	6
4.7 LABORATORY ENVIRONMENT	6
4.8 TEST LOCATION	7
4.9 TEST FACILITY	7
4.10 DEVIATION FROM STANDARDS	7
4.11 ABNORMALITIES FROM STANDARD CONDITIONS	7
5 OTA MEASUREMENTS SYSTEM CONFIGURATION	8
5.1 TEST CONFIGURATION	8
6 EQUIPMENT LIST	9
7 MEASUREMENT UNCERTAINTY	10
8 TEST RESULT	11
8.1 TEST SUMMARY	11
8.2 BT ANTENNA TEST RESULTS	11
9 PATTERN PLOTS	12
10 3-D ANTENNA PATTERN	14
11 THE EUT AND TEST CONFIGURATION	16



4 General Information

4.1 Testing Laboratory

Test Lab	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address	No.1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057
Contact	Mark Mao
Tel.	+86 (0) 755 2532 8628
Fax	+86 (0) 755 2671 0594
E-mail	Mark.Mao@sgs.com

4.2 Details of Applicant

Applicant's Name	Guangdong Genial Technology CO., Ltd.
Applicant's Address	I-6-05-02, 11th Road, Area B, Guangfozhao Economic Cooperation Zone, Zhagang Town, Huaiji County, Zhaoqing City, Guangdong Province, 526437, P.R. China
Contact	Yu Jun
Tel.	+86 13423669481
E-mail	admin@genial.cn

4.3 Details of Manufacturer

Manufacturer's Name	Guangdong Genial Technology CO., Ltd.
Manufacturer's Address	I-6-05-02, 11th Road, Area B, Guangfozhao Economic Cooperation Zone, Zhagang Town, Huaiji County, Zhaoqing City, Guangdong Province, 526437, P.R. China
Contact	Yu Jun
Tel.	+86 13423669481
E-mail	admin@genial.cn

4.4 General Description of EUT

Device Description:	Wearable Digital Thermometer
Device Model:	T31
Hardware Version:	N/A
Software Version:	N/A
S/N:	N/A



4.5 Test Procedure

Testing is performed according to the **ANSI/IEEE Std 149-2008**.

4.6 Test Specification

Identity	Document Title
ANSI/IEEE Std 149-2008	IEEE Standard Test Procedures for Antennas

4.7 Laboratory Environment

Temperature	Min. =19℃ , Max. = 25℃	
Relative humidity	Min. =40%, Max. =72%	
Shield effect	0.7-6GHz	> 100dB
Ground resistance	<0.5Ω	



4.8 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.9 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd.

Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.10 Deviation from Standards

None

4.11 Abnormalities from Standard Conditions


None



5 OTA Measurements System Configuration

5.1 Test Configuration

Great-Circle-Cut method is used to measure the antenna 3D GAIN of EUT in OTA qualified anechoic chamber. Equipment Under Test (EUT) geometry centre vertical projection at the centre of platform, the distance from EUT to measurement antenna is 5m



F-1. OTA Measurement System Configuration



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100020601

Page: 9 of 17

6 Equipment List

Type of Equipment	Model Number	Manufacture	Calibration Date	Valid Period
Network Analyzer	E5071C S/N MY46523591	Keysight	2023/2/16	2024/2/15
Quad-Ridge Horn Antenna 700 MHz-10 GHz	EMCO 3164-08 S/N 161915	ETS-Lindgren L.P.	N/A	N/A
MAPS Controller	EMCENTER S/N 160485	ETS-Lindgren L.P.	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EMC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7 Measurement Uncertainty

Item	2400-2500 MHz (dB)
Gain	0.88
Efficiency	0.88
Measurement Uncertainty (95% CONFIDENCE INTERVAL) K=2	

8 Test Result

8.1 Test summary


product	Maximum Gain Data			
	Frequency (MHz)	Efficiency (dB)	Efficiency (%)	Gain (dBi)
BT antenna	2450	-12.27	5.93	-5.26

8.2 BT Antenna Test Results

Frequency (MHz)	Efficiency (dB)	Efficiency (%)	Gain (dBi)
2400	-12.85	5.19	-5.77
2402	-13.03	4.98	-6.04
2405	-13.05	4.95	-6.04
2410	-12.89	5.14	-5.83
2415	-12.93	5.09	-6.00
2420	-12.62	5.47	-5.64
2425	-12.57	5.53	-5.63
2430	-12.66	5.41	-5.68
2435	-12.60	5.49	-5.57
2440	-12.63	5.45	-5.60
2441	-12.60	5.50	-5.58
2445	-12.32	5.86	-5.34
2450	-12.27	5.93	-5.26
2455	-12.21	6.01	-5.31
2460	-12.40	5.76	-5.49
2465	-12.63	5.46	-5.86
2470	-12.93	5.10	-6.14
2475	-13.26	4.72	-6.59
2480	-13.48	4.49	-6.93
2482	-13.52	4.45	-7.08
2485	-13.62	4.34	-7.28
2490	-13.59	4.38	-7.31
2495	-13.40	4.57	-7.07
2500	-13.23	4.76	-6.96

9 Pattern Plots


Return Los






VSWR




Stimulus




10 3-D Antenna Pattern





11 The EUT and Test Configuration

Size of the Antenna



Size of the Antenna in the EUT



Free Space View



- End of the Report -

