

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.20.44

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4GWIFI 11b CH1 P=34

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.80	-4.87	74.0	23.20	Peak	216.05	150	Vertical	Pass
1**	2390.000	40.92	-4.87	54.0	13.08	AV	216.05	150	Vertical	Pass
2	2370.300	52.42	-4.01	74.0	21.58	Peak	176.00	150	Vertical	Pass
2**	2370.300	41.19	-4.01	54.0	12.81	AV	176.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.23.43

EUT Name:	Trail Camera	Temp.(°C):	21.1
Model Number:	X 4.0	Humidity (%RH):	42
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11b CH1 P=34
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Zhang Zhongqiu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.62	-4.87	74.0	23.38	Peak	313.90	150	Horizontal	Pass
1**	2390.000	40.73	-4.87	54.0	13.27	AV	313.90	150	Horizontal	Pass
2	2368.700	51.94	-4.15	74.0	22.06	Peak	173.00	150	Horizontal	Pass
2**	2368.700	40.93	-4.15	54.0	13.07	AV	173.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166
Test Time: 2026-03-10_20.32.34

EUT Name:	Trail Camera	Temp.(°C):	21.1
Model Number:	X 4.0	Humidity (%RH):	42
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11b CH1 P=38
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Zhang Zhongqiu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.47	-3.78	74.0	21.53	Peak	179.00	150	Vertical	Pass
1**	2483.500	41.54	-3.78	54.0	12.46	AV	179.00	150	Vertical	Pass
2	2483.800	52.93	-3.78	74.0	21.07	Peak	222.00	150	Vertical	Pass
2**	2483.800	41.59	-3.78	54.0	12.41	AV	222.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.28.02

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4GWIFI 11b CH1 P=38

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.85	-3.78	74.0	21.15	Peak	256.00	150	Horizontal	Pass
1**	2483.500	41.75	-3.78	54.0	12.25	AV	256.00	150	Horizontal	Pass
2	2484.220	53.18	-3.78	74.0	20.82	Peak	123.00	150	Horizontal	Pass
2**	2484.220	41.58	-3.78	54.0	12.42	AV	123.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.54.46

EUT Name:	Trail Camera	Temp.(°C):	21.1
Model Number:	X 4.0	Humidity (%RH):	42
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11g CH1 P=44
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Zhang Zhongqiu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.68	-4.87	74.0	18.32	Peak	115.04	150	Vertical	Pass
1**	2390.000	42.11	-4.87	54.0	11.89	AV	115.04	150	Vertical	Pass
2	2389.400	54.96	-4.84	74.0	19.04	Peak	133.00	150	Vertical	Pass
2**	2389.400	41.88	-4.84	54.0	12.12	AV	133.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.52.05

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4GWIFI 11g CH1 P=44

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.21	-4.87	74.0	20.79	Peak	211.97	150	Horizontal	Pass
1**	2390.000	41.56	-4.87	54.0	12.44	AV	211.97	150	Horizontal	Pass
2	2385.000	51.91	-4.59	74.0	22.09	Peak	14.00	150	Horizontal	Pass
2**	2385.000	40.91	-4.59	54.0	13.09	AV	14.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_20.57.48

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4GWIFI 11g CH11 P=48

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.71	-3.78	74.0	18.29	Peak	158.00	150	Vertical	Pass
1**	2483.500	44.13	-3.78	54.0	9.87	AV	158.00	150	Vertical	Pass
2	2483.770	58.07	-3.78	74.0	15.93	Peak	135.00	150	Vertical	Pass
2**	2483.770	43.56	-3.78	54.0	10.44	AV	135.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_21.00.51

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4GWIFI 11g CH1 P=48

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.33	-3.78	74.0	16.67	Peak	219.00	150	Horizontal	Pass
1**	2483.500	44.02	-3.78	54.0	9.98	AV	219.00	150	Horizontal	Pass
2	2483.770	56.71	-3.78	74.0	17.29	Peak	203.00	150	Horizontal	Pass
2**	2483.770	43.68	-3.78	54.0	10.32	AV	203.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-10_21.31.56

EUT Name: Trail Camera

Temp.(°C): 21.1

Model Number: X 4.0

Humidity (%RH): 42

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4GWIFI 11n20 CH1 P=44

Test Site: 966#2

Test Voltage: DC

Test Engineer: Zhang Zhongqiu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.07	-4.87	74.0	19.93	Peak	161.97	150	Vertical	Pass
1**	2390.000	42.77	-4.87	54.0	11.23	AV	161.97	150	Vertical	Pass
2	2389.400	55.69	-4.84	74.0	18.31	Peak	131.00	150	Vertical	Pass
2**	2389.400	42.47	-4.84	54.0	11.53	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166
Test Time: 2026-03-10_21.33.45

EUT Name:	Trail Camera	Temp.(°C):	21.1
Model Number:	X 4.0	Humidity (%RH):	42
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11n20 CH1 P=44
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Zhang Zhongqiu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.47	-4.87	74.0	19.53	Peak	218.00	150	Horizontal	Pass
1**	2390.000	42.14	-4.87	54.0	11.86	AV	218.00	150	Horizontal	Pass
2	2387.800	52.79	-4.75	74.0	21.21	Peak	229.00	150	Horizontal	Pass
2**	2387.800	40.80	-4.75	54.0	13.20	AV	229.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-11_06.25.15

EUT Name:	Trail Camera	Temp.(°C):	23.2
Model Number:	X 4.0	Humidity (%RH):	51
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11n20 CH11 P=48
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Liu Yabo	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.45	-3.78	74.0	15.55	Peak	239.00	150	Vertical	Pass
1**	2483.500	46.46	-3.78	54.0	7.54	AV	239.00	150	Vertical	Pass
2	2483.740	60.02	-3.78	74.0	13.98	Peak	246.00	150	Vertical	Pass
2**	2483.740	45.73	-3.78	54.0	8.27	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-11_06.23.49

EUT Name:	Trail Camera	Temp.(°C):	23.2
Model Number:	X 4.0	Humidity (%RH):	51
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11n20 CH11 P=48
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Liu Yabo	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.26	-3.78	74.0	13.74	Peak	212.00	150	Horizontal	Pass
1**	2483.500	48.56	-3.78	54.0	5.44	AV	212.00	150	Horizontal	Pass
2	2483.950	60.83	-3.78	74.0	13.17	Peak	212.00	150	Horizontal	Pass
2**	2483.950	46.85	-3.78	54.0	7.15	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166
Test Time: 2026-03-11_06.32.22

EUT Name:	Trail Camera	Temp.(°C):	23.2
Model Number:	X 4.0	Humidity (%RH):	51
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11n40 CH3 P=44
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Liu Yabo	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.81	-4.87	74.0	19.19	Peak	258.01	150	Vertical	Pass
1**	2390.000	43.99	-4.87	54.0	10.01	AV	258.01	150	Vertical	Pass
2	2389.500	55.77	-4.85	74.0	18.23	Peak	260.00	150	Vertical	Pass
2**	2389.500	43.51	-4.85	54.0	10.49	AV	260.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-11_06.33.39

EUT Name:	Trail Camera	Temp.(°C):	23.2
Model Number:	X 4.0	Humidity (%RH):	51
Sample Number:	CC26020123-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4GWIFI 11n40 CH3 P=44
Test Site:	966#2	Test Voltage:	DC
Test Engineer:	Liu Yabo	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.12	-4.87	74.0	18.88	Peak	196.03	150	Horizontal	Pass
1**	2390.000	45.11	-4.87	54.0	8.89	AV	196.03	150	Horizontal	Pass
2	2389.900	56.73	-4.87	74.0	17.27	Peak	217.00	150	Horizontal	Pass
2**	2389.900	45.20	-4.87	54.0	8.80	AV	217.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-11_06.20.44

EUT Name: Trail Camera

Temp.(°C): 23.2

Model Number: X 4.0

Humidity (%RH): 51

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4GWIFI 11n40 CH9 P=45


Test Site: 966#2

Test Voltage: DC

Test Engineer: Liu Yabo

Remark:

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.72	-3.78	74.0	17.28	Peak	242.00	150	Vertical	Pass
1**	2483.500	46.96	-3.78	54.0	7.04	AV	242.00	150	Vertical	Pass
2	2483.560	59.38	-3.78	74.0	14.62	Peak	242.00	150	Vertical	Pass
2**	2483.560	46.57	-3.78	54.0	7.43	AV	242.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020166

Test Time: 2026-03-11_06.19.15

EUT Name: Trail Camera

Temp.(°C): 23.2

Model Number: X 4.0

Humidity (%RH): 51

Sample Number: CC26020123-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4GWIFI 11n40 CH9 P=45


Test Site: 966#2

Test Voltage: DC

Test Engineer: Liu Yabo

Remark:

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.65	-3.78	74.0	13.35	Peak	213.00	150	Horizontal	Pass
1**	2483.500	49.46	-3.78	54.0	4.54	AV	213.00	150	Horizontal	Pass
2	2483.560	62.55	-3.78	74.0	11.45	Peak	193.00	150	Horizontal	Pass
2**	2483.560	48.59	-3.78	54.0	5.41	AV	193.00	150	Horizontal	Pass