


Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.33.08

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S04	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH6 P=40
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1434.000	40.87	-16.01	74.0	33.13	Peak	111.00	150	Vertical	Pass
1**	1434.000	28.60	-16.01	54.0	25.40	AV	111.00	150	Vertical	Pass
2	2437.000	102.80	-12.37	74.0	-28.80	Peak	302.00	150	Vertical	N/A
2**	2437.000	98.07	-12.37	54.0	-44.07	AV	302.00	150	Vertical	N/A
3	4412.000	46.84	-2.88	74.0	27.16	Peak	285.00	150	Vertical	Pass
3**	4412.000	36.07	-2.88	54.0	17.93	AV	285.00	150	Vertical	Pass
4	7000.500	53.55	0.16	74.0	20.45	Peak	93.00	150	Vertical	Pass
4**	7000.500	40.13	0.16	54.0	13.87	AV	93.00	150	Vertical	Pass
5	9930.500	46.08	-4.06	74.0	27.92	Peak	0.00	150	Vertical	Pass
5**	9930.500	35.83	-4.06	54.0	18.17	AV	0.00	150	Vertical	Pass
6	15130.000	48.13	-2.33	74.0	25.87	Peak	0.00	150	Vertical	Pass
6**	15130.000	37.65	-2.33	54.0	16.35	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.29.07

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S04

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH6 P=40


Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	40.57	-16.13	74.0	33.43	Peak	202.00	150	Horizontal	Pass
1**	1500.500	28.59	-16.13	54.0	25.41	AV	202.00	150	Horizontal	Pass
2	2437.000	101.26	-12.37	74.0	-27.26	Peak	279.00	150	Horizontal	N/A
2**	2437.000	96.07	-12.37	54.0	-42.07	AV	279.00	150	Horizontal	N/A
3	3588.500	46.44	-6.24	74.0	27.56	Peak	221.00	150	Horizontal	Pass
3**	3588.500	35.76	-6.24	54.0	18.24	AV	221.00	150	Horizontal	Pass
4	7559.500	53.29	0.98	74.0	20.71	Peak	189.00	150	Horizontal	Pass
4**	7559.500	42.18	0.98	54.0	11.82	AV	189.00	150	Horizontal	Pass
5	9965.500	46.24	-3.85	74.0	27.76	Peak	350.00	150	Horizontal	Pass
5**	9965.500	35.60	-3.85	54.0	18.40	AV	350.00	150	Horizontal	Pass
6	16554.500	49.37	-0.86	74.0	24.63	Peak	151.00	150	Horizontal	Pass
6**	16554.500	38.76	-0.86	54.0	15.24	AV	151.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.15.00

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S04

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH6 P=40


Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:

RE Test case_FCC Part 15C FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.250	41.93	-16.19	74.0	32.07	Peak	118.00	150	Vertical	Pass
1**	1460.250	28.69	-16.19	54.0	25.31	AV	118.00	150	Vertical	Pass
2	2430.250	105.61	-12.26	74.0	-31.61	Peak	303.00	150	Vertical	N/A
2**	2430.250	97.88	-12.26	54.0	-43.88	AV	303.00	150	Vertical	N/A
3	3363.000	47.05	-5.43	74.0	26.95	Peak	273.00	150	Vertical	Pass
3**	3363.000	36.27	-5.43	54.0	17.73	AV	273.00	150	Vertical	Pass
4	6983.000	52.57	0.26	74.0	21.43	Peak	331.00	150	Vertical	Pass
4**	6983.000	40.60	0.26	54.0	13.40	AV	331.00	150	Vertical	Pass
5	10125.000	46.29	-4.07	74.0	27.71	Peak	350.00	150	Vertical	Pass
5**	10125.000	35.65	-4.07	54.0	18.35	AV	350.00	150	Vertical	Pass
6	16385.500	48.56	-1.35	74.0	25.44	Peak	359.00	150	Vertical	Pass
6**	16385.500	38.35	-1.35	54.0	15.65	AV	359.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.11.19

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S04

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH6 P=40


Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.750	39.48	-16.24	74.0	34.52	Peak	7.00	150	Horizontal	Pass
1**	1491.750	28.76	-16.24	54.0	25.24	AV	7.00	150	Horizontal	Pass
2	2429.750	103.95	-12.25	74.0	-29.95	Peak	274.00	150	Horizontal	N/A
2**	2429.750	96.73	-12.25	54.0	-42.73	AV	274.00	150	Horizontal	N/A
3	3461.000	46.87	-4.96	74.0	27.13	Peak	0.00	150	Horizontal	Pass
3**	3461.000	36.52	-4.96	54.0	17.48	AV	0.00	150	Horizontal	Pass
4	7047.000	52.47	-0.13	74.0	21.53	Peak	0.00	150	Horizontal	Pass
4**	7047.000	40.87	-0.13	54.0	13.13	AV	0.00	150	Horizontal	Pass
5	9674.500	46.61	-3.58	74.0	27.39	Peak	296.00	150	Horizontal	Pass
5**	9674.500	35.30	-3.58	54.0	18.70	AV	296.00	150	Horizontal	Pass
6	15879.000	48.33	-1.56	74.0	25.67	Peak	0.00	150	Horizontal	Pass
6**	15879.000	37.50	-1.56	54.0	16.50	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.23.49

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S04

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH6 P=42


Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:

RE Test case_FCC Part 15C_Part 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1372.000	41.28	-15.96	74.0	32.72	Peak	114.00	150	Vertical	Pass
1**	1372.000	31.39	-15.96	54.0	22.61	AV	114.00	150	Vertical	Pass
2	2429.250	103.85	-12.25	74.0	-29.85	Peak	307.00	150	Vertical	N/A
2**	2429.250	96.28	-12.25	54.0	-42.28	AV	307.00	150	Vertical	N/A
3	4335.000	46.59	-3.20	74.0	27.41	Peak	256.00	150	Vertical	Pass
3**	4335.000	35.92	-3.20	54.0	18.08	AV	256.00	150	Vertical	Pass
4	7370.500	52.36	1.01	74.0	21.64	Peak	0.00	150	Vertical	Pass
4**	7370.500	41.28	1.01	54.0	12.72	AV	0.00	150	Vertical	Pass
5	10214.500	45.74	-3.04	74.0	28.26	Peak	237.00	150	Vertical	Pass
5**	10214.500	35.53	-3.04	54.0	18.47	AV	237.00	150	Vertical	Pass
6	16777.000	49.41	-1.34	74.0	24.59	Peak	266.00	150	Vertical	Pass
6**	16777.000	38.00	-1.34	54.0	16.00	AV	266.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.29.22

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S04

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH6 P=42


Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	40.10	-16.17	74.0	33.90	Peak	124.00	150	Horizontal	Pass
1**	1495.500	28.62	-16.17	54.0	25.38	AV	124.00	150	Horizontal	Pass
2	2429.500	102.27	-12.24	74.0	-28.27	Peak	283.00	150	Horizontal	N/A
2**	2429.500	94.80	-12.24	54.0	-40.80	AV	283.00	150	Horizontal	N/A
3	4353.000	46.47	-3.44	74.0	27.53	Peak	357.00	150	Horizontal	Pass
3**	4353.000	36.16	-3.44	54.0	17.84	AV	357.00	150	Horizontal	Pass
4	7374.500	52.47	1.02	74.0	21.53	Peak	217.00	150	Horizontal	Pass
4**	7374.500	41.53	1.02	54.0	12.47	AV	217.00	150	Horizontal	Pass
5	10128.500	46.60	-3.98	74.0	27.40	Peak	94.00	150	Horizontal	Pass
5**	10128.500	35.70	-3.98	54.0	18.30	AV	94.00	150	Horizontal	Pass
6	15640.500	48.82	-1.77	74.0	25.18	Peak	211.00	150	Horizontal	Pass
6**	15640.500	37.16	-1.77	54.0	16.84	AV	211.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_18.33.38

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S04	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH6 P=42
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1374.750	39.60	-16.00	74.0	34.40	Peak	133.00	150	Vertical	Pass
1**	1374.750	29.16	-16.00	54.0	24.84	AV	133.00	150	Vertical	Pass
2	2424.500	103.05	-12.27	74.0	-29.05	Peak	319.00	150	Vertical	N/A
2**	2424.500	95.05	-12.27	54.0	-41.05	AV	319.00	150	Vertical	N/A
3	3930.500	46.25	-3.51	74.0	27.75	Peak	52.00	150	Vertical	Pass
3**	3930.500	35.07	-3.51	54.0	18.93	AV	52.00	150	Vertical	Pass
4	6828.000	52.60	0.76	74.0	21.40	Peak	187.00	150	Vertical	Pass
4**	6828.000	41.76	0.76	54.0	12.24	AV	187.00	150	Vertical	Pass
5	9606.500	45.88	-3.24	74.0	28.12	Peak	323.00	150	Vertical	Pass
5**	9606.500	36.19	-3.24	54.0	17.81	AV	323.00	150	Vertical	Pass
6	15446.500	48.61	-1.74	74.0	25.39	Peak	181.00	150	Vertical	Pass
6**	15446.500	38.35	-1.74	54.0	15.65	AV	181.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_18.27.43

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S04	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH6 P=42
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.750	40.16	-16.09	74.0	33.84	Peak	360.00	150	Horizontal	Pass
1**	1502.750	28.93	-16.09	54.0	25.07	AV	360.00	150	Horizontal	Pass
2	2424.250	101.44	-12.28	74.0	-27.44	Peak	286.00	150	Horizontal	N/A
2**	2424.250	93.50	-12.28	54.0	-39.50	AV	286.00	150	Horizontal	N/A
3	4310.000	46.37	-3.56	74.0	27.63	Peak	357.00	150	Horizontal	Pass
3**	4310.000	35.71	-3.56	54.0	18.29	AV	357.00	150	Horizontal	Pass
4	7169.000	52.17	0.10	74.0	21.83	Peak	344.00	150	Horizontal	Pass
4**	7169.000	41.37	0.10	54.0	12.63	AV	344.00	150	Horizontal	Pass
5	10770.500	46.68	-3.27	74.0	27.32	Peak	0.00	150	Horizontal	Pass
5**	10770.500	36.23	-3.27	54.0	17.77	AV	0.00	150	Horizontal	Pass
6	15777.000	48.68	-2.09	74.0	25.32	Peak	237.00	150	Horizontal	Pass
6**	15777.000	37.27	-2.09	54.0	16.73	AV	237.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.37.40

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S04	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	39.603	29.41	-26.15	40.0	10.59	Peak	343.00	100	Vertical	Pass
2	59.391	32.22	-26.04	40.0	7.78	Peak	9.00	100	Vertical	Pass
3	99.016	28.10	-26.38	43.5	15.40	Peak	98.00	100	Vertical	Pass
4	158.380	32.06	-29.18	43.5	11.44	Peak	77.00	200	Vertical	Pass
5	288.020	29.18	-23.85	46.0	16.82	Peak	295.00	200	Vertical	Pass
6	551.569	34.31	-17.36	46.0	11.69	Peak	51.00	100	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.42.47

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S04	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	49.497	27.52	-24.68	40.0	12.48	Peak	163.00	200	Horizontal	Pass
2	84.029	24.81	-30.20	40.0	15.19	Peak	138.00	200	Horizontal	Pass
3	118.803	35.54	-28.21	43.5	7.96	Peak	29.00	200	Horizontal	Pass
4	187.431	38.05	-27.19	43.5	5.45	Peak	72.00	100	Horizontal	Pass
5	264.013	36.20	-24.55	46.0	9.80	Peak	77.00	100	Horizontal	Pass
6	433.908	40.57	-20.15	46.0	5.43	Peak	204.00	100	Horizontal	Pass