

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.14.45

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.53	-4.87	74.0	22.47	Peak	266.08	150	Vertical	Pass
1**	2390.000	42.96	-4.87	54.0	11.04	AV	266.08	150	Vertical	Pass
2	2368.300	53.04	-4.19	74.0	20.96	Peak	76.00	150	Vertical	Pass
2**	2368.300	40.98	-4.19	54.0	13.02	AV	76.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.12.49

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11b CH1

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.47	-4.87	74.0	22.53	Peak	291.00	150	Horizontal	Pass
1**	2390.000	41.63	-4.87	54.0	12.37	AV	291.00	150	Horizontal	Pass
2	2369.200	52.83	-4.09	74.0	21.17	Peak	12.00	150	Horizontal	Pass
2**	2369.200	41.19	-4.09	54.0	12.81	AV	12.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.21.09

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11b CH11

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.83	-3.78	74.0	21.17	Peak	360.00	150	Vertical	Pass
1**	2483.500	43.63	-3.78	54.0	10.37	AV	360.00	150	Vertical	Pass
2	2485.420	54.57	-3.78	74.0	19.43	Peak	305.00	150	Vertical	Pass
2**	2485.420	43.82	-3.78	54.0	10.18	AV	305.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167
Test Time: 2026-03-10_16.23.04

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.57	-3.78	74.0	21.43	Peak	276.00	150	Horizontal	Pass
1**	2483.500	42.86	-3.78	54.0	11.14	AV	276.00	150	Horizontal	Pass
2	2486.350	53.19	-3.79	74.0	20.81	Peak	273.00	150	Horizontal	Pass
2**	2486.350	43.63	-3.79	54.0	10.37	AV	273.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167
Test Time: 2026-03-10_16.54.48

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.63	-4.87	74.0	19.37	Peak	341.96	150	Vertical	Pass
1**	2390.000	43.36	-4.87	54.0	10.64	AV	341.96	150	Vertical	Pass
2	2389.700	56.81	-4.86	74.0	17.19	Peak	307.00	150	Vertical	Pass
2**	2389.700	43.07	-4.86	54.0	10.93	AV	307.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_16.53.03

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11g CH1

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.22	-4.87	74.0	20.78	Peak	285.02	150	Horizontal	Pass
1**	2390.000	42.15	-4.87	54.0	11.85	AV	285.02	150	Horizontal	Pass
2	2371.300	52.11	-4.04	74.0	21.89	Peak	23.00	150	Horizontal	Pass
2**	2371.300	41.03	-4.04	54.0	12.97	AV	23.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 26-03-10_17.02.04 .

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11g CH11

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.86	-3.78	74.0	19.14	Peak	7.00	150	Vertical	Pass
1**	2483.500	44.21	-3.78	54.0	9.79	AV	7.00	150	Vertical	Pass
2	2483.980	55.67	-3.78	74.0	18.33	Peak	294.00	150	Vertical	Pass
2**	2483.980	43.34	-3.78	54.0	10.66	AV	294.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.04.38

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11g CH11

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.52	-3.78	74.0	21.48	Peak	264.00	150	Horizontal	Pass
1**	2483.500	42.59	-3.78	54.0	11.41	AV	264.00	150	Horizontal	Pass
2	2487.340	52.54	-3.80	74.0	21.46	Peak	351.00	150	Horizontal	Pass
2**	2487.340	42.39	-3.80	54.0	11.61	AV	351.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167
Test Time: 2026-03-10_17.41.07

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=44
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.55	-4.87	74.0	21.45	Peak	0.00	150	Vertical	Pass
1**	2390.000	42.32	-4.87	54.0	11.68	AV	0.00	150	Vertical	Pass
2	2389.600	56.06	-4.85	74.0	17.94	Peak	317.00	150	Vertical	Pass
2**	2389.600	43.10	-4.85	54.0	10.90	AV	317.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.38.38

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=44
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.64	-4.87	74.0	22.36	Peak	297.98	150	Horizontal	Pass
1**	2390.000	42.19	-4.87	54.0	11.81	AV	297.98	150	Horizontal	Pass
2	2389.700	54.68	-4.86	74.0	19.32	Peak	283.00	150	Horizontal	Pass
2**	2389.700	42.11	-4.86	54.0	11.89	AV	283.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.44.49

EUT Name: Trail Camera

Temp.(°C): 23.9

Model Number: Pro 4.0

Humidity (%RH): 47

Sample Number: CC26020153-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11n20 CH11 P=44

Test Site: 966#2

Test Voltage:

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.77	-3.78	74.0	13.23	Peak	306.00	150	Vertical	Pass
1**	2483.500	46.62	-3.78	54.0	7.38	AV	306.00	150	Vertical	Pass
2	2483.620	61.62	-3.78	74.0	12.38	Peak	312.00	150	Vertical	Pass
2**	2483.620	46.13	-3.78	54.0	7.87	AV	312.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167
Test Time: 2026-03-10_17.47.48

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=44
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.99	-3.78	74.0	16.01	Peak	270.00	150	Horizontal	Pass
1**	2483.500	44.77	-3.78	54.0	9.23	AV	270.00	150	Horizontal	Pass
2	2483.650	58.52	-3.78	74.0	15.48	Peak	266.00	150	Horizontal	Pass
2**	2483.650	44.51	-3.78	54.0	9.49	AV	266.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_18.13.50

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=44
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.47	-4.87	74.0	20.53	Peak	330.97	150	Vertical	Pass
1**	2390.000	43.14	-4.87	54.0	10.86	AV	330.97	150	Vertical	Pass
2	2387.800	54.28	-4.75	74.0	19.72	Peak	298.00	150	Vertical	Pass
2**	2387.800	41.98	-4.75	54.0	12.02	AV	298.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_17.57.25

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=44
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.12	-4.87	74.0	22.88	Peak	316.06	150	Horizontal	Pass
1**	2390.000	41.81	-4.87	54.0	12.19	AV	316.06	150	Horizontal	Pass
2	2389.500	53.54	-4.85	74.0	20.46	Peak	267.00	150	Horizontal	Pass
2**	2389.500	41.53	-4.85	54.0	12.47	AV	267.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_18.17.46

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=42
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.75	-3.78	74.0	14.25	Peak	307.00	150	Vertical	Pass
1**	2483.500	47.41	-3.78	54.0	6.59	AV	307.00	150	Vertical	Pass
2	2483.770	60.99	-3.78	74.0	13.01	Peak	305.00	150	Vertical	Pass
2**	2483.770	47.47	-3.78	54.0	6.53	AV	305.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020167

Test Time: 2026-03-10_18.22.06

EUT Name:	Trail Camera	Temp.(°C):	23.9
Model Number:	Pro 4.0	Humidity (%RH):	47
Sample Number:	CC26020153-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=42
Test Site:	966#2	Test Voltage:	
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.97	-3.78	74.0	18.03	Peak	278.00	150	Horizontal	Pass
1**	2483.500	44.84	-3.78	54.0	9.16	AV	278.00	150	Horizontal	Pass
2	2483.680	57.81	-3.78	74.0	16.19	Peak	276.00	150	Horizontal	Pass
2**	2483.680	44.96	-3.78	54.0	9.04	AV	276.00	150	Horizontal	Pass