






Date: 21.JAN.2026 11:52:37




Date: 21.JAN.2026 11:52:45

3DH5-Ant1-2402-0~Reference-PASS

3DH5-Ant1-2402-30~1000-PASS




Date: 21.JAN.2026 11:53:02




Date: 21.JAN.2026 11:54:28

3DH5-Ant1-2402-1000~26500-PASS

3DH5-Ant1-2441-0~Reference-PASS





Date: 21.JAN.2026 11:54:35



Date: 21.JAN.2026 11:54:53


3DH5-Ant1-2441-30~1000-PASS

3DH5-Ant1-2441-1000~26500-PASS



3DH5-Ant1-2480-0~Reference-PASS

3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS

9: Duty Cycle

9.1 Test Result

TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	1/T [kHz]
DH5	Ant1	2402	2.91	3.75	77.60	1.10	0.34
DH5	Ant1	2441	2.91	3.75	77.60	1.10	0.34
DH5	Ant1	2480	2.92	3.76	77.66	1.10	0.34
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	0.34
2DH5	Ant1	2441	2.92	3.76	77.66	1.10	0.34
2DH5	Ant1	2480	2.91	3.75	77.60	1.10	0.34
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	0.34
3DH5	Ant1	2441	2.92	3.75	77.87	1.09	0.34
3DH5	Ant1	2480	2.93	3.76	77.93	1.08	0.34



Note: 1, Duty Cycle= Transmission Duration/ Transmission Period

2, DC Factor= $10 \cdot \log_{10}(1/\text{Duty Cycle})$


3, $1/T = 1/\text{Transmission Duration}$

Both headphones were tested, and only the worst mode was recorded.(Left Earphone)


9.2 Test Graphs




NTNV-DH5-Ant1-2402




NTNV-DH5-Ant1-2441



NTNV-DH5-Ant1-2480





NTNV-2DH5-Ant1-2402




NTNV-2DH5-Ant1-2441

NTNV-2DH5-Ant1-2480



NTNV-3DH5-Ant1-2402



NTNV-3DH5-Ant1-2441

NTNV-3DH5-Ant1-2480

10: Emissions in Restricted Bands


10.1 Test Result

Test Mode	Antenna	ChName	Frequency [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	Peak	2390.000	-55.7	≤-21.20	39.50	≤74	PASS
DH5	Ant1	Low	2402	Peak	2310.000	-55.98	≤-21.20	39.22	≤74	PASS
DH5	Ant1	Low	2402	Peak	2340.022	-51.4	≤-21.20	43.80	≤74	PASS
DH5	Ant1	Low	2402	AV	2390.000	-62.75	≤-41.20	32.45	≤54	PASS
DH5	Ant1	Low	2402	AV	2310.000	-62.36	≤-41.20	32.84	≤54	PASS
DH5	Ant1	Low	2402	AV	2342.304	-59.16	≤-41.20	36.04	≤54	PASS
DH5	Ant1	High	2480	Peak	2483.500	-51.49	≤-21.20	43.71	≤74	PASS
DH5	Ant1	High	2480	Peak	2500.000	-53.97	≤-21.20	41.23	≤74	PASS
DH5	Ant1	High	2480	Peak	2484.145	-49.67	≤-21.20	45.53	≤74	PASS
DH5	Ant1	High	2480	AV	2483.500	-57.8	≤-41.20	37.40	≤54	PASS
DH5	Ant1	High	2480	AV	2500.000	-62.13	≤-41.20	33.07	≤54	PASS
DH5	Ant1	High	2480	AV	2483.565	-57.99	≤-41.20	37.21	≤54	PASS
2DH5	Ant1	Low	2402	Peak	2390.000	-54.14	≤-21.20	41.06	≤74	PASS
2DH5	Ant1	Low	2402	Peak	2310.000	-54.59	≤-21.20	40.61	≤74	PASS
2DH5	Ant1	Low	2402	Peak	2355.087	-51.98	≤-21.20	43.22	≤74	PASS
2DH5	Ant1	Low	2402	AV	2390.000	-61.55	≤-41.20	33.65	≤54	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-62.56	≤-41.20	32.64	≤54	PASS
2DH5	Ant1	Low	2402	AV	2340.022	-59.15	≤-41.20	36.05	≤54	PASS
2DH5	Ant1	High	2480	Peak	2483.500	-49.86	≤-21.20	45.34	≤74	PASS
2DH5	Ant1	High	2480	Peak	2500.000	-56.14	≤-21.20	39.06	≤74	PASS
2DH5	Ant1	High	2480	Peak	2483.797	-49.28	≤-21.20	45.92	≤74	PASS
2DH5	Ant1	High	2480	AV	2483.500	-56.22	≤-41.20	38.98	≤54	PASS
2DH5	Ant1	High	2480	AV	2500.000	-61.94	≤-41.20	33.26	≤54	PASS
2DH5	Ant1	High	2480	AV	2483.565	-56.33	≤-41.20	38.87	≤54	PASS
3DH5	Ant1	Low	2402	Peak	2390.000	-55.69	≤-21.20	39.51	≤74	PASS
3DH5	Ant1	Low	2402	Peak	2310.000	-54.19	≤-21.20	41.01	≤74	PASS
3DH5	Ant1	Low	2402	Peak	2340.022	-49.99	≤-21.20	45.21	≤74	PASS
3DH5	Ant1	Low	2402	AV	2390.000	-62.47	≤-41.20	32.73	≤54	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-62.75	≤-41.20	32.45	≤54	PASS
3DH5	Ant1	Low	2402	AV	2341.239	-59.56	≤-41.20	35.64	≤54	PASS
3DH5	Ant1	High	2480	Peak	2483.500	-48.93	≤-21.20	46.27	≤74	PASS
3DH5	Ant1	High	2480	Peak	2500.000	-54.34	≤-21.20	40.86	≤74	PASS
3DH5	Ant1	High	2480	Peak	2484.145	-49.32	≤-21.20	45.88	≤74	PASS
3DH5	Ant1	High	2480	AV	2483.500	-56.13	≤-41.20	39.07	≤54	PASS
3DH5	Ant1	High	2480	AV	2500.000	-61.85	≤-41.20	33.35	≤54	PASS
3DH5	Ant1	High	2480	AV	2483.565	-56.34	≤-41.20	38.86	≤54	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.
3. Both headphones were tested, and only the worst mode was recorded.(Left Earphone)

10.2 Test Graphs




Date: 21.JAN.2026 11:33:16




Date: 21.JAN.2026 11:33:26

DH5-Ant1-2402-PASS

DH5-Ant1-2402-PASS




Date: 21.JAN.2026 11:36:52




Date: 21.JAN.2026 11:37:01

DH5-Ant1-2480-PASS

DH5-Ant1-2480-PASS





Date: 21.JAN.2026 11:39:33



Date: 21.JAN.2026 11:39:43



2DH5-Ant1-2402-PASS

2DH5-Ant1-2402-PASS





2DH5-Ant1-2480-PASS

2DH5-Ant1-2480-PASS



3DH5-Ant1-2402-PASS

3DH5-Ant1-2402-PASS



3DH5-Ant1-2480-PASS

3DH5-Ant1-2480-PASS

-----END OF THE REPORT-----