



















Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com









A.8 Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.89	3.75	77.07	1.13	---	---
		2441	2.88	3.75	76.80	1.15	---	---
		2480	2.89	3.75	77.07	1.13	---	---
2DH5	Ant1	2402	2.88	3.74	77.01	1.13	---	---
		2441	2.89	3.75	77.07	1.13	---	---
		2480	2.89	3.75	77.07	1.13	---	---
3DH5	Ant1	2402	2.89	3.75	77.07	1.13	---	---
		2441	2.88	3.74	77.01	1.13	---	---
		2480	2.89	3.75	77.07	1.13	---	---

Test Graphs







Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





A.9 Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-61.61	≤-44.33	2.00	1.13	36.72	≤54	PASS
				AV	2378.225	-49.65	≤-44.33	2.00	1.13	48.68	≤54	PASS
				AV	2390.000	-56.92	≤-44.33	2.00	1.13	41.41	≤54	PASS
				Peak	2310.000	-52.75	≤-23.20	2.00	0.00	44.45	≤74	PASS
				Peak	2378.015	-42.79	≤-23.20	2.00	0.00	54.41	≤74	PASS
				Peak	2390.000	-49.24	≤-23.20	2.00	0.00	47.96	≤74	PASS
		High	2480	AV	2483.500	-58.31	≤-44.33	2.00	1.13	40.02	≤54	PASS
				AV	2497.120	-55.87	≤-44.33	2.00	1.13	42.46	≤54	PASS
				AV	2500.000	-56.72	≤-44.33	2.00	1.13	41.61	≤54	PASS
				Peak	2483.500	-49.37	≤-23.20	2.00	0.00	47.83	≤74	PASS
				Peak	2495.040	-45.71	≤-23.20	2.00	0.00	51.49	≤74	PASS
				Peak	2500.000	-47.74	≤-23.20	2.00	0.00	49.46	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-53.66	≤-23.20	2.00	0.00	43.54	≤74	PASS
				Peak	2380.850	-43.49	≤-23.20	2.00	0.00	53.71	≤74	PASS
				Peak	2390.000	-46.19	≤-23.20	2.00	0.00	51.01	≤74	PASS
		High	Hop_2480	Peak	2483.500	-46.55	≤-23.20	2.00	0.00	50.65	≤74	PASS
				Peak	2490.160	-44.28	≤-23.20	2.00	0.00	52.92	≤74	PASS
				Peak	2500.000	-46.54	≤-23.20	2.00	0.00	50.66	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-61.74	≤-44.33	2.00	1.13	36.59	≤54	PASS
				AV	2378.225	-51.17	≤-44.33	2.00	1.13	47.16	≤54	PASS
				AV	2390.000	-57.29	≤-44.33	2.00	1.13	41.04	≤54	PASS
				Peak	2310.000	-52.92	≤-23.20	2.00	0.00	44.28	≤74	PASS
				Peak	2377.595	-43.92	≤-23.20	2.00	0.00	53.28	≤74	PASS
				Peak	2390.000	-49.23	≤-23.20	2.00	0.00	47.97	≤74	PASS
		High	2480	AV	2483.500	-57.98	≤-44.33	2.00	1.13	40.35	≤54	PASS
				AV	2494.160	-56.03	≤-44.33	2.00	1.13	42.30	≤54	PASS
				AV	2500.000	-56.69	≤-44.33	2.00	1.13	41.64	≤54	PASS
				Peak	2483.500	-50.03	≤-23.20	2.00	0.00	47.17	≤74	PASS
				Peak	2496.480	-45.15	≤-23.20	2.00	0.00	52.05	≤74	PASS
				Peak	2500.000	-47.83	≤-23.20	2.00	0.00	49.37	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-54.16	≤-23.20	2.00	0.00	43.04	≤74	PASS
				Peak	2385.155	-44.61	≤-23.20	2.00	0.00	52.59	≤74	PASS
				Peak	2390.000	-50.7	≤-23.20	2.00	0.00	46.50	≤74	PASS
		High	Hop_2480	Peak	2483.500	-49.71	≤-23.20	2.00	0.00	47.49	≤74	PASS
				Peak	2492.720	-43.46	≤-23.20	2.00	0.00	53.74	≤74	PASS
				Peak	2500.000	-47.26	≤-23.20	2.00	0.00	49.94	≤74	PASS


3DH5	Ant1	Low	2402	AV	2310.000	-61.51	≤-44.33	2.00	1.13	36.82	≤54	PASS
				AV	2378.120	-50.47	≤-44.33	2.00	1.13	47.86	≤54	PASS
				AV	2390.000	-57.23	≤-44.33	2.00	1.13	41.10	≤54	PASS
				Peak	2310.000	-54.14	≤-23.20	2.00	0.00	43.06	≤74	PASS
				Peak	2378.645	-43.39	≤-23.20	2.00	0.00	53.81	≤74	PASS
				Peak	2390.000	-49.08	≤-23.20	2.00	0.00	48.12	≤74	PASS
		High	2480	AV	2483.500	-57.97	≤-44.33	2.00	1.13	40.36	≤54	PASS
				AV	2496.080	-55.95	≤-44.33	2.00	1.13	42.38	≤54	PASS
				AV	2500.000	-56.18	≤-44.33	2.00	1.13	42.15	≤54	PASS
				Peak	2483.500	-49.12	≤-23.20	2.00	0.00	48.08	≤74	PASS
				Peak	2483.760	-41.83	≤-23.20	2.00	0.00	55.37	≤74	PASS
				Peak	2500.000	-47.98	≤-23.20	2.00	0.00	49.22	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-53.48	≤-23.20	2.00	0.00	43.72	≤74	PASS
				Peak	2387.990	-44.02	≤-23.20	2.00	0.00	53.18	≤74	PASS
				Peak	2390.000	-47.59	≤-23.20	2.00	0.00	49.61	≤74	PASS
		High	Hop_2480	Peak	2483.500	-49.18	≤-23.20	2.00	0.00	48.02	≤74	PASS
				Peak	2485.920	-44.85	≤-23.20	2.00	0.00	52.35	≤74	PASS
				Peak	2500.000	-45.52	≤-23.20	2.00	0.00	51.68	≤74	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

