

SPECIFICATION

SHEET FOR APPROVAL

(Revision: V1)

CUSTOMER			
CS P/N			
PART NAME			
FREQUENCY	916MHz		
SUPPLIER PN.	DPC0191A		
DATE (日期)	2021-11-30		
CUSTOMER SIGNED			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

--

SHANGHAI DEEPPFAST TECHNOLOGY CO., LTD				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER



JEEP FAST
上海深迅通信技术有限公司

Address: No. 2710 Fengxiang Road, Jiading District, Shanghai, China Postcode: 201802
Telephone: 021-69986378 Fax: 021-69986369 <http://www.sh-shenxun.com>

Revised History

Date	Version	Revised history
2021.11.30	V1	Specification

Catalogue

SHEET FOR APPROVAL		
1	Test condition	1
2	Test data	1~2
3	Engineering drawing	3
4	Packing instruction	4

1. Test condition


The active data of this project are all tested in the French SatimoSG240TA test system. The S1P data obtained in the debugging and verification experiment is based on the vector network analyzer: MT8821C.

2. Test data


Passive data:



Frequency	Efficiency	Efficiency . dB	Gain . dB
890420000	42%	-3.78	0.69
895420000	44%	-3.56	0.88
900420000	44%	-3.58	0.93
901420000	44%	-3.55	0.97
905420000	45%	-3.51	1.04
908420000	45%	-3.51	1.11
909420000	45%	-3.47	1.15
910420000	46%	-3.41	1.15
911420000	46%	-3.34	1.25
912420000	47%	-3.31	1.32
916420000	45%	-3.43	1.35
920420000	46%	-3.37	1.38



3. Engineering drawing



4. 包装图

JEET FAST 上海源迅通信技术有限公司 包装规范				文件编号	
产品名称		产品型号	天线类型	版本	
外置天线				A1	
包装示意图			包装工艺流程		注意事项
图1(产品)		图2: 包装/标签		贴在纸箱右上角的标签(标签内容包括: 产品名称/数量/制造日期/订单编号等)	
				1. 每件10~20PCS产品用橡皮筋包扎, PE开封袋包装。	
				2. 每5袋(50~100PCS)产品用PE塑料袋包装: 标签包括(材料名称、材料编号、数量、日期)	
				3. 除每箱10袋(500~1000PCS)尾数外, 应在外箱右上角贴上外框标签, 包括(生产商、型号、产品名称、客户代码、等)数量, 订单编号, 日期质量保证检查);	
				4. 箱子用胶纸以“工”字型封箱。	
包装材料明细					
名称		材质		尺寸规格	每箱用量
PE开口袋		PE		(24*16)cm	50~100
PE封口袋		PE		(33*23)cm	5
纸箱		K=K		(45*32.5*21)cm	1
卡板		A3B		42*30CⅢ	2
标签/橡皮筋					/
修订内容				修订日期	修订人
版本					
制订: 刘黎平		审核: 龙秋霖		批准: 韩振宇	