Appendix A

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: HyRead Gaze Mini

Trade Mark: Gaze

Test Model: K06N

Environmental Conditions

Temperature:	25.2℃
Relative Humidity:	51.2%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

Contents

Page

COVER PAGE

1 Duty Cycle....3
1.1 Test Result....3
1.2 Test Graphs....4
2 Maximum Conducted Peak Output Power....9
2.1 Test Result....9
2.2 Test Graphs....10
3 20dB Bandwidth....15
3.1 Test Result....15
3.2 Test Graphs....16
4 Carrier Frequency Separation....21
4.1 Test Result....21
4.2 Test Graphs....22
5 Hopping Channel Number....24
5.1 Test Result....24
5.2 Test Graphs....25
6 Dwell Time....27
6.1 Test Result....27
6.2 Test Graphs....28
7 RF Conducted Spurious Emissions....31
7.1 Test Result....31
7.2 Test Graphs....32
8 Band-edge for RF Conducted Emissions....41
8.1 Test Result....41
8.2 Test Graphs....42
9 Restrict-band band-edge measurements....54
9.1 Test Result....54
9.2 Test Graphs....56

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Duty Cycle (%)	1/T (kHz)
1-DH1	2402	31.91	2.56
1-DH1	2441	31.7	2.56
1-DH1	2480	31.2	2.63
2-DH1	2402	32.01	2.56
2-DH1	2441	32.01	2.56
2-DH1	2480	32	2.56
3-DH1	2402	32	2.56
3-DH1	2441	32.01	2.56
3-DH1	2480	32.01	2.56

1.2 Test Graphs

Test Graphs

1-DH1 2402MHz



1-DH1 2441MHz



1-DH1 2480MHz



2-DH1 2402MHz



2-DH1 2441MHz



2-DH1 2480MHz



3-DH1 2402MHz



3-DH1 2441MHz



3-DH1 2480MHz



2 Maximum Conducted Peak Output Power

2.1 Test Result

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-0.74	21	Pass
	MCH	0.1	21	Pass
	HCH	-0.09	21	Pass
π/4DQPSK	LCH	0.48	21	Pass
	MCH	0.67	21	Pass
	HCH	1.2	21	Pass
8DPSK	LCH	0.48	21	Pass
	MCH	1.05	21	Pass
	HCH	1.28	21	Pass

2.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 3 MHz
Att 30 dB SWT 1.3 µs VBW 10 MHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] 1.28 dBm
2.479524000 GHz
M1
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
CF 2.48 GHz
10001 pts
Span 10.0 MHz

3 20dB Bandwidth

3.1 Test Result

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.889	Not Specified	Pass
	MCH	0.868	Not Specified	Pass
	HCH	0.937	Not Specified	Pass
π/4DQPSK	LCH	1.42	Not Specified	Pass
	MCH	1.392	Not Specified	Pass
	HCH	1.471	Not Specified	Pass
8DPSK	LCH	1.441	Not Specified	Pass
	MCH	1.418	Not Specified	Pass
	HCH	1.416	Not Specified	Pass

3.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 30 kHz
Att 30 dB SWT 63.2 µs VBW 100 kHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] -2.82 dBm
2.479990400 GHz
M2[1] -22.81 dBm
2.479272000 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
M1
M2
M3
CF 2.48 GHz
10001 pts
Span 2.0 MHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.4799904 GHz -2.82 dBm
M2 1 2.479272 GHz -22.81 dBm
M3 1 2.480688 GHz -22.78 dBm

4 Carrier Frequency Separation

4.1 Test Result

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	MCH	0.997	0.579	Pass
π/4DQPSK	MCH	1.008	0.928	Pass
8DPSK	MCH	1.079	0.945	Pass

4.2 Test Graphs

Test Graphs	
GFSK/MCH	
π/4DQPSK/MCH	

8DPSK/MCH	

Spectrum
Ref Level 20.00 dBm Offset 2.80 dB RBW 30 kHz
Att 30 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT
1Pk Max
M1[1] -8.59 dBm 2.44088400 GHz
M2[1] -6.10 dBm 2.44196300 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
M1
M2
CF 2.4415 GHz
1001 pts
Span 2.0 MHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.440884 GHz -8.59 dBm
M2 1 2.441963 GHz -6.10 dBm

5 Hopping Channel Number

5.1 Test Result

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

5.2 Test Graphs

Test Graphs	
GFSK/Hop	
π/4DQPSK/Hop	

8DPSK/Hop	

Spectrum
Ref Level 20.00 dBm Offset 2.80 dB RBW 100 kHz
Att 30 dB SWT 94.8 µs VBW 300 kHz Mode Auto FFT
1Pk Max
M1[1] -1.73 dBm 2.4017535 GHz
M2[1] -4.30 dBm 2.4804940 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
Start 2.4 GHz 1001 pts Stop 2.4835 GHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.4017535 GHz -1.73 dBm
M2 1 2.480494 GHz -4.30 dBm

6 Dwell Time

6.1 Test Result

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[ms]	Limit [s]	Verdict
GFSK	DH5	MCH	2.884	101	291.284	0.4	Pass
π/4DQPSK	2DH5	MCH	2.889	105	303.345	0.4	Pass
8DPSK	3DH5	MCH	2.891	102	294.882	0.4	Pass

6.2 Test Graphs

Test Graphs	
GFSK_DH5/MCH	 

π/4DQPSK
_2DH5/MCH





8DPSK _3DH5/MCH





7 RF Conducted Spurious Emissions

7.1 Test Result

Mode	Channel	Max. Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	-40.85	-20	Pass
	MCH	-40.49	-20	Pass
	HCH	-41.91	-20	Pass
π/4DQPSK	LCH	-40.36	-20	Pass
	MCH	-40.26	-20	Pass
	HCH	-39.92	-20	Pass
8DPSK	LCH	-39.07	-20	Pass
	MCH	-41.7	-20	Pass
	HCH	-40.63	-20	Pass

7.2 Test Graphs

GFSK_LCH_Graphs	
Pref	
Puw	

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.40207 GHz	-1.80 dBm		
M2		1	6.997786 GHz	-42.41 dBm		
M3		1	4.747836 GHz	-47.16 dBm		
M4		1	7.016315 GHz	-46.82 dBm		
M5		1	9.590964 GHz	-47.05 dBm		

GFSK_MCH_Graphs	
Pref	
Puw	

GFSK_HCH_Graphs	
Pref	
Puw	

π/4DQPSK_LCH_Graphs	
Pref	
Puw	

π/4DQPSK_MCH_Graphs	
Pref	
Puw	

π/4DQPSK_HCH_Graphs	
Pref	
Puw	

8DPSK_LCH_Graphs	
Pref	
Puw	

8DPSK_MCH_Graphs	
Pref	
Puw	

8DPSK_HCH_Graphs	
Pref	
Puw	

8 Band-edge for RF Conducted Emissions

8.1 Test Result

Mode	Channel	Carrier Frequency [MHz]	Frequency Hopping	Max Spurious Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	2402	Off	-55.18	-20	Pass
			On	-54.94	-20	Pass
	HCH	2480	Off	-46.84	-20	Pass
			On	-53.32	-20	Pass
π/4DQPSK	LCH	2402	Off	-53.93	-20	Pass
			On	-52.6	-20	Pass
	HCH	2480	Off	-54.83	-20	Pass
			On	-46.9	-20	Pass
8DPSK	LCH	2402	Off	-53.91	-20	Pass
			On	-52.74	-20	Pass
	HCH	2480	Off	-46.79	-20	Pass
			On	-49.04	-20	Pass

8.2 Test Graphs

Test Graphs	
Pref	
GFSK/LCH/No Hop	

Ref	
GFSK/LCH/Hop	

Ref	
GFSK/HCH/No Hop	

Ref.	
GFSK/HCH/Hop	

Ref	
π/4DQPSK/LCH/No Hop	

Ref	
π/4DQPSK/LCH/Hop	

Ref	
π/4DQPSK/HCH/No Hop	

Ref	
π/4DQPSK/HCH/Hop	

Ref	
8DPSK/LCH/No Hop	

Ref	
8DPSK/LCH/Hop	

Ref	
8DPSK/HCH/No Hop	

Ref	
8DPSK/HCH/Hop	

9 Restrict-band band-edge measurements

9.1 Test Result

Test Mode	Hopping	Freq.	Power [dBm]	Gain	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-47.74	2	49.52	PEAK	74	Pass
	Off	2310.0	-57.18	2	40.08	AV	54	Pass
	Off	2376.048	-45.19	2	52.07	PEAK	74	Pass
	Off	2341.968	-54.9	2	42.36	AV	54	Pass
	Off	2390.0	-48.26	2	49	PEAK	74	Pass
	Off	2390.0	-57.77	2	39.49	AV	54	Pass
	Off	2483.5	-49.53	2	47.73	PEAK	74	Pass
	Off	2483.5	-56.04	2	41.22	AV	54	Pass
	Off	2486.128	-46.78	2	50.48	PEAK	74	Pass
	Off	2487.352	-55.57	2	41.69	AV	54	Pass
	Off	2500.0	-48.18	2	49.08	PEAK	74	Pass
	Off	2500.0	-57.29	2	39.97	AV	54	Pass
π/4DQPSK	Off	2310.0	-48.08	2	49.18	PEAK	74	Pass
	Off	2310.0	-57.48	2	39.78	AV	54	Pass
	Off	2344.56	-44.87	2	52.39	PEAK	74	Pass
	Off	2339.952	-55.35	2	41.91	AV	54	Pass
	Off	2390.0	-48.47	2	48.79	PEAK	74	Pass
	Off	2390.0	-57.27	2	39.99	AV	54	Pass
	Off	2483.5	-47.35	2	49.91	PEAK	74	Pass
	Off	2483.5	-55.66	2	41.6	AV	54	Pass
	Off	2487.352	-44.02	2	53.24	PEAK	74	Pass
	Off	2487.136	-55.56	2	41.7	AV	54	Pass
	Off	2500.0	-49.85	2	47.41	PEAK	74	Pass
	Off	2500.0	-56.85	2	40.41	AV	54	Pass
8DPSK	Off	2310.0	-49.4	2	47.86	PEAK	74	Pass
	Off	2310.0	-57.39	2	39.87	AV	54	Pass
	Off	2338.128	-44.4	2	52.86	PEAK	74	Pass
	Off	2339.28	-55.34	2	41.92	AV	54	Pass

	Off	2390.0	-49.31	2	47.95	PEAK	74	Pass
	Off	2390.0	-57.35	2	39.91	AV	54	Pass
	Off	2483.5	-47.84	2	49.42	PEAK	74	Pass
	Off	2483.5	-54.93	2	42.33	AV	54	Pass
	Off	2486.368	-46.11	2	51.15	PEAK	74	Pass
	Off	2483.512	-54.93	2	42.33	AV	54	Pass
	Off	2500.0	-49	2	48.26	PEAK	74	Pass
	Off	2500.0	-57.39	2	39.87	AV	54	Pass

9.2 Test Graphs

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)



---The End---