

APPENDIX- RIGHT TEMPLE

Test Information:

Sample No.:	3LU7-3	Test Date:	2026/09/22-2026/09/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cayde Hou	Test Result:	Pass


Environmental Conditions:

Temperature: (°C)	24.5-25.2	Relative Humidity: (%)	48-51	ATM Pressure: (kPa)	99.2
----------------------	-----------	------------------------------	-------	------------------------	------

20 dB Emission Bandwidth


Mode	Channel	Result (MHz)
DH5	Low	0.958
	Middle	0.955
	High	0.958
2DH5	Low	1.339
	Middle	1.339
	High	1.339
3DH5	Low	1.312
	Middle	1.312
	High	1.309

DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:53:12

DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:53:47

DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:54:17

2DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:55:06

2DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:55:37

2DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:56:06

3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:56:47

3DH5_Middle



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:57:12

3DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:57:49


99% Occupied Bandwidth

Mode	Channel	99% OBW (MHz)
DH5	Low	0.888
	Middle	0.879
	High	0.885
2DH5	Low	1.188
	Middle	1.188
	High	1.188
3DH5	Low	1.188
	Middle	1.191
	High	1.191


DH5_Low




DH5_Middle




DH5_High




2DH5_Low




2DH5_Middle



2DH5_High




3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:56:55

3DH5_Middle



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:57:21

3DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:57:57

Channel Separation

Mode	Channel	Result (MHz)	Limit (MHz)	Verdict
DH5	Middle	1.003	0.893	Pass

Note: Only the BDR (GFSK) mode result is reported since EDR ($\pi/4$ -DQPSK) and EDR (8DPSK) modes have the exact same channel plan, and the limit is the maximum 20dB bandwidth *2/3.

DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:59:14

Number of Hopping Frequency


Mode	Channel	Result	Limit	Verdict
DH5	Hopping	79	15	Pass
2DH5	Hopping	79	15	Pass
3DH5	Hopping	79	15	Pass

DH5_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:59:50

2DH5_Hopping



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:01:32

3DH5_Hopping



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:03:08

Maximum Conducted Output Power


Mode	Test Frequency (MHz)	Peak Output Power (dBm)	Limit (dBm)	Verdict
DH5	2402	-0.65	21.00	Pass
	2441	-0.65	21.00	Pass
	2480	-0.61	21.00	Pass
2DH5	2402	-2.34	21.00	Pass
	2441	-2.32	21.00	Pass
	2480	-2.32	21.00	Pass
3DH5	2402	-1.73	21.00	Pass
	2441	-1.71	21.00	Pass
	2480	-1.72	21.00	Pass

Note 1: The Maximum antenna gain is 3.35dBi[#].

Note 2: EIRP= Output Power + Antenna Gain


Note 3: The maximum EIRP is -0.61dBm+3.35dBi=2.74dBm<36dBm, so it's compliance with ISED C EIRP limit.

DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:46:58

DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:47:32

DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 21:47:55

2DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:03:44

2DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:04:11

2DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:04:44

3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:05:19

3DH5_Middle



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:06:02

3DH5_High



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 23:06:28

Time of Occupancy (dwell time)


Test Mode	Channel	BurstWidth (ms)	TotalHops (Num)	Result (s)	Limit (s)	Verdict
DH1	Hopping	0.402	320	0.129	≤ 0.4	Pass
DH3	Hopping	1.661	180	0.299	≤ 0.4	Pass
DH5	Hopping	2.918	120	0.350	≤ 0.4	Pass
2DH1	Hopping	0.406	320	0.130	≤ 0.4	Pass
2DH3	Hopping	1.661	170	0.282	≤ 0.4	Pass
2DH5	Hopping	2.918	120	0.350	≤ 0.4	Pass
3DH1	Hopping	0.406	320	0.130	≤ 0.4	Pass
3DH3	Hopping	1.661	160	0.266	≤ 0.4	Pass
3DH5	Hopping	2.918	130	0.379	≤ 0.4	Pass

Note 1: A period time = $0.4 \times 79 = 31.6(S)$, Result = BurstWidth * Totalhops

Note 2: Totalhops = Hopping Number in $3.16s \times 10$


Note 3: Hopping Number in $3.16s$ = Total of highest signals in $3.16s$ (Second high signals were other channel)

DH1_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:04:19

DH1_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:05:28

DH3_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:20:20

DH3_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:20:47

DH5_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:21:12

DH5_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:21:39

2DH1_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:08:20

2DH1_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:08:49

2DH3_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:09:20

2DH3_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:10:02

2DH5_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:10:34

2DH5_Hopping




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 22.SEP.2026 22:11:01


3DH1_Hopping




3DH1_Hopping




3DH3_Hopping




3DH3_Hopping



3DH5_Hopping




3DH5_Hopping




Conducted Spurious Emission

DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:18:40

DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:18:58

DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:19:23

DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:20:13

DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:20:40

DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:21:42

DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:21:55

DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:22:20

DH5_Hopping_Lower




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:02:06

DH5_Hopping_Upper




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:04:36

2DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:47:59

2DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:48:17

2DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:48:43

2DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:50:08

2DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:50:35

2DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:51:48

2DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:52:02

2DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:52:28

2DH5_Hopping_Lower




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:07:21

2DH5_Hopping_Upper




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:09:52

3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:53:36

3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:53:56

3DH5_Low




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:54:22

3DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:55:56

3DH5_Middle




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:56:24

3DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:57:23

3DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:57:38

3DH5_High




ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 13:58:04

3DH5_Hopping_Lower



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:13:22

3DH5_Hopping_Upper



ProjectNo.:2604T13224E-RF Tester:Cayde Hou
Date: 29.SEP.2026 14:15:31

EXHIBIT A-EUT PHOTOGRAPHS

Please refer to the Attachment No.1 2604T13224E-RF EUT External Photos and Attachment No.2 2604T13224E-RF EUT Internal Photos.

EXHIBIT B-TEST SETUP PHOTOGRAPHS

Please refer to the Attachment No.3 2604T13224E-RF Test Photos.

******* END OF REPORT *******