**Occupied Channel Bandwidth**

| Condition | Mode | Frequency (MHz) | Antenna | 99% OBW (MHz) |
|---|---|---|---|---|
| NVNT | a | 5745 | Ant1 | 16.563 |
| NVNT | a | 5785 | Ant1 | 16.555 |
| NVNT | a | 5825 | Ant1 | 16.601 |
| NVNT | a | 5745 | Ant2 | 16.559 |
| NVNT | a | 5785 | Ant2 | 16.513 |
| NVNT | a | 5825 | Ant2 | 16.572 |
| NVNT | ac20 | 5745 | Ant1 | 17.583 |
| NVNT | ac20 | 5785 | Ant1 | 17.59 |
| NVNT | ac20 | 5825 | Ant1 | 17.585 |
| NVNT | ac20 | 5745 | Ant2 | 17.578 |
| NVNT | ac20 | 5785 | Ant2 | 17.584 |
| NVNT | ac20 | 5825 | Ant2 | 17.602 |
| NVNT | ac40 | 5755 | Ant1 | 36.261 |
| NVNT | ac40 | 5795 | Ant1 | 36.26 |
| NVNT | ac40 | 5755 | Ant2 | 36.294 |
| NVNT | ac40 | 5795 | Ant2 | 36.237 |
| NVNT | ac80 | 5775 | Ant1 | 75.646 |
| NVNT | ac80 | 5775 | Ant2 | 75.555 |
| NVNT | n20 | 5745 | Ant1 | 17.591 |
| NVNT | n20 | 5785 | Ant1 | 17.595 |
| NVNT | n20 | 5825 | Ant1 | 17.582 |
| NVNT | n20 | 5745 | Ant2 | 17.59 |
| NVNT | n20 | 5785 | Ant2 | 17.597 |
| NVNT | n20 | 5825 | Ant2 | 17.596 |
| NVNT | n40 | 5755 | Ant1 | 36.229 |
| NVNT | n40 | 5795 | Ant1 | 36.233 |
| NVNT | n40 | 5755 | Ant2 | 36.254 |
| NVNT | n40 | 5795 | Ant2 | 36.239 |

OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT a 5745MHz Ant2




OBW NVNT a 5785MHz Ant2




OBW NVNT a 5825MHz Ant2




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant2




OBW NVNT ac20 5785MHz Ant2




OBW NVNT ac20 5825MHz Ant2




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac40 5755MHz Ant2




OBW NVNT ac40 5795MHz Ant2




OBW NVNT ac80 5775MHz Ant1




OBW NVNT ac80 5775MHz Ant2




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n20 5745MHz Ant2




OBW NVNT n20 5785MHz Ant2




OBW NVNT n20 5825MHz Ant2




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT n40 5755MHz Ant2




OBW NVNT n40 5795MHz Ant2



Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Max PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|---|---|---|---|---|---|---|---|---|
| NVNT | a | 5745 | Ant1 | -2.112 | 0.09 | -2.022 | 30 | Pass |
| NVNT | a | 5785 | Ant1 | -2.445 | 0.1 | -2.345 | 30 | Pass |
| NVNT | a | 5825 | Ant1 | -2.595 | 0.1 | -2.495 | 30 | Pass |
| NVNT | a | 5745 | Ant2 | -2.715 | 0.09 | -2.625 | 30 | Pass |
| NVNT | a | 5785 | Ant2 | -3.175 | 0.1 | -3.075 | 30 | Pass |
| NVNT | a | 5825 | Ant2 | -3.085 | 0.09 | -2.995 | 30 | Pass |
| NVNT | ac20 | 5745 | Ant1 | -3.155 | 0.1 | -3.055 | 30 | Pass |
| NVNT | ac20 | 5785 | Ant1 | -3.06 | 0.1 | -2.96 | 30 | Pass |
| NVNT | ac20 | 5825 | Ant1 | -3.552 | 0.1 | -3.452 | 30 | Pass |
| NVNT | ac20 | 5745 | Ant2 | -2.994 | 0.1 | -2.894 | 30 | Pass |
| NVNT | ac20 | 5785 | Ant2 | -3.332 | 0.09 | -3.242 | 30 | Pass |
| NVNT | ac20 | 5825 | Ant2 | -3.078 | 0.1 | -2.978 | 30 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -5.78 | 0.21 | -5.57 | 30 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -5.16 | 0.21 | -4.95 | 30 | Pass |
| NVNT | ac40 | 5755 | Ant2 | -5.915 | 0.21 | -5.705 | 30 | Pass |
| NVNT | ac40 | 5795 | Ant2 | -6.512 | 0.21 | -6.302 | 30 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -8.567 | 0.82 | -7.747 | 30 | Pass |
| NVNT | ac80 | 5775 | Ant2 | -9.806 | 0.83 | -8.976 | 30 | Pass |
| NVNT | n20 | 5745 | Ant1 | -3.107 | 0.11 | -2.997 | 30 | Pass |
| NVNT | n20 | 5785 | Ant1 | -3.087 | 0.1 | -2.987 | 30 | Pass |
| NVNT | n20 | 5825 | Ant1 | -3.581 | 0.1 | -3.481 | 30 | Pass |
| NVNT | n20 | 5745 | Ant2 | -2.998 | 0.1 | -2.898 | 30 | Pass |
| NVNT | n20 | 5785 | Ant2 | -3.479 | 0.1 | -3.379 | 30 | Pass |
| NVNT | n20 | 5825 | Ant2 | -3.298 | 0.11 | -3.188 | 30 | Pass |
| NVNT | n40 | 5755 | Ant1 | -5.638 | 0.21 | -5.428 | 30 | Pass |
| NVNT | n40 | 5795 | Ant1 | -5.884 | 0.21 | -5.674 | 30 | Pass |
| NVNT | n40 | 5755 | Ant2 | -7.365 | 0.21 | -7.155 | 30 | Pass |
| NVNT | n40 | 5795 | Ant2 | -6.577 | 0.2 | -6.377 | 30 | Pass |

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2




PSD NVNT a 5825MHz Ant2




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant2




PSD NVNT ac20 5785MHz Ant2




PSD NVNT ac20 5825MHz Ant2




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac40 5755MHz Ant2




PSD NVNT ac40 5795MHz Ant2




PSD NVNT ac80 5775MHz Ant1




PSD NVNT ac80 5775MHz Ant2




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1




PSD NVNT n20 5745MHz Ant2




PSD NVNT n20 5785MHz Ant2




PSD NVNT n20 5825MHz Ant2




PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1




PSD NVNT n40 5755MHz Ant2




PSD NVNT n40 5795MHz Ant2



Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBm) | Verdict |
|---|---|---|---|---|---|
| NVNT | a | 5745 | Ant1 | -20.04 | Pass |
| NVNT | a | 5825 | Ant1 | -27.36 | Pass |
| NVNT | a | 5745 | Ant2 | -21.29 | Pass |
| NVNT | a | 5825 | Ant2 | -27.31 | Pass |
| NVNT | ac20 | 5745 | Ant1 | -18.82 | Pass |
| NVNT | ac20 | 5825 | Ant1 | -28.1 | Pass |
| NVNT | ac20 | 5745 | Ant2 | -23.22 | Pass |
| NVNT | ac20 | 5825 | Ant2 | -24.71 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -19.46 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -34.47 | Pass |
| NVNT | ac40 | 5755 | Ant2 | -20.24 | Pass |
| NVNT | ac40 | 5795 | Ant2 | -34.68 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -30.87 | Pass |
| NVNT | ac80 | 5775 | Ant2 | -34.71 | Pass |
| NVNT | n20 | 5745 | Ant1 | -20.28 | Pass |
| NVNT | n20 | 5825 | Ant1 | -27.54 | Pass |
| NVNT | n20 | 5745 | Ant2 | -21.25 | Pass |
| NVNT | n20 | 5825 | Ant2 | -27.37 | Pass |
| NVNT | n40 | 5755 | Ant1 | -19.78 | Pass |
| NVNT | n40 | 5795 | Ant1 | -34.01 | Pass |
| NVNT | n40 | 5755 | Ant2 | -23.34 | Pass |
| NVNT | n40 | 5795 | Ant2 | -35.18 | Pass |

Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1

Band Edge NVNT a 5745MHz Low Ant2




Band Edge NVNT a 5825MHz High Ant2

Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac20 5745MHz Low Ant2




Band Edge NVNT ac20 5825MHz High Ant2

Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant2




Band Edge NVNT ac40 5795MHz High Ant2




Band Edge NVNT ac80 5775MHz High Ant1

Band Edge NVNT ac80 5775MHz High Ant2




Band Edge NVNT n20 5745MHz Low Ant1




Band Edge NVNT n20 5825MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant2




Band Edge NVNT n20 5825MHz High Ant2

Band Edge NVNT n40 5755MHz Low Ant1




Band Edge NVNT n40 5795MHz High Ant1




Band Edge NVNT n40 5755MHz Low Ant2




Band Edge NVNT n40 5795MHz High Ant2



Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | a | 5745 | Ant1 | -33.48 | -27 | Pass |
| NVNT | a | 5785 | Ant1 | -33.76 | -27 | Pass |
| NVNT | a | 5825 | Ant1 | -33.07 | -27 | Pass |
| NVNT | a | 5745 | Ant2 | -34.32 | -27 | Pass |
| NVNT | a | 5785 | Ant2 | -34.46 | -27 | Pass |
| NVNT | a | 5825 | Ant2 | -34.5 | -27 | Pass |
| NVNT | ac20 | 5745 | Ant1 | -33.9 | -27 | Pass |
| NVNT | ac20 | 5785 | Ant1 | -33.77 | -27 | Pass |
| NVNT | ac20 | 5825 | Ant1 | -33.37 | -27 | Pass |
| NVNT | ac20 | 5745 | Ant2 | -34.39 | -27 | Pass |
| NVNT | ac20 | 5785 | Ant2 | -34.86 | -27 | Pass |
| NVNT | ac20 | 5825 | Ant2 | -34.43 | -27 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -33.19 | -27 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -32.94 | -27 | Pass |
| NVNT | ac40 | 5755 | Ant2 | -33.57 | -27 | Pass |
| NVNT | ac40 | 5795 | Ant2 | -34.56 | -27 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -33.73 | -27 | Pass |
| NVNT | ac80 | 5775 | Ant2 | -34.29 | -27 | Pass |
| NVNT | n20 | 5745 | Ant1 | -33.62 | -27 | Pass |
| NVNT | n20 | 5785 | Ant1 | -33.35 | -27 | Pass |
| NVNT | n20 | 5825 | Ant1 | -33.54 | -27 | Pass |
| NVNT | n20 | 5745 | Ant2 | -33.98 | -27 | Pass |
| NVNT | n20 | 5785 | Ant2 | -33.93 | -27 | Pass |
| NVNT | n20 | 5825 | Ant2 | -33.99 | -27 | Pass |
| NVNT | n40 | 5755 | Ant1 | -33.5 | -27 | Pass |
| NVNT | n40 | 5795 | Ant1 | -33.07 | -27 | Pass |
| NVNT | n40 | 5755 | Ant2 | -34.39 | -27 | Pass |
| NVNT | n40 | 5795 | Ant2 | -34.16 | -27 | Pass |

Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission




Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT a 5745MHz Ant2 Emission




Tx. Spurious NVNT a 5785MHz Ant2 Emission




Tx. Spurious NVNT a 5825MHz Ant2 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac20 5745MHz Ant2 Emission




Tx. Spurious NVNT ac20 5785MHz Ant2 Emission




Tx. Spurious NVNT ac20 5825MHz Ant2 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant2 Emission




Tx. Spurious NVNT ac40 5795MHz Ant2 Emission




Tx. Spurious NVNT ac80 5775MHz Ant1 Emission




Tx. Spurious NVNT ac80 5775MHz Ant2 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission




Tx. Spurious NVNT n20 5785MHz Ant1 Emission




Tx. Spurious NVNT n20 5825MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant2 Emission




Tx. Spurious NVNT n20 5785MHz Ant2 Emission




Tx. Spurious NVNT n20 5825MHz Ant2 Emission




Tx. Spurious NVNT n40 5755MHz Ant1 Emission




Tx. Spurious NVNT n40 5795MHz Ant1 Emission




Tx. Spurious NVNT n40 5755MHz Ant2 Emission




Tx. Spurious NVNT n40 5795MHz Ant2 Emission



# 5.8G WIFI MIMO

## Duty Cycle

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|---|---|---|---|---|---|---|
| NVNT | ac20 | 5745 | Sum | 97.85 | 0.09 | 0.78 |
| NVNT | ac20 | 5785 | Sum | 97.78 | 0.1 | 0.78 |
| NVNT | ac20 | 5825 | Sum | 97.75 | 0.1 | 0.78 |
| NVNT | ac40 | 5755 | Sum | 95.34 | 0.21 | 1.56 |
| NVNT | ac40 | 5795 | Sum | 95.3 | 0.21 | 1.56 |
| NVNT | ac80 | 5775 | Sum | 91.72 | 0.38 | 3.12 |
| NVNT | n20 | 5745 | Sum | 98.43 | 0.07 | 0.78 |
| NVNT | n20 | 5785 | Sum | 98.43 | 0.07 | 0.79 |
| NVNT | n20 | 5825 | Sum | 97.69 | 0.1 | 0.78 |
| NVNT | n40 | 5755 | Sum | 95.33 | 0.21 | 1.56 |
| NVNT | n40 | 5795 | Sum | 95.38 | 0.21 | 1.56 |

## Test Graphs

### Duty Cycle NVNT ac20 5745MHz Sum




### Duty Cycle NVNT ac20 5785MHz Sum



Duty Cycle NVNT ac20 5825MHz Sum




Duty Cycle NVNT ac40 5755MHz Sum



Duty Cycle NVNT ac40 5795MHz Sum




Duty Cycle NVNT ac80 5775MHz Sum



Duty Cycle NVNT n20 5745MHz Sum




Duty Cycle NVNT n20 5785MHz Sum



Duty Cycle NVNT n20 5825MHz Sum




Duty Cycle NVNT n40 5755MHz Sum



Duty Cycle NVNT n40 5795MHz Sum



# Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | ac20 | 5745 | Ant1 | 12.43 | 29.89 | Pass |
| NVNT | ac20 | 5745 | Ant2 | 7.44 | 29.89 | Pass |
| NVNT | ac20 | 5745 | Sum | 13.63 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Ant1 | 12.89 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Ant2 | 7.8 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Sum | 14.06 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 13.47 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Ant2 | 7.76 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Sum | 14.5 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 11.83 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Ant2 | 6.55 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Sum | 12.96 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 13.95 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Ant2 | 6.92 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Sum | 14.74 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 10.86 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5.42 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Sum | 11.95 | 29.89 | Pass |
| NVNT | n20 | 5745 | Ant1 | 12.41 | 29.89 | Pass |
| NVNT | n20 | 5745 | Ant2 | 7.42 | 29.89 | Pass |
| NVNT | n20 | 5745 | Sum | 13.61 | 29.89 | Pass |
| NVNT | n20 | 5785 | Ant1 | 12.92 | 29.89 | Pass |
| NVNT | n20 | 5785 | Ant2 | 7.77 | 29.89 | Pass |
| NVNT | n20 | 5785 | Sum | 14.08 | 29.89 | Pass |
| NVNT | n20 | 5825 | Ant1 | 11.57 | 29.89 | Pass |
| NVNT | n20 | 5825 | Ant2 | 6.6 | 29.89 | Pass |
| NVNT | n20 | 5825 | Sum | 12.77 | 29.89 | Pass |
| NVNT | n40 | 5755 | Ant1 | 11.94 | 29.89 | Pass |
| NVNT | n40 | 5755 | Ant2 | 6.57 | 29.89 | Pass |
| NVNT | n40 | 5755 | Sum | 13.05 | 29.89 | Pass |
| NVNT | n40 | 5795 | Ant1 | 12.02 | 29.89 | Pass |
| NVNT | n40 | 5795 | Ant2 | 7.02 | 29.89 | Pass |
| NVNT | n40 | 5795 | Sum | 13.21 | 29.89 | Pass |

# Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|---|---|---|---|---|---|---|---|---|
| NVNT | ac20 | 5745 | Ant1 | -5.03 | 0.09 | -4.94 | 29.89 | Pass |
| NVNT | ac20 | 5745 | Ant2 | -9.93 | 0.09 | -9.84 | 29.89 | Pass |
| NVNT | ac20 | 5745 | Sum | -3.81 | 0.09 | -3.72 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Ant1 | -3.99 | 0.1 | -3.89 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Ant2 | -10.54 | 0.1 | -10.44 | 29.89 | Pass |
| NVNT | ac20 | 5785 | Sum | -3.12 | 0.1 | -3.02 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Ant1 | -3.4 | 0.1 | -3.3 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Ant2 | -10.94 | 0.1 | -10.84 | 29.89 | Pass |
| NVNT | ac20 | 5825 | Sum | -2.7 | 0.1 | -2.6 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Ant1 | -9.87 | 0.21 | -9.66 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Ant2 | -15.11 | 0.21 | -14.9 | 29.89 | Pass |
| NVNT | ac40 | 5755 | Sum | -8.73 | 0.21 | -8.52 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Ant1 | -4.69 | 0.21 | -4.48 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Ant2 | -15.19 | 0.21 | -14.98 | 29.89 | Pass |
| NVNT | ac40 | 5795 | Sum | -4.32 | 0.21 | -4.11 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Ant1 | -15.6 | 0.38 | -15.22 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Ant2 | -20.6 | 0.38 | -20.22 | 29.89 | Pass |
| NVNT | ac80 | 5775 | Sum | -14.41 | 0.38 | -14.03 | 29.89 | Pass |
| NVNT | n20 | 5745 | Ant1 | -5.54 | 0.07 | -5.47 | 29.89 | Pass |
| NVNT | n20 | 5745 | Ant2 | -9.97 | 0.07 | -9.9 | 29.89 | Pass |
| NVNT | n20 | 5745 | Sum | -4.2 | 0.07 | -4.13 | 29.89 | Pass |
| NVNT | n20 | 5785 | Ant1 | -4.06 | 0.07 | -3.99 | 29.89 | Pass |
| NVNT | n20 | 5785 | Ant2 | -10.66 | 0.07 | -10.59 | 29.89 | Pass |
| NVNT | n20 | 5785 | Sum | -3.2 | 0.07 | -3.13 | 29.89 | Pass |
| NVNT | n20 | 5825 | Ant1 | -6.88 | 0.1 | -6.78 | 29.89 | Pass |
| NVNT | n20 | 5825 | Ant2 | -11.84 | 0.1 | -11.74 | 29.89 | Pass |
| NVNT | n20 | 5825 | Sum | -5.68 | 0.1 | -5.58 | 29.89 | Pass |
| NVNT | n40 | 5755 | Ant1 | -9.43 | 0.21 | -9.22 | 29.89 | Pass |
| NVNT | n40 | 5755 | Ant2 | -14.61 | 0.21 | -14.4 | 29.89 | Pass |
| NVNT | n40 | 5755 | Sum | -8.28 | 0.21 | -8.07 | 29.89 | Pass |
| NVNT | n40 | 5795 | Ant1 | -10.39 | 0.21 | -10.18 | 29.89 | Pass |
| NVNT | n40 | 5795 | Ant2 | -14.37 | 0.21 | -14.16 | 29.89 | Pass |
| NVNT | n40 | 5795 | Sum | -8.93 | 0.21 | -8.72 | 29.89 | Pass |

Test Graphs

PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5745MHz Ant2



PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5785MHz Ant2



PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac20 5825MHz Ant2