

TEST REPORT

Applicant: MAXPAY PAZARLAMA IC VE DIS TICARET
LIMITED SIRKETI

Address: Fulya Mah. Büyükdere Cad. No: 76, Unit NO 178,
34394 Mecidiyeköy. Şişli – İSTANBUL, Türkiye

Equipment Type: POS Terminal

Model Name: D600

Brand Name: MP

FCC ID: 2BC4X-D600

Test Standard: 47 CFR Part 2
(Others refer to chapter 3.1)

Sample Arrival Date: Jan. 15, 2025

Test Date: Jan. 16, 2025 - Jan. 17, 2025

Date of Issue: Feb. 14, 2025

ISSUED BY:

Shanghai Tejet Communications Technology Co., Ltd. Testing Center

Tested by: She Junyang

She Junyang

Checked by: Zhu Feng

Zhu Feng

Approved by: Chen Zidong

(Technical Director)

Chen Zidong

Revision History

Version	Issue Date	Revisions Content
<u>Rev. 01</u>	<u>Feb. 14, 2025</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

TABLE OF CONTENTS	2
1 GENERAL INFORMATION	4
1.1 Test Laboratory	4
1.2 Test Location	4
2 PRODUCT INFORMATION	5
2.1 Applicant Information	5
2.2 Manufacturer Information	5
2.3 Factory Information	5
2.4 General Description for Equipment under Test (EUT)	5
2.5 Technical Information	6
3 SUMMARY OF TEST RESULTS	8
3.1 Test Standards	8
3.2 Test Verdict	9
3.3 Decision Rule	10
4 GENERAL TEST CONFIGURATIONS	11
4.1 Test Environments	11
4.2 Test Equipment List	11
4.3 Test Configurations	13
4.4 Test Setup	22
5 TEST ITEMS	24
5.1 Transmitter Radiated Power (EIRP/ERP)	24
5.2 Peak to Average Ratio	28
5.3 Occupied Bandwidth	30
5.4 Frequency Stability	32
5.5 Spurious Emission at Antenna Terminals	34

5.6 Band Edge	38
5.7 Field Strength of Spurious Radiation	42
ANNEX A TEST RESULTS	47
A.1 Transmitter Radiated Power (EIRP/ERP)	47
A.2 Peak to Average Ratio	115
A.3 Frequency Stability	120
A.4 Spurious Emission at Antenna Terminals	137
A.5 Occupied Bandwidth	150
A.6 Band Edge	166
A.7 Field Strength of Spurious Radiation	184
ANNEX B TEST SETUP PHOTOS	186
ANNEX C EUT EXTERNAL PHOTOS	186
ANNEX D EUT INTERNAL PHOTOS	186
Statement	187

1 GENERAL INFORMATION

1.1 Test Laboratory

Name	Shanghai Tejet Communications Technology Co., Ltd. Testing Center
Address	1-2/F., Building 1, No.222, Xuanlan Road, Xuanqiao, Pudong New District, Shanghai, China

1.2 Test Location

Name	Shanghai Tejet Communications Technology Co., Ltd. Testing Center
Location	1-2/F., Building 1, No.222, Xuanlan Road, Xuanqiao, Pudong New District, Shanghai, China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory.The designation number is CN1352

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	MAXPAY PAZARLAMA IC VE DIS TICARET LIMITED SIRKETI
Address	Fulya Mah. Büyükdere Cad. No: 76, Unit NO 178, 34394 Mecidiyeköy. Şişli – İSTANBUL,Türkiye

2.2 Manufacturer Information

Manufacturer	MAXPAY PAZARLAMA IC VE DIS TICARET LIMITED SIRKETI
Address	Fulya Mah. Büyükdere Cad. No: 76, Unit NO 178, 34394 Mecidiyeköy. Şişli – İSTANBUL,Türkiye

2.3 Factory Information

Factory	N/A
Address	N/A

2.4 General Description for Equipment under Test (EUT)

EUT Name	POS Terminal
Model Name Under Test	D600
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	BL-SH2510034-S01
Software Version	D60005141011000
Dimensions (Approx.)	0103_1410_1415_101_89162ff4e7_UD_hmp_p1512_tosan_a1
Weight (Approx.)	203.96mm×82.89mm×71.34mm

2.5 Technical Information

All Network and Wireless connectivity for EUT	2G Network GSM/GPRS 850/1900 MHz 3G Network WCDMA/HSDPA/HSUPA Band 2/4/5 4G Network FDD LTE Band 2/4/5/7/12/17/19/25/26/66 TDD LTE Band 38/41 Bluetooth+BR+EDR+BLE 1M/2M 2.4G WIFI 802.11b, 802.11g, 802.11n(HT20 40) 5G WIFI 802.11a, 802.11n(HT20/40), 802.11ac(VHT20/40/80) NFC GLONASS G1/GPS L1C
About the Product	The equipment is POS Terminal , intended for used with information technology equipment.

The following is the technical information of the EUT tested frequency bands in this report.

Operating Bands	GSM/GPRS 850/1900 MHz WCDMA/HSDPA/HSUPA Band 2/4/5 FDD LTE Band 2/4/5/7/12/17/19/25/26/66 TDD LTE Band 38/41(120M)	
Modulation Type	GSM/GPRS	GMSK
	WCDMA	QPSK
	HSDPA	QPSK
	/HSUPA	16QAM
	LTE	QPSK/16QAM
Multislot Class	GPRS: 12	
Antenna Type	PIFA Antenna	
Antenna Gain	GSM/GPRS 850: 0.76 dBi GSM/GPRS 1900: 0.7 dBi WCDMA/HSDPA/HSUPA Band 2: 0.7 dBi WCDMA/HSDPA/HSUPA Band 4: 1.05 dBi WCDMA/HSDPA/HSUPA Band 5: 0.76 dBi FDD LTE Band 2: 0.7 dBi FDD LTE Band 4: 1.05 dBi FDD LTE Band 5: 0.76 dBi FDD LTE Band 7: 0.88 dBi FDD LTE Band 12: -4.67 dBi FDD LTE Band 17: -4.67 dBi FDD LTE Band 19: 0.76 dBi FDD LTE Band 25: 0.7 dBi FDD LTE Band 26 (Part22): -0.49 dBi FDD LTE Band 26 (Part90): 0.76 dBi FDD LTE Band 66: 1.35 dBi	

		TDD LTE Band 38: 1.48 dBi TDD LTE Band 41(120M): 1.48 dBi	
The Max RF Output Power (EIRP/ERP)		GSM/GPRS 850: 30.11 dBm GSM/GPRS 1900: 29.31 dBm WCDMA/HSDPA/HSUPA Band 2: 22.52 dBm WCDMA/HSDPA/HSUPA Band 4: 23.12 dBm WCDMA/HSDPA/HSUPA Band 5: 20.33 dBm FDD LTE Band 2: 23.29 dBm FDD LTE Band 4: 23.64 dBm FDD LTE Band 5: 21.07 dBm FDD LTE Band 7: 23.04 dBm FDD LTE Band 12: 15.31 dBm FDD LTE Band 17: 15.31 dBm FDD LTE Band 19: 20.98dBm FDD LTE Band 25: 22.77dBm FDD LTE Band 26 (Part 22): 19.53 dBm FDD LTE Band 26 (Part 90): 20.83 dBm FDD LTE Band 66: 24.39 dBm TDD LTE Band 38: 24.80 dBm TDD LTE Band 41(120M): 25.26 dBm	
Band	Power Class	Tx Frequency Range	Rx Frequency Range
	GMSK		
GSM850	4	824 MHz ~ 849 MHz	869 MHz ~ 894 MHz
GSM1900	1	1850 MHz ~ 1910 MHz	1930 MHz ~ 1990 MHz
WCDMA B2	3	1850 MHz ~ 1910 MHz	1930 MHz ~ 1990 MHz
WCDMA B4	3	1710 MHz ~ 1755 MHz	2110 MHz ~ 2155 MHz
WCDMA B5	3	824 MHz ~ 849 MHz	869 MHz ~ 894 MHz
LTE B2	3	1850 MHz ~ 1910 MHz	1930 MHz ~ 1990 MHz
LTE B4	3	1710 MHz ~ 1755 MHz	2110 MHz ~ 2155 MHz
LTE B5	3	824 MHz ~ 849 MHz	869 MHz ~ 894 MHz
LTE B7	3	2500 MHz ~ 2570 MHz	2620 MHz ~ 2690 MHz
LTE B12	3	699 MHz ~ 716 MHz	729 MHz ~ 746 MHz
LTE B17	3	704 MHz ~ 716 MHz	734 MHz ~ 746 MHz
LTE B19	3	830 MHz ~ 845 MHz	875 MHz ~ 890 MHz
LTE B25	3	1850 MHz ~ 1915 MHz	1930 MHz ~ 1995 MHz
LTE B26	3	814 MHz ~ 824 MHz	859 MHz ~ 869 MHz
		824 MHz ~ 849 MHz	869 MHz ~ 894 MHz
LTE B38	3	2570 MHz ~ 2620 MHz	2570 MHz ~ 2620 MHz
LTE B41(120M)	3	2535 MHz ~ 2655 MHz	2535 MHz ~ 2655 MHz
LTE B66	3	1710 MHz ~ 1780 MHz	2110 MHz ~ 2200 MHz

Note1: The EUT information provided by the applicant, except for The Max RF Conducted Power. For more detailed band specifications and features description, please refer to the manufacturer's specifications or user's manual.

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 22 Subpart H	Cellular Radiotelephone Service
3	47 CFR Part 24 Subpart E	Broadband PCS
4	47 CFR Part 27	Miscellaneous Wireless Communications Services
5	47 CFR Part 90 Subpart S	Regulations Governing Licensing and Use of Frequencies in the 806-824, 851-869, 896-901, and 935-940 MHz Bands
6	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
7	KDB 971168 D01 v03	Measurement Guidance for Certification of Licensed Digital Transmitters

3.2 Test Verdict

No.	Test Description	FCC Part No.	Test Result	Test Verdict
1	Conducted RF Output Power	2.1046	Reporting only (ANNEX A.1)	Pass
2	Effective (Isotropic) Radiated Power	2.1046 22.913 24.232 27.50 90.635(b)	ANNEX A.1	Pass
3	Peak to Average Ratio	2.1046 22.913(d) 24.232(d) 27.50(d)	ANNEX A.2	Pass
4	Occupied Bandwidth	2.1049 22.917 24.238 27.53 90.209	ANNEX A.5	Pass
5	Frequency Stability	2.1055 22.355 24.235 27.54 90.213	ANNEX A.3	Pass
6	Spurious Emission at Antenna Terminals	2.1051 22.917 24.238 27.53 90.691	ANNEX A.4	Pass
7	Band Edge	2.1051 22.917 24.238 27.53 90.691	ANNEX A.6	Pass
8	Field Strength of Spurious Radiation	2.1053 22.917 24.238 27.53 90.691	ANNEX A.7	Pass

3.3Decision Rule

☐ No Need

☒ Use General conformity decision rule (Consider uncertainty or not ☒ No ☐ Yes)

☐ Use Special Conformity Decision Rule (Consider uncertainty or not ☐ No ☐ Yes)

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the environmental conditions were within the listed ranges:

Relative Humidity		25% to 75%
Atmospheric Pressure		98 kPa to 102 kPa
Test Voltage of the EUT	NV (Normal Voltage)	15 °C to 35 °C
	LV (Low Voltage)	-10°C
	HV (High Voltage)	50°C
Test Temperature of the EUT	NT (Normal Temperature)	9V
	LT (Low Temperature)	7.2V
	HT (High Temperature)	10.2V

4.2 Test Equipment List

Description	Manufacturer	Model	Equipment No.	Software /Firmware Version	Cal. Date	Cal. Due
BL410 2G/3G/4G RF Test System						
Wideband Radio Communication Tester	R&S	CMW 500	BH-EMC-L09 4	V3.7.172	2024/2/22	2025/2/21
Spectrum Analyzer	Agilent	E4440A	BH-EMC-L02 7	A.11.21	2024/2/21	2025/2/20
Spectrum Analyzer	Keysight	N9020A	BH-EMC-L06 6	A.17.05	2024/2/22	2025/2/21
Temperature Chamber	ESPEC	ECT	BH-EMC-L06 8	NA	2024/4/18	2025/4/17
DC Power Supply	ITECH	IT6863A	BH-EMC-L11 3	NA	2024/2/22	2025/2/21
Vector Signal Generator	Agilent	E4438C	BH-EMC-L02 8	C.05.76	2024/2/22	2025/2/21
Analog Signal Generator	Keysight	N5173B	BH-EMC-L07 4	B.01.90	2024/2/19	2025/2/18
Test Software	BALUN	BL410R	NA	V3.0.1.53 9	N/A	N/A
Radiated Test System						
Test Antenna-Bi-Log	SCHWARZBECK	VULB 9163	BH-EMC-L00 8	NA	2024/3/11	2027/3/10

Test Antenna-Horn	Schwarzbeck	BBHA 9120D	BH-EMC-L04 4	NA	2024/3/11	2027/3/10
Anechoic Chamber	YIHENG	9m*6m*6m	BH-EMC-L00 1	NA	2024/4/14	2027/4/13
EMI Receiver	KEYSIGHT	N9038A	BH-EMC-L01 5	A.21.06	2024/2/21	2025/2/20
Wideband Radio Communication Tester	R&S	CMW 500	BH-EMC-L09 4	V3.7.172	2024/2/22	2025/2/21
Test Software	BALUN	BL410-E	NA	V21.919	N/A	N/A

4.3 Test Configurations

Test Items	Test Mode	Test Channel		
		LCH	MCH	HCH
Effective (Isotropic) Radiated Power	GSM 850	V	V	V
	GSM 1900	V	V	V
	GPRS 850	V	V	V
	GPRS 1900	V	V	V
	WCDMA Band 2	V	V	V
	WCDMA Band 4	V	V	V
	WCDMA Band 5	V	V	V
	HSDPA Band 2	V	V	V
	HSDPA Band 4	V	V	V
	HSDPA Band 5	V	V	V
	HSUPA Band 2	V	V	V
	HSUPA Band 4	V	V	V
	HSUPA Band 5	V	V	V
Peak to Average Ratio	WCDMA Band 2	V	V	V
	WCDMA Band 4	V	V	V
	WCDMA Band 5	V	V	V
Occupied Bandwidth	GSM 850	V	V	V
	GSM 1900	V	V	V
	GPRS 850	V	V	V
	GPRS 1900	V	V	V
	WCDMA Band 2	V	V	V
	WCDMA Band 4	V	V	V
	WCDMA Band 5	V	V	V
Frequency Stability	GSM 850	V	V	V
	GSM 1900	V	V	V
	GPRS 850	V	V	V
	GPRS 1900	V	V	V
	WCDMA Band 2	V	V	V
	WCDMA Band 4	V	V	V
	WCDMA Band 5	V	V	V
Spurious Emission at Antenna Terminals	GSM 850	V	V	V
	GSM 1900	V	V	V
	GPRS 850	V	V	V
	GPRS 1900	V	V	V
	WCDMA Band 2	V	V	V
	WCDMA Band 4	V	V	V
	WCDMA Band 5	V	V	V
Band Edge	GSM 850	V	--	V
	GSM 1900	V	--	V

Test Items	Test Mode	Test Channel		
		LCH	MCH	HCH
	GPRS 850	v	--	v
	GPRS 1900	v	--	v
	WCDMA Band 2	v	--	v
	WCDMA Band 4	v	--	v
	WCDMA Band 5	v	--	v
Field Strength of Spurious Radiation	GSM 850	v	v	v
	GSM 1900	v	v	v
	GPRS 850	v	v	v
	GPRS 1900	v	v	v
	WCDMA Band 2	v	v	v
	WCDMA Band 4	v	v	v
	WCDMA Band 5	v	v	v
Note 1: The mark “v” means that this configuration is chosen for testing.				

Test Mode	UL Channel	UL Channel No.	UL Frequency (MHz)
GSM/GPRS 850	Low Channel	128	824.2
	Middle Channel	190	836.6
	High Channel	251	848.8
GSM/GPRS 1900	Low Channel	512	1850.2
	Middle Channel	661	1880.0
	High Channel	810	1909.8
WCDMA Band 2	Low Channel	9262	1852.4
	Middle Channel	9400	1880.0
	High Channel	9538	1907.6
WCDMA Band 4	Low Channel	1312	1712.4
	Middle Channel	1412	1732.4
	High Channel	1513	1752.6
WCDMA Band 5	Low Channel	4132	826.4
	Middle Channel	4182	836.4
	High Channel	4233	846.6

LTE Band	Bandwidth (MHz)						Modulation Type		RB#			Test Channel		
	1.4	3	5	10	15	20	QPSK	16-QAM	1	Half	Full	LCH	MCH	HCH
Effective (Isotropic) Radiated Power														
2	v	v	v	v	v	v	v	v	v	v	v	v	v	v
4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
5	v	v	v	v	n	n	v	v	v	v	v	v	v	v
7	n	n	v	v	v	v	v	v	v	v	v	v	v	v
12	v	v	v	v	n	n	v	v	v	v	v	v	v	v
17	n	n	v	v	n	n	v	v	v	v	v	v	v	v
19	n	n	v	v	v	n	v	v	v	v	v	v	v	v
25	v	v	v	v	v	v	v	v	v	v	v	v	v	v
26(Part22)	v	n	n	n	n	n	v	v	v	v	v	v	v	v
26(Part90)	v	v	v	v	--	n	v	v	v	v	v	v	v	v
38	n	n	n	n	v	v	v	v	v	v	v	v	v	v
41	n	n	v	v	v	v	v	v	v	v	v	v	v	v
66	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak to Average Ratio														
2	--	--	--	--	--	v	v	v	v	--	v	v	v	v
4	--	--	--	--	--	v	v	v	v	--	v	v	v	v
5	--	--	--	v	n	n	v	v	v	--	v	v	v	v
7	n	n	--	--	--	v	v	v	v	--	v	v	v	v
12	--	--	--	v	n	n	v	v	v	--	v	v	v	v
17	n	n	--	v	n	n	v	v	v	--	v	v	v	v
19	n	n	--	n	v	n	v	v	v	--	v	v	v	v
25	n	n	--	n	n	v	v	v	v	--	v	v	v	v
26(Part22)	--	--	--	--	v	n	v	v	v	--	v	v	v	v
26(Part90)	--	--	--	v	--	n	v	v	v	--	v	--	v	--
38	n	n	--	--	--	v	v	v	v	--	v	v	v	v
41	n	n	--	--	--	v	v	v	v	--	v	v	v	v
66	--	--	--	--	--	v	v	v	v	--	v	v	v	v
Occupied Bandwidth														
2	v	v	v	v	v	v	v	v	--	--	v	v	v	v
4	v	v	v	v	v	v	v	v	--	--	v	v	v	v
5	v	v	v	v	n	n	v	v	--	--	v	v	v	v
7	n	n	v	v	v	v	v	v	--	--	v	v	v	v
12	v	v	v	v	n	n	v	v	--	--	v	v	v	v
17	n	n	v	v	n	n	v	v	--	--	v	v	v	v
19	n	n	v	v	n	n	v	v	--	--	v	v	v	v
25	v	v	v	v	v	v	v	v	--	--	v	v	v	v
26(Part22)	v	v	v	v	v	n	v	v	--	--	v	v	v	v
26(Part90)	v	v	v	v	--	n	v	v	--	--	v	v	v	v
38	n	n	v	v	v	v	v	v	--	--	v	v	v	v

LTE Band	Bandwidth (MHz)						Modulation Type		RB#			Test Channel		
	1.4	3	5	10	15	20	QPSK	16-QAM	1	Half	Full	LCH	MCH	HCH
41	n	n	v	v	v	v	v	v	--	--	v	v	v	v
66	v	v	v	v	v	v	v	v	--	--	v	v	v	v
Frequency Stability														
2	--	--	n	v	--	--	v	v	--	--	v	--	v	--
4	--	--	n	v	--	--	v	v	--	--	v	--	v	--
5	--	--	n	v	n	n	v	v	--	--	v	--	v	--
7	n	n	n	v	--	--	v	v	--	--	v	--	v	--
12	--	--	n	v	n	n	v	v	--	--	v	--	v	--
17	n	n	n	v	n	n	v	v	--	--	v	--	v	--
19	--	--	n	v	n	n	v	v	--	--	v	--	v	--
25	--	--	n	v	n	n	v	v	--	--	v	--	v	--
26(Part22)	--	--	--	v	--	n	v	v	--	--	v	--	v	--
26(Part90)	--	--	--	v	--	n	v	v	--	--	v	--	v	--
38	n	n	n	v	--	--	v	v	--	--	v	--	v	--
41	n	n	n	v	--	--	v	v	--	--	v	--	v	--
66	n	n	n	v	--	--	v	v	--	--	v	--	v	--
Spurious Emission at Antenna Terminals														
2	v	v	v	v	v	v	v	v	v	--	--	v	v	v
4	v	v	v	v	v	v	v	v	v	--	--	v	v	v
5	v	v	v	v	n	n	v	v	v	--	--	v	v	v
7	n	n	v	v	v	v	v	v	v	--	--	v	v	v
12	v	v	v	v	n	n	v	v	v	--	--	v	v	v
17	n	n	v	v	n	n	v	v	v	--	--	v	v	v
19	n	n	v	v	v	n	v	v	v	--	--	v	v	v
25	v	v	v	v	v	v	v	v	v	--	--	v	v	v
26(Part22)	v	v	v	v	v	n	v	v	v	--	--	v	v	v
26(Part90)	v	v	v	v	--	n	v	v	v	--	--	v	v	v
38	n	n	v	v	v	v	v	v	v	--	--	v	v	v
41	n	n	v	v	v	v	v	v	v	--	--	v	v	v
66	v	v	v	v	v	v	v	v	--	--	--	v	v	v
Band Edge														
2	v	v	v	v	v	v	v	v	v	--	v	v	--	v
4	v	v	v	v	v	v	v	v	v	--	v	v	--	v
5	v	v	v	v	n	n	v	v	v	--	v	v	--	v
7	n	n	v	v	v	v	v	v	v	--	v	v	--	v
12	v	v	v	v	n	n	v	v	v	--	v	v	--	v
17	n	n	v	v	n	n	v	v	v	--	v	v	--	v
19	n	n	v	v	v	n	v	v	v	--	v	v	--	v
25	v	v	v	v	v	v	v	v	v	--	v	v	--	v
26(Part22)	v	v	v	v	v	n	v	v	v	--	v	v	--	v
26(Part90)	v	v	v	v	--	n	v	v	v	--	v	v	--	v

LTE Band	Bandwidth (MHz)						Modulation Type		RB#			Test Channel		
	1.4	3	5	10	15	20	QPSK	16-QAM	1	Half	Full	LCH	MCH	HCH
38	n	n	v	v	v	v	v	v	v	--	v	v	--	v
41	n	n	v	v	v	v	v	v	v	--	v	v	--	v
66	v	v	v	v	v	v	v	v	v	--	v	v	--	v
Field Strength of Spurious Radiation														
2	Worst case													
4	Worst case													
5	Worst case													
7	Worst case													
12	Worst case													
17	Worst case													
19	Worst case													
25	Worst case													
26(Part22)	Worst case													
26(Part90)	Worst case													
38	Worst case													
41	Worst case													
66	Worst case													
Note 1: The mark “v” means that this configuration is chosen for testing.														
Note 2: The mark “n” means that this bandwidth is not supported.														

Test Mode	UL Channel	Channel Bandwidth (MHz)	UL Channel No.	UL Frequency (MHz)
LTE Band 2	Low Range	1.4	18607	1850.7
		3	18615	1851.5
		5	18625	1852.5
		10	18650	1855
		15	18675	1857.5
		20	18700	1860
	Middle Range	1.4/3/5/10/15/20	18900	1880
	High Range	1.4	19193	1909.3
		3	19185	1908.5
		5	19175	1907.5
		10	19150	1905
		15	19125	1902.5
		20	19100	1900
LTE Band 4	Low Range	1.4	19957	1710.7
		3	19965	1711.5
		5	19975	1712.5
		10	20000	1715
		15	20025	1717.5
		20	20050	1720
	Middle Range	1.4/3/5/10/15/20	20175	1732.5
	High Range	1.4	20393	1754.3
		3	20385	1753.5
		5	20375	1752.5
		10	20350	1750
		15	20325	1747.5
		20	20300	1745
LTE Band 5	Low Range	1.4	20407	824.7
		3	20415	825.5
		5	20425	826.5
		10	20450	829
	Middle Range	1.4/3/5/10	20525	836.5
	High Range	1.4	20643	848.3
		3	20635	847.5
		5	20625	846.5
10		20600	844	
LTE Band 7	Low Range	5	20775	2502.5
		10	20800	2505
		15	20825	2507.5
		20	20850	2510
	Middle Range	5/10/15/20	21100	2535


Test Mode	UL Channel	Channel Bandwidth (MHz)	UL Channel No.	UL Frequency (MHz)
	High Range	5	21425	2567.5
		10	21400	2565
		15	21375	2562.5
		20	21350	2560
LTE Band 12	Low Range	1.4	23017	699.7
		3	23025	700.5
		5	23035	701.5
		10	23060	704
	Middle Range	1.4/3/5/10	23095	707.5
	High Range	1.4	23173	715.3
		3	23165	714.5
		5	23155	713.5
		10	23130	711
	LTE Band 17	Low Range	5	23755
10			23780	709
Middle Range		5/10	23790	710
High Range		5	23825	713.5
		10	23800	711
LTE Band 19	Low Range	5	24025	832.5
		10	24050	835
		15	24075	837.5
	Middle Range	5/10/15	24075	837.5
	High Range	5	24125	842.5
		10	24100	840
		15	24075	837.5
LTE Band 25	Low Range	1.4	26047	1850.7
		3	26055	1851.5
		5	26065	1852.5
		10	26090	1855
		15	26115	1857.5
		20	26140	1860
	Middle Range	1.4/3/5/10/15/20	26365	1882.5
	High Range	1.4	26683	1914.3
		3	26675	1913.5
		5	26665	1912.5
		10	26640	1910
		15	26615	1907.5
		20	26590	1905
LTE Band 26 (Part90)	Low Range	1.4	26697	814.7
		3	26705	815.5
		5	26715	816.5

Test Mode	UL Channel	Channel Bandwidth (MHz)	UL Channel No.	UL Frequency (MHz)
		10	---	---
	Middle Range	1.4/3/5/10	26740	819
	High Range	1.4	26783	823.3
		3	26775	822.5
		5	26765	821.5
		10	---	---
LTE Band 26 (Part22)	Low Range	1.4	26797	824.7
		3	26805	825.5
		5	26815	826.5
		10	26840	829
		15	26865	831.5
	Middle Range	1.4/3/5/10/15	26915	836.5
	High Range	1.4	27033	848.3
		3	27025	847.5
		5	27015	846.5
		10	26990	844
		15	26965	841.5
LTE Band 38	Low Range	5	37775	2572.5
		10	37800	2575
		15	37825	2577.5
		20	37850	2580
	Middle Range	5/10/15/20	38000	2595
	High Range	5	38225	2617.5
		10	38200	2615
		15	38175	2612.5
		20	38150	2610
LTE Band 41(120M)	Low Range	5	40065	2537.5
		10	40090	2540
		15	40115	2542.5
		20	40140	2545
	Middle Range	5/10/15/20	40640	2595
	High Range	5	41215	2652.5
		10	41190	2650
		15	41165	2647.5
		20	41140	2645
LTE Band 66	Low Range	1.4	131979	1710.7
		3	131987	1711.5
		5	131997	1712.5
		10	132022	1715
		15	132047	1717.5
		20	132072	1720

Test Mode	UL Channel	Channel Bandwidth (MHz)	UL Channel No.	UL Frequency (MHz)
	Middle Range	1.4/3/5/10/15/20	132422	1745
	High Range	1.4	132665	1755
		3	132657	1779.3
		5	132647	1778.5
		10	132622	1777.5
		15	132597	1772.5
		20	132572	1770


4.4 Test Setup

4.4.1 For Antenna Port Test




(Diagram 1)

4.4.2 For Frequency Stability Test




(Diagram 2)

4.4.3 For Radiated Test (30 MHz ~ 1 GHz)



(Diagram 3)

4.4.4 For Radiated Test (Above 1 GHz)



(Diagram 4)

5 TEST ITEMS

5.1 Transmitter Radiated Power (EIRP/ERP)

5.1.1 Limit

FCC § 2.1046 & 22.913(a) & 24.232(c) & 27.50(a) & 27.50(b) & 27.50(c) & 27.50(d) & 27.50(h) & 27.50(j) & 27.50(k) & 90.635(b)

According to FCC section 22.913(a) (5), the Effective Radiated Power (ERP) of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC section 24.232(c), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to FCC section 27.50(a) (3), for mobile and portable stations transmitting in the 2305-2315MHz band or the 2350-2360MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards. For mobile and portable stations using time division duplexing (TDD) technology, the duty cycle must not exceed 38 percent in the 2305-2315 MHz and 2350-2360 MHz bands.

FCC section 27.50(b) (10), portable stations (hand-held devices) transmitting in the 746-757MHz, 776-788MHz, and 805-806MHz bands are limited to 3 watts ERP.

FCC section 27.50(c) (10), portable stations (hand-held devices) in the 600MHz uplink band and the 698-746MHz band, and fixed and mobile stations in the 600MHz uplink band are limited to 3 watts ERP.

FCC section 27.50(d) (4), fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

Fixed, mobile, and portable (hand-held) stations operating in the 2000-2020 MHz band are limited to 2 watts EIRP.

And FCC section 27.50(h) (2), for mobile and other user stations, mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

FCC section 27.50(j) (3), for mobile, and portable (hand-held) stations operating in the 3700-3980 MHz band are limited to 1 watt EIRP.

FCC section 27.50(k) (3), Mobile devices are limited to 1Watt (30 dBm) EIRP in the 3450-3550 MHz band.

According to FCC section 90.635(b), the maximum output power of the transmitter for mobile stations is 100 watts (20dBW).

5.1.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description is used for conducted test, and the section 4.4.3 and 4.4.4 (Diagram 3, 4) test setup description is used for radiated test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

Description of the Conducted Output Power Measurement

The EUT is coupled to the SS with attenuator through power splitter; the RF load attached to EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. A system simulator is used to establish communication with the EUT, and its parameters are set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The relevant equation for determining the conducted measured value is:

$$\text{Conducted Output Power Value (dBm)} = \text{Measured Value (dBm)} + \text{Path Loss (dB)}$$

where:

Conducted Output Power Value = final conducted measured value in the conducted power test, in dBm;

Measured Value = measured conducted power received by spectrum analyzer or power meter, in dBm;

Path Loss = signal attenuation in the connecting cable between the transmitter and spectrum analyzer or power meter, including external cable loss, in dB;

During the test, the data of Path Loss (dB) is added in the spectrum analyzer or power meter, so Measured Value (dBm) is the final values which contains the data of Path Loss (dB).

For example:

In the conducted output power test, when measured value for GSM850 is 24.7 dBm, and path loss is 8.5 dB, then final conducted output power value is:

$$\text{Conducted Output Power Value (dBm)} = 24.7 \text{ dBm} + 8.5 \text{ dB} = 33.2 \text{ dBm}$$

Description of the Transmitter Radiated Power Measurement

In many cases, the RF output power limits for licensed digital transmission devices is specified in terms of effective radiated power (ERP) or equivalent isotropic radiated power (EIRP). Typically, ERP is specified when the operating frequency is less than or equal to 1 GHz and EIRP is specified when the operating frequency is greater than 1 GHz. Both are determined by adding the transmit antenna gain to the conducted RF output power with the primary difference between the two being that when determining the

ERP, the transmit antenna gain is referenced to a dipole antenna (i.e., dBd) whereas when determining the EIRP, the transmit antenna gain is referenced to an isotropic antenna (dBi).

Final measurement calculation as below:

The relevant equation for determining the ERP or EIRP from the conducted RF output power measured using the guidance provided above is:

$$\text{ERP/EIRP} = P_{\text{Meas}} + \text{GT} - \text{LC}$$

where:

ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as P_{Meas} , typically dBW or dBm);

P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

dBd (ERP)=dBi (EIRP) -2.15 dB

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

For example:

In the EIRP test, when P_{Meas} value for GSM1900 is 30.2 dBm, LC is 0.6 dB, and GT is -3.4 dB, then final EIRP value is:

$$\text{EIRP for GSM1900} = 30.2 \text{ dBm} - 3.4 \text{ dBi} - 0.6 \text{ dB} = 26.2 \text{ dBm}$$

The relevant equation for determining the ERP/EIRP from the radiated RF output power is:

$$\text{ERP/EIRP (dBm)} = \text{SA Read Value (dBm)} + \text{Correction Factor (dB)}$$

where:

ERP/EIRP = effective or equivalent radiated power, in dBm;

SA Read Value = measured transmitter power received by EMI receiver or spectrum analyzer, in dBm;

Correction Factor = total correction factor including cable loss, in dB;

During the test, the data of Correction Factor (dB) is added in the EMI receiver or spectrum analyzer, so SA Read Value (dBm) is the final values which contains the data of Correction Factor (dB).

For example:

In the ERP test, when SA read value for GSM850 is 21dBm, and correction factor is 8dB, then final ERP value for GSM850 is:

$$\text{ERP (dBm)} = 21\text{dBm} + 8\text{dB} = 29\text{dBm}$$

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Peak to Average Ratio

5.2.1 Limit

FCC § 2.1046 & 22.913(d) & 24.232(d) & 27.50(d) & 27.50(j) & 27.50(k)

In addition, when the transmitter power is measured in terms of average value, the peak-to-average power ratio (PAPR) of the transmitter shall not exceed 13 dB for more than 0.1% of the time using a signal corresponding to the highest PAPR during periods of continuous transmission.

According to 22.913(d), Measurement of the ERP of Cellular base transmitters and repeaters must be made using an average power measurement technique. The peak-to-average ratio (PAR) of the transmission must not exceed 13 dB.

According to FCC section 24.232(d), power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with 24.232 (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of § 24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

FCC section 24.232(e), peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms equivalent voltage. The measurement results shall be properly adjusted for any instrument limitations, such as detector response times, limited resolution bandwidth capability when compared to the emission bandwidth, sensitivity, etc., so as to obtain a true peak measurement for the emission in question over the full bandwidth of the channel.

According to FCC section 27.50(d) (5) & 27.50(j) & 27.50(k), in measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

5.2.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description is used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Here the lowest, middle and highest channels are selected to perform testing to verify the peak-to-average ratio.

According to KDB 971168 D01, there is CCDF procedure for PAPR:

- a) Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- b) Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
- c) Set the number of counts to a value that stabilizes the measured CCDF curve;

d) Set the measurement interval as follows:

1) for continuous transmissions, set to 1 ms,

2) for burst transmissions, employ an external trigger that is synchronized with the EUT burst timing sequence, or use the internal burst trigger with a trigger level that allows the burst to stabilize and set the measurement interval to a time that is less than or equal to the burst duration.

e) Record the maximum PAPR level associated with a probability of 0.1%.

Alternate procedure for PAPR:

Use one of the procedures presented in 4.1 to measure the total peak power and record as P_{PK} . Use one of the applicable procedures presented 4.2 to measure the total average power and record as P_{Avg} . Both the peak and average power levels must be expressed in the same logarithmic units (e.g., dBm). Determine the PAPR from:

$$PAPR (dB) = P_{PK} (dBm) - P_{Avg} (dBm).$$

5.2.4 Test Result

Please refer to ANNEX A.2.

5.3 Occupied Bandwidth

5.3.1 Limit

FCC § 2.1049

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Many of the individual rule parts specify a relative OBW in lieu of the 99% OBW. In such cases, the OBW is defined as the width of the signal between two points, one below the carrier center frequency and on above the carrier center frequency, outside of which all emissions are attenuated by at least X dB below the transmitter power, where the value of X is typically specified as 26.

5.3.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description is used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

The following procedure shall be used for measuring power bandwidth.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the anticipated OBW).
- b) The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least 10log (OBW / RBW) below the reference level.
- d) NOTE—Steps a) through c) may require iteration to adjust within the specified tolerances.
- e) For -26 dB OBW, the dynamic range of the spectrum analyzer at the selected RBW shall be at least 10dB below the target “-X dB down” requirement, e.g. -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be 36dB below the reference value.
- f) Set the detection mode to peak, and the trace mode to max hold.
- g) For 99% OBW, use the 99 % power bandwidth function of the spectrum analyzer (if available) and report the measured bandwidth.

If the instrument does not have a 99 % power bandwidth function, the trace data points are to be recovered and directly summed in linear power terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 % of the total is reached; that frequency is

recorded as the lower frequency. The process is repeated until 99.5 % of the total is reached; that frequency is recorded as the upper frequency. The 99 % power bandwidth is the difference between these two frequencies.

h) For -26 dB OBW, determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace (this is the reference value).

Determine the “-X dB down amplitude” as equal to (reference value -X). Alternatively, this calculation can be performed by the analyzer by using the marker-delta function.

Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below “-X dB down amplitude” determined in step g). If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.

i) The OBW shall be reported by providing plot(s) of the measuring instrument display. The frequency and amplitude axes and scale shall be clearly labeled. Tabular data may be reported in addition to the plot(s).

j) Change variable modulations, coding, or channel bandwidth settings, then repeat above test procedures.

5.3.4 Test Result

Please refer to ANNEX A.3.

5.4 Frequency Stability

5.4.1 Limit

FCC § 2.1055 & 22.355 & 24.235 & 27.54 & 90.213

FCC § 2.1055

The frequency stability shall be measured with variation of ambient temperature as follows:

- (1) The temperature is varied from -10°C to +50°C.
- (2) Frequency measurements shall be made at the extremes of the specified temperature range and at intervals of not more than 10°C through the range.

The frequency stability shall be measured with variation of primary supply voltage as follows:

- (1) Vary primary supply voltage from 85 to 115 percent of the nominal value for other than carried battery equipment.
- (2) For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating and point which shall be specified by the manufacture.
- (3) The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

FCC § 22.355

Except as otherwise provided in this part, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table C-1 of this section.

Table C-1—Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency range (MHz)	Base, fixed (ppm)	Mobile > 3 watts (ppm)	Mobile ≤ 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929	5.0	n/a	n/a
929 to 960	1.5	n/a	n/a
2110 to 2220	10.0	n/a	n/a

FCC § 24.235

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

FCC § 27.54

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

FCC § 90.213

The frequency stability shall not depart from the reference frequency in excess of ± 2.5 ppm for mobile stations.

5.4.2 Test Setup

The section 4.4.2 (Diagram 2) test setup description is used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

1. The EUT is placed in a temperature chamber.
2. The temperature is set to 25°C and allowed to stabilize. After sufficient soak time, the transmitting frequency error is measured.
3. The temperature is increased by not more than 10 degrees, allowed to stabilize and soak, and then repeat the frequency error measurement.
4. Repeat procedure 3 until +50°C and -10°C is reached.
5. Change supply voltage, and repeat measurement until extreme voltage is reached.

5.4.4 Test Result

Please refer to ANNEX A.4.

5.5 Spurious Emission at Antenna Terminals

5.5.1 Limit

FCC § 2.1051 & 22.917(a) & 24.238(a) & 27.53(a) & 27.53(c) & 27.53(f) & 27.53(g) & 27.53(h) & 27.53(l) & 27.53(m) & 27.53(n) & 90.691

In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC § 22.917(a) & 24.238(a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This is calculated to be -13 dBm.

FCC § 27.53(a) (4)

For mobile and portable stations operating in the 2305-2315MHz and 2350-2360MHz bands:

(1) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320MHz and on all frequencies between 2345 and 2360MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324MHz and on all frequencies between 2341 and 2345MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328MHz and on all frequencies between 2337 and 2341MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337MHz.

(2) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292MHz, and $70 + 10 \log(P)$ dB below 2288MHz.

(3) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2360 and 2365MHz, and not less than $70 + 10 \log(P)$ dB above 2365MHz.

FCC § 27.53(c)

For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746–758 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(3) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater.

However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth

of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

FCC § 27.53(f)

For operations in the 746–758 MHz, 775–788 MHz, and 805–806 MHz bands, emissions in the band 1559–1610 MHz shall be limited to - 70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC § 27.53(g)

For operations in the 600MHz band and the 698-746MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43+10*\log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC § 27.53(h) (1)

Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB.

FCC § 27.53(l) (2)

For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 27.53(m) (4)

For mobile digital stations (BRS and EBS stations), the attenuation factor shall be not less than:

- $40 + 10 \log P$ dB (-10 dBm, 100 nW) on all frequencies between the channel edge and 5 MHz from the channel edge.
- $43 + 10 \log P$ dB (-13 dBm, 50 nW) on all frequencies between 5 MHz and X MHz from the channel edge,
- $55 + 10 \log P$ dB (-25 dBm, 3 nW) on all frequencies more than X MHz from the channel edge, where X is the greater of 6 MHz or the actual emission bandwidth (26 dB).

In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

FCC § 27.53(n) (2)

For mobile operations in the 3450 - 3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 90.691

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

(b) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

5.5.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency blocks a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

1. The EUT is coupled to the system simulator and spectrum analyzer; the RF load attached to EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading.
2. Base Station is used to establish communication with the EUT, and its parameters are set to force the EUT transmitting at maximum output power.
3. The RF output of the transmitter is connected to the input of the spectrum analyzer through sufficient attenuation.
4. Spurious emissions are tested with 0.001MHz RBW for frequency less than 150kHz, 0.01MHz RBW for frequency less than 30MHz, 0.1MHz RBW for frequency less than 1GHz, and 1MHz RBW for frequency above 1GHz. And sweep point number are at least 401, referring to following formula.

Sweep point number = Span/RBW

VBW=3*RBW

Detector Mode=mean or average power

5. Record the frequencies and levels of spurious emissions.

5.5.4 Test Result

Please refer to ANNEX A.5.

5.6 Band Edge

5.6.1 Limit

FCC § 2.1051 & 22.917(a) & 24.238(a) & 27.53(a) & 27.53(c) & 27.53(g) & 27.53(h) & 27.53(l) & 27.53(m) & 27.53(n) & 90.691

In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC § 22.917(a) & 24.238(a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This is calculated to be -13 dBm.

FCC § 27.53(a) (4)

For mobile and portable stations operating in the 2305-2315MHz and 2350-2360MHz bands:

(1) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320MHz and on all frequencies between 2345 and 2360MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324MHz and on all frequencies between 2341 and 2345MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328MHz and on all frequencies between 2337 and 2341MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337MHz.

(2) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292MHz, and $70 + 10 \log(P)$ dB below 2288MHz.

(3) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2360 and 2365MHz, and not less than $70 + 10 \log(P)$ dB above 2365MHz.

FCC § 27.53(c)

For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746–758 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(3) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater.

However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth

of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

FCC § 27.53(g)

For operations in the 600MHz band and the 698-746MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43+10*\log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC § 27.53(h) (1)

Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB.

FCC § 27.53(l) (2)

For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 27.53(m) (4)

For mobile digital stations (BRS and EBS stations), the attenuation factor shall be not less than:

- $40+10\log P$ dB (-10 dBm, 100 nW) on all frequencies between the channel edge and 5 MHz from the channel edge.
- $43+10\log P$ dB (-13 dBm, 50 nW) on all frequencies between 5 MHz and X MHz from the channel edge,

- $55+10\log P$ dB (-25 dBm, 3 nW) on all frequencies more than X MHz from the channel edge, where X is the greater of 6 MHz or the actual emission bandwidth (26 dB).

In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

FCC § 27.53(n) (2)

For mobile operations in the 3450 - 3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 90.691

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

(b) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

5.6.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.6.3 Test Procedure

The EUT, which is powered by the Battery, is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50 Ohm; the path loss as the factor is calibrated to correct the reading.

1. The EUT is coupled to the system simulator and spectrum analyzer; the RF load attached to EUT antenna terminal is 50 Ohm; the path loss as the factor is calibrated to correct the reading.

2. Base Station is used to establish communication with the EUT, and its parameters are set to force the EUT transmitting at maximum output power.
3. The RF output of the transmitter is connected to the input of the spectrum analyzer through sufficient attenuation.
4. The center of the spectrum analyzer was set to block edge frequency.
5. Band edge are tested with 1%*cBW (RBW), and sweep point number referred to following formula.

$$\text{Sweep point number} = 2 * \text{Span} / \text{RBW}$$

$$\text{VBW} = 3 \text{RBW}$$

6. Record the frequencies and levels of spurious emissions.

For mobile and portable stations, on all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment. Since it was not possible to set the resolution bandwidth to 6.25 kHz with the available equipment, a bandwidth of 10 kHz was used instead to show compliance. By using a 10 kHz bandwidth on the spectrum analyzer.

$$10 * \log(10 \text{ kHz} / 6.25 \text{ kHz}) = 2.04 \text{ dB}$$

$$\text{Limit Line} = -35 \text{ dBm} + 2.04 \text{ dB} = -32.96 \text{ dBm}$$

5.6.4 Test Result

Please refer to ANNEX A.6.

5.7 Field Strength of Spurious Radiation

5.7.1 Limit

FCC § 2.1053 & 22.917(a) & 24.238(a) & 27.53(a) & 27.53(c) & 27.53(f) & 27.53(g) & 27.53(h) & 27.53(l) & 27.53(m) & 27.53(n) & 90.691

FCC § 22.917(a) & 24.238(a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This is calculated to be -13 dBm.

FCC § 27.53(a) (4)

For mobile and portable stations operating in the 2305-2315MHz and 2350-2360MHz bands:

(1) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320MHz and on all frequencies between 2345 and 2360MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324MHz and on all frequencies between 2341 and 2345MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328MHz and on all frequencies between 2337 and 2341MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337MHz.

(2) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292MHz, and $70 + 10 \log(P)$ dB below 2288MHz.

(3) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2360 and 2365MHz, and not less than $70 + 10 \log(P)$ dB above 2365MHz.

FCC § 27.53(c)

For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746–758 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the

band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(3) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of

measurement instrumentation employing a resolution bandwidth of 100 kHz or greater.

However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth

of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

FCC § 27.53(f)

For operations in the 746–758 MHz, 775–788 MHz, and 805–806 MHz bands, emissions in the band 1559–1610 MHz shall be limited to - 70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC § 27.53(g)

For operations in the 600MHz band and the 698-746MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC § 27.53(h) (1)

Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

FCC § 27.53(i) (2)

For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 27.53(m) (4)

For mobile digital stations (BRS and EBS stations), the attenuation factor shall be not less than:

- $40 + 10 \log P$ dB (-10 dBm, 100 nW) on all frequencies between the channel edge and 5 MHz from the channel edge.
- $43 + 10 \log P$ dB (-13 dBm, 50 nW) on all frequencies between 5 MHz and X MHz from the channel edge,
- $55 + 10 \log P$ dB (-25 dBm, 3 nW) on all frequencies more than X MHz from the channel edge, where X is the greater of 6 MHz or the actual emission bandwidth (26 dB).

In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service

licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

FCC § 27.53(n) (2)

For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC § 90.691

(a) Out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

(b) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

5.7.2 Test Setup

The section 4.4.3 and 4.4.4 (Diagram 3, 4) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.7.3 Test Procedure

1. On a test site, the EUT shall be placed at 80cm height on a turn table, and in the position close to normal use as declared by the applicant.
2. The test antenna shall be oriented initially for vertical polarization located 3 m from EUT to correspond to the fundamental frequency of the transmitter.
3. The output of the test antenna shall be connected to the measuring receiver and the peak detector is used for the measurement.
4. During the measurement of the EUT, the resolution bandwidth was to 1 MHz and the average bandwidth was set to 1 MHz.

5. The transmitter shall be switched on; the measuring receiver shall be tuned to the frequency of the transmitter under test.
6. The test antenna shall be raised and lowered through the specified range of height until the maximum signal level is detected by the measuring receiver.
7. The transmitter shall be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
8. The test antenna shall be raised and lowered again through the specified range of height until the maximum signal level is detected by the measuring receiver.
9. The maximum signal level detected by the measuring receiver shall be noted.
10. The EUT was replaced by half-wave dipole (824 ~ 849 MHz) or horn antenna (1 850 ~ 1 910 MHz) connected to a signal generator.
11. In necessary, the input attenuator setting on the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
12. The test antenna shall be raised and lowered through the specified range of height to ensure that the maximum signal is received.
13. The input signal to the substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, which is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuator setting of the measuring receiver.
14. The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
15. The measurement shall be repeated with the test antenna and the substitution antenna orientated for horizontal polarization.

Final measurement calculation as below:

The relevant equation for determining the ERP/EIRP from the radiated RF output power is:

$$\text{ERP/EIRP (dBm)} = \text{SA Read Value (dBm)} + \text{Correction Factor (dB)}$$

where:

ERP/EIRP = effective or equivalent radiated power, in dBm;

SA Read Value = measured transmitter power received by EMI receiver or spectrum analyzer, in dBm;

Correction Factor = total correction factor including cable loss, in dB;

During the test, the data of Correction Factor (dB) is added in the EMI receiver or spectrum analyzer, so SA Read Value (dBm) is the final values which contains the data of Correction Factor (dB).

For example:

In the ERP test, when SA read value for GSM850 is 21dBm, and correction factor is 8dB, then final ERP value for GSM850 is:

$$\text{ERP (dBm)} = 21\text{dBm} + 8\text{dB} = 29\text{dBm}$$

5.7.4 Test Result

Please refer to ANNEX A.7.

ANNEX A TEST RESULTS

A.1 Transmitter Radiated Power (EIRP/ERP)

GSM Mode Test Data

Test Band	Test Channel	Conducted Output Peak Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
GSM 850	LCH	31.5	0.76	-1.39	30.11	1.026	7.000	Pass
	MCH	31.48	0.76	-1.39	30.09	1.021	7.000	Pass
	HCH	31.37	0.76	-1.39	29.98	0.995	7.000	Pass
GPRS 850	LCH	31.49	0.76	-1.39	30.10	1.023	7.000	Pass
	MCH	31.47	0.76	-1.39	30.08	1.019	7.000	Pass
	HCH	31.35	0.76	-1.39	29.96	0.991	7.000	Pass

Test Band	Test Channel	Conducted Output Peak Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
GSM 1900	LCH	28.58	0.7	29.28	0.847	2.000	Pass
	MCH	28.26	0.7	28.96	0.787	2.000	Pass
	HCH	28.06	0.7	28.76	0.752	2.000	Pass
GPRS 1900	LCH	28.61	0.7	29.31	0.853	2.000	Pass
	MCH	28.28	0.7	28.98	0.791	2.000	Pass
	HCH	28.15	0.7	28.85	0.767	2.000	Pass

Note 1: For the GPRS and EGPRS mode, all slots were tested and just the worst data were recorded in this table.

Note 2: $ERP/EIRP = P_{Meas} + GT - LC$

ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as P_{Meas} , typically dBW or dBm);

P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

$ERP = EIRP - 2.15$; where ERP and EIRP are expressed in consistent units.

Note 3: Set PCL to 5 for GSM/GPRS 850 (power class 4) and 0 for GSM/GPRS 1900 (power class 1).

Set PCL to 8 for EGPRS850 (power class E2) and 2 for EGPRS1900 (power class E2).

GPRS Conducted Output Power

Band	Channel	Conducted Output Peak Power							
		1 Slot (dBm)	1 Slot (W)	2 Slots (dBm)	2 Slots (W)	3 Slots (dBm)	3 Slots (W)	4 Slots (dBm)	4 Slots (W)
GPRS 850	LCH	31.49	1.41	31.01	1.26	29.57	0.91	28.45	0.70
	MCH	31.47	1.40	31.01	1.26	29.60	0.91	28.50	0.71
	HCH	31.35	1.36	30.89	1.23	29.48	0.89	28.43	0.70
GPRS 1900	LCH	28.61	0.73	28.10	0.64	26.59	0.46	25.51	0.36
	MCH	28.28	0.67	27.78	0.60	26.33	0.43	25.28	0.34
	HCH	28.15	0.65	27.66	0.58	26.23	0.42	25.20	0.33

WCDMA Mode Test Data

Test Band	Test Channel	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA Band 2	LCH	21.68	0.7	22.38	0.173	2.000	Pass
	MCH	21.69	0.7	22.39	0.173	2.000	Pass
	HCH	21.82	0.7	22.52	0.179	2.000	Pass
HSDPA Band 2	LCH	20.71	0.7	21.41	0.138	2.000	Pass
	MCH	20.71	0.7	21.41	0.138	2.000	Pass
	HCH	20.84	0.7	21.54	0.143	2.000	Pass
HSUPA Band 2	LCH	21.01	0.7	21.71	0.148	2.000	Pass
	MCH	21.14	0.7	21.84	0.153	2.000	Pass
	HCH	21.16	0.7	21.86	0.153	2.000	Pass

Test Band	Test Channel	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA Band 4	LCH	22.07	1.05	23.12	0.205	1.000	Pass
	MCH	21.99	1.05	23.04	0.201	1.000	Pass
	HCH	21.92	1.05	22.97	0.198	1.000	Pass
HSDPA Band 4	LCH	21.14	1.05	22.19	0.166	1.000	Pass
	MCH	21.02	1.05	22.07	0.161	1.000	Pass
	HCH	20.91	1.05	21.96	0.157	1.000	Pass
HSUPA Band 4	LCH	21.09	1.05	22.14	0.164	1.000	Pass
	MCH	21.08	1.05	22.13	0.163	1.000	Pass
	HCH	21.14	1.05	22.19	0.166	1.000	Pass

Test Band	Test Channel	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA Band 5	LCH	21.72	0.76	-1.39	20.33	0.108	7.000	Pass
	MCH	21.66	0.76	-1.39	20.27	0.106	7.000	Pass
	HCH	21.58	0.76	-1.39	20.19	0.104	7.000	Pass
HSDPA Band 5	LCH	20.71	0.76	-1.39	19.32	0.086	7.000	Pass
	MCH	20.71	0.76	-1.39	19.32	0.086	7.000	Pass
	HCH	20.65	0.76	-1.39	19.26	0.084	7.000	Pass
HSUPA Band 5	LCH	21.11	0.76	-1.39	19.72	0.094	7.000	Pass
	MCH	21.16	0.76	-1.39	19.77	0.095	7.000	Pass
	HCH	21.04	0.76	-1.39	19.65	0.092	7.000	Pass

Note 1: For the HSDPA and HSUPA mode, all subtests were tested and just the worst data were recorded in this table.

Note 2: $ERP/EIRP = P_{Meas} + GT - LC$

ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as P_{Meas} , typically dBW or dBm);

P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

$ERP = EIRP - 2.15$; where ERP and EIRP are expressed in consistent units.

HSDPA Conducted Output Power

Conducted Output Power		EIRP (dBm)			EIRP (W)		
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH
HSDPA B2	Subtest 1	20.71	20.71	20.84	0.118	0.118	0.121
	Subtest 2	20.67	20.67	20.84	0.117	0.117	0.121
	Subtest 3	20.2	20.18	20.35	0.105	0.104	0.108
	Subtest 4	20.17	20.13	20.3	0.104	0.103	0.107
HSDPA B4	Subtest 1	21.14	21.02	20.91	0.130	0.126	0.123
	Subtest 2	21.08	20.95	20.88	0.128	0.124	0.122
	Subtest 3	20.61	20.46	20.39	0.115	0.111	0.109
	Subtest 4	20.55	20.43	20.42	0.114	0.110	0.110
Conducted Output Power		ERP (dBm)			ERP (W)		
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH
HSDPA B5	Subtest 1	20.71	20.7	20.65	0.118	0.117	0.116
	Subtest 2	20.7	20.71	20.58	0.117	0.118	0.114
	Subtest 3	20.21	20.15	20.1	0.105	0.104	0.102
	Subtest 4	20.19	20.18	20.1	0.104	0.104	0.102

HSUPA Conducted Output Power

Conducted Output Power		EIRP (dBm)			EIRP (W)		
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH
HSUPA B2	Subtest 1	18.73	18.72	18.83	0.075	0.074	0.076
	Subtest 2	18.75	18.7	18.85	0.075	0.074	0.077
	Subtest 3	19.68	19.7	19.84	0.093	0.093	0.096
	Subtest 4	18.23	18.23	18.38	0.067	0.067	0.069
	Subtest 5	21.01	21.14	21.16	0.126	0.130	0.131
HSUPA B4	Subtest 1	19.12	19	18.92	0.082	0.079	0.078
	Subtest 2	19.11	19.02	18.93	0.081	0.080	0.078
	Subtest 3	20.12	20	19.89	0.103	0.100	0.097
	Subtest 4	18.65	18.56	18.45	0.073	0.072	0.070
	Subtest 5	21.09	21.08	21.14	0.129	0.128	0.130
Conducted Output Power		ERP (dBm)			ERP (W)		
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH
HSUPA B5	Subtest 1	18.73	18.72	18.62	0.075	0.074	0.073
	Subtest 2	18.72	18.69	18.6	0.074	0.074	0.072
	Subtest 3	19.71	19.69	19.59	0.094	0.093	0.091
	Subtest 4	18.26	18.24	18.18	0.067	0.067	0.066
	Subtest 5	21.11	21.16	21.04	0.129	0.131	0.127

LTE Mode Test Data

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
1.4 MHz	LCH	QPSK	RB1#LOW	22.28	0.7	22.98	0.199	2.000	Pass
			RB1#MID	22.4	0.7	23.10	0.204	2.000	Pass
			RB1#HIGH	22.22	0.7	22.92	0.196	2.000	Pass
			RB3#LOW	22.43	0.7	23.13	0.206	2.000	Pass
			RB3#MID	22.42	0.7	23.12	0.205	2.000	Pass
			RB3#HIGH	22.37	0.7	23.07	0.203	2.000	Pass
			RB6#LOW	21.26	0.7	21.96	0.157	2.000	Pass
		16-QAM	RB1#LOW	21.41	0.7	22.11	0.163	2.000	Pass
			RB1#MID	21.62	0.7	22.32	0.171	2.000	Pass
			RB1#HIGH	21.45	0.7	22.15	0.164	2.000	Pass
			RB3#LOW	21.49	0.7	22.19	0.166	2.000	Pass
			RB3#MID	21.44	0.7	22.14	0.164	2.000	Pass
			RB3#HIGH	21.42	0.7	22.12	0.163	2.000	Pass
			RB6#LOW	20.51	0.7	21.21	0.132	2.000	Pass
	MCH	QPSK	RB1#LOW	22.28	0.7	22.98	0.199	2.000	Pass
			RB1#MID	22.38	0.7	23.08	0.203	2.000	Pass
			RB1#HIGH	22.21	0.7	22.91	0.195	2.000	Pass
			RB3#LOW	22.33	0.7	23.03	0.201	2.000	Pass
			RB3#MID	22.38	0.7	23.08	0.203	2.000	Pass
			RB3#HIGH	22.34	0.7	23.04	0.201	2.000	Pass
			RB6#LOW	21.25	0.7	21.95	0.157	2.000	Pass
		16-QAM	RB1#LOW	21.62	0.7	22.32	0.171	2.000	Pass
			RB1#MID	21.87	0.7	22.57	0.181	2.000	Pass
			RB1#HIGH	21.64	0.7	22.34	0.171	2.000	Pass
			RB3#LOW	21.53	0.7	22.23	0.167	2.000	Pass
			RB3#MID	21.55	0.7	22.25	0.168	2.000	Pass
			RB3#HIGH	21.51	0.7	22.21	0.166	2.000	Pass
			RB6#LOW	20.25	0.7	20.95	0.124	2.000	Pass
	HCH	QPSK	RB1#LOW	22.34	0.7	23.04	0.201	2.000	Pass
			RB1#MID	22.54	0.7	23.24	0.211	2.000	Pass
			RB1#HIGH	22.34	0.7	23.04	0.201	2.000	Pass
			RB3#LOW	22.47	0.7	23.17	0.207	2.000	Pass
			RB3#MID	22.48	0.7	23.18	0.208	2.000	Pass
			RB3#HIGH	22.51	0.7	23.21	0.209	2.000	Pass
			RB6#LOW	21.39	0.7	22.09	0.162	2.000	Pass
		16-QAM	RB1#LOW	21.45	0.7	22.15	0.164	2.000	Pass
			RB1#MID	21.55	0.7	22.25	0.168	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
3 MHz	LCH	QPSK	RB1#HIGH	21.37	0.7	22.07	0.161	2.000	Pass
			RB3#LOW	21.62	0.7	22.32	0.171	2.000	Pass
			RB3#MID	21.66	0.7	22.36	0.172	2.000	Pass
			RB3#HIGH	21.63	0.7	22.33	0.171	2.000	Pass
			RB6#LOW	20.62	0.7	21.32	0.136	2.000	Pass
			RB1#LOW	22.33	0.7	23.03	0.201	2.000	Pass
			RB1#MID	22.34	0.7	23.04	0.201	2.000	Pass
			RB1#HIGH	22.3	0.7	23.00	0.200	2.000	Pass
		16-QAM	RB8#LOW	21.39	0.7	22.09	0.162	2.000	Pass
			RB8#MID	21.41	0.7	22.11	0.163	2.000	Pass
			RB8#HIGH	21.35	0.7	22.05	0.160	2.000	Pass
			RB15#LOW	21.4	0.7	22.10	0.162	2.000	Pass
			RB1#LOW	21.36	0.7	22.06	0.161	2.000	Pass
			RB1#MID	21.37	0.7	22.07	0.161	2.000	Pass
			RB1#HIGH	21.32	0.7	22.02	0.159	2.000	Pass
			RB8#LOW	20.55	0.7	21.25	0.133	2.000	Pass
			RB8#MID	20.61	0.7	21.31	0.135	2.000	Pass
			RB8#HIGH	20.53	0.7	21.23	0.133	2.000	Pass
			RB15#LOW	20.45	0.7	21.15	0.130	2.000	Pass
	MCH	QPSK	RB1#LOW	22.35	0.7	23.05	0.202	2.000	Pass
			RB1#MID	22.32	0.7	23.02	0.200	2.000	Pass
			RB1#HIGH	22.26	0.7	22.96	0.198	2.000	Pass
			RB8#LOW	21.33	0.7	22.03	0.160	2.000	Pass
			RB8#MID	21.36	0.7	22.06	0.161	2.000	Pass
			RB8#HIGH	21.36	0.7	22.06	0.161	2.000	Pass
			RB15#LOW	21.36	0.7	22.06	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.69	0.7	22.39	0.173	2.000	Pass
			RB1#MID	21.76	0.7	22.46	0.176	2.000	Pass
			RB1#HIGH	21.75	0.7	22.45	0.176	2.000	Pass
			RB8#LOW	20.47	0.7	21.17	0.131	2.000	Pass
			RB8#MID	20.54	0.7	21.24	0.133	2.000	Pass
			RB8#HIGH	20.48	0.7	21.18	0.131	2.000	Pass
			RB15#LOW	20.41	0.7	21.11	0.129	2.000	Pass
	HCH	QPSK	RB1#LOW	22.45	0.7	23.15	0.207	2.000	Pass
			RB1#MID	22.46	0.7	23.16	0.207	2.000	Pass
			RB1#HIGH	22.43	0.7	23.13	0.206	2.000	Pass
			RB8#LOW	21.42	0.7	22.12	0.163	2.000	Pass
			RB8#MID	21.48	0.7	22.18	0.165	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
		16-QAM	RB8#HIGH	21.4	0.7	22.10	0.162	2.000	Pass
			RB15#LOW	21.46	0.7	22.16	0.164	2.000	Pass
			RB1#LOW	21.49	0.7	22.19	0.166	2.000	Pass
			RB1#MID	21.46	0.7	22.16	0.164	2.000	Pass
			RB1#HIGH	21.46	0.7	22.16	0.164	2.000	Pass
			RB8#LOW	20.46	0.7	21.16	0.131	2.000	Pass
			RB8#MID	20.56	0.7	21.26	0.134	2.000	Pass
			RB8#HIGH	20.46	0.7	21.16	0.131	2.000	Pass
			RB15#LOW	20.42	0.7	21.12	0.129	2.000	Pass
5 MHz	LCH	QPSK	RB1#LOW	22.26	0.7	22.96	0.198	2.000	Pass
			RB1#MID	22.42	0.7	23.12	0.205	2.000	Pass
			RB1#HIGH	22.3	0.7	23.00	0.200	2.000	Pass
			RB12#LOW	21.35	0.7	22.05	0.160	2.000	Pass
			RB12#MID	21.39	0.7	22.09	0.162	2.000	Pass
			RB12#HIGH	21.38	0.7	22.08	0.161	2.000	Pass
			RB25#LOW	21.38	0.7	22.08	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.46	0.7	22.16	0.164	2.000	Pass
			RB1#MID	21.61	0.7	22.31	0.170	2.000	Pass
			RB1#HIGH	21.45	0.7	22.15	0.164	2.000	Pass
			RB12#LOW	20.48	0.7	21.18	0.131	2.000	Pass
			RB12#MID	20.53	0.7	21.23	0.133	2.000	Pass
			RB12#HIGH	20.5	0.7	21.20	0.132	2.000	Pass
			RB25#LOW	20.45	0.7	21.15	0.130	2.000	Pass
	MCH	QPSK	RB1#LOW	22.29	0.7	22.99	0.199	2.000	Pass
			RB1#MID	22.4	0.7	23.10	0.204	2.000	Pass
			RB1#HIGH	22.24	0.7	22.94	0.197	2.000	Pass
			RB12#LOW	21.37	0.7	22.07	0.161	2.000	Pass
			RB12#MID	21.42	0.7	22.12	0.163	2.000	Pass
			RB12#HIGH	21.36	0.7	22.06	0.161	2.000	Pass
			RB25#LOW	21.38	0.7	22.08	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.76	0.7	22.46	0.176	2.000	Pass
			RB1#MID	21.92	0.7	22.62	0.183	2.000	Pass
			RB1#HIGH	21.73	0.7	22.43	0.175	2.000	Pass
			RB12#LOW	20.49	0.7	21.19	0.132	2.000	Pass
			RB12#MID	20.59	0.7	21.29	0.135	2.000	Pass
			RB12#HIGH	20.52	0.7	21.22	0.132	2.000	Pass
			RB25#LOW	20.45	0.7	21.15	0.130	2.000	Pass
	HCH	QPSK	RB1#LOW	22.29	0.7	22.99	0.199	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
			RB1#MID	22.43	0.7	23.13	0.206	2.000	Pass
			RB1#HIGH	22.37	0.7	23.07	0.203	2.000	Pass
			RB12#LOW	21.42	0.7	22.12	0.163	2.000	Pass
			RB12#MID	21.53	0.7	22.23	0.167	2.000	Pass
			RB12#HIGH	21.36	0.7	22.06	0.161	2.000	Pass
			RB25#LOW	21.39	0.7	22.09	0.162	2.000	Pass
		16-QAM	RB1#LOW	21.42	0.7	22.12	0.163	2.000	Pass
			RB1#MID	21.52	0.7	22.22	0.167	2.000	Pass
			RB1#HIGH	21.47	0.7	22.17	0.165	2.000	Pass
			RB12#LOW	20.49	0.7	21.19	0.132	2.000	Pass
			RB12#MID	20.56	0.7	21.26	0.134	2.000	Pass
			RB12#HIGH	20.46	0.7	21.16	0.131	2.000	Pass
			RB25#LOW	20.4	0.7	21.10	0.129	2.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	22.32	0.7	23.02	0.200	2.000	Pass
			RB1#MID	22.49	0.7	23.19	0.208	2.000	Pass
			RB1#HIGH	22.31	0.7	23.01	0.200	2.000	Pass
			RB25#LOW	21.39	0.7	22.09	0.162	2.000	Pass
			RB25#MID	21.35	0.7	22.05	0.160	2.000	Pass
			RB25#HIGH	21.39	0.7	22.09	0.162	2.000	Pass
			RB50#LOW	21.39	0.7	22.09	0.162	2.000	Pass
		16-QAM	RB1#LOW	21.28	0.7	21.98	0.158	2.000	Pass
			RB1#MID	21.44	0.7	22.14	0.164	2.000	Pass
			RB1#HIGH	21.24	0.7	21.94	0.156	2.000	Pass
			RB25#LOW	20.44	0.7	21.14	0.130	2.000	Pass
			RB25#MID	20.45	0.7	21.15	0.130	2.000	Pass
			RB25#HIGH	20.51	0.7	21.21	0.132	2.000	Pass
			RB50#LOW	20.44	0.7	21.14	0.130	2.000	Pass
	MCH	QPSK	RB1#LOW	22.29	0.7	22.99	0.199	2.000	Pass
			RB1#MID	22.44	0.7	23.14	0.206	2.000	Pass
			RB1#HIGH	22.3	0.7	23.00	0.200	2.000	Pass
			RB25#LOW	21.4	0.7	22.10	0.162	2.000	Pass
			RB25#MID	21.39	0.7	22.09	0.162	2.000	Pass
			RB25#HIGH	21.42	0.7	22.12	0.163	2.000	Pass
			RB50#LOW	21.41	0.7	22.11	0.163	2.000	Pass
		16-QAM	RB1#LOW	21.73	0.7	22.43	0.175	2.000	Pass
			RB1#MID	21.89	0.7	22.59	0.182	2.000	Pass
			RB1#HIGH	21.69	0.7	22.39	0.173	2.000	Pass
			RB25#LOW	20.46	0.7	21.16	0.131	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
15 MHz	HCH		RB25#MID	20.47	0.7	21.17	0.131	2.000	Pass
			RB25#HIGH	20.51	0.7	21.21	0.132	2.000	Pass
			RB50#LOW	20.5	0.7	21.20	0.132	2.000	Pass
		QPSK	RB1#LOW	22.37	0.7	23.07	0.203	2.000	Pass
			RB1#MID	22.59	0.7	23.29	0.213	2.000	Pass
			RB1#HIGH	22.41	0.7	23.11	0.205	2.000	Pass
			RB25#LOW	21.41	0.7	22.11	0.163	2.000	Pass
			RB25#MID	21.4	0.7	22.10	0.162	2.000	Pass
			RB25#HIGH	21.42	0.7	22.12	0.163	2.000	Pass
			RB50#LOW	21.42	0.7	22.12	0.163	2.000	Pass
		16-QAM	RB1#LOW	21.41	0.7	22.11	0.163	2.000	Pass
			RB1#MID	21.59	0.7	22.29	0.169	2.000	Pass
			RB1#HIGH	21.42	0.7	22.12	0.163	2.000	Pass
			RB25#LOW	20.54	0.7	21.24	0.133	2.000	Pass
			RB25#MID	20.57	0.7	21.27	0.134	2.000	Pass
			RB25#HIGH	20.55	0.7	21.25	0.133	2.000	Pass
			RB50#LOW	20.51	0.7	21.21	0.132	2.000	Pass
15 MHz	LCH	QPSK	RB1#LOW	22.25	0.7	22.95	0.197	2.000	Pass
			RB1#MID	22.31	0.7	23.01	0.200	2.000	Pass
			RB1#HIGH	22.24	0.7	22.94	0.197	2.000	Pass
			RB36#LOW	21.37	0.7	22.07	0.161	2.000	Pass
			RB36#MID	21.36	0.7	22.06	0.161	2.000	Pass
			RB36#HIGH	21.39	0.7	22.09	0.162	2.000	Pass
			RB75#LOW	21.36	0.7	22.06	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.25	0.7	21.95	0.157	2.000	Pass
			RB1#MID	21.28	0.7	21.98	0.158	2.000	Pass
			RB1#HIGH	21.2	0.7	21.90	0.155	2.000	Pass
			RB36#LOW	20.38	0.7	21.08	0.128	2.000	Pass
			RB36#MID	20.37	0.7	21.07	0.128	2.000	Pass
			RB36#HIGH	20.36	0.7	21.06	0.128	2.000	Pass
			RB75#LOW	20.38	0.7	21.08	0.128	2.000	Pass
	MCH	QPSK	RB1#LOW	22.25	0.7	22.95	0.197	2.000	Pass
			RB1#MID	22.34	0.7	23.04	0.201	2.000	Pass
			RB1#HIGH	22.28	0.7	22.98	0.199	2.000	Pass
			RB36#LOW	21.37	0.7	22.07	0.161	2.000	Pass
			RB36#MID	21.36	0.7	22.06	0.161	2.000	Pass
			RB36#HIGH	21.36	0.7	22.06	0.161	2.000	Pass
			RB75#LOW	21.37	0.7	22.07	0.161	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
20 MHz	HCH	16-QAM	RB1#LOW	21.65	0.7	22.35	0.172	2.000	Pass
			RB1#MID	21.76	0.7	22.46	0.176	2.000	Pass
			RB1#HIGH	21.65	0.7	22.35	0.172	2.000	Pass
			RB36#LOW	20.44	0.7	21.14	0.130	2.000	Pass
			RB36#MID	20.47	0.7	21.17	0.131	2.000	Pass
			RB36#HIGH	20.51	0.7	21.21	0.132	2.000	Pass
			RB75#LOW	20.43	0.7	21.13	0.130	2.000	Pass
		QPSK	RB1#LOW	22.31	0.7	23.01	0.200	2.000	Pass
			RB1#MID	22.36	0.7	23.06	0.202	2.000	Pass
			RB1#HIGH	22.27	0.7	22.97	0.198	2.000	Pass
			RB36#LOW	21.46	0.7	22.16	0.164	2.000	Pass
			RB36#MID	21.43	0.7	22.13	0.163	2.000	Pass
			RB36#HIGH	21.45	0.7	22.15	0.164	2.000	Pass
			RB75#LOW	21.46	0.7	22.16	0.164	2.000	Pass
		16-QAM	RB1#LOW	21.7	0.7	22.40	0.174	2.000	Pass
			RB1#MID	21.71	0.7	22.41	0.174	2.000	Pass
			RB1#HIGH	21.3	0.7	22.00	0.158	2.000	Pass
			RB36#LOW	20.44	0.7	21.14	0.130	2.000	Pass
			RB36#MID	20.42	0.7	21.12	0.129	2.000	Pass
			RB36#HIGH	20.44	0.7	21.14	0.130	2.000	Pass
			RB75#LOW	20.46	0.7	21.16	0.131	2.000	Pass
20 MHz	LCH	QPSK	RB1#LOW	22.12	0.7	22.82	0.191	2.000	Pass
			RB1#MID	22.45	0.7	23.15	0.207	2.000	Pass
			RB1#HIGH	22.07	0.7	22.77	0.189	2.000	Pass
			RB50#LOW	21.28	0.7	21.98	0.158	2.000	Pass
			RB50#MID	21.35	0.7	22.05	0.160	2.000	Pass
			RB50#HIGH	21.3	0.7	22.00	0.158	2.000	Pass
			RB100#LOW	21.34	0.7	22.04	0.160	2.000	Pass
		16-QAM	RB1#LOW	21.42	0.7	22.12	0.163	2.000	Pass
			RB1#MID	21.89	0.7	22.59	0.182	2.000	Pass
			RB1#HIGH	21.36	0.7	22.06	0.161	2.000	Pass
			RB50#LOW	20.32	0.7	21.02	0.126	2.000	Pass
			RB50#MID	20.4	0.7	21.10	0.129	2.000	Pass
			RB50#HIGH	20.37	0.7	21.07	0.128	2.000	Pass
			RB100#LOW	20.39	0.7	21.09	0.129	2.000	Pass
	MCH	QPSK	RB1#LOW	22	0.7	22.70	0.186	2.000	Pass
			RB1#MID	22.29	0.7	22.99	0.199	2.000	Pass
			RB1#HIGH	21.73	0.7	22.43	0.175	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2									
			RB50#LOW	21.37	0.7	22.07	0.161	2.000	Pass
			RB50#MID	21.43	0.7	22.13	0.163	2.000	Pass
			RB50#HIGH	21.48	0.7	22.18	0.165	2.000	Pass
			RB100#LOW	21.38	0.7	22.08	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.23	0.7	21.93	0.156	2.000	Pass
			RB1#MID	21.8	0.7	22.50	0.178	2.000	Pass
			RB1#HIGH	21.25	0.7	21.95	0.157	2.000	Pass
			RB50#LOW	20.37	0.7	21.07	0.128	2.000	Pass
			RB50#MID	20.38	0.7	21.08	0.128	2.000	Pass
			RB50#HIGH	20.57	0.7	21.27	0.134	2.000	Pass
			RB100#LOW	20.39	0.7	21.09	0.129	2.000	Pass
	HCH	QPSK	RB1#LOW	21.8	0.7	22.50	0.178	2.000	Pass
			RB1#MID	22.02	0.7	22.72	0.187	2.000	Pass
			RB1#HIGH	21.59	0.7	22.29	0.169	2.000	Pass
			RB50#LOW	21.34	0.7	22.04	0.160	2.000	Pass
			RB50#MID	21.27	0.7	21.97	0.157	2.000	Pass
			RB50#HIGH	21.32	0.7	22.02	0.159	2.000	Pass
			RB100#LOW	21.37	0.7	22.07	0.161	2.000	Pass
		16-QAM	RB1#LOW	21.01	0.7	21.71	0.148	2.000	Pass
			RB1#MID	21.43	0.7	22.13	0.163	2.000	Pass
			RB1#HIGH	21.07	0.7	21.77	0.150	2.000	Pass
			RB50#LOW	20.14	0.7	20.84	0.121	2.000	Pass
			RB50#MID	20.2	0.7	20.90	0.123	2.000	Pass
			RB50#HIGH	20.32	0.7	21.02	0.126	2.000	Pass
			RB100#LOW	20.11	0.7	20.81	0.121	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
1.4 MHz	LCH	QPSK	RB1#LOW	22.46	1.05	23.51	0.224	1.000	Pass
			RB1#MID	22.54	1.05	23.59	0.229	1.000	Pass
			RB1#HIGH	22.37	1.05	23.42	0.220	1.000	Pass
			RB3#LOW	22.49	1.05	23.54	0.226	1.000	Pass
			RB3#MID	22.51	1.05	23.56	0.227	1.000	Pass
			RB3#HIGH	22.49	1.05	23.54	0.226	1.000	Pass
			RB6#LOW	21.4	1.05	22.45	0.176	1.000	Pass
		16-QAM	RB1#LOW	21.51	1.05	22.56	0.180	1.000	Pass
			RB1#MID	21.69	1.05	22.74	0.188	1.000	Pass
			RB1#HIGH	21.53	1.05	22.58	0.181	1.000	Pass
			RB3#LOW	21.55	1.05	22.60	0.182	1.000	Pass
			RB3#MID	21.55	1.05	22.60	0.182	1.000	Pass
			RB3#HIGH	21.58	1.05	22.63	0.183	1.000	Pass
			RB6#LOW	20.61	1.05	21.66	0.147	1.000	Pass
	MCH	QPSK	RB1#LOW	22.25	1.05	23.30	0.214	1.000	Pass
			RB1#MID	22.43	1.05	23.48	0.223	1.000	Pass
			RB1#HIGH	22.25	1.05	23.30	0.214	1.000	Pass
			RB3#LOW	22.38	1.05	23.43	0.220	1.000	Pass
			RB3#MID	22.42	1.05	23.47	0.222	1.000	Pass
			RB3#HIGH	22.38	1.05	23.43	0.220	1.000	Pass
			RB6#LOW	21.31	1.05	22.36	0.172	1.000	Pass
		16-QAM	RB1#LOW	21.66	1.05	22.71	0.187	1.000	Pass
			RB1#MID	21.83	1.05	22.88	0.194	1.000	Pass
			RB1#HIGH	21.71	1.05	22.76	0.189	1.000	Pass
			RB3#LOW	21.59	1.05	22.64	0.184	1.000	Pass
			RB3#MID	21.6	1.05	22.65	0.184	1.000	Pass
			RB3#HIGH	21.61	1.05	22.66	0.185	1.000	Pass
			RB6#LOW	20.26	1.05	21.31	0.135	1.000	Pass
	HCH	QPSK	RB1#LOW	22.13	1.05	23.18	0.208	1.000	Pass
			RB1#MID	22.28	1.05	23.33	0.215	1.000	Pass
			RB1#HIGH	22.11	1.05	23.16	0.207	1.000	Pass
			RB3#LOW	22.3	1.05	23.35	0.216	1.000	Pass
			RB3#MID	22.34	1.05	23.39	0.218	1.000	Pass
			RB3#HIGH	22.33	1.05	23.38	0.218	1.000	Pass
			RB6#LOW	21.21	1.05	22.26	0.168	1.000	Pass
		16-QAM	RB1#LOW	21.27	1.05	22.32	0.171	1.000	Pass
			RB1#MID	21.43	1.05	22.48	0.177	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
3 MHz			RB1#HIGH	21.3	1.05	22.35	0.172	1.000	Pass
			RB3#LOW	21.47	1.05	22.52	0.179	1.000	Pass
			RB3#MID	21.5	1.05	22.55	0.180	1.000	Pass
			RB3#HIGH	21.5	1.05	22.55	0.180	1.000	Pass
			RB6#LOW	20.4	1.05	21.45	0.140	1.000	Pass
			RB1#LOW	22.38	1.05	23.43	0.220	1.000	Pass
			RB1#MID	22.37	1.05	23.42	0.220	1.000	Pass
	LCH	QPSK	RB1#HIGH	22.4	1.05	23.45	0.221	1.000	Pass
			RB8#LOW	21.42	1.05	22.47	0.177	1.000	Pass
			RB8#MID	21.48	1.05	22.53	0.179	1.000	Pass
			RB8#HIGH	21.44	1.05	22.49	0.177	1.000	Pass
			RB15#LOW	21.46	1.05	22.51	0.178	1.000	Pass
		16-QAM	RB1#LOW	21.42	1.05	22.47	0.177	1.000	Pass
			RB1#MID	21.42	1.05	22.47	0.177	1.000	Pass
			RB1#HIGH	21.45	1.05	22.50	0.178	1.000	Pass
			RB8#LOW	20.59	1.05	21.64	0.146	1.000	Pass
			RB8#MID	20.62	1.05	21.67	0.147	1.000	Pass
			RB8#HIGH	20.6	1.05	21.65	0.146	1.000	Pass
			RB15#LOW	20.51	1.05	21.56	0.143	1.000	Pass
	MCH	QPSK	RB1#LOW	22.38	1.05	23.43	0.220	1.000	Pass
			RB1#MID	22.33	1.05	23.38	0.218	1.000	Pass
			RB1#HIGH	22.34	1.05	23.39	0.218	1.000	Pass
			RB8#LOW	21.3	1.05	22.35	0.172	1.000	Pass
			RB8#MID	21.38	1.05	22.43	0.175	1.000	Pass
			RB8#HIGH	21.31	1.05	22.36	0.172	1.000	Pass
			RB15#LOW	21.33	1.05	22.38	0.173	1.000	Pass
		16-QAM	RB1#LOW	21.75	1.05	22.80	0.191	1.000	Pass
			RB1#MID	21.82	1.05	22.87	0.194	1.000	Pass
			RB1#HIGH	21.73	1.05	22.78	0.190	1.000	Pass
			RB8#LOW	20.45	1.05	21.50	0.141	1.000	Pass
			RB8#MID	20.5	1.05	21.55	0.143	1.000	Pass
			RB8#HIGH	20.46	1.05	21.51	0.142	1.000	Pass
			RB15#LOW	20.41	1.05	21.46	0.140	1.000	Pass
	HCH	QPSK	RB1#LOW	22.24	1.05	23.29	0.213	1.000	Pass
			RB1#MID	22.23	1.05	23.28	0.213	1.000	Pass
			RB1#HIGH	22.23	1.05	23.28	0.213	1.000	Pass
			RB8#LOW	21.23	1.05	22.28	0.169	1.000	Pass
			RB8#MID	21.28	1.05	22.33	0.171	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
		16-QAM	RB8#HIGH	21.21	1.05	22.26	0.168	1.000	Pass
			RB15#LOW	21.24	1.05	22.29	0.169	1.000	Pass
			RB1#LOW	21.31	1.05	22.36	0.172	1.000	Pass
			RB1#MID	21.32	1.05	22.37	0.173	1.000	Pass
			RB1#HIGH	21.24	1.05	22.29	0.169	1.000	Pass
			RB8#LOW	20.34	1.05	21.39	0.138	1.000	Pass
			RB8#MID	20.4	1.05	21.45	0.140	1.000	Pass
			RB8#HIGH	20.29	1.05	21.34	0.136	1.000	Pass
			RB15#LOW	20.26	1.05	21.31	0.135	1.000	Pass
5 MHz	LCH	QPSK	RB1#LOW	22.35	1.05	23.40	0.219	1.000	Pass
			RB1#MID	22.45	1.05	23.50	0.224	1.000	Pass
			RB1#HIGH	22.33	1.05	23.38	0.218	1.000	Pass
			RB12#LOW	21.41	1.05	22.46	0.176	1.000	Pass
			RB12#MID	21.47	1.05	22.52	0.179	1.000	Pass
			RB12#HIGH	21.47	1.05	22.52	0.179	1.000	Pass
			RB25#LOW	21.44	1.05	22.49	0.177	1.000	Pass
		16-QAM	RB1#LOW	21.59	1.05	22.64	0.184	1.000	Pass
			RB1#MID	21.68	1.05	22.73	0.187	1.000	Pass
			RB1#HIGH	21.62	1.05	22.67	0.185	1.000	Pass
			RB12#LOW	20.5	1.05	21.55	0.143	1.000	Pass
			RB12#MID	20.63	1.05	21.68	0.147	1.000	Pass
			RB12#HIGH	20.59	1.05	21.64	0.146	1.000	Pass
	MCH	QPSK	RB25#LOW	20.56	1.05	21.61	0.145	1.000	Pass
			RB1#LOW	22.27	1.05	23.32	0.215	1.000	Pass
			RB1#MID	22.32	1.05	23.37	0.217	1.000	Pass
			RB1#HIGH	22.28	1.05	23.33	0.215	1.000	Pass
			RB12#LOW	21.28	1.05	22.33	0.171	1.000	Pass
			RB12#MID	21.39	1.05	22.44	0.175	1.000	Pass
			RB12#HIGH	21.25	1.05	22.30	0.170	1.000	Pass
			RB25#LOW	21.32	1.05	22.37	0.173	1.000	Pass
		16-QAM	RB1#LOW	21.78	1.05	22.83	0.192	1.000	Pass
			RB1#MID	21.92	1.05	22.97	0.198	1.000	Pass
			RB1#HIGH	21.76	1.05	22.81	0.191	1.000	Pass
			RB12#LOW	20.43	1.05	21.48	0.141	1.000	Pass
			RB12#MID	20.57	1.05	21.62	0.145	1.000	Pass
			RB12#HIGH	20.49	1.05	21.54	0.143	1.000	Pass
			RB25#LOW	20.47	1.05	21.52	0.142	1.000	Pass
	HCH	QPSK	RB1#LOW	22.16	1.05	23.21	0.209	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
			RB1#MID	22.27	1.05	23.32	0.215	1.000	Pass
			RB1#HIGH	22.12	1.05	23.17	0.207	1.000	Pass
			RB12#LOW	21.24	1.05	22.29	0.169	1.000	Pass
			RB12#MID	21.31	1.05	22.36	0.172	1.000	Pass
			RB12#HIGH	21.24	1.05	22.29	0.169	1.000	Pass
			RB25#LOW	21.28	1.05	22.33	0.171	1.000	Pass
		16-QAM	RB1#LOW	21.32	1.05	22.37	0.173	1.000	Pass
			RB1#MID	21.37	1.05	22.42	0.175	1.000	Pass
			RB1#HIGH	21.35	1.05	22.40	0.174	1.000	Pass
			RB12#LOW	20.37	1.05	21.42	0.139	1.000	Pass
			RB12#MID	20.4	1.05	21.45	0.140	1.000	Pass
			RB12#HIGH	20.36	1.05	21.41	0.138	1.000	Pass
			RB25#LOW	20.28	1.05	21.33	0.136	1.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	22.39	1.05	23.44	0.221	1.000	Pass
			RB1#MID	22.56	1.05	23.61	0.230	1.000	Pass
			RB1#HIGH	22.4	1.05	23.45	0.221	1.000	Pass
			RB25#LOW	21.46	1.05	22.51	0.178	1.000	Pass
			RB25#MID	21.51	1.05	22.56	0.180	1.000	Pass
			RB25#HIGH	21.59	1.05	22.64	0.184	1.000	Pass
			RB50#LOW	21.56	1.05	22.61	0.182	1.000	Pass
		16-QAM	RB1#LOW	21.44	1.05	22.49	0.177	1.000	Pass
			RB1#MID	21.58	1.05	22.63	0.183	1.000	Pass
			RB1#HIGH	21.37	1.05	22.42	0.175	1.000	Pass
			RB25#LOW	20.52	1.05	21.57	0.144	1.000	Pass
			RB25#MID	20.58	1.05	21.63	0.146	1.000	Pass
			RB25#HIGH	20.67	1.05	21.72	0.149	1.000	Pass
			RB50#LOW	20.56	1.05	21.61	0.145	1.000	Pass
	MCH	QPSK	RB1#LOW	22.33	1.05	23.38	0.218	1.000	Pass
			RB1#MID	22.51	1.05	23.56	0.227	1.000	Pass
			RB1#HIGH	22.33	1.05	23.38	0.218	1.000	Pass
			RB25#LOW	21.38	1.05	22.43	0.175	1.000	Pass
			RB25#MID	21.39	1.05	22.44	0.175	1.000	Pass
			RB25#HIGH	21.39	1.05	22.44	0.175	1.000	Pass
			RB50#LOW	21.39	1.05	22.44	0.175	1.000	Pass
		16-QAM	RB1#LOW	21.74	1.05	22.79	0.190	1.000	Pass
			RB1#MID	21.89	1.05	22.94	0.197	1.000	Pass
			RB1#HIGH	21.71	1.05	22.76	0.189	1.000	Pass
			RB25#LOW	20.46	1.05	21.51	0.142	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict	
LTE BAND 4										
			RB25#MID	20.43	1.05	21.48	0.141	1.000	Pass	
			RB25#HIGH	20.47	1.05	21.52	0.142	1.000	Pass	
			RB50#LOW	20.5	1.05	21.55	0.143	1.000	Pass	
	HCH	QPSK	RB1#LOW	22.26	1.05	23.31	0.214	1.000	Pass	
			RB1#MID	22.37	1.05	23.42	0.220	1.000	Pass	
			RB1#HIGH	22.24	1.05	23.29	0.213	1.000	Pass	
			RB25#LOW	21.37	1.05	22.42	0.175	1.000	Pass	
			RB25#MID	21.31	1.05	22.36	0.172	1.000	Pass	
			RB25#HIGH	21.3	1.05	22.35	0.172	1.000	Pass	
			RB50#LOW	21.33	1.05	22.38	0.173	1.000	Pass	
			16-QAM	RB1#LOW	21.31	1.05	22.36	0.172	1.000	Pass
				RB1#MID	21.48	1.05	22.53	0.179	1.000	Pass
		RB1#HIGH		21.29	1.05	22.34	0.171	1.000	Pass	
		RB25#LOW		20.51	1.05	21.56	0.143	1.000	Pass	
		RB25#MID		20.46	1.05	21.51	0.142	1.000	Pass	
		RB25#HIGH	20.48	1.05	21.53	0.142	1.000	Pass		
		RB50#LOW	20.42	1.05	21.47	0.140	1.000	Pass		
15 MHz	LCH	QPSK	RB1#LOW	22.28	1.05	23.33	0.215	1.000	Pass	
			RB1#MID	22.4	1.05	23.45	0.221	1.000	Pass	
			RB1#HIGH	22.3	1.05	23.35	0.216	1.000	Pass	
			RB36#LOW	21.41	1.05	22.46	0.176	1.000	Pass	
			RB36#MID	21.44	1.05	22.49	0.177	1.000	Pass	
			RB36#HIGH	21.53	1.05	22.58	0.181	1.000	Pass	
			RB75#LOW	21.49	1.05	22.54	0.179	1.000	Pass	
		16-QAM	RB1#LOW	21.32	1.05	22.37	0.173	1.000	Pass	
			RB1#MID	21.47	1.05	22.52	0.179	1.000	Pass	
			RB1#HIGH	21.32	1.05	22.37	0.173	1.000	Pass	
			RB36#LOW	20.49	1.05	21.54	0.143	1.000	Pass	
			RB36#MID	20.5	1.05	21.55	0.143	1.000	Pass	
			RB36#HIGH	20.55	1.05	21.60	0.145	1.000	Pass	
			RB75#LOW	20.53	1.05	21.58	0.144	1.000	Pass	
	MCH	QPSK	RB1#LOW	22.27	1.05	23.32	0.215	1.000	Pass	
			RB1#MID	22.37	1.05	23.42	0.220	1.000	Pass	
			RB1#HIGH	22.26	1.05	23.31	0.214	1.000	Pass	
			RB36#LOW	21.39	1.05	22.44	0.175	1.000	Pass	
			RB36#MID	21.44	1.05	22.49	0.177	1.000	Pass	
			RB36#HIGH	21.37	1.05	22.42	0.175	1.000	Pass	
			RB75#LOW	21.26	1.05	22.31	0.170	1.000	Pass	

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
20 MHz	HCH	16-QAM	RB1#LOW	21.67	1.05	22.72	0.187	1.000	Pass
			RB1#MID	21.77	1.05	22.82	0.191	1.000	Pass
			RB1#HIGH	21.65	1.05	22.70	0.186	1.000	Pass
			RB36#LOW	20.47	1.05	21.52	0.142	1.000	Pass
			RB36#MID	20.46	1.05	21.51	0.142	1.000	Pass
			RB36#HIGH	20.42	1.05	21.47	0.140	1.000	Pass
			RB75#LOW	20.43	1.05	21.48	0.141	1.000	Pass
		QPSK	RB1#LOW	22.18	1.05	23.23	0.210	1.000	Pass
			RB1#MID	22.28	1.05	23.33	0.215	1.000	Pass
			RB1#HIGH	22.17	1.05	23.22	0.210	1.000	Pass
			RB36#LOW	21.37	1.05	22.42	0.175	1.000	Pass
			RB36#MID	21.34	1.05	22.39	0.173	1.000	Pass
			RB36#HIGH	21.28	1.05	22.33	0.171	1.000	Pass
			RB75#LOW	21.33	1.05	22.38	0.173	1.000	Pass
		16-QAM	RB1#LOW	21.72	1.05	22.77	0.189	1.000	Pass
			RB1#MID	21.76	1.05	22.81	0.191	1.000	Pass
			RB1#HIGH	21.68	1.05	22.73	0.187	1.000	Pass
			RB36#LOW	20.37	1.05	21.42	0.139	1.000	Pass
			RB36#MID	20.3	1.05	21.35	0.136	1.000	Pass
			RB36#HIGH	20.34	1.05	21.39	0.138	1.000	Pass
			RB75#LOW	20.39	1.05	21.44	0.139	1.000	Pass
20 MHz	LCH	QPSK	RB1#LOW	22.18	1.05	23.23	0.210	1.000	Pass
			RB1#MID	22.59	1.05	23.64	0.231	1.000	Pass
			RB1#HIGH	22.15	1.05	23.20	0.209	1.000	Pass
			RB50#LOW	21.3	1.05	22.35	0.172	1.000	Pass
			RB50#MID	21.47	1.05	22.52	0.179	1.000	Pass
			RB50#HIGH	21.57	1.05	22.62	0.183	1.000	Pass
			RB100#LOW	21.5	1.05	22.55	0.180	1.000	Pass
		16-QAM	RB1#LOW	21.71	1.05	22.76	0.189	1.000	Pass
			RB1#MID	22.11	1.05	23.16	0.207	1.000	Pass
			RB1#HIGH	21.7	1.05	22.75	0.188	1.000	Pass
			RB50#LOW	20.41	1.05	21.46	0.140	1.000	Pass
			RB50#MID	20.56	1.05	21.61	0.145	1.000	Pass
			RB50#HIGH	20.63	1.05	21.68	0.147	1.000	Pass
			RB100#LOW	20.58	1.05	21.63	0.146	1.000	Pass
	MCH	QPSK	RB1#LOW	22.17	1.05	23.22	0.210	1.000	Pass
			RB1#MID	22.52	1.05	23.57	0.228	1.000	Pass
			RB1#HIGH	22.16	1.05	23.21	0.209	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4									
			RB50#LOW	21.38	1.05	22.43	0.175	1.000	Pass
			RB50#MID	21.41	1.05	22.46	0.176	1.000	Pass
			RB50#HIGH	21.27	1.05	22.32	0.171	1.000	Pass
			RB100#LOW	21.36	1.05	22.41	0.174	1.000	Pass
		16-QAM	RB1#LOW	21.62	1.05	22.67	0.185	1.000	Pass
			RB1#MID	22.01	1.05	23.06	0.202	1.000	Pass
			RB1#HIGH	21.62	1.05	22.67	0.185	1.000	Pass
			RB50#LOW	20.45	1.05	21.50	0.141	1.000	Pass
			RB50#MID	20.45	1.05	21.50	0.141	1.000	Pass
			RB50#HIGH	20.35	1.05	21.40	0.138	1.000	Pass
			RB100#LOW	20.42	1.05	21.47	0.140	1.000	Pass
	HCH	QPSK	RB1#LOW	22.01	1.05	23.06	0.202	1.000	Pass
			RB1#MID	22.44	1.05	23.49	0.223	1.000	Pass
			RB1#HIGH	22	1.05	23.05	0.202	1.000	Pass
			RB50#LOW	21.49	1.05	22.54	0.179	1.000	Pass
			RB50#MID	21.35	1.05	22.40	0.174	1.000	Pass
			RB50#HIGH	21.22	1.05	22.27	0.169	1.000	Pass
			RB100#LOW	21.42	1.05	22.47	0.177	1.000	Pass
		16-QAM	RB1#LOW	21.52	1.05	22.57	0.181	1.000	Pass
			RB1#MID	21.91	1.05	22.96	0.198	1.000	Pass
			RB1#HIGH	21.47	1.05	22.52	0.179	1.000	Pass
			RB50#LOW	20.57	1.05	21.62	0.145	1.000	Pass
			RB50#MID	20.38	1.05	21.43	0.139	1.000	Pass
			RB50#HIGH	20.29	1.05	21.34	0.136	1.000	Pass
			RB100#LOW	20.46	1.05	21.51	0.142	1.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
1.4 MHz	LCH	QPSK	RB1#LOW	22.24	0.76	-1.39	20.85	0.122	7.000	Pass
			RB1#MID	22.37	0.76	-1.39	20.98	0.125	7.000	Pass
			RB1#HIGH	22.25	0.76	-1.39	20.86	0.122	7.000	Pass
			RB3#LOW	22.4	0.76	-1.39	21.01	0.126	7.000	Pass
			RB3#MID	22.39	0.76	-1.39	21.00	0.126	7.000	Pass
			RB3#HIGH	22.32	0.76	-1.39	20.93	0.124	7.000	Pass
			RB6#LOW	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
		16-QAM	RB1#LOW	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
			RB1#MID	21.52	0.76	-1.39	20.13	0.103	7.000	Pass
			RB1#HIGH	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
			RB3#LOW	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
			RB3#MID	21.35	0.76	-1.39	19.96	0.099	7.000	Pass
			RB3#HIGH	21.35	0.76	-1.39	19.96	0.099	7.000	Pass
			RB6#LOW	20.49	0.76	-1.39	19.10	0.081	7.000	Pass
	MCH	QPSK	RB1#LOW	22.28	0.76	-1.39	20.89	0.123	7.000	Pass
			RB1#MID	22.45	0.76	-1.39	21.06	0.128	7.000	Pass
			RB1#HIGH	22.27	0.76	-1.39	20.88	0.122	7.000	Pass
			RB3#LOW	22.38	0.76	-1.39	20.99	0.126	7.000	Pass
			RB3#MID	22.43	0.76	-1.39	21.04	0.127	7.000	Pass
			RB3#HIGH	22.34	0.76	-1.39	20.95	0.124	7.000	Pass
			RB6#LOW	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
		16-QAM	RB1#LOW	21.68	0.76	-1.39	20.29	0.107	7.000	Pass
			RB1#MID	21.85	0.76	-1.39	20.46	0.111	7.000	Pass
			RB1#HIGH	21.66	0.76	-1.39	20.27	0.106	7.000	Pass
			RB3#LOW	21.57	0.76	-1.39	20.18	0.104	7.000	Pass
			RB3#MID	21.55	0.76	-1.39	20.16	0.104	7.000	Pass
			RB3#HIGH	21.57	0.76	-1.39	20.18	0.104	7.000	Pass
			RB6#LOW	20.31	0.76	-1.39	18.92	0.078	7.000	Pass
	HCH	QPSK	RB1#LOW	22.19	0.76	-1.39	20.80	0.120	7.000	Pass
			RB1#MID	22.38	0.76	-1.39	20.99	0.126	7.000	Pass
			RB1#HIGH	22.17	0.76	-1.39	20.78	0.120	7.000	Pass
			RB3#LOW	22.32	0.76	-1.39	20.93	0.124	7.000	Pass
			RB3#MID	22.36	0.76	-1.39	20.97	0.125	7.000	Pass
			RB3#HIGH	22.3	0.76	-1.39	20.91	0.123	7.000	Pass
			RB6#LOW	21.26	0.76	-1.39	19.87	0.097	7.000	Pass
		16-QAM	RB1#LOW	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
			RB1#MID	21.4	0.76	-1.39	20.01	0.100	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
3 MHz			RB1#HIGH	21.24	0.76	-1.39	19.85	0.097	7.000	Pass
			RB3#LOW	21.45	0.76	-1.39	20.06	0.101	7.000	Pass
			RB3#MID	21.48	0.76	-1.39	20.09	0.102	7.000	Pass
			RB3#HIGH	21.44	0.76	-1.39	20.05	0.101	7.000	Pass
			RB6#LOW	20.46	0.76	-1.39	19.07	0.081	7.000	Pass
	LCH	QPSK	RB1#LOW	22.3	0.76	-1.39	20.91	0.123	7.000	Pass
			RB1#MID	22.29	0.76	-1.39	20.90	0.123	7.000	Pass
			RB1#HIGH	22.28	0.76	-1.39	20.89	0.123	7.000	Pass
			RB8#LOW	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
			RB8#MID	21.35	0.76	-1.39	19.96	0.099	7.000	Pass
			RB8#HIGH	21.3	0.76	-1.39	19.91	0.098	7.000	Pass
			RB15#LOW	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
		16-QAM	RB1#LOW	21.19	0.76	-1.39	19.80	0.095	7.000	Pass
			RB1#MID	21.2	0.76	-1.39	19.81	0.096	7.000	Pass
			RB1#HIGH	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB8#LOW	20.45	0.76	-1.39	19.06	0.081	7.000	Pass
			RB8#MID	20.5	0.76	-1.39	19.11	0.081	7.000	Pass
			RB8#HIGH	20.44	0.76	-1.39	19.05	0.080	7.000	Pass
			RB15#LOW	20.37	0.76	-1.39	18.98	0.079	7.000	Pass
	MCH	QPSK	RB1#LOW	22.36	0.76	-1.39	20.97	0.125	7.000	Pass
			RB1#MID	22.32	0.76	-1.39	20.93	0.124	7.000	Pass
			RB1#HIGH	22.33	0.76	-1.39	20.94	0.124	7.000	Pass
			RB8#LOW	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
			RB8#MID	21.38	0.76	-1.39	19.99	0.100	7.000	Pass
			RB8#HIGH	21.33	0.76	-1.39	19.94	0.099	7.000	Pass
			RB15#LOW	21.36	0.76	-1.39	19.97	0.099	7.000	Pass
		16-QAM	RB1#LOW	21.69	0.76	-1.39	20.30	0.107	7.000	Pass
			RB1#MID	21.7	0.76	-1.39	20.31	0.107	7.000	Pass
			RB1#HIGH	21.69	0.76	-1.39	20.30	0.107	7.000	Pass
			RB8#LOW	20.49	0.76	-1.39	19.10	0.081	7.000	Pass
			RB8#MID	20.52	0.76	-1.39	19.13	0.082	7.000	Pass
			RB8#HIGH	20.43	0.76	-1.39	19.04	0.080	7.000	Pass
			RB15#LOW	20.4	0.76	-1.39	19.01	0.080	7.000	Pass
	HCH	QPSK	RB1#LOW	22.32	0.76	-1.39	20.93	0.124	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
			RB1#MID	22.25	0.76	-1.39	20.86	0.122	7.000	Pass
			RB1#HIGH	22.25	0.76	-1.39	20.86	0.122	7.000	Pass
			RB8#LOW	21.27	0.76	-1.39	19.88	0.097	7.000	Pass
			RB8#MID	21.32	0.76	-1.39	19.93	0.098	7.000	Pass
			RB8#HIGH	21.27	0.76	-1.39	19.88	0.097	7.000	Pass
			RB15#LOW	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
		16-QAM	RB1#LOW	21.39	0.76	-1.39	20.00	0.100	7.000	Pass
			RB1#MID	21.31	0.76	-1.39	19.92	0.098	7.000	Pass
			RB1#HIGH	21.22	0.76	-1.39	19.83	0.096	7.000	Pass
			RB8#LOW	20.34	0.76	-1.39	18.95	0.079	7.000	Pass
			RB8#MID	20.41	0.76	-1.39	19.02	0.080	7.000	Pass
			RB8#HIGH	20.32	0.76	-1.39	18.93	0.078	7.000	Pass
			RB15#LOW	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
5 MHz	LCH	QPSK	RB1#LOW	22.16	0.76	-1.39	20.77	0.119	7.000	Pass
			RB1#MID	22.39	0.76	-1.39	21.00	0.126	7.000	Pass
			RB1#HIGH	22.22	0.76	-1.39	20.83	0.121	7.000	Pass
			RB12#LOW	21.23	0.76	-1.39	19.84	0.096	7.000	Pass
			RB12#MID	21.36	0.76	-1.39	19.97	0.099	7.000	Pass
			RB12#HIGH	21.3	0.76	-1.39	19.91	0.098	7.000	Pass
			RB25#LOW	21.28	0.76	-1.39	19.89	0.097	7.000	Pass
		16-QAM	RB1#LOW	21.35	0.76	-1.39	19.96	0.099	7.000	Pass
			RB1#MID	21.5	0.76	-1.39	20.11	0.103	7.000	Pass
			RB1#HIGH	21.42	0.76	-1.39	20.03	0.101	7.000	Pass
			RB12#LOW	20.36	0.76	-1.39	18.97	0.079	7.000	Pass
			RB12#MID	20.46	0.76	-1.39	19.07	0.081	7.000	Pass
			RB12#HIGH	20.44	0.76	-1.39	19.05	0.080	7.000	Pass
			RB25#LOW	20.36	0.76	-1.39	18.97	0.079	7.000	Pass
	MCH	QPSK	RB1#LOW	22.24	0.76	-1.39	20.85	0.122	7.000	Pass
			RB1#MID	22.36	0.76	-1.39	20.97	0.125	7.000	Pass
			RB1#HIGH	22.26	0.76	-1.39	20.87	0.122	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
			RB12#LOW	21.33	0.76	-1.39	19.94	0.099	7.000	Pass
			RB12#MID	21.37	0.76	-1.39	19.98	0.100	7.000	Pass
			RB12#HIGH	21.3	0.76	-1.39	19.91	0.098	7.000	Pass
			RB25#LOW	21.3	0.76	-1.39	19.91	0.098	7.000	Pass
		16-QAM	RB1#LOW	21.78	0.76	-1.39	20.39	0.109	7.000	Pass
			RB1#MID	21.89	0.76	-1.39	20.50	0.112	7.000	Pass
			RB1#HIGH	21.74	0.76	-1.39	20.35	0.108	7.000	Pass
			RB12#LOW	20.49	0.76	-1.39	19.10	0.081	7.000	Pass
			RB12#MID	20.55	0.76	-1.39	19.16	0.082	7.000	Pass
			RB12#HIGH	20.48	0.76	-1.39	19.09	0.081	7.000	Pass
			RB25#LOW	20.44	0.76	-1.39	19.05	0.080	7.000	Pass
	HCH	QPSK	RB1#LOW	22.19	0.76	-1.39	20.80	0.120	7.000	Pass
			RB1#MID	22.3	0.76	-1.39	20.91	0.123	7.000	Pass
			RB1#HIGH	22.13	0.76	-1.39	20.74	0.119	7.000	Pass
			RB12#LOW	21.26	0.76	-1.39	19.87	0.097	7.000	Pass
			RB12#MID	21.37	0.76	-1.39	19.98	0.100	7.000	Pass
			RB12#HIGH	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
			RB25#LOW	21.3	0.76	-1.39	19.91	0.098	7.000	Pass
		16-QAM	RB1#LOW	21.33	0.76	-1.39	19.94	0.099	7.000	Pass
			RB1#MID	21.45	0.76	-1.39	20.06	0.101	7.000	Pass
			RB1#HIGH	21.28	0.76	-1.39	19.89	0.097	7.000	Pass
			RB12#LOW	20.36	0.76	-1.39	18.97	0.079	7.000	Pass
			RB12#MID	20.45	0.76	-1.39	19.06	0.081	7.000	Pass
			RB12#HIGH	20.4	0.76	-1.39	19.01	0.080	7.000	Pass
			RB25#LOW	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
10	LCH	QPSK	RB1#LOW	22.24	0.76	-1.39	20.85	0.122	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
MHz			RB1#MID	22.42	0.76	-1.39	21.03	0.127	7.000	Pass
			RB1#HIGH	22.26	0.76	-1.39	20.87	0.122	7.000	Pass
			RB25#LOW	21.32	0.76	-1.39	19.93	0.098	7.000	Pass
			RB25#MID	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
			RB25#HIGH	21.37	0.76	-1.39	19.98	0.100	7.000	Pass
			RB50#LOW	21.35	0.76	-1.39	19.96	0.099	7.000	Pass
		16-QAM	RB1#LOW	21.16	0.76	-1.39	19.77	0.095	7.000	Pass
			RB1#MID	21.41	0.76	-1.39	20.02	0.100	7.000	Pass
			RB1#HIGH	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
			RB25#LOW	20.38	0.76	-1.39	18.99	0.079	7.000	Pass
			RB25#MID	20.4	0.76	-1.39	19.01	0.080	7.000	Pass
			RB25#HIGH	20.43	0.76	-1.39	19.04	0.080	7.000	Pass
			RB50#LOW	20.39	0.76	-1.39	19.00	0.079	7.000	Pass
	MCH	QPSK	RB1#LOW	22.32	0.76	-1.39	20.93	0.124	7.000	Pass
			RB1#MID	22.46	0.76	-1.39	21.07	0.128	7.000	Pass
			RB1#HIGH	22.25	0.76	-1.39	20.86	0.122	7.000	Pass
			RB25#LOW	21.31	0.76	-1.39	19.92	0.098	7.000	Pass
			RB25#MID	21.37	0.76	-1.39	19.98	0.100	7.000	Pass
			RB25#HIGH	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
			RB50#LOW	21.33	0.76	-1.39	19.94	0.099	7.000	Pass
		16-QAM	RB1#LOW	21.69	0.76	-1.39	20.30	0.107	7.000	Pass
			RB1#MID	21.86	0.76	-1.39	20.47	0.111	7.000	Pass
			RB1#HIGH	21.61	0.76	-1.39	20.22	0.105	7.000	Pass
			RB25#LOW	20.41	0.76	-1.39	19.02	0.080	7.000	Pass
			RB25#MID	20.47	0.76	-1.39	19.08	0.081	7.000	Pass
			RB25#HIGH	20.32	0.76	-1.39	18.93	0.078	7.000	Pass
			RB50#LOW	20.37	0.76	-1.39	18.98	0.079	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5										
	HCH	QPSK	W							
			RB1#LOW	22.23	0.76	-1.39	20.84	0.121	7.000	Pass
			RB1#MID	22.44	0.76	-1.39	21.05	0.127	7.000	Pass
			RB1#HIGH	22.26	0.76	-1.39	20.87	0.122	7.000	Pass
			RB25#LOW	21.47	0.76	-1.39	20.08	0.102	7.000	Pass
			RB25#MID	21.34	0.76	-1.39	19.95	0.099	7.000	Pass
			RB25#HIGH	21.43	0.76	-1.39	20.04	0.101	7.000	Pass
		16-QAM	RB50#LOW	21.47	0.76	-1.39	20.08	0.102	7.000	Pass
			RB1#LOW	21.26	0.76	-1.39	19.87	0.097	7.000	Pass
			RB1#MID	21.48	0.76	-1.39	20.09	0.102	7.000	Pass
			RB1#HIGH	21.24	0.76	-1.39	19.85	0.097	7.000	Pass
			RB25#LOW	20.6	0.76	-1.39	19.21	0.083	7.000	Pass
			RB25#MID	20.5	0.76	-1.39	19.11	0.081	7.000	Pass
			RB25#HIGH	20.59	0.76	-1.39	19.20	0.083	7.000	Pass
			RB50#LOW	20.55	0.76	-1.39	19.16	0.082	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7									
5 MHz	LCH	QPSK	RB1#LOW	21.54	0.88	22.42	0.175	2.000	Pass
			RB1#MID	21.72	0.88	22.60	0.182	2.000	Pass
			RB1#HIGH	21.53	0.88	22.41	0.174	2.000	Pass
			RB12#LOW	20.64	0.88	21.52	0.142	2.000	Pass
			RB12#MID	20.71	0.88	21.59	0.144	2.000	Pass
			RB12#HIGH	20.65	0.88	21.53	0.142	2.000	Pass
			RB25#LOW	20.66	0.88	21.54	0.143	2.000	Pass
		16-QAM	RB1#LOW	20.71	0.88	21.59	0.144	2.000	Pass
			RB1#MID	20.85	0.88	21.73	0.149	2.000	Pass
			RB1#HIGH	20.73	0.88	21.61	0.145	2.000	Pass
			RB12#LOW	19.73	0.88	20.61	0.115	2.000	Pass
			RB12#MID	19.78	0.88	20.66	0.116	2.000	Pass
			RB12#HIGH	19.75	0.88	20.63	0.116	2.000	Pass
			RB25#LOW	19.71	0.88	20.59	0.115	2.000	Pass
	MCH	QPSK	RB1#LOW	21.65	0.88	22.53	0.179	2.000	Pass
			RB1#MID	21.75	0.88	22.63	0.183	2.000	Pass
			RB1#HIGH	21.68	0.88	22.56	0.180	2.000	Pass
			RB12#LOW	20.74	0.88	21.62	0.145	2.000	Pass
			RB12#MID	20.82	0.88	21.70	0.148	2.000	Pass
			RB12#HIGH	20.77	0.88	21.65	0.146	2.000	Pass
			RB25#LOW	20.78	0.88	21.66	0.147	2.000	Pass
		16-QAM	RB1#LOW	21.15	0.88	22.03	0.160	2.000	Pass
			RB1#MID	21.26	0.88	22.14	0.164	2.000	Pass
			RB1#HIGH	21.19	0.88	22.07	0.161	2.000	Pass
			RB12#LOW	19.88	0.88	20.76	0.119	2.000	Pass
			RB12#MID	19.96	0.88	20.84	0.121	2.000	Pass
			RB12#HIGH	19.89	0.88	20.77	0.119	2.000	Pass
			RB25#LOW	19.82	0.88	20.70	0.117	2.000	Pass
	HCH	QPSK	RB1#LOW	21.87	0.88	22.75	0.188	2.000	Pass
			RB1#MID	22.02	0.88	22.90	0.195	2.000	Pass
			RB1#HIGH	21.9	0.88	22.78	0.190	2.000	Pass
			RB12#LOW	21	0.88	21.88	0.154	2.000	Pass
			RB12#MID	21.08	0.88	21.96	0.157	2.000	Pass
			RB12#HIGH	21	0.88	21.88	0.154	2.000	Pass
			RB25#LOW	20.97	0.88	21.85	0.153	2.000	Pass
		16-QAM	RB1#LOW	20.96	0.88	21.84	0.153	2.000	Pass
			RB1#MID	21.1	0.88	21.98	0.158	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7									
10 MHz			RB1#HIGH	21	0.88	21.88	0.154	2.000	Pass
			RB12#LOW	20.02	0.88	20.90	0.123	2.000	Pass
			RB12#MID	20.16	0.88	21.04	0.127	2.000	Pass
			RB12#HIGH	20.05	0.88	20.93	0.124	2.000	Pass
			RB25#LOW	19.96	0.88	20.84	0.121	2.000	Pass
			RB1#LOW	21.56	0.88	22.44	0.175	2.000	Pass
			RB1#MID	21.77	0.88	22.65	0.184	2.000	Pass
	LCH	QPSK	RB1#HIGH	21.6	0.88	22.48	0.177	2.000	Pass
			RB25#LOW	20.72	0.88	21.60	0.145	2.000	Pass
			RB25#MID	20.72	0.88	21.60	0.145	2.000	Pass
			RB25#HIGH	20.66	0.88	21.54	0.143	2.000	Pass
			RB50#LOW	20.71	0.88	21.59	0.144	2.000	Pass
		16-QAM	RB1#LOW	20.53	0.88	21.41	0.138	2.000	Pass
			RB1#MID	20.8	0.88	21.68	0.147	2.000	Pass
			RB1#HIGH	20.62	0.88	21.50	0.141	2.000	Pass
			RB25#LOW	19.76	0.88	20.64	0.116	2.000	Pass
			RB25#MID	19.75	0.88	20.63	0.116	2.000	Pass
			RB25#HIGH	19.72	0.88	20.60	0.115	2.000	Pass
			RB50#LOW	19.73	0.88	20.61	0.115	2.000	Pass
	MCH	QPSK	RB1#LOW	21.65	0.88	22.53	0.179	2.000	Pass
			RB1#MID	21.9	0.88	22.78	0.190	2.000	Pass
			RB1#HIGH	21.73	0.88	22.61	0.182	2.000	Pass
			RB25#LOW	20.71	0.88	21.59	0.144	2.000	Pass
			RB25#MID	20.81	0.88	21.69	0.148	2.000	Pass
			RB25#HIGH	20.78	0.88	21.66	0.147	2.000	Pass
			RB50#LOW	20.78	0.88	21.66	0.147	2.000	Pass
		16-QAM	RB1#LOW	21.03	0.88	21.91	0.155	2.000	Pass
			RB1#MID	21.28	0.88	22.16	0.164	2.000	Pass
			RB1#HIGH	21.14	0.88	22.02	0.159	2.000	Pass
			RB25#LOW	19.81	0.88	20.69	0.117	2.000	Pass
			RB25#MID	19.85	0.88	20.73	0.118	2.000	Pass
			RB25#HIGH	19.8	0.88	20.68	0.117	2.000	Pass
			RB50#LOW	19.78	0.88	20.66	0.116	2.000	Pass
	HCH	QPSK	RB1#LOW	21.9	0.88	22.78	0.190	2.000	Pass
			RB1#MID	22.16	0.88	23.04	0.201	2.000	Pass
			RB1#HIGH	22.04	0.88	22.92	0.196	2.000	Pass
			RB25#LOW	20.9	0.88	21.78	0.151	2.000	Pass
			RB25#MID	21.01	0.88	21.89	0.155	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7									
		16-QAM	RB25#HIGH	21.01	0.88	21.89	0.155	2.000	Pass
			RB50#LOW	20.94	0.88	21.82	0.152	2.000	Pass
			RB1#LOW	20.88	0.88	21.76	0.150	2.000	Pass
			RB1#MID	21.12	0.88	22.00	0.158	2.000	Pass
			RB1#HIGH	20.98	0.88	21.86	0.153	2.000	Pass
			RB25#LOW	20.03	0.88	20.91	0.123	2.000	Pass
			RB25#MID	20.14	0.88	21.02	0.126	2.000	Pass
			RB25#HIGH	20.12	0.88	21.00	0.126	2.000	Pass
			RB50#LOW	20.02	0.88	20.90	0.123	2.000	Pass
15 MHz	LCH	QPSK	RB1#LOW	21.47	0.88	22.35	0.172	2.000	Pass
			RB1#MID	21.64	0.88	22.52	0.179	2.000	Pass
			RB1#HIGH	21.53	0.88	22.41	0.174	2.000	Pass
			RB36#LOW	20.71	0.88	21.59	0.144	2.000	Pass
			RB36#MID	20.75	0.88	21.63	0.146	2.000	Pass
			RB36#HIGH	20.74	0.88	21.62	0.145	2.000	Pass
			RB75#LOW	20.73	0.88	21.61	0.145	2.000	Pass
		16-QAM	RB1#LOW	20.45	0.88	21.33	0.136	2.000	Pass
			RB1#MID	20.66	0.88	21.54	0.143	2.000	Pass
			RB1#HIGH	20.6	0.88	21.48	0.141	2.000	Pass
			RB36#LOW	19.65	0.88	20.53	0.113	2.000	Pass
			RB36#MID	19.71	0.88	20.59	0.115	2.000	Pass
			RB36#HIGH	19.68	0.88	20.56	0.114	2.000	Pass
			RB75#LOW	19.7	0.88	20.58	0.114	2.000	Pass
	MCH	QPSK	RB1#LOW	21.65	0.88	22.53	0.179	2.000	Pass
			RB1#MID	21.72	0.88	22.60	0.182	2.000	Pass
			RB1#HIGH	21.66	0.88	22.54	0.179	2.000	Pass
			RB36#LOW	20.7	0.88	21.58	0.144	2.000	Pass
			RB36#MID	20.79	0.88	21.67	0.147	2.000	Pass
			RB36#HIGH	20.81	0.88	21.69	0.148	2.000	Pass
			RB75#LOW	20.76	0.88	21.64	0.146	2.000	Pass
		16-QAM	RB1#LOW	21.04	0.88	21.92	0.156	2.000	Pass
			RB1#MID	21.18	0.88	22.06	0.161	2.000	Pass
			RB1#HIGH	21.03	0.88	21.91	0.155	2.000	Pass
			RB36#LOW	19.75	0.88	20.63	0.116	2.000	Pass
			RB36#MID	19.81	0.88	20.69	0.117	2.000	Pass
			RB36#HIGH	19.81	0.88	20.69	0.117	2.000	Pass
			RB75#LOW	19.79	0.88	20.67	0.117	2.000	Pass
	HCH	QPSK	RB1#LOW	21.79	0.88	22.67	0.185	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7									
			RB1#MID	21.97	0.88	22.85	0.193	2.000	Pass
			RB1#HIGH	21.93	0.88	22.81	0.191	2.000	Pass
			RB36#LOW	20.94	0.88	21.82	0.152	2.000	Pass
			RB36#MID	21	0.88	21.88	0.154	2.000	Pass
			RB36#HIGH	21.05	0.88	21.93	0.156	2.000	Pass
			RB75#LOW	20.95	0.88	21.83	0.152	2.000	Pass
		16-QAM	RB1#LOW	21.23	0.88	22.11	0.163	2.000	Pass
			RB1#MID	21.34	0.88	22.22	0.167	2.000	Pass
			RB1#HIGH	21.26	0.88	22.14	0.164	2.000	Pass
			RB36#LOW	19.91	0.88	20.79	0.120	2.000	Pass
			RB36#MID	20.01	0.88	20.89	0.123	2.000	Pass
			RB36#HIGH	20.03	0.88	20.91	0.123	2.000	Pass
			RB75#LOW	19.96	0.88	20.84	0.121	2.000	Pass
20 MHz	LCH	QPSK	RB1#LOW	21.38	0.88	22.26	0.168	2.000	Pass
			RB1#MID	21.83	0.88	22.71	0.187	2.000	Pass
			RB1#HIGH	21.5	0.88	22.38	0.173	2.000	Pass
			RB50#LOW	20.68	0.88	21.56	0.143	2.000	Pass
			RB50#MID	20.68	0.88	21.56	0.143	2.000	Pass
			RB50#HIGH	20.7	0.88	21.58	0.144	2.000	Pass
			RB100#LOW	20.73	0.88	21.61	0.145	2.000	Pass
		16-QAM	RB1#LOW	20.87	0.88	21.75	0.150	2.000	Pass
			RB1#MID	21.31	0.88	22.19	0.166	2.000	Pass
			RB1#HIGH	21.05	0.88	21.93	0.156	2.000	Pass
			RB50#LOW	19.8	0.88	20.68	0.117	2.000	Pass
			RB50#MID	19.75	0.88	20.63	0.116	2.000	Pass
			RB50#HIGH	19.73	0.88	20.61	0.115	2.000	Pass
			RB100#LOW	19.77	0.88	20.65	0.116	2.000	Pass
	MCH	QPSK	RB1#LOW	21.46	0.88	22.34	0.171	2.000	Pass
			RB1#MID	21.84	0.88	22.72	0.187	2.000	Pass
			RB1#HIGH	21.61	0.88	22.49	0.177	2.000	Pass
			RB50#LOW	20.62	0.88	21.50	0.141	2.000	Pass
			RB50#MID	20.76	0.88	21.64	0.146	2.000	Pass
			RB50#HIGH	20.71	0.88	21.59	0.144	2.000	Pass
			RB100#LOW	20.68	0.88	21.56	0.143	2.000	Pass
		16-QAM	RB1#LOW	20.96	0.88	21.84	0.153	2.000	Pass
			RB1#MID	21.34	0.88	22.22	0.167	2.000	Pass
			RB1#HIGH	21.07	0.88	21.95	0.157	2.000	Pass
			RB50#LOW	19.68	0.88	20.56	0.114	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7									
			RB50#MID	19.8	0.88	20.68	0.117	2.000	Pass
			RB50#HIGH	19.72	0.88	20.60	0.115	2.000	Pass
			RB100#LOW	19.66	0.88	20.54	0.113	2.000	Pass
	HCH	QPSK	RB1#LOW	21.53	0.88	22.41	0.174	2.000	Pass
			RB1#MID	22.01	0.88	22.89	0.195	2.000	Pass
			RB1#HIGH	21.74	0.88	22.62	0.183	2.000	Pass
			RB50#LOW	20.8	0.88	21.68	0.147	2.000	Pass
			RB50#MID	20.92	0.88	21.80	0.151	2.000	Pass
			RB50#HIGH	20.95	0.88	21.83	0.152	2.000	Pass
			RB100#LOW	20.9	0.88	21.78	0.151	2.000	Pass
		16-QAM	RB1#LOW	20.98	0.88	21.86	0.153	2.000	Pass
			RB1#MID	21.4	0.88	22.28	0.169	2.000	Pass
			RB1#HIGH	21.11	0.88	21.99	0.158	2.000	Pass
			RB50#LOW	19.82	0.88	20.70	0.117	2.000	Pass
			RB50#MID	19.92	0.88	20.80	0.120	2.000	Pass
			RB50#HIGH	19.95	0.88	20.83	0.121	2.000	Pass
			RB100#LOW	19.92	0.88	20.80	0.120	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12										
1.4 MHz	LCH	QPSK	RB1#LOW	21.82	-4.67	-6.82	15.00	0.032	3.000	Pass
			RB1#MID	22.02	-4.67	-6.82	15.20	0.033	3.000	Pass
			RB1#HIGH	21.87	-4.67	-6.82	15.05	0.032	3.000	Pass
			RB3#LOW	21.95	-4.67	-6.82	15.13	0.033	3.000	Pass
			RB3#MID	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB3#HIGH	21.97	-4.67	-6.82	15.15	0.033	3.000	Pass
			RB6#LOW	20.88	-4.67	-6.82	14.06	0.025	3.000	Pass
		16-QAM	RB1#LOW	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
			RB1#MID	21.19	-4.67	-6.82	14.37	0.027	3.000	Pass
			RB1#HIGH	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
			RB3#LOW	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB3#MID	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB3#HIGH	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB6#LOW	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.94	-4.67	-6.82	15.12	0.033	3.000	Pass
			RB1#MID	22.1	-4.67	-6.82	15.28	0.034	3.000	Pass
			RB1#HIGH	21.92	-4.67	-6.82	15.10	0.032	3.000	Pass
			RB3#LOW	22.02	-4.67	-6.82	15.20	0.033	3.000	Pass
			RB3#MID	22.08	-4.67	-6.82	15.26	0.034	3.000	Pass
			RB3#HIGH	22.03	-4.67	-6.82	15.21	0.033	3.000	Pass
			RB6#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
		16-QAM	RB1#LOW	21.31	-4.67	-6.82	14.49	0.028	3.000	Pass
			RB1#MID	21.46	-4.67	-6.82	14.64	0.029	3.000	Pass
			RB1#HIGH	21.33	-4.67	-6.82	14.51	0.028	3.000	Pass
			RB3#LOW	21.21	-4.67	-6.82	14.39	0.027	3.000	Pass
			RB3#MID	21.26	-4.67	-6.82	14.44	0.028	3.000	Pass
			RB3#HIGH	21.26	-4.67	-6.82	14.44	0.028	3.000	Pass
			RB6#LOW	19.95	-4.67	-6.82	13.13	0.021	3.000	Pass
	HCH	QPSK	RB1#LOW	21.91	-4.67	-6.82	15.09	0.032	3.000	Pass
			RB1#MID	22.13	-4.67	-6.82	15.31	0.034	3.000	Pass
			RB1#HIGH	21.89	-4.67	-6.82	15.07	0.032	3.000	Pass
			RB3#LOW	22.05	-4.67	-6.82	15.23	0.033	3.000	Pass
			RB3#MID	22.07	-4.67	-6.82	15.25	0.033	3.000	Pass
			RB3#HIGH	22.06	-4.67	-6.82	15.24	0.033	3.000	Pass
			RB6#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12										
		16-QAM	RB1#LOW	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB1#MID	21.16	-4.67	-6.82	14.34	0.027	3.000	Pass
			RB1#HIGH	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB3#LOW	21.18	-4.67	-6.82	14.36	0.027	3.000	Pass
			RB3#MID	21.23	-4.67	-6.82	14.41	0.028	3.000	Pass
			RB3#HIGH	21.2	-4.67	-6.82	14.38	0.027	3.000	Pass
			RB6#LOW	20.19	-4.67	-6.82	13.37	0.022	3.000	Pass
3 MHz	LCH	QPSK	RB1#LOW	21.85	-4.67	-6.82	15.03	0.032	3.000	Pass
			RB1#MID	21.84	-4.67	-6.82	15.02	0.032	3.000	Pass
			RB1#HIGH	21.87	-4.67	-6.82	15.05	0.032	3.000	Pass
			RB8#LOW	20.89	-4.67	-6.82	14.07	0.026	3.000	Pass
			RB8#MID	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB8#HIGH	20.93	-4.67	-6.82	14.11	0.026	3.000	Pass
			RB15#LOW	20.93	-4.67	-6.82	14.11	0.026	3.000	Pass
		16-QAM	RB1#LOW	20.81	-4.67	-6.82	13.99	0.025	3.000	Pass
			RB1#MID	20.82	-4.67	-6.82	14.00	0.025	3.000	Pass
			RB1#HIGH	20.82	-4.67	-6.82	14.00	0.025	3.000	Pass
			RB8#LOW	20.05	-4.67	-6.82	13.23	0.021	3.000	Pass
			RB8#MID	20.11	-4.67	-6.82	13.29	0.021	3.000	Pass
			RB8#HIGH	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
			RB15#LOW	19.98	-4.67	-6.82	13.16	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.99	-4.67	-6.82	15.17	0.033	3.000	Pass
			RB1#MID	22.01	-4.67	-6.82	15.19	0.033	3.000	Pass
			RB1#HIGH	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB8#LOW	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB8#MID	21.05	-4.67	-6.82	14.23	0.026	3.000	Pass
			RB8#HIGH	21.03	-4.67	-6.82	14.21	0.026	3.000	Pass
			RB15#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
		16-QAM	RB1#LOW	21.34	-4.67	-6.82	14.52	0.028	3.000	Pass
			RB1#MID	21.37	-4.67	-6.82	14.55	0.029	3.000	Pass
			RB1#HIGH	21.4	-4.67	-6.82	14.58	0.029	3.000	Pass
			RB8#LOW	20.09	-4.67	-6.82	13.27	0.021	3.000	Pass
			RB8#MID	20.17	-4.67	-6.82	13.35	0.022	3.000	Pass
			RB8#HIGH	20.1	-4.67	-6.82	13.28	0.021	3.000	Pass
			RB15#LOW	20.06	-4.67	-6.82	13.24	0.021	3.000	Pass
	HCH	QPSK	RB1#LOW	21.94	-4.67	-6.82	15.12	0.033	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12										
			RB1#MID	21.98	-4.67	-6.82	15.16	0.033	3.000	Pass
			RB1#HIGH	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB8#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB8#MID	21.02	-4.67	-6.82	14.20	0.026	3.000	Pass
			RB8#HIGH	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB15#LOW	21	-4.67	-6.82	14.18	0.026	3.000	Pass
		16-QAM	RB1#LOW	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB1#MID	20.94	-4.67	-6.82	14.12	0.026	3.000	Pass
			RB1#HIGH	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB8#LOW	20.07	-4.67	-6.82	13.25	0.021	3.000	Pass
			RB8#MID	20.09	-4.67	-6.82	13.27	0.021	3.000	Pass
			RB8#HIGH	20.06	-4.67	-6.82	13.24	0.021	3.000	Pass
			RB15#LOW	19.97	-4.67	-6.82	13.15	0.021	3.000	Pass
5 MHz	LCH	QPSK	RB1#LOW	21.75	-4.67	-6.82	14.93	0.031	3.000	Pass
			RB1#MID	21.94	-4.67	-6.82	15.12	0.033	3.000	Pass
			RB1#HIGH	21.82	-4.67	-6.82	15.00	0.032	3.000	Pass
			RB12#LOW	20.92	-4.67	-6.82	14.10	0.026	3.000	Pass
			RB12#MID	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB12#HIGH	20.91	-4.67	-6.82	14.09	0.026	3.000	Pass
			RB25#LOW	20.93	-4.67	-6.82	14.11	0.026	3.000	Pass
		16-QAM	RB1#LOW	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB1#MID	21.11	-4.67	-6.82	14.29	0.027	3.000	Pass
			RB1#HIGH	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB12#LOW	20.05	-4.67	-6.82	13.23	0.021	3.000	Pass
			RB12#MID	20.1	-4.67	-6.82	13.28	0.021	3.000	Pass
			RB12#HIGH	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
			RB25#LOW	20	-4.67	-6.82	13.18	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.83	-4.67	-6.82	15.01	0.032	3.000	Pass
			RB1#MID	22.02	-4.67	-6.82	15.20	0.033	3.000	Pass
			RB1#HIGH	21.89	-4.67	-6.82	15.07	0.032	3.000	Pass
			RB12#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB12#MID	21.06	-4.67	-6.82	14.24	0.027	3.000	Pass
			RB12#HIGH	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB25#LOW	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
		16-QAM	RB1#LOW	21.36	-4.67	-6.82	14.54	0.028	3.000	Pass
			RB1#MID	21.56	-4.67	-6.82	14.74	0.030	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12										
	HCH		RB1#HIGH	21.41	-4.67	-6.82	14.59	0.029	3.000	Pass
			RB12#LOW	20.15	-4.67	-6.82	13.33	0.022	3.000	Pass
			RB12#MID	20.2	-4.67	-6.82	13.38	0.022	3.000	Pass
			RB12#HIGH	20.17	-4.67	-6.82	13.35	0.022	3.000	Pass
			RB25#LOW	20.13	-4.67	-6.82	13.31	0.021	3.000	Pass
		QPSK	RB1#LOW	21.83	-4.67	-6.82	15.01	0.032	3.000	Pass
			RB1#MID	21.97	-4.67	-6.82	15.15	0.033	3.000	Pass
			RB1#HIGH	21.83	-4.67	-6.82	15.01	0.032	3.000	Pass
			RB12#LOW	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
			RB12#MID	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB12#HIGH	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB25#LOW	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
		16-QAM	RB1#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB1#MID	21.07	-4.67	-6.82	14.25	0.027	3.000	Pass
			RB1#HIGH	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB12#LOW	20.05	-4.67	-6.82	13.23	0.021	3.000	Pass
			RB12#MID	20.12	-4.67	-6.82	13.30	0.021	3.000	Pass
			RB12#HIGH	20.03	-4.67	-6.82	13.21	0.021	3.000	Pass
			RB25#LOW	19.97	-4.67	-6.82	13.15	0.021	3.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	21.86	-4.67	-6.82	15.04	0.032	3.000	Pass
			RB1#MID	22.06	-4.67	-6.82	15.24	0.033	3.000	Pass
			RB1#HIGH	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB25#LOW	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB25#MID	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB25#HIGH	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB50#LOW	21.03	-4.67	-6.82	14.21	0.026	3.000	Pass
		16-QAM	RB1#LOW	20.8	-4.67	-6.82	13.98	0.025	3.000	Pass
			RB1#MID	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB1#HIGH	20.92	-4.67	-6.82	14.10	0.026	3.000	Pass
			RB25#LOW	20.02	-4.67	-6.82	13.20	0.021	3.000	Pass
			RB25#MID	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
			RB25#HIGH	20.06	-4.67	-6.82	13.24	0.021	3.000	Pass
			RB50#LOW	20.06	-4.67	-6.82	13.24	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.94	-4.67	-6.82	15.12	0.033	3.000	Pass
			RB1#MID	22.13	-4.67	-6.82	15.31	0.034	3.000	Pass
			RB1#HIGH	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12										
			RB25#LOW	21.09	-4.67	-6.82	14.27	0.027	3.000	Pass
			RB25#MID	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB25#HIGH	21.07	-4.67	-6.82	14.25	0.027	3.000	Pass
			RB50#LOW	21.09	-4.67	-6.82	14.27	0.027	3.000	Pass
		16-QAM	RB1#LOW	21.29	-4.67	-6.82	14.47	0.028	3.000	Pass
			RB1#MID	21.49	-4.67	-6.82	14.67	0.029	3.000	Pass
			RB1#HIGH	21.37	-4.67	-6.82	14.55	0.029	3.000	Pass
			RB25#LOW	20.14	-4.67	-6.82	13.32	0.021	3.000	Pass
			RB25#MID	20.1	-4.67	-6.82	13.28	0.021	3.000	Pass
			RB25#HIGH	20.18	-4.67	-6.82	13.36	0.022	3.000	Pass
			RB50#LOW	20.15	-4.67	-6.82	13.33	0.022	3.000	Pass
	HCH	QPSK	RB1#LOW	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB1#MID	22.1	-4.67	-6.82	15.28	0.034	3.000	Pass
			RB1#HIGH	21.98	-4.67	-6.82	15.16	0.033	3.000	Pass
			RB25#LOW	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB25#MID	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB25#HIGH	21.07	-4.67	-6.82	14.25	0.027	3.000	Pass
			RB50#LOW	21.08	-4.67	-6.82	14.26	0.027	3.000	Pass
		16-QAM	RB1#LOW	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB1#MID	21.13	-4.67	-6.82	14.31	0.027	3.000	Pass
			RB1#HIGH	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB25#LOW	20.14	-4.67	-6.82	13.32	0.021	3.000	Pass
			RB25#MID	20.16	-4.67	-6.82	13.34	0.022	3.000	Pass
			RB25#HIGH	20.21	-4.67	-6.82	13.39	0.022	3.000	Pass
			RB50#LOW	20.13	-4.67	-6.82	13.31	0.021	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17										
5 MHz	LCH	QPSK	RB1#LOW	21.82	-4.67	-6.82	15.00	0.032	3.000	Pass
			RB1#MID	21.96	-4.67	-6.82	15.14	0.033	3.000	Pass
			RB1#HIGH	21.85	-4.67	-6.82	15.03	0.032	3.000	Pass
			RB12#LOW	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
			RB12#MID	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB12#HIGH	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
		16-QAM	RB25#LOW	20.97	-4.67	-6.82	14.15	0.026	3.000	Pass
			RB1#LOW	20.98	-4.67	-6.82	14.16	0.026	3.000	Pass
			RB1#MID	21.16	-4.67	-6.82	14.34	0.027	3.000	Pass
			RB1#HIGH	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB12#LOW	20.12	-4.67	-6.82	13.30	0.021	3.000	Pass
			RB12#MID	20.09	-4.67	-6.82	13.27	0.021	3.000	Pass
			RB12#HIGH	20.08	-4.67	-6.82	13.26	0.021	3.000	Pass
			RB25#LOW	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.88	-4.67	-6.82	15.06	0.032	3.000	Pass
			RB1#MID	21.99	-4.67	-6.82	15.17	0.033	3.000	Pass
			RB1#HIGH	21.85	-4.67	-6.82	15.03	0.032	3.000	Pass
			RB12#LOW	20.92	-4.67	-6.82	14.10	0.026	3.000	Pass
			RB12#MID	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
			RB12#HIGH	20.92	-4.67	-6.82	14.10	0.026	3.000	Pass
		16-QAM	RB25#LOW	20.96	-4.67	-6.82	14.14	0.026	3.000	Pass
			RB1#LOW	21.38	-4.67	-6.82	14.56	0.029	3.000	Pass
			RB1#MID	21.52	-4.67	-6.82	14.70	0.030	3.000	Pass
			RB1#HIGH	21.38	-4.67	-6.82	14.56	0.029	3.000	Pass
			RB12#LOW	20.12	-4.67	-6.82	13.30	0.021	3.000	Pass
			RB12#MID	20.2	-4.67	-6.82	13.38	0.022	3.000	Pass
			RB12#HIGH	20.13	-4.67	-6.82	13.31	0.021	3.000	Pass
			RB25#LOW	20.09	-4.67	-6.82	13.27	0.021	3.000	Pass
	HCH	QPSK	RB1#LOW	21.85	-4.67	-6.82	15.03	0.032	3.000	Pass
			RB1#MID	21.93	-4.67	-6.82	15.11	0.032	3.000	Pass
			RB1#HIGH	21.83	-4.67	-6.82	15.01	0.032	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17										
			RB12#LOW	20.93	-4.67	-6.82	14.11	0.026	3.000	Pass
			RB12#MID	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB12#HIGH	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB25#LOW	20.91	-4.67	-6.82	14.09	0.026	3.000	Pass
		16-QAM	RB1#LOW	21.02	-4.67	-6.82	14.20	0.026	3.000	Pass
			RB1#MID	21.08	-4.67	-6.82	14.26	0.027	3.000	Pass
			RB1#HIGH	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB12#LOW	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
			RB12#MID	20.06	-4.67	-6.82	13.24	0.021	3.000	Pass
			RB12#HIGH	20.04	-4.67	-6.82	13.22	0.021	3.000	Pass
			RB25#LOW	19.93	-4.67	-6.82	13.11	0.020	3.000	Pass
			RB1#LOW	21.9	-4.67	-6.82	15.08	0.032	3.000	Pass
			RB1#MID	22.13	-4.67	-6.82	15.31	0.034	3.000	Pass
			RB1#HIGH	21.92	-4.67	-6.82	15.10	0.032	3.000	Pass
			RB25#LOW	21.05	-4.67	-6.82	14.23	0.026	3.000	Pass
10 MHz	LCH	QPSK	RB25#MID	21.03	-4.67	-6.82	14.21	0.026	3.000	Pass
			RB25#HIGH	21.05	-4.67	-6.82	14.23	0.026	3.000	Pass
			RB50#LOW	21.04	-4.67	-6.82	14.22	0.026	3.000	Pass
		16-QAM	RB1#LOW	20.86	-4.67	-6.82	14.04	0.025	3.000	Pass
			RB1#MID	21.07	-4.67	-6.82	14.25	0.027	3.000	Pass
			RB1#HIGH	20.85	-4.67	-6.82	14.03	0.025	3.000	Pass
			RB25#LOW	20.08	-4.67	-6.82	13.26	0.021	3.000	Pass
			RB25#MID	20.12	-4.67	-6.82	13.30	0.021	3.000	Pass
			RB25#HIGH	20.11	-4.67	-6.82	13.29	0.021	3.000	Pass
			RB50#LOW	20.14	-4.67	-6.82	13.32	0.021	3.000	Pass
	MCH	QPSK	RB1#LOW	21.91	-4.67	-6.82	15.09	0.032	3.000	Pass
			RB1#MID	22.11	-4.67	-6.82	15.29	0.034	3.000	Pass
			RB1#HIGH	21.94	-4.67	-6.82	15.12	0.033	3.000	Pass
			RB25#LOW	21.02	-4.67	-6.82	14.20	0.026	3.000	Pass
			RB25#MID	21.01	-4.67	-6.82	14.19	0.026	3.000	Pass
			RB25#HIGH	21.05	-4.67	-6.82	14.23	0.026	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17										
		16-QAM	RB50#LOW	21.03	-4.67	-6.82	14.21	0.026	3.000	Pass
			RB1#LOW	21.28	-4.67	-6.82	14.46	0.028	3.000	Pass
			RB1#MID	21.5	-4.67	-6.82	14.68	0.029	3.000	Pass
			RB1#HIGH	21.28	-4.67	-6.82	14.46	0.028	3.000	Pass
			RB25#LOW	20.08	-4.67	-6.82	13.26	0.021	3.000	Pass
			RB25#MID	20.11	-4.67	-6.82	13.29	0.021	3.000	Pass
			RB25#HIGH	20.11	-4.67	-6.82	13.29	0.021	3.000	Pass
			RB50#LOW	20.1	-4.67	-6.82	13.28	0.021	3.000	Pass
	HCH	QPSK	RB1#LOW	21.95	-4.67	-6.82	15.13	0.033	3.000	Pass
			RB1#MID	22.11	-4.67	-6.82	15.29	0.034	3.000	Pass
			RB1#HIGH	21.95	-4.67	-6.82	15.13	0.033	3.000	Pass
			RB25#LOW	21	-4.67	-6.82	14.18	0.026	3.000	Pass
			RB25#MID	21.02	-4.67	-6.82	14.20	0.026	3.000	Pass
			RB25#HIGH	21.03	-4.67	-6.82	14.21	0.026	3.000	Pass
			RB50#LOW	21.07	-4.67	-6.82	14.25	0.027	3.000	Pass
		16-QAM	RB1#LOW	20.99	-4.67	-6.82	14.17	0.026	3.000	Pass
			RB1#MID	21.17	-4.67	-6.82	14.35	0.027	3.000	Pass
			RB1#HIGH	20.95	-4.67	-6.82	14.13	0.026	3.000	Pass
			RB25#LOW	20.14	-4.67	-6.82	13.32	0.021	3.000	Pass
			RB25#MID	20.16	-4.67	-6.82	13.34	0.022	3.000	Pass
			RB25#HIGH	20.13	-4.67	-6.82	13.31	0.021	3.000	Pass
			RB50#LOW	20.13	-4.67	-6.82	13.31	0.021	3.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 19										
5 MHz	LCH	QPSK	RB1#LOW	22.13	0.76	-1.39	20.74	0.119	7.000	Pass
			RB1#MID	22.2	0.76	-1.39	20.81	0.121	7.000	Pass
			RB1#HIGH	22.1	0.76	-1.39	20.71	0.118	7.000	Pass
			RB12#LOW	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB12#MID	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
			RB12#HIGH	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
			RB25#LOW	21.19	0.76	-1.39	19.80	0.095	7.000	Pass
		16-QAM	RB1#LOW	21.26	0.76	-1.39	19.87	0.097	7.000	Pass
			RB1#MID	21.4	0.76	-1.39	20.01	0.100	7.000	Pass
			RB1#HIGH	21.31	0.76	-1.39	19.92	0.098	7.000	Pass
			RB12#LOW	20.29	0.76	-1.39	18.90	0.078	7.000	Pass
			RB12#MID	20.35	0.76	-1.39	18.96	0.079	7.000	Pass
			RB12#HIGH	20.33	0.76	-1.39	18.94	0.078	7.000	Pass
			RB25#LOW	20.28	0.76	-1.39	18.89	0.077	7.000	Pass
	MCH	QPSK	RB1#LOW	22.17	0.76	-1.39	20.78	0.120	7.000	Pass
			RB1#MID	22.25	0.76	-1.39	20.86	0.122	7.000	Pass
			RB1#HIGH	22.12	0.76	-1.39	20.73	0.118	7.000	Pass
			RB12#LOW	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB12#MID	21.27	0.76	-1.39	19.88	0.097	7.000	Pass
			RB12#HIGH	21.19	0.76	-1.39	19.80	0.095	7.000	Pass
			RB25#LOW	21.16	0.76	-1.39	19.77	0.095	7.000	Pass
		16-QAM	RB1#LOW	21.64	0.76	-1.39	20.25	0.106	7.000	Pass
			RB1#MID	21.73	0.76	-1.39	20.34	0.108	7.000	Pass
			RB1#HIGH	21.63	0.76	-1.39	20.24	0.106	7.000	Pass
			RB12#LOW	20.38	0.76	-1.39	18.99	0.079	7.000	Pass
			RB12#MID	20.4	0.76	-1.39	19.01	0.080	7.000	Pass
			RB12#HIGH	20.35	0.76	-1.39	18.96	0.079	7.000	Pass
			RB25#LOW	20.27	0.76	-1.39	18.88	0.077	7.000	Pass
	HCH	QPSK	RB1#LOW	22.08	0.76	-1.39	20.69	0.117	7.000	Pass
			RB1#MID	22.22	0.76	-1.39	20.83	0.121	7.000	Pass
			RB1#HIGH	22.09	0.76	-1.39	20.70	0.117	7.000	Pass
			RB12#LOW	21.22	0.76	-1.39	19.83	0.096	7.000	Pass
			RB12#MID	21.24	0.76	-1.39	19.85	0.097	7.000	Pass
			RB12#HIGH	21.2	0.76	-1.39	19.81	0.096	7.000	Pass
			RB25#LOW	21.23	0.76	-1.39	19.84	0.096	7.000	Pass
		16-QAM	RB1#LOW	21.16	0.76	-1.39	19.77	0.095	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 19										
10 MHz		M	RB1#MID	21.36	0.76	-1.39	19.97	0.099	7.000	Pass
			RB1#HIGH	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB12#LOW	20.32	0.76	-1.39	18.93	0.078	7.000	Pass
			RB12#MID	20.29	0.76	-1.39	18.90	0.078	7.000	Pass
			RB12#HIGH	20.28	0.76	-1.39	18.89	0.077	7.000	Pass
			RB25#LOW	20.29	0.76	-1.39	18.90	0.078	7.000	Pass
	LCH	QPSK	RB1#LOW	22.19	0.76	-1.39	20.80	0.120	7.000	Pass
			RB1#MID	22.37	0.76	-1.39	20.98	0.125	7.000	Pass
			RB1#HIGH	22.18	0.76	-1.39	20.79	0.120	7.000	Pass
			RB25#LOW	21.24	0.76	-1.39	19.85	0.097	7.000	Pass
			RB25#MID	21.26	0.76	-1.39	19.87	0.097	7.000	Pass
			RB25#HIGH	21.22	0.76	-1.39	19.83	0.096	7.000	Pass
			RB50#LOW	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
		16-QAM	RB1#LOW	21.08	0.76	-1.39	19.69	0.093	7.000	Pass
			RB1#MID	21.27	0.76	-1.39	19.88	0.097	7.000	Pass
			RB1#HIGH	21.13	0.76	-1.39	19.74	0.094	7.000	Pass
			RB25#LOW	20.28	0.76	-1.39	18.89	0.077	7.000	Pass
			RB25#MID	20.34	0.76	-1.39	18.95	0.079	7.000	Pass
			RB25#HIGH	20.32	0.76	-1.39	18.93	0.078	7.000	Pass
			RB50#LOW	20.23	0.76	-1.39	18.84	0.077	7.000	Pass
	MCH	QPSK	RB1#LOW	22.23	0.76	-1.39	20.84	0.121	7.000	Pass
			RB1#MID	22.33	0.76	-1.39	20.94	0.124	7.000	Pass
			RB1#HIGH	22.16	0.76	-1.39	20.77	0.119	7.000	Pass
			RB25#LOW	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB25#MID	21.24	0.76	-1.39	19.85	0.097	7.000	Pass
			RB25#HIGH	21.14	0.76	-1.39	19.75	0.094	7.000	Pass
			RB50#LOW	21.19	0.76	-1.39	19.80	0.095	7.000	Pass
		16-QAM	RB1#LOW	21.65	0.76	-1.39	20.26	0.106	7.000	Pass
			RB1#MID	21.68	0.76	-1.39	20.29	0.107	7.000	Pass
			RB1#HIGH	21.51	0.76	-1.39	20.12	0.103	7.000	Pass
			RB25#LOW	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
			RB25#MID	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
			RB25#HIGH	20.19	0.76	-1.39	18.80	0.076	7.000	Pass
			RB50#LOW	20.25	0.76	-1.39	18.86	0.077	7.000	Pass
	HCH	QPSK	RB1#LOW	22.19	0.76	-1.39	20.80	0.120	7.000	Pass
			RB1#MID	22.31	0.76	-1.39	20.92	0.124	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 19										
			RB1#HIGH	22.16	0.76	-1.39	20.77	0.119	7.000	Pass
			RB25#LOW	21.25	0.76	-1.39	19.86	0.097	7.000	Pass
			RB25#MID	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB25#HIGH	21.12	0.76	-1.39	19.73	0.094	7.000	Pass
			RB50#LOW	21.2	0.76	-1.39	19.81	0.096	7.000	Pass
		16-QAM	RB1#LOW	21.22	0.76	-1.39	19.83	0.096	7.000	Pass
			RB1#MID	21.28	0.76	-1.39	19.89	0.097	7.000	Pass
			RB1#HIGH	21.16	0.76	-1.39	19.77	0.095	7.000	Pass
			RB25#LOW	20.4	0.76	-1.39	19.01	0.080	7.000	Pass
			RB25#MID	20.34	0.76	-1.39	18.95	0.079	7.000	Pass
			RB25#HIGH	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
			RB50#LOW	20.3	0.76	-1.39	18.91	0.078	7.000	Pass
15 MHz	MCH	QPSK	RB1#LOW	22.11	0.76	-1.39	20.72	0.118	7.000	Pass
			RB1#MID	22.17	0.76	-1.39	20.78	0.120	7.000	Pass
			RB1#HIGH	22.05	0.76	-1.39	20.66	0.116	7.000	Pass
			RB36#LOW	21.23	0.76	-1.39	19.84	0.096	7.000	Pass
			RB36#MID	21.29	0.76	-1.39	19.90	0.098	7.000	Pass
			RB36#HIGH	21.21	0.76	-1.39	19.82	0.096	7.000	Pass
			RB75#LOW	21.2	0.76	-1.39	19.81	0.096	7.000	Pass
		16-QAM	RB1#LOW	21.05	0.76	-1.39	19.66	0.092	7.000	Pass
			RB1#MID	21.11	0.76	-1.39	19.72	0.094	7.000	Pass
			RB1#HIGH	21.03	0.76	-1.39	19.64	0.092	7.000	Pass
			RB36#LOW	20.2	0.76	-1.39	18.81	0.076	7.000	Pass
			RB36#MID	20.28	0.76	-1.39	18.89	0.077	7.000	Pass
			RB36#HIGH	20.16	0.76	-1.39	18.77	0.075	7.000	Pass
			RB75#LOW	20.21	0.76	-1.39	18.82	0.076	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
1.4 MHz	LCH	QPSK	RB1#LOW	21.74	0.7	22.44	0.175	2.000	Pass
			RB1#MID	21.87	0.7	22.57	0.181	2.000	Pass
			RB1#HIGH	21.72	0.7	22.42	0.175	2.000	Pass
			RB3#LOW	21.84	0.7	22.54	0.179	2.000	Pass
			RB3#MID	21.79	0.7	22.49	0.177	2.000	Pass
			RB3#HIGH	21.83	0.7	22.53	0.179	2.000	Pass
		16-QcA M	RB6#LOW	20.76	0.7	21.46	0.140	2.000	Pass
			RB1#LOW	20.87	0.7	21.57	0.144	2.000	Pass
			RB1#MID	21.06	0.7	21.76	0.150	2.000	Pass
			RB1#HIGH	20.89	0.7	21.59	0.144	2.000	Pass
			RB3#LOW	20.89	0.7	21.59	0.144	2.000	Pass
			RB3#MID	20.89	0.7	21.59	0.144	2.000	Pass
			RB3#HIGH	20.86	0.7	21.56	0.143	2.000	Pass
			RB6#LOW	19.96	0.7	20.66	0.116	2.000	Pass
	MCH	QPSK	RB1#LOW	21.67	0.7	22.37	0.173	2.000	Pass
			RB1#MID	21.81	0.7	22.51	0.178	2.000	Pass
			RB1#HIGH	21.65	0.7	22.35	0.172	2.000	Pass
			RB3#LOW	21.79	0.7	22.49	0.177	2.000	Pass
			RB3#MID	21.81	0.7	22.51	0.178	2.000	Pass
			RB3#HIGH	21.78	0.7	22.48	0.177	2.000	Pass
		16-QAM	RB6#LOW	20.72	0.7	21.42	0.139	2.000	Pass
			RB1#LOW	21.1	0.7	21.80	0.151	2.000	Pass
			RB1#MID	21.25	0.7	21.95	0.157	2.000	Pass
			RB1#HIGH	21.18	0.7	21.88	0.154	2.000	Pass
			RB3#LOW	20.99	0.7	21.69	0.148	2.000	Pass
			RB3#MID	21	0.7	21.70	0.148	2.000	Pass
			RB3#HIGH	21.01	0.7	21.71	0.148	2.000	Pass
			RB6#LOW	19.68	0.7	20.38	0.109	2.000	Pass
	HCH	QPSK	RB1#LOW	21.84	0.7	22.54	0.179	2.000	Pass
			RB1#MID	21.99	0.7	22.69	0.186	2.000	Pass
			RB1#HIGH	21.82	0.7	22.52	0.179	2.000	Pass
			RB3#LOW	21.95	0.7	22.65	0.184	2.000	Pass
			RB3#MID	21.97	0.7	22.67	0.185	2.000	Pass
			RB3#HIGH	22	0.7	22.70	0.186	2.000	Pass
		16-QAM	RB6#LOW	20.89	0.7	21.59	0.144	2.000	Pass
			RB1#LOW	20.89	0.7	21.59	0.144	2.000	Pass
			RB1#MID	21.1	0.7	21.80	0.151	2.000	Pass
			RB1#HIGH	20.93	0.7	21.63	0.146	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
3 MHz			RB3#LOW	21.09	0.7	21.79	0.151	2.000	Pass
			RB3#MID	21.18	0.7	21.88	0.154	2.000	Pass
			RB3#HIGH	21.14	0.7	21.84	0.153	2.000	Pass
			RB6#LOW	20.09	0.7	20.79	0.120	2.000	Pass
	LCH	QPSK	RB1#LOW	21.73	0.7	22.43	0.175	2.000	Pass
			RB1#MID	21.73	0.7	22.43	0.175	2.000	Pass
			RB1#HIGH	21.73	0.7	22.43	0.175	2.000	Pass
			RB8#LOW	20.79	0.7	21.49	0.141	2.000	Pass
			RB8#MID	20.82	0.7	21.52	0.142	2.000	Pass
			RB8#HIGH	20.77	0.7	21.47	0.140	2.000	Pass
			RB15#LOW	20.79	0.7	21.49	0.141	2.000	Pass
		16-QAM	RB1#LOW	20.76	0.7	21.46	0.140	2.000	Pass
			RB1#MID	20.77	0.7	21.47	0.140	2.000	Pass
			RB1#HIGH	20.73	0.7	21.43	0.139	2.000	Pass
			RB8#LOW	19.95	0.7	20.65	0.116	2.000	Pass
			RB8#MID	19.98	0.7	20.68	0.117	2.000	Pass
			RB8#HIGH	19.93	0.7	20.63	0.116	2.000	Pass
			RB15#LOW	19.91	0.7	20.61	0.115	2.000	Pass
	MCH	QPSK	RB1#LOW	21.78	0.7	22.48	0.177	2.000	Pass
			RB1#MID	21.77	0.7	22.47	0.177	2.000	Pass
			RB1#HIGH	21.76	0.7	22.46	0.176	2.000	Pass
			RB8#LOW	20.74	0.7	21.44	0.139	2.000	Pass
			RB8#MID	20.8	0.7	21.50	0.141	2.000	Pass
			RB8#HIGH	20.73	0.7	21.43	0.139	2.000	Pass
			RB15#LOW	20.77	0.7	21.47	0.140	2.000	Pass
		16-QAM	RB1#LOW	21.12	0.7	21.82	0.152	2.000	Pass
			RB1#MID	21.16	0.7	21.86	0.153	2.000	Pass
			RB1#HIGH	21.15	0.7	21.85	0.153	2.000	Pass
			RB8#LOW	19.88	0.7	20.58	0.114	2.000	Pass
			RB8#MID	19.92	0.7	20.62	0.115	2.000	Pass
			RB8#HIGH	19.87	0.7	20.57	0.114	2.000	Pass
			RB15#LOW	19.81	0.7	20.51	0.112	2.000	Pass
	HCH	QPSK	RB1#LOW	21.95	0.7	22.65	0.184	2.000	Pass
			RB1#MID	21.88	0.7	22.58	0.181	2.000	Pass
			RB1#HIGH	21.93	0.7	22.63	0.183	2.000	Pass
			RB8#LOW	20.9	0.7	21.60	0.145	2.000	Pass
			RB8#MID	20.97	0.7	21.67	0.147	2.000	Pass
			RB8#HIGH	20.88	0.7	21.58	0.144	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
		16-QAM	RB15#LOW	20.95	0.7	21.65	0.146	2.000	Pass
			RB1#LOW	21.05	0.7	21.75	0.150	2.000	Pass
			RB1#MID	20.96	0.7	21.66	0.147	2.000	Pass
			RB1#HIGH	20.93	0.7	21.63	0.146	2.000	Pass
			RB8#LOW	19.96	0.7	20.66	0.116	2.000	Pass
			RB8#MID	20.03	0.7	20.73	0.118	2.000	Pass
			RB8#HIGH	19.94	0.7	20.64	0.116	2.000	Pass
			RB15#LOW	19.92	0.7	20.62	0.115	2.000	Pass
	LCH	QPSK	RB1#LOW	21.72	0.7	22.42	0.175	2.000	Pass
			RB1#MID	21.83	0.7	22.53	0.179	2.000	Pass
			RB1#HIGH	21.74	0.7	22.44	0.175	2.000	Pass
			RB12#LOW	20.81	0.7	21.51	0.142	2.000	Pass
			RB12#MID	20.85	0.7	21.55	0.143	2.000	Pass
			RB12#HIGH	20.81	0.7	21.51	0.142	2.000	Pass
			RB25#LOW	20.83	0.7	21.53	0.142	2.000	Pass
		16-QAM	RB1#LOW	20.96	0.7	21.66	0.147	2.000	Pass
			RB1#MID	21.03	0.7	21.73	0.149	2.000	Pass
			RB1#HIGH	20.95	0.7	21.65	0.146	2.000	Pass
			RB12#LOW	19.91	0.7	20.61	0.115	2.000	Pass
			RB12#MID	19.95	0.7	20.65	0.116	2.000	Pass
			RB12#HIGH	19.93	0.7	20.63	0.116	2.000	Pass
			RB25#LOW	19.93	0.7	20.63	0.116	2.000	Pass
5 MHz	MCH	QPSK	RB1#LOW	21.69	0.7	22.39	0.173	2.000	Pass
			RB1#MID	21.79	0.7	22.49	0.177	2.000	Pass
			RB1#HIGH	21.76	0.7	22.46	0.176	2.000	Pass
			RB12#LOW	20.76	0.7	21.46	0.140	2.000	Pass
			RB12#MID	20.8	0.7	21.50	0.141	2.000	Pass
			RB12#HIGH	20.81	0.7	21.51	0.142	2.000	Pass
			RB25#LOW	20.82	0.7	21.52	0.142	2.000	Pass
		16-QAM	RB1#LOW	21.23	0.7	21.93	0.156	2.000	Pass
			RB1#MID	21.31	0.7	22.01	0.159	2.000	Pass
			RB1#HIGH	21.28	0.7	21.98	0.158	2.000	Pass
			RB12#LOW	19.88	0.7	20.58	0.114	2.000	Pass
			RB12#MID	19.96	0.7	20.66	0.116	2.000	Pass
			RB12#HIGH	19.99	0.7	20.69	0.117	2.000	Pass
			RB25#LOW	19.9	0.7	20.60	0.115	2.000	Pass
	HCH	QPSK	RB1#LOW	21.83	0.7	22.53	0.179	2.000	Pass
			RB1#MID	21.93	0.7	22.63	0.183	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
			RB1#HIGH	21.85	0.7	22.55	0.180	2.000	Pass
			RB12#LOW	20.97	0.7	21.67	0.147	2.000	Pass
			RB12#MID	20.98	0.7	21.68	0.147	2.000	Pass
			RB12#HIGH	20.88	0.7	21.58	0.144	2.000	Pass
			RB25#LOW	20.92	0.7	21.62	0.145	2.000	Pass
		16-QAM	RB1#LOW	20.96	0.7	21.66	0.147	2.000	Pass
			RB1#MID	21.04	0.7	21.74	0.149	2.000	Pass
			RB1#HIGH	20.97	0.7	21.67	0.147	2.000	Pass
			RB12#LOW	20.05	0.7	20.75	0.119	2.000	Pass
			RB12#MID	20.05	0.7	20.75	0.119	2.000	Pass
			RB12#HIGH	20.01	0.7	20.71	0.118	2.000	Pass
			RB25#LOW	19.93	0.7	20.63	0.116	2.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	21.75	0.7	22.45	0.176	2.000	Pass
			RB1#MID	21.94	0.7	22.64	0.184	2.000	Pass
			RB1#HIGH	21.78	0.7	22.48	0.177	2.000	Pass
			RB25#LOW	20.84	0.7	21.54	0.143	2.000	Pass
			RB25#MID	20.83	0.7	21.53	0.142	2.000	Pass
			RB25#HIGH	20.94	0.7	21.64	0.146	2.000	Pass
			RB50#LOW	20.89	0.7	21.59	0.144	2.000	Pass
		16-QAM	RB1#LOW	20.79	0.7	21.49	0.141	2.000	Pass
			RB1#MID	20.87	0.7	21.57	0.144	2.000	Pass
			RB1#HIGH	20.77	0.7	21.47	0.140	2.000	Pass
			RB25#LOW	19.91	0.7	20.61	0.115	2.000	Pass
			RB25#MID	19.91	0.7	20.61	0.115	2.000	Pass
			RB25#HIGH	19.97	0.7	20.67	0.117	2.000	Pass
			RB50#LOW	19.94	0.7	20.64	0.116	2.000	Pass
	MCH	QPSK	RB1#LOW	21.81	0.7	22.51	0.178	2.000	Pass
			RB1#MID	21.93	0.7	22.63	0.183	2.000	Pass
			RB1#HIGH	21.8	0.7	22.50	0.178	2.000	Pass
			RB25#LOW	20.86	0.7	21.56	0.143	2.000	Pass
			RB25#MID	20.88	0.7	21.58	0.144	2.000	Pass
			RB25#HIGH	20.93	0.7	21.63	0.146	2.000	Pass
			RB50#LOW	20.93	0.7	21.63	0.146	2.000	Pass
		16-QAM	RB1#LOW	21.24	0.7	21.94	0.156	2.000	Pass
			RB1#MID	21.36	0.7	22.06	0.161	2.000	Pass
			RB1#HIGH	21.19	0.7	21.89	0.155	2.000	Pass
			RB25#LOW	19.93	0.7	20.63	0.116	2.000	Pass
			RB25#MID	19.99	0.7	20.69	0.117	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
15 MHz			RB25#HIGH	20.01	0.7	20.71	0.118	2.000	Pass
			RB50#LOW	20	0.7	20.70	0.117	2.000	Pass
	HCH	QPSK	RB1#LOW	21.9	0.7	22.60	0.182	2.000	Pass
			RB1#MID	22.07	0.7	22.77	0.189	2.000	Pass
			RB1#HIGH	21.93	0.7	22.63	0.183	2.000	Pass
			RB25#LOW	21.07	0.7	21.77	0.150	2.000	Pass
			RB25#MID	20.98	0.7	21.68	0.147	2.000	Pass
			RB25#HIGH	20.88	0.7	21.58	0.144	2.000	Pass
			RB50#LOW	21.02	0.7	21.72	0.149	2.000	Pass
		16-QAM	RB1#LOW	20.95	0.7	21.65	0.146	2.000	Pass
			RB1#MID	21.09	0.7	21.79	0.151	2.000	Pass
			RB1#HIGH	20.95	0.7	21.65	0.146	2.000	Pass
			RB25#LOW	20.19	0.7	20.89	0.123	2.000	Pass
			RB25#MID	20.09	0.7	20.79	0.120	2.000	Pass
			RB25#HIGH	19.99	0.7	20.69	0.117	2.000	Pass
			RB50#LOW	20.05	0.7	20.75	0.119	2.000	Pass
	LCH	QPSK	RB1#LOW	21.72	0.7	22.42	0.175	2.000	Pass
			RB1#MID	21.81	0.7	22.51	0.178	2.000	Pass
			RB1#HIGH	21.66	0.7	22.36	0.172	2.000	Pass
			RB36#LOW	20.87	0.7	21.57	0.144	2.000	Pass
			RB36#MID	20.89	0.7	21.59	0.144	2.000	Pass
			RB36#HIGH	20.83	0.7	21.53	0.142	2.000	Pass
			RB75#LOW	20.82	0.7	21.52	0.142	2.000	Pass
		16-QAM	RB1#LOW	20.73	0.7	21.43	0.139	2.000	Pass
			RB1#MID	20.83	0.7	21.53	0.142	2.000	Pass
			RB1#HIGH	20.69	0.7	21.39	0.138	2.000	Pass
			RB36#LOW	19.85	0.7	20.55	0.114	2.000	Pass
			RB36#MID	19.85	0.7	20.55	0.114	2.000	Pass
			RB36#HIGH	19.88	0.7	20.58	0.114	2.000	Pass
			RB75#LOW	19.84	0.7	20.54	0.113	2.000	Pass
	MCH	QPSK	RB1#LOW	21.72	0.7	22.42	0.175	2.000	Pass
			RB1#MID	21.81	0.7	22.51	0.178	2.000	Pass
			RB1#HIGH	21.76	0.7	22.46	0.176	2.000	Pass
			RB36#LOW	20.83	0.7	21.53	0.142	2.000	Pass
			RB36#MID	20.9	0.7	21.60	0.145	2.000	Pass
			RB36#HIGH	20.87	0.7	21.57	0.144	2.000	Pass
			RB75#LOW	20.87	0.7	21.57	0.144	2.000	Pass
		16-QAM	RB1#LOW	21.12	0.7	21.82	0.152	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
20 MHz	HCH		RB1#MID	21.21	0.7	21.91	0.155	2.000	Pass
			RB1#HIGH	21.14	0.7	21.84	0.153	2.000	Pass
			RB36#LOW	19.95	0.7	20.65	0.116	2.000	Pass
			RB36#MID	19.96	0.7	20.66	0.116	2.000	Pass
			RB36#HIGH	19.98	0.7	20.68	0.117	2.000	Pass
			RB75#LOW	19.93	0.7	20.63	0.116	2.000	Pass
		QPSK	RB1#LOW	21.76	0.7	22.46	0.176	2.000	Pass
			RB1#MID	21.93	0.7	22.63	0.183	2.000	Pass
			RB1#HIGH	21.85	0.7	22.55	0.180	2.000	Pass
			RB36#LOW	20.88	0.7	21.58	0.144	2.000	Pass
			RB36#MID	20.96	0.7	21.66	0.147	2.000	Pass
			RB36#HIGH	20.84	0.7	21.54	0.143	2.000	Pass
			RB75#LOW	20.91	0.7	21.61	0.145	2.000	Pass
		16-QAM	RB1#LOW	21.3	0.7	22.00	0.158	2.000	Pass
			RB1#MID	21.34	0.7	22.04	0.160	2.000	Pass
			RB1#HIGH	21.27	0.7	21.97	0.157	2.000	Pass
			RB36#LOW	19.86	0.7	20.56	0.114	2.000	Pass
			RB36#MID	19.96	0.7	20.66	0.116	2.000	Pass
			RB36#HIGH	19.8	0.7	20.50	0.112	2.000	Pass
			RB75#LOW	19.88	0.7	20.58	0.114	2.000	Pass
	LCH	QPSK	RB1#LOW	21.55	0.7	22.25	0.168	2.000	Pass
			RB1#MID	22.01	0.7	22.71	0.187	2.000	Pass
			RB1#HIGH	21.59	0.7	22.29	0.169	2.000	Pass
			RB50#LOW	20.78	0.7	21.48	0.141	2.000	Pass
			RB50#MID	20.83	0.7	21.53	0.142	2.000	Pass
			RB50#HIGH	20.71	0.7	21.41	0.138	2.000	Pass
			RB100#LOW	20.79	0.7	21.49	0.141	2.000	Pass
		16-QAM	RB1#LOW	21.07	0.7	21.77	0.150	2.000	Pass
			RB1#MID	21.49	0.7	22.19	0.166	2.000	Pass
			RB1#HIGH	21.09	0.7	21.79	0.151	2.000	Pass
			RB50#LOW	19.83	0.7	20.53	0.113	2.000	Pass
			RB50#MID	19.93	0.7	20.63	0.116	2.000	Pass
			RB50#HIGH	19.84	0.7	20.54	0.113	2.000	Pass
			RB100#LOW	19.84	0.7	20.54	0.113	2.000	Pass
	MCH	QPSK	RB1#LOW	21.63	0.7	22.33	0.171	2.000	Pass
			RB1#MID	21.97	0.7	22.67	0.185	2.000	Pass
			RB1#HIGH	21.65	0.7	22.35	0.172	2.000	Pass
			RB50#LOW	20.84	0.7	21.54	0.143	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25									
			RB50#MID	20.87	0.7	21.57	0.144	2.000	Pass
			RB50#HIGH	20.89	0.7	21.59	0.144	2.000	Pass
			RB100#LOW	20.89	0.7	21.59	0.144	2.000	Pass
		16-QAM	RB1#LOW	21.09	0.7	21.79	0.151	2.000	Pass
			RB1#MID	21.46	0.7	22.16	0.164	2.000	Pass
			RB1#HIGH	21.1	0.7	21.80	0.151	2.000	Pass
			RB50#LOW	19.9	0.7	20.60	0.115	2.000	Pass
			RB50#MID	19.98	0.7	20.68	0.117	2.000	Pass
			RB50#HIGH	19.93	0.7	20.63	0.116	2.000	Pass
			RB100#LOW	19.92	0.7	20.62	0.115	2.000	Pass
	HCH	QPSK	RB1#LOW	21.56	0.7	22.26	0.168	2.000	Pass
			RB1#MID	22	0.7	22.70	0.186	2.000	Pass
			RB1#HIGH	21.63	0.7	22.33	0.171	2.000	Pass
			RB50#LOW	20.89	0.7	21.59	0.144	2.000	Pass
			RB50#MID	20.94	0.7	21.64	0.146	2.000	Pass
			RB50#HIGH	20.69	0.7	21.39	0.138	2.000	Pass
			RB100#LOW	20.8	0.7	21.50	0.141	2.000	Pass
		16-QAM	RB1#LOW	21.06	0.7	21.76	0.150	2.000	Pass
			RB1#MID	21.45	0.7	22.15	0.164	2.000	Pass
			RB1#HIGH	21.06	0.7	21.76	0.150	2.000	Pass
			RB50#LOW	19.9	0.7	20.60	0.115	2.000	Pass
			RB50#MID	19.94	0.7	20.64	0.116	2.000	Pass
			RB50#HIGH	19.66	0.7	20.36	0.109	2.000	Pass
			RB100#LOW	19.88	0.7	20.58	0.114	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 22										
1.4 MHz	LCH	QPSK	RB1#LOW	22.04	-0.49	-2.64	19.40	0.087	7.000	Pass
			RB1#MID	22.16	-0.49	-2.64	19.52	0.090	7.000	Pass
			RB1#HIGH	21.99	-0.49	-2.64	19.35	0.086	7.000	Pass
			RB3#LOW	22.12	-0.49	-2.64	19.48	0.089	7.000	Pass
			RB3#MID	22.12	-0.49	-2.64	19.48	0.089	7.000	Pass
			RB3#HIGH	22.09	-0.49	-2.64	19.45	0.088	7.000	Pass
			RB6#LOW	21.05	-0.49	-2.64	18.41	0.069	7.000	Pass
		16-QAM	RB1#LOW	21.1	-0.49	-2.64	18.46	0.070	7.000	Pass
			RB1#MID	21.22	-0.49	-2.64	18.58	0.072	7.000	Pass
			RB1#HIGH	21.08	-0.49	-2.64	18.44	0.070	7.000	Pass
			RB3#LOW	21.07	-0.49	-2.64	18.43	0.070	7.000	Pass
			RB3#MID	21.11	-0.49	-2.64	18.47	0.070	7.000	Pass
			RB3#HIGH	21.11	-0.49	-2.64	18.47	0.070	7.000	Pass
			RB6#LOW	20.26	-0.49	-2.64	17.62	0.058	7.000	Pass
	MCH	QPSK	RB1#LOW	21.99	-0.49	-2.64	19.35	0.086	7.000	Pass
			RB1#MID	22.17	-0.49	-2.64	19.53	0.090	7.000	Pass
			RB1#HIGH	22.02	-0.49	-2.64	19.38	0.087	7.000	Pass
			RB3#LOW	22.08	-0.49	-2.64	19.44	0.088	7.000	Pass
			RB3#MID	22.12	-0.49	-2.64	19.48	0.089	7.000	Pass
			RB3#HIGH	22.09	-0.49	-2.64	19.45	0.088	7.000	Pass
			RB6#LOW	21.06	-0.49	-2.64	18.42	0.070	7.000	Pass
		16-QAM	RB1#LOW	21.38	-0.49	-2.64	18.74	0.075	7.000	Pass
			RB1#MID	21.55	-0.49	-2.64	18.91	0.078	7.000	Pass
			RB1#HIGH	21.38	-0.49	-2.64	18.74	0.075	7.000	Pass
			RB3#LOW	21.28	-0.49	-2.64	18.64	0.073	7.000	Pass
			RB3#MID	21.29	-0.49	-2.64	18.65	0.073	7.000	Pass
			RB3#HIGH	21.29	-0.49	-2.64	18.65	0.073	7.000	Pass
			RB6#LOW	20.03	-0.49	-2.64	17.39	0.055	7.000	Pass
	HCH	QPSK	RB1#LOW	21.92	-0.49	-2.64	19.28	0.085	7.000	Pass
			RB1#MID	22.16	-0.49	-2.64	19.52	0.090	7.000	Pass
			RB1#HIGH	21.92	-0.49	-2.64	19.28	0.085	7.000	Pass
			RB3#LOW	22.08	-0.49	-2.64	19.44	0.088	7.000	Pass
			RB3#MID	22.12	-0.49	-2.64	19.48	0.089	7.000	Pass
			RB3#HIGH	22.08	-0.49	-2.64	19.44	0.088	7.000	Pass
			RB6#LOW	21	-0.49	-2.64	18.36	0.069	7.000	Pass
		16-QAM	RB1#LOW	21.01	-0.49	-2.64	18.37	0.069	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 22										
		M	RB1#MID	21.18	-0.49	-2.64	18.54	0.071	7.000	Pass
			RB1#HIGH	20.99	-0.49	-2.64	18.35	0.068	7.000	Pass
			RB3#LOW	21.23	-0.49	-2.64	18.59	0.072	7.000	Pass
			RB3#MID	21.28	-0.49	-2.64	18.64	0.073	7.000	Pass
			RB3#HIGH	21.21	-0.49	-2.64	18.57	0.072	7.000	Pass
			RB6#LOW	20.25	-0.49	-2.64	17.61	0.058	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 90										
1.4 MHz	LCH	QPSK	RB1#LOW	21.99	0.76	-1.39	20.60	0.115	100.000	Pass
			RB1#MID	22.15	0.76	-1.39	20.76	0.119	100.000	Pass
			RB1#HIGH	21.95	0.76	-1.39	20.56	0.114	100.000	Pass
			RB3#LOW	22.15	0.76	-1.39	20.76	0.119	100.000	Pass
			RB3#MID	22.13	0.76	-1.39	20.74	0.119	100.000	Pass
			RB3#HIGH	22.1	0.76	-1.39	20.71	0.118	100.000	Pass
		16-QAM	RB6#LOW	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB1#LOW	21.16	0.76	-1.39	19.77	0.095	100.000	Pass
			RB1#MID	21.28	0.76	-1.39	19.89	0.097	100.000	Pass
			RB1#HIGH	21.1	0.76	-1.39	19.71	0.094	100.000	Pass
			RB3#LOW	21.18	0.76	-1.39	19.79	0.095	100.000	Pass
			RB3#MID	21.19	0.76	-1.39	19.80	0.095	100.000	Pass
			RB3#HIGH	21.17	0.76	-1.39	19.78	0.095	100.000	Pass
			RB6#LOW	20.27	0.76	-1.39	18.88	0.077	100.000	Pass
	MCH	QPSK	RB1#LOW	22.05	0.76	-1.39	20.66	0.116	100.000	Pass
			RB1#MID	22.22	0.76	-1.39	20.83	0.121	100.000	Pass
			RB1#HIGH	22.03	0.76	-1.39	20.64	0.116	100.000	Pass
			RB3#LOW	22.15	0.76	-1.39	20.76	0.119	100.000	Pass
			RB3#MID	22.16	0.76	-1.39	20.77	0.119	100.000	Pass
			RB3#HIGH	22.12	0.76	-1.39	20.73	0.118	100.000	Pass
		16-QAM	RB6#LOW	21.07	0.76	-1.39	19.68	0.093	100.000	Pass
			RB1#LOW	21.42	0.76	-1.39	20.03	0.101	100.000	Pass
			RB1#MID	21.64	0.76	-1.39	20.25	0.106	100.000	Pass
			RB1#HIGH	21.39	0.76	-1.39	20.00	0.100	100.000	Pass
			RB3#LOW	21.31	0.76	-1.39	19.92	0.098	100.000	Pass
			RB3#MID	21.33	0.76	-1.39	19.94	0.099	100.000	Pass
			RB3#HIGH	21.33	0.76	-1.39	19.94	0.099	100.000	Pass
			RB6#LOW	20.07	0.76	-1.39	18.68	0.074	100.000	Pass
	HCH	QPSK	RB1#LOW	21.98	0.76	-1.39	20.59	0.115	100.000	Pass
			RB1#MID	22.22	0.76	-1.39	20.83	0.121	100.000	Pass
			RB1#HIGH	22.03	0.76	-1.39	20.64	0.116	100.000	Pass
			RB3#LOW	22.13	0.76	-1.39	20.74	0.119	100.000	Pass
			RB3#MID	22.15	0.76	-1.39	20.76	0.119	100.000	Pass
			RB3#HIGH	22.1	0.76	-1.39	20.71	0.118	100.000	Pass
		16-QAM	RB6#LOW	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB1#LOW	20.99	0.76	-1.39	19.60	0.091	100.000	Pass
			RB1#MID	21.15	0.76	-1.39	19.76	0.095	100.000	Pass
			RB1#HIGH	21.03	0.76	-1.39	19.64	0.092	100.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 90										
3 MHz			RB3#LOW	21.26	0.76	-1.39	19.87	0.097	100.000	Pass
			RB3#MID	21.31	0.76	-1.39	19.92	0.098	100.000	Pass
			RB3#HIGH	21.25	0.76	-1.39	19.86	0.097	100.000	Pass
			RB6#LOW	20.26	0.76	-1.39	18.87	0.077	100.000	Pass
	LCH	QPSK	RB1#LOW	21.99	0.76	-1.39	20.60	0.115	100.000	Pass
			RB1#MID	22.01	0.76	-1.39	20.62	0.115	100.000	Pass
			RB1#HIGH	22	0.76	-1.39	20.61	0.115	100.000	Pass
			RB8#LOW	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB8#MID	21.07	0.76	-1.39	19.68	0.093	100.000	Pass
			RB8#HIGH	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB15#LOW	21.03	0.76	-1.39	19.64	0.092	100.000	Pass
		16-QAM	RB1#LOW	21.02	0.76	-1.39	19.63	0.092	100.000	Pass
			RB1#MID	21	0.76	-1.39	19.61	0.091	100.000	Pass
			RB1#HIGH	20.97	0.76	-1.39	19.58	0.091	100.000	Pass
			RB8#LOW	20.23	0.76	-1.39	18.84	0.077	100.000	Pass
			RB8#MID	20.27	0.76	-1.39	18.88	0.077	100.000	Pass
			RB8#HIGH	20.23	0.76	-1.39	18.84	0.077	100.000	Pass
			RB15#LOW	20.14	0.76	-1.39	18.75	0.075	100.000	Pass
	MCH	QPSK	RB1#LOW	22.08	0.76	-1.39	20.69	0.117	100.000	Pass
			RB1#MID	22.05	0.76	-1.39	20.66	0.116	100.000	Pass
			RB1#HIGH	22.03	0.76	-1.39	20.64	0.116	100.000	Pass
			RB8#LOW	21.05	0.76	-1.39	19.66	0.092	100.000	Pass
			RB8#MID	21.11	0.76	-1.39	19.72	0.094	100.000	Pass
			RB8#HIGH	21.07	0.76	-1.39	19.68	0.093	100.000	Pass
			RB15#LOW	21.05	0.76	-1.39	19.66	0.092	100.000	Pass
		16-QAM	RB1#LOW	21.46	0.76	-1.39	20.07	0.102	100.000	Pass
			RB1#MID	21.42	0.76	-1.39	20.03	0.101	100.000	Pass
			RB1#HIGH	21.42	0.76	-1.39	20.03	0.101	100.000	Pass
			RB8#LOW	20.22	0.76	-1.39	18.83	0.076	100.000	Pass
			RB8#MID	20.24	0.76	-1.39	18.85	0.077	100.000	Pass
			RB8#HIGH	20.19	0.76	-1.39	18.80	0.076	100.000	Pass
			RB15#LOW	20.17	0.76	-1.39	18.78	0.076	100.000	Pass
	HCH	QPSK	RB1#LOW	22.01	0.76	-1.39	20.62	0.115	100.000	Pass
			RB1#MID	22.04	0.76	-1.39	20.65	0.116	100.000	Pass
			RB1#HIGH	22.09	0.76	-1.39	20.70	0.117	100.000	Pass
			RB8#LOW	21.02	0.76	-1.39	19.63	0.092	100.000	Pass
			RB8#MID	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB8#HIGH	21.02	0.76	-1.39	19.63	0.092	100.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 90										
		16-QAM	RB15#LOW	21.02	0.76	-1.39	19.63	0.092	100.000	Pass
			RB1#LOW	21.1	0.76	-1.39	19.71	0.094	100.000	Pass
			RB1#MID	21.04	0.76	-1.39	19.65	0.092	100.000	Pass
			RB1#HIGH	21.05	0.76	-1.39	19.66	0.092	100.000	Pass
			RB8#LOW	20.12	0.76	-1.39	18.73	0.075	100.000	Pass
			RB8#MID	20.16	0.76	-1.39	18.77	0.075	100.000	Pass
			RB8#HIGH	20.1	0.76	-1.39	18.71	0.074	100.000	Pass
			RB15#LOW	20.09	0.76	-1.39	18.70	0.074	100.000	Pass
5 MHz	MCH	QPSK	RB1#LOW	21.94	0.76	-1.39	20.55	0.114	100.000	Pass
			RB1#MID	22.12	0.76	-1.39	20.73	0.118	100.000	Pass
			RB1#HIGH	21.99	0.76	-1.39	20.60	0.115	100.000	Pass
			RB12#LOW	21.05	0.76	-1.39	19.66	0.092	100.000	Pass
			RB12#MID	21.13	0.76	-1.39	19.74	0.094	100.000	Pass
			RB12#HIGH	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB25#LOW	21.02	0.76	-1.39	19.63	0.092	100.000	Pass
		16-QAM	RB1#LOW	21.13	0.76	-1.39	19.74	0.094	100.000	Pass
			RB1#MID	21.24	0.76	-1.39	19.85	0.097	100.000	Pass
			RB1#HIGH	21.14	0.76	-1.39	19.75	0.094	100.000	Pass
			RB12#LOW	20.15	0.76	-1.39	18.76	0.075	100.000	Pass
			RB12#MID	20.22	0.76	-1.39	18.83	0.076	100.000	Pass
			RB12#HIGH	20.17	0.76	-1.39	18.78	0.076	100.000	Pass
			RB25#LOW	20.16	0.76	-1.39	18.77	0.075	100.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	21.95	0.76	-1.39	20.56	0.114	100.000	Pass
			RB1#MID	22.06	0.76	-1.39	20.67	0.117	100.000	Pass
			RB1#HIGH	21.94	0.76	-1.39	20.55	0.114	100.000	Pass
			RB12#LOW	21.04	0.76	-1.39	19.65	0.092	100.000	Pass
			RB12#MID	21.13	0.76	-1.39	19.74	0.094	100.000	Pass
			RB12#HIGH	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB25#LOW	21.07	0.76	-1.39	19.68	0.093	100.000	Pass
		16-QAM	RB1#LOW	21.45	0.76	-1.39	20.06	0.101	100.000	Pass
			RB1#MID	21.56	0.76	-1.39	20.17	0.104	100.000	Pass
			RB1#HIGH	21.44	0.76	-1.39	20.05	0.101	100.000	Pass
			RB12#LOW	20.26	0.76	-1.39	18.87	0.077	100.000	Pass
			RB12#MID	20.31	0.76	-1.39	18.92	0.078	100.000	Pass
			RB12#HIGH	20.24	0.76	-1.39	18.85	0.077	100.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND26 Part 90										
			H							
			RB25#LOW	20.16	0.76	-1.39	18.77	0.075	100.000	Pass
		QPSK	RB1#LOW	22.02	0.76	-1.39	20.63	0.116	100.000	Pass
			RB1#MID	22.05	0.76	-1.39	20.66	0.116	100.000	Pass
			RB1#HIGH	21.98	0.76	-1.39	20.59	0.115	100.000	Pass
			RB12#LOW	21.02	0.76	-1.39	19.63	0.092	100.000	Pass
			RB12#MID	21.09	0.76	-1.39	19.70	0.093	100.000	Pass
			RB12#HIGH	21.01	0.76	-1.39	19.62	0.092	100.000	Pass
		16-QAM	RB25#LOW	21.01	0.76	-1.39	19.62	0.092	100.000	Pass
			RB1#LOW	21.09	0.76	-1.39	19.70	0.093	100.000	Pass
			RB1#MID	21.16	0.76	-1.39	19.77	0.095	100.000	Pass
			RB1#HIGH	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB12#LOW	20.15	0.76	-1.39	18.76	0.075	100.000	Pass
			RB12#MID	20.21	0.76	-1.39	18.82	0.076	100.000	Pass
			RB12#HIGH	20.13	0.76	-1.39	18.74	0.075	100.000	Pass
		HCH	RB25#LOW	20.07	0.76	-1.39	18.68	0.074	100.000	Pass
			RB1#LOW	22.06	0.76	-1.39	20.67	0.117	100.000	Pass
			RB1#MID	22.18	0.76	-1.39	20.79	0.120	100.000	Pass
			RB1#HIGH	22.06	0.76	-1.39	20.67	0.117	100.000	Pass
			RB25#LOW	21.07	0.76	-1.39	19.68	0.093	100.000	Pass
			RB25#MID	21.13	0.76	-1.39	19.74	0.094	100.000	Pass
			RB25#HIGH	21.06	0.76	-1.39	19.67	0.093	100.000	Pass
			RB50#LOW	21.08	0.76	-1.39	19.69	0.093	100.000	Pass
		16-QAM	RB1#LOW	21	0.76	-1.39	19.61	0.091	100.000	Pass
			RB1#MID	21.12	0.76	-1.39	19.73	0.094	100.000	Pass
			RB1#HIGH	20.93	0.76	-1.39	19.54	0.090	100.000	Pass
			RB25#LOW	20.16	0.76	-1.39	18.77	0.075	100.000	Pass
			RB25#MID	20.23	0.76	-1.39	18.84	0.077	100.000	Pass
			RB25#HIGH	20.13	0.76	-1.39	18.74	0.075	100.000	Pass
			RB50#LOW	20.18	0.76	-1.39	18.79	0.076	100.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38									
15 MHz	LCH	QPSK	RB1#LOW	22.52	1.48	24.00	0.251	2.000	Pass
			RB1#MID	22.69	1.48	24.17	0.261	2.000	Pass
			RB1#HIGH	22.61	1.48	24.09	0.256	2.000	Pass
			RB36#LOW	21.63	1.48	23.11	0.205	2.000	Pass
			RB36#MID	21.72	1.48	23.20	0.209	2.000	Pass
			RB36#HIGH	21.71	1.48	23.19	0.208	2.000	Pass
			RB75#LOW	21.66	1.48	23.14	0.206	2.000	Pass
		16-QAM	RB1#LOW	21.74	1.48	23.22	0.210	2.000	Pass
			RB1#MID	21.93	1.48	23.41	0.219	2.000	Pass
			RB1#HIGH	21.84	1.48	23.32	0.215	2.000	Pass
			RB36#LOW	20.63	1.48	22.11	0.163	2.000	Pass
			RB36#MID	20.71	1.48	22.19	0.166	2.000	Pass
			RB36#HIGH	20.68	1.48	22.16	0.164	2.000	Pass
			RB75#LOW	20.69	1.48	22.17	0.165	2.000	Pass
	MCH	QPSK	RB1#LOW	22.68	1.48	24.16	0.261	2.000	Pass
			RB1#MID	22.89	1.48	24.37	0.274	2.000	Pass
			RB1#HIGH	22.85	1.48	24.33	0.271	2.000	Pass
			RB36#LOW	21.82	1.48	23.30	0.214	2.000	Pass
			RB36#MID	21.9	1.48	23.38	0.218	2.000	Pass
			RB36#HIGH	21.86	1.48	23.34	0.216	2.000	Pass
			RB75#LOW	21.89	1.48	23.37	0.217	2.000	Pass
		16-QAM	RB1#LOW	22.05	1.48	23.53	0.225	2.000	Pass
			RB1#MID	22.28	1.48	23.76	0.238	2.000	Pass
			RB1#HIGH	22.21	1.48	23.69	0.234	2.000	Pass
			RB36#LOW	20.74	1.48	22.22	0.167	2.000	Pass
			RB36#MID	20.9	1.48	22.38	0.173	2.000	Pass
			RB36#HIGH	20.85	1.48	22.33	0.171	2.000	Pass
			RB75#LOW	20.84	1.48	22.32	0.171	2.000	Pass
	HCH	QPSK	RB1#LOW	22.84	1.48	24.32	0.270	2.000	Pass
			RB1#MID	23.09	1.48	24.57	0.286	2.000	Pass
			RB1#HIGH	23.06	1.48	24.54	0.284	2.000	Pass
			RB36#LOW	21.99	1.48	23.47	0.222	2.000	Pass
			RB36#MID	22.07	1.48	23.55	0.226	2.000	Pass
			RB36#HIGH	22.07	1.48	23.55	0.226	2.000	Pass
			RB75#LOW	22.06	1.48	23.54	0.226	2.000	Pass
		16-QAM	RB1#LOW	22.15	1.48	23.63	0.231	2.000	Pass
			RB1#MID	22.37	1.48	23.85	0.243	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38									
20 MHz			RB1#HIGH	22.27	1.48	23.75	0.237	2.000	Pass
			RB36#LOW	21	1.48	22.48	0.177	2.000	Pass
			RB36#MID	21.01	1.48	22.49	0.177	2.000	Pass
			RB36#HIGH	21.03	1.48	22.51	0.178	2.000	Pass
			RB75#LOW	21.01	1.48	22.49	0.177	2.000	Pass
	LCH	QPSK	RB1#LOW	22.34	1.48	23.82	0.241	2.000	Pass
			RB1#MID	22.97	1.48	24.45	0.279	2.000	Pass
			RB1#HIGH	22.52	1.48	24.00	0.251	2.000	Pass
			RB50#LOW	21.6	1.48	23.08	0.203	2.000	Pass
			RB50#MID	21.72	1.48	23.20	0.209	2.000	Pass
			RB50#HIGH	21.68	1.48	23.16	0.207	2.000	Pass
			RB100#LOW	21.67	1.48	23.15	0.207	2.000	Pass
		16-QAM	RB1#LOW	21.63	1.48	23.11	0.205	2.000	Pass
			RB1#MID	22.21	1.48	23.69	0.234	2.000	Pass
			RB1#HIGH	21.76	1.48	23.24	0.211	2.000	Pass
			RB50#LOW	20.61	1.48	22.09	0.162	2.000	Pass
			RB50#MID	20.7	1.48	22.18	0.165	2.000	Pass
			RB50#HIGH	20.73	1.48	22.21	0.166	2.000	Pass
			RB100#LOW	20.66	1.48	22.14	0.164	2.000	Pass
	MCH	QPSK	RB1#LOW	22.44	1.48	23.92	0.247	2.000	Pass
			RB1#MID	23.09	1.48	24.57	0.286	2.000	Pass
			RB1#HIGH	22.7	1.48	24.18	0.262	2.000	Pass
			RB50#LOW	21.73	1.48	23.21	0.209	2.000	Pass
			RB50#MID	21.85	1.48	23.33	0.215	2.000	Pass
			RB50#HIGH	21.86	1.48	23.34	0.216	2.000	Pass
			RB100#LOW	21.85	1.48	23.33	0.215	2.000	Pass
		16-QAM	RB1#LOW	21.6	1.48	23.08	0.203	2.000	Pass
			RB1#MID	22.22	1.48	23.70	0.234	2.000	Pass
			RB1#HIGH	21.87	1.48	23.35	0.216	2.000	Pass
			RB50#LOW	20.74	1.48	22.22	0.167	2.000	Pass
			RB50#MID	20.85	1.48	22.33	0.171	2.000	Pass
			RB50#HIGH	20.82	1.48	22.30	0.170	2.000	Pass
			RB100#LOW	20.77	1.48	22.25	0.168	2.000	Pass
	HCH	QPSK	RB1#LOW	22.7	1.48	24.18	0.262	2.000	Pass
			RB1#MID	23.32	1.48	24.80	0.302	2.000	Pass
			RB1#HIGH	22.93	1.48	24.41	0.276	2.000	Pass
			RB50#LOW	21.92	1.48	23.40	0.219	2.000	Pass
			RB50#MID	21.99	1.48	23.47	0.222	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38									
			RB50#HIGH	21.95	1.48	23.43	0.220	2.000	Pass
			RB100#LOW	21.98	1.48	23.46	0.222	2.000	Pass
		16-QAM	RB1#LOW	21.95	1.48	23.43	0.220	2.000	Pass
			RB1#MID	22.61	1.48	24.09	0.256	2.000	Pass
			RB1#HIGH	22.2	1.48	23.68	0.233	2.000	Pass
			RB50#LOW	20.95	1.48	22.43	0.175	2.000	Pass
			RB50#MID	20.99	1.48	22.47	0.177	2.000	Pass
			RB50#HIGH	20.97	1.48	22.45	0.176	2.000	Pass
			RB100#LOW	20.92	1.48	22.40	0.174	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41 (120M)									
5 MHz	LCH	QPSK	RB1#LOW	22.14	1.48	23.62	0.230	2.000	Pass
			RB1#MID	22.26	1.48	23.74	0.237	2.000	Pass
			RB1#HIGH	22.2	1.48	23.68	0.233	2.000	Pass
			RB12#LOW	21.18	1.48	22.66	0.185	2.000	Pass
			RB12#MID	21.29	1.48	22.77	0.189	2.000	Pass
			RB12#HIGH	21.21	1.48	22.69	0.186	2.000	Pass
			RB25#LOW	21.14	1.48	22.62	0.183	2.000	Pass
		16-QAM	RB1#LOW	21.32	1.48	22.80	0.191	2.000	Pass
			RB1#MID	21.42	1.48	22.90	0.195	2.000	Pass
			RB1#HIGH	21.38	1.48	22.86	0.193	2.000	Pass
			RB12#LOW	20.21	1.48	21.69	0.148	2.000	Pass
			RB12#MID	20.33	1.48	21.81	0.152	2.000	Pass
			RB12#HIGH	20.27	1.48	21.75	0.150	2.000	Pass
			RB25#LOW	20.21	1.48	21.69	0.148	2.000	Pass
	MCH	QPSK	RB1#LOW	22.64	1.48	24.12	0.258	2.000	Pass
			RB1#MID	22.77	1.48	24.25	0.266	2.000	Pass
			RB1#HIGH	22.75	1.48	24.23	0.265	2.000	Pass
			RB12#LOW	21.71	1.48	23.19	0.208	2.000	Pass
			RB12#MID	21.8	1.48	23.28	0.213	2.000	Pass
			RB12#HIGH	21.77	1.48	23.25	0.211	2.000	Pass
			RB25#LOW	21.73	1.48	23.21	0.209	2.000	Pass
		16-QAM	RB1#LOW	21.89	1.48	23.37	0.217	2.000	Pass
			RB1#MID	22.03	1.48	23.51	0.224	2.000	Pass
			RB1#HIGH	21.96	1.48	23.44	0.221	2.000	Pass
			RB12#LOW	20.71	1.48	22.19	0.166	2.000	Pass
			RB12#MID	20.8	1.48	22.28	0.169	2.000	Pass
			RB12#HIGH	20.7	1.48	22.18	0.165	2.000	Pass
			RB25#LOW	20.79	1.48	22.27	0.169	2.000	Pass
	HCH	QPSK	RB1#LOW	23.39	1.48	24.87	0.307	2.000	Pass
			RB1#MID	23.5	1.48	24.98	0.315	2.000	Pass
			RB1#HIGH	23.42	1.48	24.90	0.309	2.000	Pass
			RB12#LOW	22.43	1.48	23.91	0.246	2.000	Pass
			RB12#MID	22.51	1.48	23.99	0.251	2.000	Pass
			RB12#HIGH	22.45	1.48	23.93	0.247	2.000	Pass
			RB25#LOW	22.45	1.48	23.93	0.247	2.000	Pass
		16-QAM	RB1#LOW	22.64	1.48	24.12	0.258	2.000	Pass
			RB1#MID	22.77	1.48	24.25	0.266	2.000	Pass
			RB1#HIGH	22.67	1.48	24.15	0.260	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41 (120M)									
10 MHz			RB12#LOW	21.47	1.48	22.95	0.197	2.000	Pass
			RB12#MID	21.55	1.48	23.03	0.201	2.000	Pass
			RB12#HIGH	21.5	1.48	22.98	0.199	2.000	Pass
			RB25#LOW	21.46	1.48	22.94	0.197	2.000	Pass
	LCH	QPSK	RB1#LOW	22.17	1.48	23.65	0.232	2.000	Pass
			RB1#MID	22.54	1.48	24.02	0.252	2.000	Pass
			RB1#HIGH	22.3	1.48	23.78	0.239	2.000	Pass
			RB12#LOW	21.23	1.48	22.71	0.187	2.000	Pass
			RB12#MID	21.28	1.48	22.76	0.189	2.000	Pass
			RB12#HIGH	21.32	1.48	22.80	0.191	2.000	Pass
			RB25#LOW	21.27	1.48	22.75	0.188	2.000	Pass
		16-QAM	RB1#LOW	21.41	1.48	22.89	0.195	2.000	Pass
			RB1#MID	21.77	1.48	23.25	0.211	2.000	Pass
			RB1#HIGH	21.55	1.48	23.03	0.201	2.000	Pass
			RB12#LOW	20.28	1.48	21.76	0.150	2.000	Pass
			RB12#MID	20.32	1.48	21.80	0.151	2.000	Pass
			RB12#HIGH	20.35	1.48	21.83	0.152	2.000	Pass
			RB25#LOW	20.32	1.48	21.80	0.151	2.000	Pass
	MCH	QPSK	RB1#LOW	22.73	1.48	24.21	0.264	2.000	Pass
			RB1#MID	23.09	1.48	24.57	0.286	2.000	Pass
			RB1#HIGH	22.87	1.48	24.35	0.272	2.000	Pass
			RB12#LOW	21.76	1.48	23.24	0.211	2.000	Pass
			RB12#MID	21.79	1.48	23.27	0.212	2.000	Pass
			RB12#HIGH	21.79	1.48	23.27	0.212	2.000	Pass
			RB25#LOW	21.79	1.48	23.27	0.212	2.000	Pass
		16-QAM	RB1#LOW	22.1	1.48	23.58	0.228	2.000	Pass
			RB1#MID	22.46	1.48	23.94	0.248	2.000	Pass
			RB1#HIGH	22.22	1.48	23.70	0.234	2.000	Pass
			RB12#LOW	20.82	1.48	22.30	0.170	2.000	Pass
			RB12#MID	20.81	1.48	22.29	0.169	2.000	Pass
			RB12#HIGH	20.8	1.48	22.28	0.169	2.000	Pass
			RB25#LOW	20.81	1.48	22.29	0.169	2.000	Pass
	HCH	QPSK	RB1#LOW	23.44	1.48	24.92	0.310	2.000	Pass
			RB1#MID	23.78	1.48	25.26	0.336	2.000	Pass
			RB1#HIGH	23.54	1.48	25.02	0.318	2.000	Pass
			RB12#LOW	22.48	1.48	23.96	0.249	2.000	Pass
			RB12#MID	22.49	1.48	23.97	0.249	2.000	Pass
			RB12#HIGH	22.49	1.48	23.97	0.249	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41 (120M)									
		16-QAM	RB25#LOW	22.48	1.48	23.96	0.249	2.000	Pass
			RB1#LOW	22.7	1.48	24.18	0.262	2.000	Pass
			RB1#MID	23.01	1.48	24.49	0.281	2.000	Pass
			RB1#HIGH	22.78	1.48	24.26	0.267	2.000	Pass
			RB12#LOW	21.47	1.48	22.95	0.197	2.000	Pass
			RB12#MID	21.52	1.48	23.00	0.200	2.000	Pass
			RB12#HIGH	21.45	1.48	22.93	0.196	2.000	Pass
			RB25#LOW	21.48	1.48	22.96	0.198	2.000	Pass
	LCH	QPSK	RB1#LOW	22.1	1.48	23.58	0.228	2.000	Pass
			RB1#MID	22.32	1.48	23.80	0.240	2.000	Pass
			RB1#HIGH	22.26	1.48	23.74	0.237	2.000	Pass
			RB36#LOW	21.23	1.48	22.71	0.187	2.000	Pass
			RB36#MID	21.31	1.48	22.79	0.190	2.000	Pass
			RB36#HIGH	21.34	1.48	22.82	0.191	2.000	Pass
			RB75#LOW	21.31	1.48	22.79	0.190	2.000	Pass
		16-QAM	RB1#LOW	21.34	1.48	22.82	0.191	2.000	Pass
			RB1#MID	21.55	1.48	23.03	0.201	2.000	Pass
			RB1#HIGH	21.48	1.48	22.96	0.198	2.000	Pass
			RB36#LOW	20.23	1.48	21.71	0.148	2.000	Pass
			RB36#MID	20.3	1.48	21.78	0.151	2.000	Pass
			RB36#HIGH	20.32	1.48	21.80	0.151	2.000	Pass
			RB75#LOW	20.31	1.48	21.79	0.151	2.000	Pass
15 MHz	MCH	QPSK	RB1#LOW	22.58	1.48	24.06	0.255	2.000	Pass
			RB1#MID	22.82	1.48	24.30	0.269	2.000	Pass
			RB1#HIGH	22.8	1.48	24.28	0.268	2.000	Pass
			RB36#LOW	21.77	1.48	23.25	0.211	2.000	Pass
			RB36#MID	21.86	1.48	23.34	0.216	2.000	Pass
			RB36#HIGH	21.87	1.48	23.35	0.216	2.000	Pass
			RB75#LOW	21.8	1.48	23.28	0.213	2.000	Pass
		16-QAM	RB1#LOW	21.96	1.48	23.44	0.221	2.000	Pass
			RB1#MID	22.22	1.48	23.70	0.234	2.000	Pass
			RB1#HIGH	22.18	1.48	23.66	0.232	2.000	Pass
			RB36#LOW	20.76	1.48	22.24	0.167	2.000	Pass
			RB36#MID	20.82	1.48	22.30	0.170	2.000	Pass
			RB36#HIGH	20.81	1.48	22.29	0.169	2.000	Pass
			RB75#LOW	20.83	1.48	22.31	0.170	2.000	Pass
	HCH	QPSK	RB1#LOW	23.32	1.48	24.80	0.302	2.000	Pass
			RB1#MID	23.53	1.48	25.01	0.317	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41 (120M)									
			RB1#HIGH	23.45	1.48	24.93	0.311	2.000	Pass
			RB36#LOW	22.47	1.48	23.95	0.248	2.000	Pass
			RB36#MID	22.52	1.48	24.00	0.251	2.000	Pass
			RB36#HIGH	22.51	1.48	23.99	0.251	2.000	Pass
			RB75#LOW	22.53	1.48	24.01	0.252	2.000	Pass
		16-QAM	RB1#LOW	22.54	1.48	24.02	0.252	2.000	Pass
			RB1#MID	22.72	1.48	24.20	0.263	2.000	Pass
			RB1#HIGH	22.61	1.48	24.09	0.256	2.000	Pass
			RB36#LOW	21.43	1.48	22.91	0.195	2.000	Pass
			RB36#MID	21.47	1.48	22.95	0.197	2.000	Pass
			RB36#HIGH	21.44	1.48	22.92	0.196	2.000	Pass
			RB75#LOW	21.45	1.48	22.93	0.196	2.000	Pass
20 MHz	LCH	QPSK	RB1#LOW	21.95	1.48	23.43	0.220	2.000	Pass
			RB1#MID	22.57	1.48	24.05	0.254	2.000	Pass
			RB1#HIGH	22.17	1.48	23.65	0.232	2.000	Pass
			RB50#LOW	21.2	1.48	22.68	0.185	2.000	Pass
			RB50#MID	21.28	1.48	22.76	0.189	2.000	Pass
			RB50#HIGH	21.3	1.48	22.78	0.190	2.000	Pass
			RB100#LOW	21.24	1.48	22.72	0.187	2.000	Pass
		16-QAM	RB1#LOW	21.23	1.48	22.71	0.187	2.000	Pass
			RB1#MID	21.83	1.48	23.31	0.214	2.000	Pass
			RB1#HIGH	21.42	1.48	22.90	0.195	2.000	Pass
			RB50#LOW	20.22	1.48	21.70	0.148	2.000	Pass
			RB50#MID	20.34	1.48	21.82	0.152	2.000	Pass
			RB50#HIGH	20.33	1.48	21.81	0.152	2.000	Pass
			RB100#LOW	20.27	1.48	21.75	0.150	2.000	Pass
	MCH	QPSK	RB1#LOW	22.39	1.48	23.87	0.244	2.000	Pass
			RB1#MID	23	1.48	24.48	0.281	2.000	Pass
			RB1#HIGH	22.66	1.48	24.14	0.259	2.000	Pass
			RB50#LOW	21.65	1.48	23.13	0.206	2.000	Pass
			RB50#MID	21.77	1.48	23.25	0.211	2.000	Pass
			RB50#HIGH	21.82	1.48	23.30	0.214	2.000	Pass
			RB100#LOW	21.73	1.48	23.21	0.209	2.000	Pass
		16-QAM	RB1#LOW	21.58	1.48	23.06	0.202	2.000	Pass
			RB1#MID	22.15	1.48	23.63	0.231	2.000	Pass
			RB1#HIGH	21.83	1.48	23.31	0.214	2.000	Pass
			RB50#LOW	20.73	1.48	22.21	0.166	2.000	Pass
			RB50#MID	20.79	1.48	22.27	0.169	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41 (120M)									
			RB50#HIGH	20.82	1.48	22.30	0.170	2.000	Pass
			RB100#LOW	20.77	1.48	22.25	0.168	2.000	Pass
	HCH	QPSK	RB1#LOW	23.19	1.48	24.67	0.293	2.000	Pass
			RB1#MID	23.73	1.48	25.21	0.332	2.000	Pass
			RB1#HIGH	23.36	1.48	24.84	0.305	2.000	Pass
			RB50#LOW	22.41	1.48	23.89	0.245	2.000	Pass
			RB50#MID	22.42	1.48	23.90	0.245	2.000	Pass
			RB50#HIGH	22.42	1.48	23.90	0.245	2.000	Pass
			RB100#LOW	22.41	1.48	23.89	0.245	2.000	Pass
		16-QAM	RB1#LOW	22.42	1.48	23.90	0.245	2.000	Pass
			RB1#MID	23	1.48	24.48	0.281	2.000	Pass
			RB1#HIGH	22.59	1.48	24.07	0.255	2.000	Pass
			RB50#LOW	21.39	1.48	22.87	0.194	2.000	Pass
			RB50#MID	21.43	1.48	22.91	0.195	2.000	Pass
			RB50#HIGH	21.41	1.48	22.89	0.195	2.000	Pass
			RB100#LOW	21.37	1.48	22.85	0.193	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
1.4 MHz	LCH	QPSK	RB1#LOW	22.86	1.35	24.21	0.264	2.000	Pass
			RB1#MID	23.04	1.35	24.39	0.275	2.000	Pass
			RB1#HIGH	22.84	1.35	24.19	0.262	2.000	Pass
			RB3#LOW	22.98	1.35	24.33	0.271	2.000	Pass
			RB3#MID	22.99	1.35	24.34	0.272	2.000	Pass
			RB3#HIGH	22.98	1.35	24.33	0.271	2.000	Pass
			RB6#LOW	21.91	1.35	23.26	0.212	2.000	Pass
		16-QcA M	RB1#LOW	21.97	1.35	23.32	0.215	2.000	Pass
			RB1#MID	22.18	1.35	23.53	0.225	2.000	Pass
			RB1#HIGH	21.98	1.35	23.33	0.215	2.000	Pass
			RB3#LOW	22.06	1.35	23.41	0.219	2.000	Pass
			RB3#MID	22.06	1.35	23.41	0.219	2.000	Pass
			RB3#HIGH	22.05	1.35	23.40	0.219	2.000	Pass
			RB6#LOW	21.08	1.35	22.43	0.175	2.000	Pass
	MCH	QPSK	RB1#LOW	22.73	1.35	24.08	0.256	2.000	Pass
			RB1#MID	22.91	1.35	24.26	0.267	2.000	Pass
			RB1#HIGH	22.72	1.35	24.07	0.255	2.000	Pass
			RB3#LOW	22.87	1.35	24.22	0.264	2.000	Pass
			RB3#MID	22.91	1.35	24.26	0.267	2.000	Pass
			RB3#HIGH	22.88	1.35	24.23	0.265	2.000	Pass
			RB6#LOW	21.79	1.35	23.14	0.206	2.000	Pass
		16-QAM	RB1#LOW	22.18	1.35	23.53	0.225	2.000	Pass
			RB1#MID	22.27	1.35	23.62	0.230	2.000	Pass
			RB1#HIGH	22.16	1.35	23.51	0.224	2.000	Pass
			RB3#LOW	22.04	1.35	23.39	0.218	2.000	Pass
			RB3#MID	22.05	1.35	23.40	0.219	2.000	Pass
			RB3#HIGH	22.11	1.35	23.46	0.222	2.000	Pass
			RB6#LOW	20.74	1.35	22.09	0.162	2.000	Pass
	HCH	QPSK	RB1#LOW	22.59	1.35	23.94	0.248	2.000	Pass
			RB1#MID	22.86	1.35	24.21	0.264	2.000	Pass
			RB1#HIGH	22.62	1.35	23.97	0.249	2.000	Pass
			RB3#LOW	22.72	1.35	24.07	0.255	2.000	Pass
			RB3#MID	22.78	1.35	24.13	0.259	2.000	Pass
			RB3#HIGH	22.74	1.35	24.09	0.256	2.000	Pass
			RB6#LOW	21.69	1.35	23.04	0.201	2.000	Pass
		16-QAM	RB1#LOW	21.6	1.35	22.95	0.197	2.000	Pass
			RB1#MID	21.82	1.35	23.17	0.207	2.000	Pass
			RB1#HIGH	21.64	1.35	22.99	0.199	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
3 MHz			RB3#LOW	21.87	1.35	23.22	0.210	2.000	Pass
			RB3#MID	21.9	1.35	23.25	0.211	2.000	Pass
			RB3#HIGH	21.88	1.35	23.23	0.210	2.000	Pass
			RB6#LOW	20.86	1.35	22.21	0.166	2.000	Pass
	LCH	QPSK	RB1#LOW	22.9	1.35	24.25	0.266	2.000	Pass
			RB1#MID	22.86	1.35	24.21	0.264	2.000	Pass
			RB1#HIGH	22.78	1.35	24.13	0.259	2.000	Pass
			RB8#LOW	21.96	1.35	23.31	0.214	2.000	Pass
			RB8#MID	21.87	1.35	23.22	0.210	2.000	Pass
			RB8#HIGH	21.87	1.35	23.22	0.210	2.000	Pass
			RB15#LOW	21.88	1.35	23.23	0.210	2.000	Pass
		16-QAM	RB1#LOW	21.66	1.35	23.01	0.200	2.000	Pass
			RB1#MID	21.49	1.35	22.84	0.192	2.000	Pass
			RB1#HIGH	21.45	1.35	22.80	0.191	2.000	Pass
			RB8#LOW	20.76	1.35	22.11	0.163	2.000	Pass
			RB8#MID	21.01	1.35	22.36	0.172	2.000	Pass
			RB8#HIGH	20.96	1.35	22.31	0.170	2.000	Pass
			RB15#LOW	20.65	1.35	22.00	0.158	2.000	Pass
	MCH	QPSK	RB1#LOW	22.64	1.35	23.99	0.251	2.000	Pass
			RB1#MID	22.62	1.35	23.97	0.249	2.000	Pass
			RB1#HIGH	22.52	1.35	23.87	0.244	2.000	Pass
			RB8#LOW	21.79	1.35	23.14	0.206	2.000	Pass
			RB8#MID	21.84	1.35	23.19	0.208	2.000	Pass
			RB8#HIGH	21.81	1.35	23.16	0.207	2.000	Pass
			RB15#LOW	21.8	1.35	23.15	0.207	2.000	Pass
		16-QAM	RB1#LOW	22.09	1.35	23.44	0.221	2.000	Pass
			RB1#MID	22.07	1.35	23.42	0.220	2.000	Pass
			RB1#HIGH	21.75	1.35	23.10	0.204	2.000	Pass
			RB8#LOW	20.66	1.35	22.01	0.159	2.000	Pass
			RB8#MID	20.92	1.35	22.27	0.169	2.000	Pass
			RB8#HIGH	20.92	1.35	22.27	0.169	2.000	Pass
			RB15#LOW	20.83	1.35	22.18	0.165	2.000	Pass
	HCH	QPSK	RB1#LOW	22.7	1.35	24.05	0.254	2.000	Pass
			RB1#MID	22.61	1.35	23.96	0.249	2.000	Pass
			RB1#HIGH	22.6	1.35	23.95	0.248	2.000	Pass
			RB8#LOW	21.65	1.35	23.00	0.200	2.000	Pass
			RB8#MID	21.68	1.35	23.03	0.201	2.000	Pass
			RB8#HIGH	21.64	1.35	22.99	0.199	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
5 MHz		16-QAM	RB15#LOW	21.66	1.35	23.01	0.200	2.000	Pass
			RB1#LOW	21.67	1.35	23.02	0.200	2.000	Pass
			RB1#MID	21.6	1.35	22.95	0.197	2.000	Pass
			RB1#HIGH	21.53	1.35	22.88	0.194	2.000	Pass
			RB8#LOW	20.72	1.35	22.07	0.161	2.000	Pass
			RB8#MID	20.73	1.35	22.08	0.161	2.000	Pass
			RB8#HIGH	20.7	1.35	22.05	0.160	2.000	Pass
			RB15#LOW	20.63	1.35	21.98	0.158	2.000	Pass
	LCH	QPSK	RB1#LOW	22.8	1.35	24.15	0.260	2.000	Pass
			RB1#MID	22.52	1.35	23.87	0.244	2.000	Pass
			RB1#HIGH	22.35	1.35	23.70	0.234	2.000	Pass
			RB12#LOW	21.58	1.35	22.93	0.196	2.000	Pass
			RB12#MID	21.6	1.35	22.95	0.197	2.000	Pass
			RB12#HIGH	21.77	1.35	23.12	0.205	2.000	Pass
			RB25#LOW	21.64	1.35	22.99	0.199	2.000	Pass
		16-QAM	RB1#LOW	21.55	1.35	22.90	0.195	2.000	Pass
			RB1#MID	21.71	1.35	23.06	0.202	2.000	Pass
			RB1#HIGH	21.59	1.35	22.94	0.197	2.000	Pass
			RB12#LOW	20.59	1.35	21.94	0.156	2.000	Pass
			RB12#MID	20.79	1.35	22.14	0.164	2.000	Pass
			RB12#HIGH	20.67	1.35	22.02	0.159	2.000	Pass
			RB25#LOW	20.57	1.35	21.92	0.156	2.000	Pass
5 MHz	MCH	QPSK	RB1#LOW	22.22	1.35	23.57	0.228	2.000	Pass
			RB1#MID	22.34	1.35	23.69	0.234	2.000	Pass
			RB1#HIGH	22.22	1.35	23.57	0.228	2.000	Pass
			RB12#LOW	21.35	1.35	22.70	0.186	2.000	Pass
			RB12#MID	21.32	1.35	22.67	0.185	2.000	Pass
			RB12#HIGH	21.36	1.35	22.71	0.187	2.000	Pass
			RB25#LOW	21.31	1.35	22.66	0.185	2.000	Pass
		16-QAM	RB1#LOW	21.75	1.35	23.10	0.204	2.000	Pass
			RB1#MID	21.82	1.35	23.17	0.207	2.000	Pass
			RB1#HIGH	21.75	1.35	23.10	0.204	2.000	Pass
			RB12#LOW	20.48	1.35	21.83	0.152	2.000	Pass
			RB12#MID	20.52	1.35	21.87	0.154	2.000	Pass
			RB12#HIGH	20.45	1.35	21.80	0.151	2.000	Pass
			RB25#LOW	20.42	1.35	21.77	0.150	2.000	Pass
5 MHz	HCH	QPSK	RB1#LOW	22.32	1.35	23.67	0.233	2.000	Pass
			RB1#MID	22.17	1.35	23.52	0.225	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
			RB1#HIGH	22.08	1.35	23.43	0.220	2.000	Pass
			RB12#LOW	21.39	1.35	22.74	0.188	2.000	Pass
			RB12#MID	21.39	1.35	22.74	0.188	2.000	Pass
			RB12#HIGH	21.5	1.35	22.85	0.193	2.000	Pass
			RB25#LOW	21.44	1.35	22.79	0.190	2.000	Pass
		16-QAM	RB1#LOW	21.44	1.35	22.79	0.190	2.000	Pass
			RB1#MID	21.28	1.35	22.63	0.183	2.000	Pass
			RB1#HIGH	21.13	1.35	22.48	0.177	2.000	Pass
			RB12#LOW	20.42	1.35	21.77	0.150	2.000	Pass
			RB12#MID	20.58	1.35	21.93	0.156	2.000	Pass
			RB12#HIGH	20.7	1.35	22.05	0.160	2.000	Pass
			RB25#LOW	20.58	1.35	21.93	0.156	2.000	Pass
10 MHz	LCH	QPSK	RB1#LOW	22.47	1.35	23.82	0.241	2.000	Pass
			RB1#MID	22.56	1.35	23.91	0.246	2.000	Pass
			RB1#HIGH	22.39	1.35	23.74	0.237	2.000	Pass
			RB25#LOW	21.44	1.35	22.79	0.190	2.000	Pass
			RB25#MID	21.48	1.35	22.83	0.192	2.000	Pass
			RB25#HIGH	21.67	1.35	23.02	0.200	2.000	Pass
			RB50#LOW	21.54	1.35	22.89	0.195	2.000	Pass
		16-QAM	RB1#LOW	21.37	1.35	22.72	0.187	2.000	Pass
			RB1#MID	21.56	1.35	22.91	0.195	2.000	Pass
			RB1#HIGH	21.42	1.35	22.77	0.189	2.000	Pass
			RB25#LOW	20.52	1.35	21.87	0.154	2.000	Pass
			RB25#MID	20.57	1.35	21.92	0.156	2.000	Pass
			RB25#HIGH	20.7	1.35	22.05	0.160	2.000	Pass
			RB50#LOW	20.58	1.35	21.93	0.156	2.000	Pass
	MCH	QPSK	RB1#LOW	22.27	1.35	23.62	0.230	2.000	Pass
			RB1#MID	22.4	1.35	23.75	0.237	2.000	Pass
			RB1#HIGH	22.27	1.35	23.62	0.230	2.000	Pass
			RB25#LOW	21.47	1.35	22.82	0.191	2.000	Pass
			RB25#MID	21.33	1.35	22.68	0.185	2.000	Pass
			RB25#HIGH	21.3	1.35	22.65	0.184	2.000	Pass
			RB50#LOW	21.42	1.35	22.77	0.189	2.000	Pass
		16-QAM	RB1#LOW	21.64	1.35	22.99	0.199	2.000	Pass
			RB1#MID	21.85	1.35	23.20	0.209	2.000	Pass
			RB1#HIGH	21.65	1.35	23.00	0.200	2.000	Pass
			RB25#LOW	20.54	1.35	21.89	0.155	2.000	Pass
			RB25#MID	20.44	1.35	21.79	0.151	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
15 MHz			RB25#HIGH	20.41	1.35	21.76	0.150	2.000	Pass
			RB50#LOW	20.47	1.35	21.82	0.152	2.000	Pass
	HCH	QPSK	RB1#LOW	22.25	1.35	23.60	0.229	2.000	Pass
			RB1#MID	22.41	1.35	23.76	0.238	2.000	Pass
			RB1#HIGH	22.17	1.35	23.52	0.225	2.000	Pass
			RB25#LOW	21.13	1.35	22.48	0.177	2.000	Pass
			RB25#MID	21.23	1.35	22.58	0.181	2.000	Pass
			RB25#HIGH	21.22	1.35	22.57	0.181	2.000	Pass
			RB50#LOW	21.15	1.35	22.50	0.178	2.000	Pass
		16-QAM	RB1#LOW	21.26	1.35	22.61	0.182	2.000	Pass
			RB1#MID	21.38	1.35	22.73	0.187	2.000	Pass
			RB1#HIGH	21.12	1.35	22.47	0.177	2.000	Pass
			RB25#LOW	20.32	1.35	21.67	0.147	2.000	Pass
			RB25#MID	20.34	1.35	21.69	0.148	2.000	Pass
			RB25#HIGH	20.32	1.35	21.67	0.147	2.000	Pass
			RB50#LOW	20.24	1.35	21.59	0.144	2.000	Pass
15 MHz	LCH	QPSK	RB1#LOW	22.27	1.35	23.62	0.230	2.000	Pass
			RB1#MID	22.39	1.35	23.74	0.237	2.000	Pass
			RB1#HIGH	22.27	1.35	23.62	0.230	2.000	Pass
			RB36#LOW	21.43	1.35	22.78	0.190	2.000	Pass
			RB36#MID	21.47	1.35	22.82	0.191	2.000	Pass
			RB36#HIGH	21.59	1.35	22.94	0.197	2.000	Pass
			RB75#LOW	21.49	1.35	22.84	0.192	2.000	Pass
		16-QAM	RB1#LOW	21.3	1.35	22.65	0.184	2.000	Pass
			RB1#MID	21.45	1.35	22.80	0.191	2.000	Pass
			RB1#HIGH	21.36	1.35	22.71	0.187	2.000	Pass
			RB36#LOW	20.43	1.35	21.78	0.151	2.000	Pass
			RB36#MID	20.49	1.35	21.84	0.153	2.000	Pass
			RB36#HIGH	20.56	1.35	21.91	0.155	2.000	Pass
			RB75#LOW	20.54	1.35	21.89	0.155	2.000	Pass
	MCH	QPSK	RB1#LOW	22.21	1.35	23.56	0.227	2.000	Pass
			RB1#MID	22.34	1.35	23.69	0.234	2.000	Pass
			RB1#HIGH	22.17	1.35	23.52	0.225	2.000	Pass
			RB36#LOW	21.44	1.35	22.79	0.190	2.000	Pass
			RB36#MID	21.37	1.35	22.72	0.187	2.000	Pass
			RB36#HIGH	21.36	1.35	22.71	0.187	2.000	Pass
			RB75#LOW	21.38	1.35	22.73	0.187	2.000	Pass
		16-QAM	RB1#LOW	21.61	1.35	22.96	0.198	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
			RB1#MID	21.7	1.35	23.05	0.202	2.000	Pass
			RB1#HIGH	21.61	1.35	22.96	0.198	2.000	Pass
			RB36#LOW	20.52	1.35	21.87	0.154	2.000	Pass
			RB36#MID	20.4	1.35	21.75	0.150	2.000	Pass
			RB36#HIGH	20.39	1.35	21.74	0.149	2.000	Pass
			RB75#LOW	20.38	1.35	21.73	0.149	2.000	Pass
	HCH	QPSK	RB1#LOW	22.15	1.35	23.50	0.224	2.000	Pass
			RB1#MID	22.23	1.35	23.58	0.228	2.000	Pass
			RB1#HIGH	22.05	1.35	23.40	0.219	2.000	Pass
			RB36#LOW	21.18	1.35	22.53	0.179	2.000	Pass
			RB36#MID	21.28	1.35	22.63	0.183	2.000	Pass
			RB36#HIGH	21.2	1.35	22.55	0.180	2.000	Pass
			RB75#LOW	21.22	1.35	22.57	0.181	2.000	Pass
		16-QAM	RB1#LOW	21.59	1.35	22.94	0.197	2.000	Pass
			RB1#MID	21.66	1.35	23.01	0.200	2.000	Pass
			RB1#HIGH	21.46	1.35	22.81	0.191	2.000	Pass
			RB36#LOW	20.21	1.35	21.56	0.143	2.000	Pass
			RB36#MID	20.25	1.35	21.60	0.145	2.000	Pass
			RB36#HIGH	20.21	1.35	21.56	0.143	2.000	Pass
			RB75#LOW	20.22	1.35	21.57	0.144	2.000	Pass
20 MHz	LCH	QPSK	RB1#LOW	22.16	1.35	23.51	0.224	2.000	Pass
			RB1#MID	22.61	1.35	23.96	0.249	2.000	Pass
			RB1#HIGH	22.19	1.35	23.54	0.226	2.000	Pass
			RB50#LOW	21.32	1.35	22.67	0.185	2.000	Pass
			RB50#MID	21.48	1.35	22.83	0.192	2.000	Pass
			RB50#HIGH	21.58	1.35	22.93	0.196	2.000	Pass
			RB100#LOW	21.46	1.35	22.81	0.191	2.000	Pass
		16-QAM	RB1#LOW	21.7	1.35	23.05	0.202	2.000	Pass
			RB1#MID	22.14	1.35	23.49	0.223	2.000	Pass
			RB1#HIGH	21.72	1.35	23.07	0.203	2.000	Pass
			RB50#LOW	20.42	1.35	21.77	0.150	2.000	Pass
			RB50#MID	20.55	1.35	21.90	0.155	2.000	Pass
			RB50#HIGH	20.65	1.35	22.00	0.158	2.000	Pass
			RB100#LOW	20.53	1.35	21.88	0.154	2.000	Pass
	MCH	QPSK	RB1#LOW	22.08	1.35	23.43	0.220	2.000	Pass
			RB1#MID	22.53	1.35	23.88	0.244	2.000	Pass
			RB1#HIGH	22.1	1.35	23.45	0.221	2.000	Pass
			RB50#LOW	21.51	1.35	22.86	0.193	2.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66									
			RB50#MID	21.36	1.35	22.71	0.187	2.000	Pass
			RB50#HIGH	21.28	1.35	22.63	0.183	2.000	Pass
			RB100#LOW	21.41	1.35	22.76	0.189	2.000	Pass
		16-QAM	RB1#LOW	21.56	1.35	22.91	0.195	2.000	Pass
			RB1#MID	21.98	1.35	23.33	0.215	2.000	Pass
			RB1#HIGH	21.54	1.35	22.89	0.195	2.000	Pass
			RB50#LOW	20.56	1.35	21.91	0.155	2.000	Pass
			RB50#MID	20.45	1.35	21.80	0.151	2.000	Pass
			RB50#HIGH	20.35	1.35	21.70	0.148	2.000	Pass
			RB100#LOW	20.47	1.35	21.82	0.152	2.000	Pass
	HCH	QPSK	RB1#LOW	21.94	1.35	23.29	0.213	2.000	Pass
			RB1#MID	22.31	1.35	23.66	0.232	2.000	Pass
			RB1#HIGH	21.87	1.35	23.22	0.210	2.000	Pass
			RB50#LOW	21.12	1.35	22.47	0.177	2.000	Pass
			RB50#MID	21.27	1.35	22.62	0.183	2.000	Pass
			RB50#HIGH	21.24	1.35	22.59	0.182	2.000	Pass
			RB100#LOW	21.24	1.35	22.59	0.182	2.000	Pass
		16-QAM	RB1#LOW	21.44	1.35	22.79	0.190	2.000	Pass
			RB1#MID	21.78	1.35	23.13	0.206	2.000	Pass
			RB1#HIGH	21.28	1.35	22.63	0.183	2.000	Pass
			RB50#LOW	20.14	1.35	21.49	0.141	2.000	Pass
			RB50#MID	20.25	1.35	21.60	0.145	2.000	Pass
			RB50#HIGH	20.33	1.35	21.68	0.147	2.000	Pass
			RB100#LOW	20.28	1.35	21.63	0.146	2.000	Pass

A.2 Peak to Average Ratio

Note 1: For average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB. For GSM, GPRS and EGPRS, there are peak power to demonstrate compliance, PAR measurements are not required.

Note 2: Test plots please refer to the document “Annex No.: BL-SH2510034-501 Data Part 1.pdf”.

WCDMA Mode Test Data

Test Band	Test Channel	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
Band 2	LCH	3	13	1.1	Pass
	MCH	3	13	1.2	Pass
	HCH	2.91	13	1.3	Pass
Band 4	LCH	3.05	13	2.1	Pass
	MCH	3	13	2.2	Pass
	HCH	3.05	13	2.3	Pass
Band 5	LCH	2.86	13	3.1	Pass
	MCH	2.95	13	3.2	Pass
	HCH	3	13	3.3	Pass

LTE Mode Test Data

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
LTE Band 2	20 MHz	LCH	QPSK	RB1#LOW	5.25	13	4.1	Pass
				RB100#LOW	5.62	13	4.2	Pass
			16-QAM	RB1#LOW	5.72	13	4.3	Pass
				RB100#LOW	6.42	13	4.4	Pass
		MCH	QPSK	RB1#LOW	5.39	13	4.5	Pass
				RB100#LOW	5.77	13	4.6	Pass
			16-QAM	RB1#LOW	6.14	13	4.7	Pass
				RB100#LOW	6.52	13	4.8	Pass
		HCH	QPSK	RB1#LOW	5.48	13	4.9	Pass
				RB100#LOW	5.81	13	4.10	Pass
			16-QAM	RB1#LOW	6.52	13	4.11	Pass
				RB100#LOW	6.47	13	4.12	Pass
LTE Band 4	20 MHz	LCH	QPSK	RB1#LOW	5.34	13	5.1	Pass
				RB100#LOW	5.77	13	5.2	Pass
			16-QAM	RB1#LOW	5.81	13	5.3	Pass
				RB100#LOW	6.56	13	5.4	Pass
		MCH	QPSK	RB1#LOW	5.48	13	5.5	Pass
				RB100#LOW	5.72	13	5.6	Pass
			16-QAM	RB1#LOW	6.19	13	5.7	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
		HCH	QPSK	RB100#LOW	6.42	13	5.8	Pass
				RB1#LOW	5.39	13	5.9	Pass
				RB100#LOW	5.81	13	5.10	Pass
			16-QAM	RB1#LOW	6.42	13	5.11	Pass
				RB100#LOW	6.47	13	5.12	Pass
LTE Band 5	10 MHz	LCH	QPSK	RB1#LOW	4.41	13	6.1	Pass
				RB50#LOW	5.53	13	6.2	Pass
			16-QAM	RB1#LOW	5.2	13	6.3	Pass
				RB50#LOW	6.23	13	6.4	Pass
		MCH	QPSK	RB1#LOW	4.83	13	6.5	Pass
				RB50#LOW	5.48	13	6.6	Pass
			16-QAM	RB1#LOW	5.81	13	6.7	Pass
				RB50#LOW	6.33	13	6.8	Pass
		HCH	QPSK	RB1#LOW	4.55	13	6.9	Pass
				RB50#LOW	5.67	13	6.10	Pass
			16-QAM	RB1#LOW	5.25	13	6.11	Pass
				RB50#LOW	6.42	13	6.12	Pass
LTE Band 7	20 MHz	LCH	QPSK	RB1#LOW	7.97	13	7.1	Pass
				RB100#LOW	5.62	13	7.2	Pass
			16-QAM	RB1#LOW	5.53	13	7.3	Pass
				RB100#LOW	6.33	13	7.4	Pass
		MCH	QPSK	RB1#LOW	5.25	13	7.5	Pass
				RB100#LOW	5.58	13	7.6	Pass
			16-QAM	RB1#LOW	5.95	13	7.7	Pass
				RB100#LOW	6.28	13	7.8	Pass
		HCH	QPSK	RB1#LOW	5.44	13	7.9	Pass
				RB100#LOW	5.53	13	7.10	Pass
			16-QAM	RB1#LOW	6.42	13	7.11	Pass
				RB100#LOW	6.23	13	7.12	Pass
LTE Band 12	10 MHz	LCH	QPSK	RB1#LOW	4.55	13	8.1	Pass
				RB50#LOW	5.53	13	8.2	Pass
			16-QAM	RB1#LOW	5.39	13	8.3	Pass
				RB50#LOW	6.28	13	8.4	Pass
		MCH	QPSK	RB1#LOW	4.41	13	8.5	Pass
				RB50#LOW	5.58	13	8.6	Pass
			16-QAM	RB1#LOW	5.3	13	8.7	Pass
				RB50#LOW	6.37	13	8.8	Pass
		HCH	QPSK	RB1#LOW	4.41	13	8.9	Pass
				RB50#LOW	5.48	13	8.10	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
LTE Band 17	10 MHz		16-QAM	RB1#LOW	5.2	13	8.11	Pass
				RB50#LOW	6.33	13	8.12	Pass
		LCH	QPSK	RB1#LOW	4.45	13	9.1	Pass
				RB50#LOW	5.58	13	9.2	Pass
			16-QAM	RB1#LOW	5.3	13	9.3	Pass
				RB50#LOW	6.28	13	9.4	Pass
		MCH	QPSK	RB1#LOW	4.5	13	9.5	Pass
				RB50#LOW	5.53	13	9.6	Pass
			16-QAM	RB1#LOW	5.48	13	9.7	Pass
				RB50#LOW	6.37	13	9.8	Pass
		HCH	QPSK	RB1#LOW	4.5	13	9.9	Pass
				RB50#LOW	5.53	13	9.10	Pass
			16-QAM	RB1#LOW	5.2	13	9.11	Pass
				RB50#LOW	6.28	13	9.12	Pass
LTE Band 19	15 MHz	MCH	QPSK	RB1#LOW	4.59	13	10.1	Pass
				RB50#LOW	5.67	13	10.2	Pass
			16-QAM	RB1#LOW	5.48	13	10.3	Pass
				RB50#LOW	6.23	13	10.4	Pass
LTE Band 25	20 MHz	LCH	QPSK	RB1#LOW	5.2	13	11.1	Pass
				RB50#LOW	5.58	13	11.2	Pass
			16-QAM	RB1#LOW	5.67	13	11.3	Pass
				RB50#LOW	6.28	13	11.4	Pass
		MCH	QPSK	RB1#LOW	5.44	13	11.5	Pass
				RB50#LOW	5.72	13	11.6	Pass
			16-QAM	RB1#LOW	6.09	13	11.7	Pass
				RB50#LOW	6.42	13	11.8	Pass
		HCH	QPSK	RB1#LOW	5.48	13	11.9	Pass
				RB50#LOW	5.62	13	11.10	Pass
			16-QAM	RB1#LOW	6.52	13	11.11	Pass
				RB50#LOW	6.33	13	11.12	Pass
LTE Band 26(Part 22)	15 MHz	LCH	QPSK	RB1#LOW	4.31	13	12.1	Pass
				RB75#LOW	5.86	13	12.2	Pass
			16-QAM	RB1#LOW	5.2	13	12.3	Pass
				RB75#LOW	6.37	13	12.4	Pass
		MCH	QPSK	RB1#LOW	4.64	13	12.5	Pass
				RB75#LOW	5.81	13	12.6	Pass
			16-QAM	RB1#LOW	5.58	13	12.7	Pass
				RB75#LOW	6.33	13	12.8	Pass
		HCH	QPSK	RB1#LOW	4.92	13	12.9	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
			16-QAM	RB75#LOW	5.95	13	12.10	Pass
				RB1#LOW	5.62	13	12.11	Pass
				RB75#LOW	6.47	13	12.12	Pass
LTE Band 26(Part 90)	10 MHz	LCH	QPSK	RB1#LOW	4.69	13	13.1	Pass
				RB50#LOW	5.58	13	13.2	Pass
			16-QAM	RB1#LOW	5.53	13	13.3	Pass
				RB50#LOW	6.23	13	13.4	Pass
LTE Band 38	20 MHz	LCH	QPSK	RB1#LOW	8.58	13	14.1	Pass
				RB100#LOW	9.09	13	14.2	Pass
			16-QAM	RB1#LOW	9.23	13	14.3	Pass
				RB100#LOW	9.8	13	14.4	Pass
		MCH	QPSK	RB1#LOW	8.67	13	14.5	Pass
				RB100#LOW	9.05	13	14.6	Pass
			16-QAM	RB1#LOW	9.33	13	14.7	Pass
				RB100#LOW	9.7	13	14.8	Pass
		HCH	QPSK	RB1#LOW	8.39	13	14.9	Pass
				RB100#LOW	9.05	13	14.10	Pass
			16-QAM	RB1#LOW	9.23	13	14.11	Pass
				RB100#LOW	9.7	13	14.12	Pass
LTE Band 41 120M	20 MHz	LCH	QPSK	RB1#LOW	8.58	13	15.1	Pass
				RB100#LOW	9.14	13	15.2	Pass
			16-QAM	RB1#LOW	9.23	13	15.3	Pass
				RB100#LOW	9.8	13	15.4	Pass
		MCH	QPSK	RB1#LOW	8.62	13	15.5	Pass
				RB100#LOW	9.05	13	15.6	Pass
			16-QAM	RB1#LOW	9.33	13	15.7	Pass
				RB100#LOW	9.7	13	15.8	Pass
		HCH	QPSK	RB1#LOW	7.78	13	15.9	Pass
				RB100#LOW	8.91	13	15.10	Pass
			16-QAM	RB1#LOW	8.72	13	15.11	Pass
				RB100#LOW	9.52	13	15.12	Pass
LTE Band 66	20 MHz	LCH	QPSK	RB1#LOW	5.25	13	16.1	Pass
				RB100#LOW	5.67	13	16.2	Pass
			16-QAM	RB1#LOW	5.77	13	16.3	Pass
				RB100#LOW	6.47	13	16.4	Pass
		MCH	QPSK	RB1#LOW	4.97	13	16.5	Pass
				RB100#LOW	5.72	13	16.6	Pass
			16-QAM	RB1#LOW	5.86	13	16.7	Pass
				RB100#LOW	6.42	13	16.8	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Peak to Average Ratio (dB)	Limit (dB)	Refer to Plot ^{Note2}	Verdict
		HCH	QPSK	RB1#LOW	5.44	13	16.9	Pass
				RB100#LOW	5.58	13	16.10	Pass
			16-QAM	RB1#LOW	6.47	13	16.11	Pass
				RB100#LOW	6.33	13	16.12	Pass

A.3 Frequency Stability

GSM 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	1.81	±2060.5	5.73	±2091.5	12.24	±2122	Pass
	0	9.88		4.95		15.07		
	+10	7.23		8.32		9.86		
	+20	8.85		11.82		10.53		
	+25	5.88		9.14		10.69		
	+30	4.83		4.86		13.2		
	+40	1.1		7.6		10.91		
	+50	1.27		13.6		14.51		
10.2	+25	2.09		9.31		9.45		
9	+25	6.66		4.45		10.09		

GSM 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	30.26	±4625.5	31.56	±4700.0	26.85	±4774.5	Pass
	0	32.89		31.54		25.6		
	+10	35.18		30.71		22.34		
	+20	32.82		36.91		18.48		
	+25	32.09		33.84		23.28		
	+30	30.31		32.61		23.99		
	+40	28		33.23		23.33		
	+50	30.51		36.17		24.38		
10.2	+25	27.41		36.34		20.05		
9	+25	32.94		33.78		19.32		

GPRS 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	-5.61	±2060.5	-9.08	±2091.5	11.99	±2122	Pass
	0	0.17		-6.1		11.85		
	+10	-4		-4.71		2.77		
	+20	-0.78		-3.78		3.45		
	+25	-4.23		-4.49		7.07		
	+30	-8.6		-6.21		10.1		
	+40	-8.19		-6.66		7.57		
	+50	-5.54		-3.97		7.65		
10.2	+25	-6.3		-1.06		6.74		
9	+25	-4.12		-6.1		3.07		

GPRS 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	21.8	±4625.5	16.91	±4700.0	23.84	±4774.5	Pass
	0	26.56		16.76		23		
	+10	25.77		12.79		16.83		
	+20	25.74		20.71		15.68		
	+25	21.86		17.63		19.63		
	+30	17.94		16.79		21.89		
	+40	19.68		15.67		20.35		
	+50	21.29		21.26		23.6		
10.2	+25	18.89		19.91		15.72		
9	+25	25.31		14.36		16.22		

WCDMA Band 2

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1852.4 MHz		MCH 1880 MHz		HCH 1907.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	-7.35	±4631	-13.17	±4700	-12.27	±4769	Pass
	0	-4.21		-17.03		-14.9		
	+10	-3.98		-14.6		-20.04		
	+20	-4.55		-8.93		-16.13		
	+25	-4.81		-12.34		-15.89		
	+30	-5.22		-14.07		-13.88		
	+40	-9.03		-16.8		-12.77		
	+50	-9.66		-8.66		-13.52		
10.2	+25	-9.01		-11.38		-17.2		
9	+25	-0.38		-13.76		-17.93		

WCDMA Band 4

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1712.4 MHz		MCH 1732.4 MHz		HCH 1752.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	-13.54	±4281	-10.36	±4331	-10.58	±4381.5	Pass
	0	-9.4		-8.42		-12.84		
	+10	-11.02		-7.77		-14.79		
	+20	-6.12		-4.46		-16.47		
	+25	-11.1		-7.62		-12.87		
	+30	-11.88		-11.77		-11.21		
	+40	-14.67		-12.5		-12.79		
	+50	-15.15		-6.71		-8.17		
10.2	+25	-15.16		-4.94		-15.51		
9	+25	-6.34		-10.72		-15.07		

WCDMA Band B5

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 826.4 MHz		MCH 836.4 MHz		HCH 846.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	-10	-14.81	±2066	-12.77	±2091	-1.49	±2116.5	Pass
	0	-8.5		-12.77		-2.34		
	+10	-7.5		-12.68		-10.45		
	+20	-8.21		-4.35		-10.41		
	+25	-10.5		-8.96		-5.96		
	+30	-14.14		-12.32		-4.07		
	+40	-11.78		-10.38		-3.93		
	+50	-15.21		-4.1		-4.25		
10.2	+25	-13.32		-7.6		-10.46		
9	+25	-8.56		-13.63		-9.28		

LTE Band 2 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-12.56	±4700	Pass
	0	-6.75		
	+10	-5.89		
	+20	-7.61		
	+25	-7.75		
	+30	-8.68		
	+40	-9.18		
	+50	-8.27		
10.2	+25	-12.17		
9	+25	-6.58		

LTE Band 2 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	0.6	±4700	Pass
	0	-0.56		
	+10	-3.44		
	+20	2.55		
	+25	1.07		
	+30	0.49		
	+40	-0.38		
	+50	1.74		
10.2	+25	4.09		
9	+25	-0.3		

LTE Band 4 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-7.11	±4331.25	Pass
	0	-0.83		
	+10	-1.73		
	+20	2.75		
	+25	-2.23		
	+30	-5.73		
	+40	-3.24		
	+50	-6.6		
10.2	+25	-7.12		
9	+25	-0.37		

LTE Band 4 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-9.44	±4331.25	Pass
	0	-4.75		
	+10	-4.98		
	+20	0.22		
	+25	-4.63		
	+30	-8.76		
	+40	-4.73		
	+50	-3.29		
10.2	+25	-1.13		
9	+25	-9.27		

LTE Band 5 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-9.38	±2091.25	Pass
	0	-7.85		
	+10	-6.22		
	+20	-4.58		
	+25	-8.75		
	+30	-13.65		
	+40	-13.43		
	+50	-9.25		
10.2	+25	-13.17		
9	+25	-4.64		

LTE Band 5 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-12.83	±2091.25	Pass
	0	-13.71		
	+10	-16.34		
	+20	-9		
	+25	-12.06		
	+30	-12.89		
	+40	-13.25		
	+50	-9.72		
10.2	+25	-10.92		
9	+25	-12.85		

LTE Band 7 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2535 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-5.32	±6337.5	Pass
	0	0.56		
	+10	3.3		
	+20	-0.69		
	+25	-1.44		
	+30	-2.97		
	+40	-5.83		
	+50	-4.47		
10.2	+25	-1.91		
9	+25	3.31		

LTE Band 7 16-QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2535 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	3.78	±6337.5	Pass
	0	0.59		
	+10	0.19		
	+20	8.03		
	+25	4.13		
	+30	0.12		
	+40	0.35		
	+50	5.03		
10.2	+25	6.13		
9	+25	0.26		

LTE Band 12 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 707.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-11.26	±1768.75	Pass
	0	-7.88		
	+10	-7.77		
	+20	-8.58		
	+25	-9.78		
	+30	-12.83		
	+40	-14.17		
	+50	-14.66		
10.2	+25	-10.37		
9	+25	-7.12		

LTE Band 12 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 707.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-12.53	±1768.75	Pass
	0	-10.48		
	+10	-9.42		
	+20	-4.15		
	+25	-8.47		
	+30	-11.64		
	+40	-8.99		
	+50	-3.92		
10.2	+25	-6.78		
9	+25	-11.37		

LTE Band 17 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 710 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-2.24	±1775	Pass
	0	2.18		
	+10	0.15		
	+20	-0.42		
	+25	-2.22		
	+30	-2.94		
	+40	-2.79		
	+50	-3.21		
10.2	+25	-7		
9	+25	-0.98		

LTE Band 17 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 710 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-12.68	±1775	Pass
	0	-9.13		
	+10	-9.19		
	+20	-7.52		
	+25	-8.37		
	+30	-12.53		
	+40	-12.1		
	+50	-3.53		
10.2	+25	-7.18		
9	+25	-9		

LTE Band 19 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-7.98	±2093.75	Pass
	0	-6.18		
	10	-6.62		
	20	-2.66		
	25	-6.88		
	30	-11.65		
	40	-8.08		
	50	-8.91		
10.2	25	-9.18		
9	25	-2.31		

LTE Band 19 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-12.27	±2093.75	Pass
	0	-11.23		
	10	-12.5		
	20	-10.16		
	25	-10.3		
	30	-13.53		
	40	-10.33		
	50	-6.67		
10.2	25	-5.68		
9	25	-14.72		

LTE Band 25 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-1.16	±4706.25	Pass
	0	2.37		
	10	3.81		
	20	0.85		
	25	-0.83		
	30	-1.26		
	40	-2.7		
	50	-3.42		
10.2	25	-5.24		
9	25	0.48		

LTE Band 25 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	1.11	±4706.25	Pass
	0	-0.57		
	10	0.25		
	20	7.05		
	25	3.28		
	30	-1.68		
	40	0.68		
	50	4.83		
10.2	25	7.89		
9	25	-0.83		

LTE Band 26 (Part22) QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-7.55	±2091.25	Pass
	0	-3.57		
	10	-2.98		
	20	-3.83		
	25	-7.17		
	30	-11.85		
	40	-8.29		
	50	-10.63		
10.2	25	-11.47		
9	25	-5.4		

LTE Band 26 (Part22) 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-11.53	±2091.25	Pass
	0	-10.92		
	10	-9.61		
	20	-5.55		
	25	-9.3		
	30	-11.19		
	40	-13.82		
	50	-8.31		
10.2	25	-5.52		
9	25	-10.01		

LTE Band 26 (Part90) QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 819 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-3.82	±2047.5	Pass
	0	3.9		
	10	4.83		
	20	4.19		
	25	0		
	30	-0.6		
	40	-0.33		
	50	-1.72		
10.2	25	-1.15		
9	25	1.25		

LTE Band 26 (Part90) 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 819 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-1.97	±2047.5	Pass
	0	-4.05		
	10	-1.78		
	20	2.18		
	25	0		
	30	-2.19		
	40	-2.43		
	50	0.14		
10.2	25	3.73		
9	25	-1.33		

LTE Band 38 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2595 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-19	±6487.5	Pass
	0	-13.52		
	+10	-13.25		
	+20	-17.54		
	+25	-18.22		
	+30	-23.07		
	+40	-20.9		
	+50	-20.3		
10.2	+25	-19.01		
9	+25	-15.55		

LTE Band 38 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2595 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-6.5	±6487.5	Pass
	0	-4.34		
	+10	-3.51		
	+20	-1.71		
	+25	-2.06		
	+30	-6.52		
	+40	-2.67		
	+50	0.47		
10.2	+25	1.34		
9	+25	-5.25		

LTE Band 41 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-11.46	±6487.5	Pass
	0	-6.57		
	+10	-1.72		
	+20	-6.38		
	+25	-6.57		
	+30	-8.87		
	+40	-8.63		
	+50	-6.57		
10.2	+25	-7.83		
9	+25	-6.21		

LTE Band 41 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-7.36	±6487.5	Pass
	0	-10.43		
	+10	-6.29		
	+20	-2.67		
	+25	-5.46		
	+30	-6.23		
	+40	-10.27		
	+50	-3.68		
10.2	+25	-1.31		
9	+25	-9.02		

LTE Band 66 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1745 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-2.86	±4362.5	Pass
	0	-0.93		
	10	2.09		
	20	2.85		
	25	-2.03		
	30	-2.51		
	40	-5.72		
	50	-3.55		
10.2	25	-6.4		
9	25	2.22		

LTE Band 66 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1745 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-10	-6.81	±4362.5	Pass
	0	-4.08		
	10	-5.95		
	20	-0.07		
	25	-2.83		
	30	-4.01		
	40	-7.25		
	50	1.51		
10.2	25	-0.38		
9	25	-6.54		

A.4 Spurious Emission at Antenna Terminals

Note 1: GSM and EGPRS modes have been verified, and only the worst data with different bandwidth for LTE are shown here.

Note 2: The frequencies of verdict which are marked by "N/A" should be ignored because they are UE carrier frequency.

Note 3: Test plots please refer to the document "Annex No.: BL-SH2510034-501 Data Part 3.pdf".

Note 4: The disturbance above 26.5GHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Refer to Plot ^{Note3}	Verdict
GSM 850	LCH	1.1	Pass
	MCH	1.2	Pass
	HCH	1.3	Pass
GSM 1900	LCH	2.1	Pass
	MCH	2.2	Pass
	HCH	2.3	Pass
GPRS 850	LCH	3.1	Pass
	MCH	3.2	Pass
	HCH	3.3	Pass
GPRS 1900	LCH	4.1	Pass
	MCH	4.2	Pass
	HCH	4.3	Pass
WCDMA Band 2	LCH	5.1	Pass
	MCH	5.2	Pass
	HCH	5.3	Pass
WCDMA Band 4	LCH	6.1	Pass
	MCH	6.2	Pass
	HCH	6.3	Pass
WCDMA Band 5	LCH	7.1	Pass
	MCH	7.2	Pass
	HCH	7.3	Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#LOW	8.1	Pass
			16-QAM	RB1#LOW	8.2	Pass
		MCH	QPSK	RB1#LOW	8.3	Pass
			16-QAM	RB1#LOW	8.4	Pass
		HCH	QPSK	RB1#LOW	8.5	Pass
			16-QAM	RB1#LOW	8.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	8.7	Pass
			16-QAM	RB1#LOW	8.8	Pass
		MCH	QPSK	RB1#LOW	8.9	Pass
			16-QAM	RB1#LOW	8.10	Pass
		HCH	QPSK	RB1#LOW	8.11	Pass
			16-QAM	RB1#LOW	8.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	8.13	Pass
			16-QAM	RB1#LOW	8.14	Pass
		MCH	QPSK	RB1#LOW	8.15	Pass
			16-QAM	RB1#LOW	8.16	Pass
		HCH	QPSK	RB1#LOW	8.17	Pass
			16-QAM	RB1#LOW	8.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	8.19	Pass
			16-QAM	RB1#LOW	8.20	Pass
		MCH	QPSK	RB1#LOW	8.21	Pass
			16-QAM	RB1#LOW	8.22	Pass
		HCH	QPSK	RB1#LOW	8.23	Pass
			16-QAM	RB1#LOW	8.24	Pass
	15 MHz	LCH	QPSK	RB1#LOW	8.25	Pass
			16-QAM	RB1#LOW	8.26	Pass
		MCH	QPSK	RB1#LOW	8.27	Pass
			16-QAM	RB1#LOW	8.28	Pass
		HCH	QPSK	RB1#LOW	8.29	Pass
			16-QAM	RB1#LOW	8.30	Pass
	20 MHz	LCH	QPSK	RB1#LOW	8.31	Pass
			16-QAM	RB1#LOW	8.32	Pass
		MCH	QPSK	RB1#LOW	8.33	Pass
			16-QAM	RB1#LOW	8.34	Pass
		HCH	QPSK	RB1#LOW	8.35	Pass
			16-QAM	RB1#LOW	8.36	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#LOW	9.1	Pass
			16-QAM	RB1#LOW	9.2	Pass
		MCH	QPSK	RB1#LOW	9.3	Pass
			16-QAM	RB1#LOW	9.4	Pass
		HCH	QPSK	RB1#LOW	9.5	Pass
			16-QAM	RB1#LOW	9.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	9.7	Pass
			16-QAM	RB1#LOW	9.8	Pass
		MCH	QPSK	RB1#LOW	9.9	Pass
			16-QAM	RB1#LOW	9.10	Pass
		HCH	QPSK	RB1#LOW	9.11	Pass
			16-QAM	RB1#LOW	9.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	9.13	Pass
			16-QAM	RB1#LOW	9.14	Pass
		MCH	QPSK	RB1#LOW	9.15	Pass
			16-QAM	RB1#LOW	9.16	Pass
		HCH	QPSK	RB1#LOW	9.17	Pass
			16-QAM	RB1#LOW	9.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	9.19	Pass
			16-QAM	RB1#LOW	9.20	Pass
		MCH	QPSK	RB1#LOW	9.21	Pass
			16-QAM	RB1#LOW	9.22	Pass
		HCH	QPSK	RB1#LOW	9.23	Pass
			16-QAM	RB1#LOW	9.24	Pass
	15 MHz	LCH	QPSK	RB1#LOW	9.25	Pass
			16-QAM	RB1#LOW	9.26	Pass
		MCH	QPSK	RB1#LOW	9.27	Pass
			16-QAM	RB1#LOW	9.28	Pass
		HCH	QPSK	RB1#LOW	9.29	Pass
			16-QAM	RB1#LOW	9.30	Pass
	20 MHz	LCH	QPSK	RB1#LOW	9.31	Pass
			16-QAM	RB1#LOW	9.32	Pass
		MCH	QPSK	RB1#LOW	9.33	Pass
			16-QAM	RB1#LOW	9.34	Pass
		HCH	QPSK	RB1#LOW	9.35	Pass
			16-QAM	RB1#LOW	9.36	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#LOW	10.1	Pass
			16-QAM	RB1#LOW	10.2	Pass
		MCH	QPSK	RB1#LOW	10.3	Pass
			16-QAM	RB1#LOW	10.4	Pass
		HCH	QPSK	RB1#LOW	10.5	Pass
			16-QAM	RB1#LOW	10.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	10.7	Pass
			16-QAM	RB1#LOW	10.8	Pass
		MCH	QPSK	RB1#LOW	10.9	Pass
			16-QAM	RB1#LOW	10.10	Pass
		HCH	QPSK	RB1#LOW	10.11	Pass
			16-QAM	RB1#LOW	10.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	10.13	Pass
			16-QAM	RB1#LOW	10.14	Pass
		MCH	QPSK	RB1#LOW	10.15	Pass
			16-QAM	RB1#LOW	10.16	Pass
		HCH	QPSK	RB1#LOW	10.17	Pass
			16-QAM	RB1#LOW	10.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	10.19	Pass
			16-QAM	RB1#LOW	10.20	Pass
		MCH	QPSK	RB1#LOW	10.21	Pass
			16-QAM	RB1#LOW	10.22	Pass
		HCH	QPSK	RB1#LOW	10.23	Pass
			16-QAM	RB1#LOW	10.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#LOW	11.1	Pass
			16-QAM	RB1#LOW	11.2	Pass
		MCH	QPSK	RB1#LOW	11.3	Pass
			16-QAM	RB1#LOW	11.4	Pass
		HCH	QPSK	RB1#LOW	11.5	Pass
			16-QAM	RB1#LOW	11.6	Pass
	10 MHz	LCH	QPSK	RB1#LOW	11.7	Pass
			16-QAM	RB1#LOW	11.8	Pass
		MCH	QPSK	RB1#LOW	11.9	Pass
			16-QAM	RB1#LOW	11.10	Pass
		HCH	QPSK	RB1#LOW	11.11	Pass
			16-QAM	RB1#LOW	11.12	Pass
	15 MHz	LCH	QPSK	RB1#LOW	11.13	Pass
			16-QAM	RB1#LOW	11.14	Pass
		MCH	QPSK	RB1#LOW	11.15	Pass
			16-QAM	RB1#LOW	11.16	Pass
		HCH	QPSK	RB1#LOW	11.17	Pass
			16-QAM	RB1#LOW	11.18	Pass
	20 MHz	LCH	QPSK	RB1#LOW	11.19	Pass
			16-QAM	RB1#LOW	11.20	Pass
		MCH	QPSK	RB1#LOW	11.21	Pass
			16-QAM	RB1#LOW	11.22	Pass
		HCH	QPSK	RB1#LOW	11.23	Pass
			16-QAM	RB1#LOW	11.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#LOW	12.1	Pass
			16-QAM	RB1#LOW	12.2	Pass
		MCH	QPSK	RB1#LOW	12.3	Pass
			16-QAM	RB1#LOW	12.4	Pass
		HCH	QPSK	RB1#LOW	12.5	Pass
			16-QAM	RB1#LOW	12.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	12.7	Pass
			16-QAM	RB1#LOW	12.8	Pass
		MCH	QPSK	RB1#LOW	12.9	Pass
			16-QAM	RB1#LOW	12.10	Pass
		HCH	QPSK	RB1#LOW	12.11	Pass
			16-QAM	RB1#LOW	12.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	12.13	Pass
			16-QAM	RB1#LOW	12.14	Pass
		MCH	QPSK	RB1#LOW	12.15	Pass
			16-QAM	RB1#LOW	12.16	Pass
		HCH	QPSK	RB1#LOW	12.17	Pass
			16-QAM	RB1#LOW	12.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	12.19	Pass
			16-QAM	RB1#LOW	12.20	Pass
		MCH	QPSK	RB1#LOW	12.21	Pass
			16-QAM	RB1#LOW	12.22	Pass
		HCH	QPSK	RB1#LOW	12.23	Pass
			16-QAM	RB1#LOW	12.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#LOW	13.1	Pass
			16-QAM	RB1#LOW	13.2	Pass
		MCH	QPSK	RB1#LOW	13.3	Pass
			16-QAM	RB1#LOW	13.4	Pass
		HCH	QPSK	RB1#LOW	13.5	Pass
			16-QAM	RB1#LOW	13.6	Pass
	10 MHz	LCH	QPSK	RB1#LOW	13.7	Pass
			16-QAM	RB1#LOW	13.8	Pass
		MCH	QPSK	RB1#LOW	13.9	Pass
			16-QAM	RB1#LOW	13.10	Pass
		HCH	QPSK	RB1#LOW	13.11	Pass
			16-QAM	RB1#LOW	13.12	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 19	5 MHz	LCH	QPSK	RB1#LOW	14.1	Pass
			16-QAM	RB1#LOW	14.2	Pass
		MCH	QPSK	RB1#LOW	14.3	Pass
			16-QAM	RB1#LOW	14.4	Pass
		HCH	QPSK	RB1#LOW	14.5	Pass
			16-QAM	RB1#LOW	14.6	Pass
	10 MHz	LCH	QPSK	RB1#LOW	14.7	Pass
			16-QAM	RB1#LOW	14.8	Pass
		MCH	QPSK	RB1#LOW	14.9	Pass
			16-QAM	RB1#LOW	14.10	Pass
		HCH	QPSK	RB1#LOW	14.11	Pass
			16-QAM	RB1#LOW	14.12	Pass
	15 MHz		QPSK	RB1#LOW	14.13	Pass
			16-QAM	RB1#LOW	14.14	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#LOW	15.1	Pass
			16-QAM	RB1#LOW	15.2	Pass
		MCH	QPSK	RB1#LOW	15.3	Pass
			16-QAM	RB1#LOW	15.4	Pass
		HCH	QPSK	RB1#LOW	15.5	Pass
			16-QAM	RB1#LOW	15.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	15.7	Pass
			16-QAM	RB1#LOW	15.8	Pass
		MCH	QPSK	RB1#LOW	15.9	Pass
			16-QAM	RB1#LOW	15.10	Pass
		HCH	QPSK	RB1#LOW	15.11	Pass
			16-QAM	RB1#LOW	15.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	15.13	Pass
			16-QAM	RB1#LOW	15.14	Pass
		MCH	QPSK	RB1#LOW	15.15	Pass
			16-QAM	RB1#LOW	15.16	Pass
		HCH	QPSK	RB1#LOW	15.17	Pass
			16-QAM	RB1#LOW	15.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	15.19	Pass
			16-QAM	RB1#LOW	15.20	Pass
		MCH	QPSK	RB1#LOW	15.21	Pass
			16-QAM	RB1#LOW	15.22	Pass
		HCH	QPSK	RB1#LOW	15.23	Pass
			16-QAM	RB1#LOW	15.24	Pass
	15 MHz	LCH	QPSK	RB1#LOW	15.25	Pass
			16-QAM	RB1#LOW	15.26	Pass
		MCH	QPSK	RB1#LOW	15.27	Pass
			16-QAM	RB1#LOW	15.28	Pass
		HCH	QPSK	RB1#LOW	15.29	Pass
			16-QAM	RB1#LOW	15.30	Pass
	20 MHz	LCH	QPSK	RB1#LOW	15.31	Pass
			16-QAM	RB1#LOW	15.32	Pass
		MCH	QPSK	RB1#LOW	15.33	Pass
			16-QAM	RB1#LOW	15.34	Pass
		HCH	QPSK	RB1#LOW	15.35	Pass
			16-QAM	RB1#LOW	15.36	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
LTE Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB1#LOW	16.1	Pass
			16-QAM	RB1#LOW	16.2	Pass
		MCH	QPSK	RB1#LOW	16.3	Pass
			16-QAM	RB1#LOW	16.4	Pass
		HCH	QPSK	RB1#LOW	16.5	Pass
			16-QAM	RB1#LOW	16.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	16.7	Pass
			16-QAM	RB1#LOW	16.8	Pass
		MCH	QPSK	RB1#LOW	16.9	Pass
			16-QAM	RB1#LOW	16.10	Pass
		HCH	QPSK	RB1#LOW	16.11	Pass
			16-QAM	RB1#LOW	16.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	16.13	Pass
			16-QAM	RB1#LOW	16.14	Pass
		MCH	QPSK	RB1#LOW	16.15	Pass
			16-QAM	RB1#LOW	16.16	Pass
		HCH	QPSK	RB1#LOW	16.17	Pass
			16-QAM	RB1#LOW	16.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	16.19	Pass
			16-QAM	RB1#LOW	16.20	Pass
		MCH	QPSK	RB1#LOW	16.21	Pass
			16-QAM	RB1#LOW	16.22	Pass
		HCH	QPSK	RB1#LOW	16.23	Pass
			16-QAM	RB1#LOW	16.24	Pass
	15 MHz	LCH	QPSK	RB1#LOW	16.25	Pass
			16-QAM	RB1#LOW	16.26	Pass
		MCH	QPSK	RB1#LOW	16.27	Pass
			16-QAM	RB1#LOW	16.28	Pass
		HCH	QPSK	RB1#LOW	16.29	Pass
			16-QAM	RB1#LOW	16.30	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
LTE Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB1#LOW	17.1	Pass
			16-QAM	RB1#LOW	17.2	Pass
		MCH	QPSK	RB1#LOW	17.3	Pass
			16-QAM	RB1#LOW	17.4	Pass
		HCH	QPSK	RB1#LOW	17.5	Pass
			16-QAM	RB1#LOW	17.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	17.7	Pass
			16-QAM	RB1#LOW	17.8	Pass
		MCH	QPSK	RB1#LOW	17.9	Pass
			16-QAM	RB1#LOW	17.10	Pass
		HCH	QPSK	RB1#LOW	17.11	Pass
			16-QAM	RB1#LOW	17.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	17.13	Pass
			16-QAM	RB1#LOW	17.14	Pass
		MCH	QPSK	RB1#LOW	17.15	Pass
			16-QAM	RB1#LOW	17.16	Pass
		HCH	QPSK	RB1#LOW	17.17	Pass
			16-QAM	RB1#LOW	17.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	17.19	Pass
			16-QAM	RB1#LOW	17.20	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#LOW	18.1	Pass
			16-QAM	RB1#LOW	18.2	Pass
		MCH	QPSK	RB1#LOW	18.3	Pass
			16-QAM	RB1#LOW	18.4	Pass
		HCH	QPSK	RB1#LOW	18.5	Pass
			16-QAM	RB1#LOW	18.6	Pass
	10 MHz	LCH	QPSK	RB1#LOW	18.7	Pass
			16-QAM	RB1#LOW	18.8	Pass
		MCH	QPSK	RB1#LOW	18.9	Pass
			16-QAM	RB1#LOW	18.10	Pass
		HCH	QPSK	RB1#LOW	18.11	Pass
			16-QAM	RB1#LOW	18.12	Pass
	15 MHz	LCH	QPSK	RB1#LOW	18.13	Pass
			16-QAM	RB1#LOW	18.14	Pass
		MCH	QPSK	RB1#LOW	18.15	Pass
			16-QAM	RB1#LOW	18.16	Pass
		HCH	QPSK	RB1#LOW	18.17	Pass
			16-QAM	RB1#LOW	18.18	Pass
	20 MHz	LCH	QPSK	RB1#LOW	18.19	Pass
			16-QAM	RB1#LOW	18.20	Pass
		MCH	QPSK	RB1#LOW	18.21	Pass
			16-QAM	RB1#LOW	18.22	Pass
		HCH	QPSK	RB1#LOW	18.23	Pass
			16-QAM	RB1#LOW	18.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 41	5 MHz	LCH	QPSK	RB1#LOW	19.1	Pass
			16-QAM	RB1#LOW	19.2	Pass
		MCH	QPSK	RB1#LOW	19.3	Pass
			16-QAM	RB1#LOW	19.4	Pass
		HCH	QPSK	RB1#LOW	19.5	Pass
			16-QAM	RB1#LOW	19.6	Pass
	10 MHz	LCH	QPSK	RB1#LOW	19.7	Pass
			16-QAM	RB1#LOW	19.8	Pass
		MCH	QPSK	RB1#LOW	19.9	Pass
			16-QAM	RB1#LOW	19.10	Pass
		HCH	QPSK	RB1#LOW	19.11	Pass
			16-QAM	RB1#LOW	19.12	Pass
	15 MHz	LCH	QPSK	RB1#LOW	19.13	Pass
			16-QAM	RB1#LOW	19.14	Pass
		MCH	QPSK	RB1#LOW	19.15	Pass
			16-QAM	RB1#LOW	19.16	Pass
		HCH	QPSK	RB1#LOW	19.17	Pass
			16-QAM	RB1#LOW	19.18	Pass
	20 MHz	LCH	QPSK	RB1#LOW	19.19	Pass
			16-QAM	RB1#LOW	19.20	Pass
		MCH	QPSK	RB1#LOW	19.21	Pass
			16-QAM	RB1#LOW	19.22	Pass
		HCH	QPSK	RB1#LOW	19.23	Pass
			16-QAM	RB1#LOW	19.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note3}	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#LOW	20.1	Pass
			16-QAM	RB1#LOW	20.2	Pass
		MCH	QPSK	RB1#LOW	20.3	Pass
			16-QAM	RB1#LOW	20.4	Pass
		HCH	QPSK	RB1#LOW	20.5	Pass
			16-QAM	RB1#LOW	20.6	Pass
	3 MHz	LCH	QPSK	RB1#LOW	20.7	Pass
			16-QAM	RB1#LOW	20.8	Pass
		MCH	QPSK	RB1#LOW	20.9	Pass
			16-QAM	RB1#LOW	20.10	Pass
		HCH	QPSK	RB1#LOW	20.11	Pass
			16-QAM	RB1#LOW	20.12	Pass
	5 MHz	LCH	QPSK	RB1#LOW	20.13	Pass
			16-QAM	RB1#LOW	20.14	Pass
		MCH	QPSK	RB1#LOW	20.15	Pass
			16-QAM	RB1#LOW	20.16	Pass
		HCH	QPSK	RB1#LOW	20.17	Pass
			16-QAM	RB1#LOW	20.18	Pass
	10 MHz	LCH	QPSK	RB1#LOW	20.19	Pass
			16-QAM	RB1#LOW	20.20	Pass
		MCH	QPSK	RB1#LOW	20.21	Pass
			16-QAM	RB1#LOW	20.22	Pass
		HCH	QPSK	RB1#LOW	20.23	Pass
			16-QAM	RB1#LOW	20.24	Pass
	15 MHz	LCH	QPSK	RB1#LOW	20.25	Pass
			16-QAM	RB1#LOW	20.26	Pass
		MCH	QPSK	RB1#LOW	20.27	Pass
			16-QAM	RB1#LOW	20.28	Pass
		HCH	QPSK	RB1#LOW	20.29	Pass
			16-QAM	RB1#LOW	20.30	Pass
	20 MHz	LCH	QPSK	RB1#LOW	20.31	Pass
			16-QAM	RB1#LOW	20.32	Pass
		MCH	QPSK	RB1#LOW	20.33	Pass
			16-QAM	RB1#LOW	20.34	Pass
		HCH	QPSK	RB1#LOW	20.35	Pass
			16-QAM	RB1#LOW	20.36	Pass

A.5 Occupied Bandwidth

Note 1: All modes were tested, but only the typical data were reported in this report.

Note 2: Test plots please refer to the document “Annex No.: BL-SH2510034-501 Data Part 2.pdf”.

GSM and WCDMA Mode Test Data

Test Band	Test Channel	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
GSM 850	LCH	0.245	0.313	1.1
	MCH	0.246	0.315	1.2
	HCH	0.243	0.311	1.3
GSM 1900	LCH	0.246	0.31	2.1
	MCH	0.247	0.31	2.2
	HCH	0.247	0.309	2.3
GPRS 850	LCH	0.245	0.315	3.1
	MCH	0.244	0.316	3.2
	HCH	0.245	0.314	3.3
GPRS 1900	LCH	0.245	0.31	4.1
	MCH	0.246	0.313	4.2
	HCH	0.246	0.313	4.3
WCDMA Band 2	LCH	4.156	4.707	5.1
	MCH	4.157	4.71	5.2
	HCH	4.154	4.713	5.3
WCDMA Band 4	LCH	4.159	4.707	6.1
	MCH	4.158	4.704	6.2
	HCH	4.158	4.707	6.3
WCDMA Band 5	LCH	4.15	4.715	7.1
	MCH	4.153	4.708	7.2
	HCH	4.153	4.718	7.3

LTE Mode Test Data

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 2	1.4 MHz	LCH	QPSK	RB6#LOW	1.084	1.27	8.1
			16-QAM	RB6#LOW	1.093	1.299	8.2
		MCH	QPSK	RB6#LOW	1.089	1.294	8.3
			16-QAM	RB6#LOW	1.083	1.269	8.4
		HCH	QPSK	RB6#LOW	1.088	1.276	8.5
			16-QAM	RB6#LOW	1.086	1.264	8.6
	3 MHz	LCH	QPSK	RB15#LOW	2.688	2.911	8.7
			16-QAM	RB15#LOW	2.681	2.93	8.8
		MCH	QPSK	RB15#LOW	2.68	2.924	8.9
			16-QAM	RB15#LOW	2.679	2.913	8.10
		HCH	QPSK	RB15#LOW	2.686	2.914	8.11
			16-QAM	RB15#LOW	2.68	2.91	8.12
	5 MHz	LCH	QPSK	RB25#LOW	4.489	4.899	8.13
			16-QAM	RB25#LOW	4.486	4.934	8.14
		MCH	QPSK	RB25#LOW	4.492	4.924	8.15
			16-QAM	RB25#LOW	4.49	4.928	8.16
		HCH	QPSK	RB25#LOW	4.484	4.93	8.17
			16-QAM	RB25#LOW	4.485	4.933	8.18
	10 MHz	LCH	QPSK	RB50#LOW	8.976	9.837	8.19
			16-QAM	RB50#LOW	8.96	9.743	8.20
		MCH	QPSK	RB50#LOW	8.959	10.24	8.21
			16-QAM	RB50#LOW	8.97	9.711	8.22
		HCH	QPSK	RB50#LOW	8.969	9.788	8.23
			16-QAM	RB50#LOW	8.945	9.768	8.24
	15 MHz	LCH	QPSK	RB75#LOW	13.45	14.633	8.25
			16-QAM	RB75#LOW	13.461	14.612	8.26
		MCH	QPSK	RB75#LOW	13.432	14.742	8.27
			16-QAM	RB75#LOW	13.452	14.629	8.28
		HCH	QPSK	RB75#LOW	13.442	14.771	8.29
			16-QAM	RB75#LOW	13.459	14.626	8.30
	20 MHz	LCH	QPSK	RB100#LOW	17.899	19.243	8.31
			16-QAM	RB100#LOW	17.913	19.31	8.32
		MCH	QPSK	RB100#LOW	17.905	19.383	8.33
			16-QAM	RB100#LOW	17.927	19.393	8.34
		HCH	QPSK	RB100#LOW	17.96	19.465	8.35
			16-QAM	RB100#LOW	17.913	19.343	8.36

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 4	1.4 MHz	LCH	QPSK	RB6#LOW	1.084	1.264	9.1
			16-QAM	RB6#LOW	1.092	1.301	9.2
		MCH	QPSK	RB6#LOW	1.089	1.289	9.3
			16-QAM	RB6#LOW	1.086	1.267	9.4
		HCH	QPSK	RB6#LOW	1.088	1.282	9.5
			16-QAM	RB6#LOW	1.087	1.276	9.6
	3 MHz	LCH	QPSK	RB15#LOW	2.688	2.908	9.7
			16-QAM	RB15#LOW	2.685	2.933	9.8
		MCH	QPSK	RB15#LOW	2.683	2.922	9.9
			16-QAM	RB15#LOW	2.685	2.919	9.10
		HCH	QPSK	RB15#LOW	2.69	2.942	9.11
			16-QAM	RB15#LOW	2.684	2.912	9.12
	5 MHz	LCH	QPSK	RB25#LOW	4.498	4.92	9.13
			16-QAM	RB25#LOW	4.487	4.931	9.14
		MCH	QPSK	RB25#LOW	4.489	5.039	9.15
			16-QAM	RB25#LOW	4.489	4.936	9.16
		HCH	QPSK	RB25#LOW	4.488	4.931	9.17
			16-QAM	RB25#LOW	4.488	4.95	9.18
	10 MHz	LCH	QPSK	RB50#LOW	8.981	9.795	9.19
			16-QAM	RB50#LOW	8.981	9.763	9.20
		MCH	QPSK	RB50#LOW	8.954	9.754	9.21
			16-QAM	RB50#LOW	8.958	9.708	9.22
		HCH	QPSK	RB50#LOW	8.972	9.806	9.23
			16-QAM	RB50#LOW	8.971	9.787	9.24
	15 MHz	LCH	QPSK	RB75#LOW	13.456	14.691	9.25
			16-QAM	RB75#LOW	13.462	14.616	9.26
		MCH	QPSK	RB75#LOW	13.411	14.563	9.27
			16-QAM	RB75#LOW	13.438	14.624	9.28
		HCH	QPSK	RB75#LOW	13.449	14.727	9.29
			16-QAM	RB75#LOW	13.472	14.631	9.30
	20 MHz	LCH	QPSK	RB100#LOW	17.895	19.265	9.31
			16-QAM	RB100#LOW	17.958	19.322	9.32
		MCH	QPSK	RB100#LOW	17.888	19.301	9.33
			16-QAM	RB100#LOW	17.905	19.364	9.34

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
				W			
		HCH	QPSK	RB100#LOW	17.952	19.416	9.35
			16-QAM	RB100#LOW	17.931	19.393	9.36

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 5	1.4 MHz	LCH	QPSK	RB6#LOW	1.083	1.263	10.1
			16-QAM	RB6#LOW	1.092	1.3	10.2
		MCH	QPSK	RB6#LOW	1.088	1.289	10.3
			16-QAM	RB6#LOW	1.083	1.267	10.4
		HCH	QPSK	RB6#LOW	1.092	1.278	10.5
			16-QAM	RB6#LOW	1.084	1.266	10.6
	3 MHz	LCH	QPSK	RB15#LOW	2.683	2.896	10.7
			16-QAM	RB15#LOW	2.683	2.927	10.8
		MCH	QPSK	RB15#LOW	2.681	2.906	10.9
			16-QAM	RB15#LOW	2.678	2.909	10.10
		HCH	QPSK	RB15#LOW	2.683	2.915	10.11
			16-QAM	RB15#LOW	2.681	2.923	10.12
	5 MHz	LCH	QPSK	RB25#LOW	4.492	4.916	10.13
			16-QAM	RB25#LOW	4.482	4.907	10.14
		MCH	QPSK	RB25#LOW	4.488	4.921	10.15
			16-QAM	RB25#LOW	4.485	4.934	10.16
		HCH	QPSK	RB25#LOW	4.486	4.915	10.17
			16-QAM	RB25#LOW	4.486	4.91	10.18
	10 MHz	LCH	QPSK	RB50#LOW	8.974	9.832	10.19
			16-QAM	RB50#LOW	8.971	9.729	10.20
		MCH	QPSK	RB50#LOW	8.941	9.762	10.21
			16-QAM	RB50#LOW	8.945	9.71	10.22
		HCH	QPSK	RB50#LOW	8.991	9.781	10.23
			16-QAM	RB50#LOW	8.974	9.8	10.24

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 7	5 MHz	LCH	QPSK	RB25#LOW	4.487	4.896	11.1
			16-QAM	RB25#LOW	4.484	4.931	11.2
		MCH	QPSK	RB25#LOW	4.484	4.913	11.3
			16-QAM	RB25#LOW	4.486	4.925	11.4
		HCH	QPSK	RB25#LOW	4.482	4.909	11.5
			16-QAM	RB25#LOW	4.484	4.943	11.6
	10 MHz	LCH	QPSK	RB50#LOW	8.978	9.853	11.7
			16-QAM	RB50#LOW	8.976	9.765	11.8
		MCH	QPSK	RB50#LOW	8.943	9.752	11.9
			16-QAM	RB50#LOW	8.951	9.718	11.10
		HCH	QPSK	RB50#LOW	8.967	9.786	11.11
			16-QAM	RB50#LOW	8.95	9.758	11.12
	15 MHz	LCH	QPSK	RB75#LOW	13.431	14.574	11.13
			16-QAM	RB75#LOW	13.448	14.602	11.14
		MCH	QPSK	RB75#LOW	13.401	14.608	11.15
			16-QAM	RB75#LOW	13.438	14.609	11.16
		HCH	QPSK	RB75#LOW	13.424	14.681	11.17
			16-QAM	RB75#LOW	13.432	14.621	11.18
	20 MHz	LCH	QPSK	RB100#LOW	17.929	19.307	11.19
			16-QAM	RB100#LOW	17.954	19.331	11.20
		MCH	QPSK	RB100#LOW	17.872	19.321	11.21
			16-QAM	RB100#LOW	17.881	19.372	11.22
		HCH	QPSK	RB100#LOW	17.906	19.377	11.23
			16-QAM	RB100#LOW	17.898	19.365	11.24

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 12	1.4 MHz	LCH	QPSK	RB6#LOW	1.084	1.263	12.1
			16-QAM	RB6#LOW	1.092	1.301	12.2
		MCH	QPSK	RB6#LOW	1.091	1.288	12.3
			16-QAM	RB6#LOW	1.083	1.27	12.4
		HCH	QPSK	RB6#LOW	1.09	1.271	12.5
			16-QAM	RB6#LOW	1.086	1.266	12.6
	3 MHz	LCH	QPSK	RB15#LOW	2.689	2.91	12.7
			16-QAM	RB15#LOW	2.681	2.932	12.8
		MCH	QPSK	RB15#LOW	2.688	2.922	12.9
			16-QAM	RB15#LOW	2.681	2.917	12.10
		HCH	QPSK	RB15#LOW	2.686	2.918	12.11
			16-QAM	RB15#LOW	2.684	2.919	12.12
	5 MHz	LCH	QPSK	RB25#LOW	4.517	5.195	12.13
			16-QAM	RB25#LOW	4.511	5.134	12.14
		MCH	QPSK	RB25#LOW	4.513	5.154	12.15
			16-QAM	RB25#LOW	4.513	5.227	12.16
		HCH	QPSK	RB25#LOW	4.504	5.122	12.17
			16-QAM	RB25#LOW	4.516	5.185	12.18
	10 MHz	LCH	QPSK	RB50#LOW	8.999	10.224	12.19
			16-QAM	RB50#LOW	8.997	10.07	12.20
		MCH	QPSK	RB50#LOW	8.976	10.13	12.21
			16-QAM	RB50#LOW	8.988	9.986	12.22
		HCH	QPSK	RB50#LOW	8.99	10.168	12.23
			16-QAM	RB50#LOW	8.986	10.126	12.24

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 17	5 MHz	LCH	QPSK	RB25#LOW	4.516	5.182	13.1
			16-QAM	RB25#LOW	4.511	5.164	13.2
		MCH	QPSK	RB25#LOW	4.505	5.133	13.3
			16-QAM	RB25#LOW	4.509	5.222	13.4
		HCH	QPSK	RB25#LOW	4.504	5.131	13.5
			16-QAM	RB25#LOW	4.515	5.187	13.6
	10 MHz	LCH	QPSK	RB50#LOW	9.016	10.26	13.7
			16-QAM	RB50#LOW	9.009	10.112	13.8
		MCH	QPSK	RB50#LOW	8.971	10.107	13.9
			16-QAM	RB50#LOW	8.991	9.991	13.10
		HCH	QPSK	RB50#LOW	8.991	10.155	13.11
			16-QAM	RB50#LOW	9.002	10.106	13.12

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 19	5 MHz	LCH	QPSK	RB25#LOW	4.518	5.238	14.1
			16-QAM	RB25#LOW	4.507	5.115	14.2
		MCH	QPSK	RB25#LOW	4.501	5.126	14.3
			16-QAM	RB25#LOW	4.511	5.138	14.4
		HCH	QPSK	RB25#LOW	4.51	5.127	14.5
			16-QAM	RB25#LOW	4.521	5.203	14.6
	10 MHz	LCH	QPSK	RB50#LOW	9.001	10.229	14.7
			16-QAM	RB50#LOW	8.989	10.027	14.8
		MCH	QPSK	RB50#LOW	8.958	9.987	14.9
			16-QAM	RB50#LOW	8.963	9.968	14.10
		HCH	QPSK	RB50#LOW	8.985	10.101	14.11
			16-QAM	RB50#LOW	8.975	10.091	14.12
	15 MHz		QPSK	RB50#LOW	13.464	15.107	14.13
			16-QAM	RB50#LOW	13.459	15.042	14.14

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 25	1.4 MHz	LCH	QPSK	RB6#LOW	1.086	1.275	15.1
			16-QAM	RB6#LOW	1.092	1.3	15.2
		MCH	QPSK	RB6#LOW	1.088	1.288	15.3
			16-QAM	RB6#LOW	1.084	1.263	15.4
		HCH	QPSK	RB6#LOW	1.091	1.286	15.5
			16-QAM	RB6#LOW	1.087	1.272	15.6
	3 MHz	LCH	QPSK	RB15#LOW	2.688	2.912	15.7
			16-QAM	RB15#LOW	2.686	2.934	15.8
		MCH	QPSK	RB15#LOW	2.681	2.919	15.9
			16-QAM	RB15#LOW	2.683	2.911	15.10
		HCH	QPSK	RB15#LOW	2.685	2.914	15.11
			16-QAM	RB15#LOW	2.683	2.918	15.12
	5 MHz	LCH	QPSK	RB25#LOW	4.529	5.414	15.13
			16-QAM	RB25#LOW	4.519	5.261	15.14
		MCH	QPSK	RB25#LOW	4.506	5.131	15.15
			16-QAM	RB25#LOW	4.514	5.306	15.16
		HCH	QPSK	RB25#LOW	4.507	5.121	15.17
			16-QAM	RB25#LOW	4.516	5.195	15.18
	10 MHz	LCH	QPSK	RB50#LOW	9.012	10.346	15.19
			16-QAM	RB50#LOW	9.004	10.393	15.20
		MCH	QPSK	RB50#LOW	15.976	10.144	15.21
			16-QAM	RB50#LOW	8.984	10.021	15.22
		HCH	QPSK	RB50#LOW	8.985	10.087	15.23
			16-QAM	RB50#LOW	8.988	10.107	15.24
	15 MHz	LCH	QPSK	RB75#LOW	13.462	15.173	15.25
			16-QAM	RB75#LOW	13.473	15.055	15.26
		MCH	QPSK	RB75#LOW	13.457	15.347	15.27
			16-QAM	RB75#LOW	13.496	15.49	15.28
		HCH	QPSK	RB75#LOW	13.44	15	15.29
			16-QAM	RB75#LOW	13.461	15.057	15.30
	20 MHz	LCH	QPSK	RB100#LOW	17.909	19.554	15.31
			16-QAM	RB100#LOW	17.935	19.767	15.32
		MCH	QPSK	RB100#LOW	17.936	19.696	15.33
			16-QAM	RB100#LOW	17.951	19.721	15.34

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
				W			
		HCH	QPSK	RB100#LOW	17.94	19.942	15.35
			16-QAM	RB100#LOW	17.883	19.747	15.36

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB6#LOW	1.083	1.263	16.1
			16-QAM	RB6#LOW	1.092	1.301	16.2
		MCH	QPSK	RB6#LOW	1.089	1.288	16.3
			16-QAM	RB6#LOW	1.085	1.264	16.4
		HCH	QPSK	RB6#LOW	1.091	1.272	16.5
			16-QAM	RB6#LOW	1.084	1.265	16.6
	3 MHz	LCH	QPSK	RB15#LOW	2.685	2.899	16.7
			16-QAM	RB15#LOW	2.682	2.921	16.8
		MCH	QPSK	RB15#LOW	2.68	2.922	16.9
			16-QAM	RB15#LOW	2.679	2.91	16.10
		HCH	QPSK	RB15#LOW	2.683	2.912	16.11
			16-QAM	RB15#LOW	2.681	2.91	16.12
	5 MHz	LCH	QPSK	RB25#LOW	4.493	4.938	16.13
			16-QAM	RB25#LOW	4.482	4.913	16.14
		MCH	QPSK	RB25#LOW	4.484	4.928	16.15
			16-QAM	RB25#LOW	4.487	4.927	16.16
		HCH	QPSK	RB25#LOW	4.488	4.921	16.17
			16-QAM	RB25#LOW	4.485	4.939	16.18
	10 MHz	LCH	QPSK	RB50#LOW	8.978	9.835	16.19
			16-QAM	RB50#LOW	8.982	9.775	16.20
		MCH	QPSK	RB50#LOW	8.939	9.765	16.21
			16-QAM	RB50#LOW	8.948	9.712	16.22
		HCH	QPSK	RB50#LOW	8.991	9.78	16.23
			16-QAM	RB50#LOW	8.98	9.782	16.24
	15 MHz	LCH	QPSK	RB75#LOW	13.463	14.65	16.25
			16-QAM	RB75#LOW	13.471	14.606	16.26

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
		MCH	QPSK	RB75#LOW	13.389	14.556	16.27
			16-QAM	RB75#LOW	13.427	14.598	16.28
		HCH	QPSK	RB75#LOW	13.446	14.694	16.29
			16-QAM	RB75#LOW	13.458	14.613	16.30

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB6#LOW	1.086	1.269	17.1
			16-QAM	RB6#LOW	1.091	1.301	17.2
		MCH	QPSK	RB6#LOW	1.088	1.289	17.3
			16-QAM	RB6#LOW	1.084	1.266	17.4
		HCH	QPSK	RB6#LOW	1.091	1.271	17.5
			16-QAM	RB6#LOW	1.087	1.268	17.6
	3 MHz	LCH	QPSK	RB15#LOW	2.687	2.907	17.7
			16-QAM	RB15#LOW	2.68	2.929	17.8
		MCH	QPSK	RB15#LOW	2.686	2.921	17.9
			16-QAM	RB15#LOW	2.68	2.913	17.10
		HCH	QPSK	RB15#LOW	2.686	2.917	17.11
			16-QAM	RB15#LOW	2.681	2.918	17.12
	5 MHz	LCH	QPSK	RB25#LOW	4.488	4.898	17.13
			16-QAM	RB25#LOW	4.484	4.912	17.14
		MCH	QPSK	RB25#LOW	4.488	4.92	17.15
			16-QAM	RB25#LOW	4.486	4.933	17.16
		HCH	QPSK	RB25#LOW	4.484	4.872	17.17
			16-QAM	RB25#LOW	4.483	4.942	17.18
	10 MHz	LCH	QPSK	RB50#LOW	8.968	9.859	17.19
			16-QAM	RB50#LOW	8.962	9.75	17.20

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{Note2}
Band 38	5 MHz	LCH	QPSK	RB25#LOW	4.493	4.966	18.1
			16-QAM	RB25#LOW	4.498	5.221	18.2
		MCH	QPSK	RB25#LOW	4.509	5.231	18.3
			16-QAM	RB25#LOW	4.488	5.121	18.4
		HCH	QPSK	RB25#LOW	4.5	5.286	18.5
			16-QAM	RB25#LOW	4.492	5.086	18.6
	10 MHz	LCH	QPSK	RB50#LOW	8.99	10.259	18.7
			16-QAM	RB50#LOW	8.994	10.113	18.8
		MCH	QPSK	RB50#LOW	8.991	10.579	18.9
			16-QAM	RB50#LOW	8.964	10.279	18.10
		HCH	QPSK	RB50#LOW	9.002	10.336	18.11
			16-QAM	RB50#LOW	8.986	10.55	18.12
	15 MHz	LCH	QPSK	RB75#LOW	13.48	15.583	18.13
			16-QAM	RB75#LOW	13.5	15.984	18.14
		MCH	QPSK	RB75#LOW	13.468	15.502	18.15
			16-QAM	RB75#LOW	13.514	15.803	18.16
		HCH	QPSK	RB75#LOW	13.43	15.408	18.17
			16-QAM	RB75#LOW	13.523	16.891	18.18
	20 MHz	LCH	QPSK	RB100#LOW	17.984	20.364	18.19
			16-QAM	RB100#LOW	17.923	20.109	18.20
		MCH	QPSK	RB100#LOW	17.93	20.51	18.21
			16-QAM	RB100#LOW	17.966	21.983	18.22
		HCH	QPSK	RB100#LOW	17.955	20.56	18.23
			16-QAM	RB100#LOW	17.908	20.046	18.24

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 41	5 MHz	LCH	QPSK	RB25#LOW	4.49	4.989	19.1
			16-QAM	RB25#LOW	4.501	5.265	19.2
		MCH	QPSK	RB25#LOW	4.506	5.022	19.3
			16-QAM	RB25#LOW	4.491	5.203	19.4
		HCH	QPSK	RB25#LOW	4.501	5.331	19.5
			16-QAM	RB25#LOW	4.489	5.083	19.6
	10 MHz	LCH	QPSK	RB50#LOW	8.992	10.641	19.7
			16-QAM	RB50#LOW	8.989	9.946	19.8
		MCH	QPSK	RB50#LOW	8.988	10.572	19.9
			16-QAM	RB50#LOW	8.964	10.041	19.10
		HCH	QPSK	RB50#LOW	9.001	10.509	19.11
			16-QAM	RB50#LOW	8.989	10.568	19.12
	15 MHz	LCH	QPSK	RB75#LOW	13.518	15.716	19.13
			16-QAM	RB75#LOW	13.506	16.135	19.14
		MCH	QPSK	RB75#LOW	13.443	15.663	19.15
			16-QAM	RB75#LOW	13.52	15.859	19.16
		HCH	QPSK	RB75#LOW	13.458	15.664	19.17
			16-QAM	RB75#LOW	13.53	16.955	19.18
	20 MHz	LCH	QPSK	RB100#LOW	17.999	20.261	19.19
			16-QAM	RB100#LOW	17.958	20.455	19.20
		MCH	QPSK	RB100#LOW	17.924	20.176	19.21
			16-QAM	RB100#LOW	17.96	21.918	19.22
		HCH	QPSK	RB100#LOW	17.959	20.765	19.23
			16-QAM	RB100#LOW	17.909	19.596	19.24

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
Band 66	1.4 MHz	LCH	QPSK	RB6#LOW	1.086	1.276	20.1
			16-QAM	RB6#LOW	1.092	1.3	20.2
		MCH	QPSK	RB6#LOW	1.09	1.287	20.3
			16-QAM	RB6#LOW	1.085	1.261	20.4
		HCH	QPSK	RB6#LOW	1.089	1.271	20.5
			16-QAM	RB6#LOW	1.086	1.267	20.6
	3 MHz	LCH	QPSK	RB15#LOW	2.689	2.999	20.7
			16-QAM	RB15#LOW	2.686	2.999	20.8
		MCH	QPSK	RB15#LOW	2.682	2.924	20.9
			16-QAM	RB15#LOW	2.681	2.915	20.10
		HCH	QPSK	RB15#LOW	2.687	2.919	20.11
			16-QAM	RB15#LOW	2.683	2.929	20.12
	5 MHz	LCH	QPSK	RB25#LOW	4.531	5.497	20.13
			16-QAM	RB25#LOW	4.515	5.346	20.14
		MCH	QPSK	RB25#LOW	4.505	5.203	20.15
			16-QAM	RB25#LOW	4.519	5.191	20.16
		HCH	QPSK	RB25#LOW	4.506	5.127	20.17
			16-QAM	RB25#LOW	4.513	5.186	20.18
	10 MHz	LCH	QPSK	RB50#LOW	9.029	20.735	20.19
			16-QAM	RB50#LOW	9.008	10.738	20.20
		MCH	QPSK	RB50#LOW	8.972	10.055	20.21
			16-QAM	RB50#LOW	8.984	9.979	20.22
		HCH	QPSK	RB50#LOW	9.001	11.239	20.23
			16-QAM	RB50#LOW	8.984	10.526	20.24
	15 MHz	LCH	QPSK	RB75#LOW	13.507	15.106	20.25
			16-QAM	RB75#LOW	13.504	15.052	20.26
		MCH	QPSK	RB75#LOW	13.457	15.085	20.27
			16-QAM	RB75#LOW	13.49	15.034	20.28
		HCH	QPSK	RB75#LOW	13.471	15.117	20.29
			16-QAM	RB75#LOW	13.478	15.054	20.30
	20 MHz	LCH	QPSK	RB100#LOW	17.938	19.63	20.31
			16-QAM	RB100#LOW	17.976	19.711	20.32
		MCH	QPSK	RB100#LOW	17.961	19.737	20.33
			16-QAM	RB100#LOW	17.971	19.771	20.34

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Measured 99% Occupied Bandwidth (MHz)	Measured -26 dB Occupied Bandwidth (MHz)	Refer to Plot ^{†Note2}
		HCH	QPSK	RB100#LOW	17.94	19.917	20.35
			16-QAM	RB100#LOW	17.931	19.643	20.36

A.6 Band Edge

Note 1: Test plots please refer to the document “Annex No.: BL-SH2510034-501 Data Part 4.pdf”.

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Refer to Plot ^{Note1}	Verdict
GSM 850	LCH	1.1	Pass
	HCH	1.2	Pass
GSM 1900	LCH	2.1	Pass
	HCH	2.2	Pass
GPRS 850	LCH	3.1	Pass
	HCH	3.2	Pass
GPRS 1900	LCH	4.1	Pass
	HCH	4.2	Pass
WCDMA Band 2	LCH	5.1	Pass
	HCH	5.2	Pass
WCDMA Band 4	LCH	6.1	Pass
	HCH	6.2	Pass
WCDMA Band 5	LCH	7.1	Pass
	HCH	7.2	Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	8.1	Pass
				RB6#Low	8.2	Pass
			16-QAM	RB1#Low	8.3	Pass
				RB6#Low	8.4	Pass
		HCH	QPSK	RB1#High	8.5	Pass
				RB6#High	8.6	Pass
			16-QAM	RB1#High	8.7	Pass
				RB6#High	8.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	8.9	Pass
				RB15#Low	8.10	Pass
			16-QAM	RB1#Low	8.11	Pass
				RB15#Low	8.12	Pass
		HCH	QPSK	RB1#High	8.13	Pass
				RB15#High	8.14	Pass
			16-QAM	RB1#High	8.15	Pass
				RB15#High	8.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	8.17	Pass
				RB25#Low	8.18	Pass
			16-QAM	RB1#Low	8.19	Pass
				RB25#Low	8.20	Pass
		HCH	QPSK	RB1#High	8.21	Pass
				RB25#High	8.22	Pass
			16-QAM	RB1#High	8.23	Pass
				RB25#High	8.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	8.25	Pass
				RB50#Low	8.26	Pass
			16-QAM	RB1#Low	8.27	Pass
				RB50#Low	8.28	Pass
		HCH	QPSK	RB1#High	8.29	Pass
				RB50#High	8.30	Pass
			16-QAM	RB1#High	8.31	Pass
				RB50#High	8.32	Pass
	15 MHz	LCH	QPSK	RB1#Low	8.33	Pass
				RB75#Low	8.34	Pass
			16-QAM	RB1#Low	8.35	Pass
				RB75#Low	8.36	Pass
		HCH	QPSK	RB1#High	8.37	Pass
				RB75#High	8.38	Pass
			16-QAM	RB1#High	8.39	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
				RB75#High	8.40	Pass
	20 MHz	LCH	QPSK	RB1#Low	8.41	Pass
				RB100#Low	8.42	Pass
			16-QAM	RB1#Low	8.43	Pass
				RB100#Low	8.44	Pass
		HCH	QPSK	RB1#High	8.45	Pass
				RB100#High	8.46	Pass
			16-QAM	RB1#High	8.47	Pass
				RB100#High	8.48	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	9.1	Pass
				RB6#Low	9.2	Pass
			16-QAM	RB1#Low	9.3	Pass
				RB6#Low	9.4	Pass
		HCH	QPSK	RB1#High	9.5	Pass
				RB6#High	9.6	Pass
			16-QAM	RB1#High	9.7	Pass
				RB6#High	9.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	9.9	Pass
				RB15#Low	9.10	Pass
			16-QAM	RB1#Low	9.11	Pass
				RB15#Low	9.12	Pass
		HCH	QPSK	RB1#High	9.13	Pass
				RB15#High	9.14	Pass
			16-QAM	RB1#High	9.15	Pass
				RB15#High	9.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	9.17	Pass
				RB25#Low	9.18	Pass
			16-QAM	RB1#Low	9.19	Pass
				RB25#Low	9.20	Pass
		HCH	QPSK	RB1#High	9.21	Pass
				RB25#High	9.22	Pass
			16-QAM	RB1#High	9.23	Pass
				RB25#High	9.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	9.25	Pass
				RB50#Low	9.26	Pass
			16-QAM	RB1#Low	9.27	Pass
				RB50#Low	9.28	Pass
		HCH	QPSK	RB1#High	9.29	Pass
				RB50#High	9.30	Pass
			16-QAM	RB1#High	9.31	Pass
				RB50#High	9.32	Pass
	15 MHz	LCH	QPSK	RB1#Low	9.33	Pass
				RB75#Low	9.34	Pass
			16-QAM	RB1#Low	9.35	Pass
				RB75#Low	9.36	Pass
		HCH	QPSK	RB1#High	9.37	Pass
				RB75#High	9.38	Pass
			16-QAM	RB1#High	9.39	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
				RB75#High	9.40	Pass
	20 MHz	LCH	QPSK	RB1#Low	9.41	Pass
				RB100#Low	9.42	Pass
			16-QAM	RB1#Low	9.43	Pass
				RB100#Low	9.44	Pass
		HCH	QPSK	RB1#High	9.45	Pass
				RB100#High	9.46	Pass
			16-QAM	RB1#High	9.47	Pass
				RB100#High	9.48	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	10.1	Pass
				RB6#Low	10.2	Pass
			16-QAM	RB1#Low	10.3	Pass
				RB6#Low	10.4	Pass
		HCH	QPSK	RB1#High	10.5	Pass
				RB6#High	10.6	Pass
			16-QAM	RB1#High	10.7	Pass
				RB6#High	10.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	10.9	Pass
				RB15#Low	10.10	Pass
			16-QAM	RB1#Low	10.11	Pass
				RB15#Low	10.12	Pass
		HCH	QPSK	RB1#High	10.13	Pass
				RB15#High	10.14	Pass
			16-QAM	RB1#High	10.15	Pass
				RB15#High	10.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	10.17	Pass
				RB25#Low	10.18	Pass
			16-QAM	RB1#Low	10.19	Pass
				RB25#Low	10.20	Pass
		HCH	QPSK	RB1#High	10.21	Pass
				RB25#High	10.22	Pass
			16-QAM	RB1#High	10.23	Pass
				RB25#High	10.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	10.25	Pass
				RB50#Low	10.26	Pass
			16-QAM	RB1#Low	10.27	Pass
				RB50#Low	10.28	Pass
		HCH	QPSK	RB1#High	10.29	Pass
				RB50#High	10.30	Pass
			16-QAM	RB1#High	10.31	Pass
				RB50#High	10.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#Low	11.1	Pass
				RB25#Low	11.2	Pass
			16-QAM	RB1#Low	11.3	Pass
				RB25#Low	11.4	Pass
		HCH	QPSK	RB1#High	11.5	Pass
				RB25#High	11.6	Pass
			16-QAM	RB1#High	11.7	Pass
				RB25#High	11.8	Pass
	10 MHz	LCH	QPSK	RB1#Low	11.9	Pass
				RB50#Low	11.10	Pass
			16-QAM	RB1#Low	11.11	Pass
				RB50#Low	11.12	Pass
		HCH	QPSK	RB1#High	11.13	Pass
				RB50#High	11.14	Pass
			16-QAM	RB1#High	11.15	Pass
				RB50#High	11.16	Pass
	15 MHz	LCH	QPSK	RB1#Low	11.17	Pass
				RB75#Low	11.18	Pass
			16-QAM	RB1#Low	11.19	Pass
				RB75#Low	11.20	Pass
		HCH	QPSK	RB1#High	11.21	Pass
				RB75#High	11.22	Pass
			16-QAM	RB1#High	11.23	Pass
				RB75#High	11.24	Pass
	20 MHz	LCH	QPSK	RB1#Low	11.25	Pass
				RB100#Low	11.26	Pass
			16-QAM	RB1#Low	11.27	Pass
				RB100#Low	11.28	Pass
		HCH	QPSK	RB1#High	11.29	Pass
				RB100#High	11.30	Pass
			16-QAM	RB1#High	11.31	Pass
				RB100#High	11.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	12.1	Pass
				RB6#Low	12.2	Pass
			16-QAM	RB1#Low	12.3	Pass
				RB6#Low	12.4	Pass
		HCH	QPSK	RB1#High	12.5	Pass
				RB6#High	12.6	Pass
			16-QAM	RB1#High	12.7	Pass
				RB6#High	12.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	12.9	Pass
				RB15#Low	12.10	Pass
			16-QAM	RB1#Low	12.11	Pass
				RB15#Low	12.12	Pass
		HCH	QPSK	RB1#High	12.13	Pass
				RB15#High	12.14	Pass
			16-QAM	RB1#High	12.15	Pass
				RB15#High	12.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	12.17	Pass
				RB25#Low	12.18	Pass
			16-QAM	RB1#Low	12.19	Pass
				RB25#Low	12.20	Pass
		HCH	QPSK	RB1#High	12.21	Pass
				RB25#High	12.22	Pass
			16-QAM	RB1#High	12.23	Pass
				RB25#High	12.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	12.25	Pass
				RB50#Low	12.26	Pass
			16-QAM	RB1#Low	12.27	Pass
				RB50#Low	12.28	Pass
		HCH	QPSK	RB1#High	12.29	Pass
				RB50#High	12.30	Pass
			16-QAM	RB1#High	12.31	Pass
				RB50#High	12.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	13.1	Pass
				RB25#Low	13.2	Pass
			16-QAM	RB1#Low	13.3	Pass
				RB25#Low	13.4	Pass
		HCH	QPSK	RB1#High	13.5	Pass
				RB25#High	13.6	Pass
			16-QAM	RB1#High	13.7	Pass
				RB25#High	13.8	Pass
	10 MHz	LCH	QPSK	RB1#Low	13.9	Pass
				RB50#Low	13.10	Pass
			16-QAM	RB1#Low	13.11	Pass
				RB50#Low	13.12	Pass
		HCH	QPSK	RB1#High	13.13	Pass
				RB50#High	13.14	Pass
			16-QAM	RB1#High	13.15	Pass
				RB50#High	13.16	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 19	1.4 MHz	LCH	QPSK	RB1#Low	14.1	Pass
				RB25#Low	14.2	Pass
			16-QAM	RB1#Low	14.3	Pass
				RB25#Low	14.4	Pass
		HCH	QPSK	RB1#High	14.5	Pass
				RB25#High	14.6	Pass
			16-QAM	RB1#High	14.7	Pass
				RB25#High	14.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	14.9	Pass
				RB50#Low	14.10	Pass
			16-QAM	RB1#Low	14.11	Pass
				RB50#Low	14.12	Pass
		HCH	QPSK	RB1#High	14.13	Pass
				RB50#High	14.14	Pass
			16-QAM	RB1#High	14.15	Pass
				RB50#High	14.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	14.17	Pass
				RB75#Low	14.18	Pass
			16-QAM	RB1#Low	14.19	Pass
				RB75#Low	14.20	Pass
		HCH	QPSK	RB1#High	14.21	Pass
				RB75#High	14.22	Pass
			16-QAM	RB1#High	14.23	Pass
				RB75#High	14.24	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	15.1	Pass
				RB6#Low	15.2	Pass
			16-QAM	RB1#Low	15.3	Pass
				RB6#Low	15.4	Pass
		HCH	QPSK	RB1#High	15.5	Pass
				RB6#High	15.6	Pass
			16-QAM	RB1#High	15.7	Pass
				RB6#High	15.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	15.9	Pass
				RB15#Low	15.10	Pass
			16-QAM	RB1#Low	15.11	Pass
				RB15#Low	15.12	Pass
		HCH	QPSK	RB1#High	15.13	Pass
				RB15#High	15.14	Pass
			16-QAM	RB1#High	15.15	Pass
				RB15#High	15.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	15.17	Pass
				RB25#Low	15.18	Pass
			16-QAM	RB1#Low	15.19	Pass
				RB25#Low	15.20	Pass
		HCH	QPSK	RB1#High	15.21	Pass
				RB25#High	15.22	Pass
			16-QAM	RB1#High	15.23	Pass
				RB25#High	15.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	15.25	Pass
				RB50#Low	15.26	Pass
			16-QAM	RB1#Low	15.27	Pass
				RB50#Low	15.28	Pass
		HCH	QPSK	RB1#High	15.29	Pass
				RB50#High	15.30	Pass
			16-QAM	RB1#High	15.31	Pass
				RB50#High	15.32	Pass
	15 MHz	LCH	QPSK	RB1#Low	15.33	Pass
				RB75#Low	15.34	Pass
			16-QAM	RB1#Low	15.35	Pass
				RB75#Low	15.36	Pass
		HCH	QPSK	RB1#High	15.37	Pass
				RB75#High	15.38	Pass
			16-QAM	RB1#High	15.39	Pass
				RB75#High	15.40	Pass
	20 MHz	LCH	QPSK	RB1#Low	15.41	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
			16-QAM	RB100#Low	15.42	Pass
				RB1#Low	15.43	Pass
				RB100#Low	15.44	Pass
		HCH	QPSK	RB1#High	15.45	Pass
				RB100#High	15.46	Pass
			16-QAM	RB1#High	15.47	Pass
				RB100#High	15.48	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
LTE Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB1#LOW	16.1	Pass
				RB6#LOW	16.2	Pass
			16-QAM	RB1#LOW	16.3	Pass
				RB6#LOW	16.4	Pass
		HCH	QPSK	RB1#HIGH	16.5	Pass
				RB6#HIGH	16.6	Pass
			16-QAM	RB1#HIGH	16.7	Pass
				RB6#HIGH	16.8	Pass
	3 MHz	LCH	QPSK	RB1#LOW	16.9	Pass
				RB15#LOW	16.10	Pass
			16-QAM	RB1#LOW	16.11	Pass
				RB15#LOW	16.12	Pass
		HCH	QPSK	RB1#HIGH	16.13	Pass
				RB15#HIGH	16.14	Pass
			16-QAM	RB1#HIGH	16.15	Pass
				RB15#HIGH	16.16	Pass
	5 MHz	LCH	QPSK	RB1#LOW	16.17	Pass
				RB25#LOW	16.18	Pass
			16-QAM	RB1#LOW	16.19	Pass
				RB25#LOW	16.20	Pass
		HCH	QPSK	RB1#HIGH	16.21	Pass
				RB25#HIGH	16.22	Pass
			16-QAM	RB1#HIGH	16.23	Pass
				RB25#HIGH	16.24	Pass
	10 MHz	LCH	QPSK	RB1#LOW	16.25	Pass
				RB50#LOW	16.26	Pass
			16-QAM	RB1#LOW	16.27	Pass
				RB50#LOW	16.28	Pass
		HCH	QPSK	RB1#HIGH	16.29	Pass
				RB50#HIGH	16.30	Pass
			16-QAM	RB1#HIGH	16.31	Pass
				RB50#HIGH	16.32	Pass
	15 MHz	LCH	QPSK	RB1#LOW	16.33	Pass
				RB75#LOW	16.34	Pass
			16-QAM	RB1#LOW	16.35	Pass
				RB75#LOW	16.36	Pass
		HCH	QPSK	RB1#HIGH	16.37	Pass
				RB75#HIGH	16.38	Pass
			16-QAM	RB1#HIGH	16.39	Pass
				RB75#HIGH	16.40	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
LTE Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB1#LOW	17.1	Pass
				RB6#LOW	17.2	Pass
			16-QAM	RB1#LOW	17.3	Pass
				RB6#LOW	17.4	Pass
		HCH	QPSK	RB1#HIGH	17.5	Pass
				RB6#HIGH	17.6	Pass
			16-QAM	RB1#HIGH	17.7	Pass
				RB6#HIGH	17.8	Pass
	3 MHz	LCH	QPSK	RB1#LOW	17.9	Pass
				RB15#LOW	17.10	Pass
			16-QAM	RB1#LOW	17.11	Pass
				RB15#LOW	17.12	Pass
		HCH	QPSK	RB1#HIGH	17.13	Pass
				RB15#HIGH	17.14	Pass
			16-QAM	RB1#HIGH	17.15	Pass
				RB15#HIGH	17.16	Pass
	5 MHz	LCH	QPSK	RB1#LOW	17.17	Pass
				RB25#LOW	17.18	Pass
			16-QAM	RB1#LOW	17.19	Pass
				RB25#LOW	17.20	Pass
		HCH	QPSK	RB1#HIGH	17.21	Pass
				RB25#HIGH	17.22	Pass
			16-QAM	RB1#HIGH	17.23	Pass
				RB25#HIGH	17.24	Pass
	10 MHz	LCH	QPSK	RB1#LOW	17.25	Pass
				RB50#LOW	17.26	Pass
			16-QAM	RB1#LOW	17.27	Pass
				RB50#LOW	17.28	Pass
		HCH	QPSK	RB1#HIGH	17.29	Pass
				RB50#HIGH	17.30	Pass
			16-QAM	RB1#HIGH	17.31	Pass
				RB50#HIGH	17.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#LOW	18.1	Pass
				RB25#LOW	18.2	Pass
			16-QAM	RB1#LOW	18.3	Pass
				RB25#LOW	18.4	Pass
		HCH	QPSK	RB1#HIGH	18.5	Pass
				RB25#HIGH	18.6	Pass
			16-QAM	RB1#HIGH	18.7	Pass
				RB25#HIGH	18.8	Pass
	10 MHz	LCH	QPSK	RB1#LOW	18.9	Pass
				RB50#LOW	18.10	Pass
			16-QAM	RB1#LOW	18.11	Pass
				RB50#LOW	18.12	Pass
		HCH	QPSK	RB1#HIGH	18.13	Pass
				RB50#HIGH	18.14	Pass
			16-QAM	RB1#HIGH	18.15	Pass
				RB50#HIGH	18.16	Pass
	15 MHz	LCH	QPSK	RB1#LOW	18.17	Pass
				RB75#LOW	18.18	Pass
			16-QAM	RB1#LOW	18.19	Pass
				RB75#LOW	18.20	Pass
		HCH	QPSK	RB1#HIGH	18.21	Pass
				RB75#HIGH	18.22	Pass
			16-QAM	RB1#HIGH	18.23	Pass
				RB75#HIGH	18.24	Pass
	20 MHz	LCH	QPSK	RB1#LOW	18.25	Pass
				RB100#LOW	18.26	Pass
			16-QAM	RB1#LOW	18.27	Pass
				RB100#LOW	18.28	Pass
		HCH	QPSK	RB1#HIGH	18.29	Pass
				RB100#HIGH	18.30	Pass
			16-QAM	RB1#HIGH	18.31	Pass
				RB100#HIGH	18.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 41	5 MHz	LCH	QPSK	RB1#Low	19.1	Pass
				RB25#Low	19.2	Pass
			16-QAM	RB1#Low	19.3	Pass
				RB25#Low	19.4	Pass
		HCH	QPSK	RB1#High	19.5	Pass
				RB25#High	19.6	Pass
			16-QAM	RB1#High	19.7	Pass
				RB25#High	19.8	Pass
	10 MHz	LCH	QPSK	RB1#Low	19.9	Pass
				RB50#Low	19.10	Pass
			16-QAM	RB1#Low	19.11	Pass
				RB50#Low	19.12	Pass
		HCH	QPSK	RB1#High	19.13	Pass
				RB50#High	19.14	Pass
			16-QAM	RB1#High	19.15	Pass
				RB50#High	19.16	Pass
	15 MHz	LCH	QPSK	RB1#Low	19.17	Pass
				RB75#Low	19.18	Pass
			16-QAM	RB1#Low	19.19	Pass
				RB75#Low	19.20	Pass
		HCH	QPSK	RB1#High	19.21	Pass
				RB75#High	19.22	Pass
			16-QAM	RB1#High	19.23	Pass
				RB75#High	19.24	Pass
	20 MHz	LCH	QPSK	RB1#Low	19.25	Pass
				RB100#Low	19.26	Pass
			16-QAM	RB1#Low	19.27	Pass
				RB100#Low	19.28	Pass
		HCH	QPSK	RB1#High	19.29	Pass
				RB100#High	19.30	Pass
			16-QAM	RB1#High	19.31	Pass
				RB100#High	19.32	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	20.1	Pass
				RB6#Low	20.2	Pass
			16-QAM	RB1#Low	20.3	Pass
				RB6#Low	20.4	Pass
		HCH	QPSK	RB1#High	20.5	Pass
				RB6#High	20.6	Pass
			16-QAM	RB1#High	20.7	Pass
				RB6#High	20.8	Pass
	3 MHz	LCH	QPSK	RB1#Low	20.9	Pass
				RB15#Low	20.10	Pass
			16-QAM	RB1#Low	20.11	Pass
				RB15#Low	20.12	Pass
		HCH	QPSK	RB1#High	20.13	Pass
				RB15#High	20.14	Pass
			16-QAM	RB1#High	20.15	Pass
				RB15#High	20.16	Pass
	5 MHz	LCH	QPSK	RB1#Low	20.17	Pass
				RB25#Low	20.18	Pass
			16-QAM	RB1#Low	20.19	Pass
				RB25#Low	20.20	Pass
		HCH	QPSK	RB1#High	20.21	Pass
				RB25#High	20.22	Pass
			16-QAM	RB1#High	20.23	Pass
				RB25#High	20.24	Pass
	10 MHz	LCH	QPSK	RB1#Low	20.25	Pass
				RB50#Low	20.26	Pass
			16-QAM	RB1#Low	20.27	Pass
				RB50#Low	20.28	Pass
		HCH	QPSK	RB1#High	20.29	Pass
				RB50#High	20.30	Pass
			16-QAM	RB1#High	20.31	Pass
				RB50#High	20.32	Pass
	15 MHz	LCH	QPSK	RB1#Low	20.33	Pass
				RB75#Low	20.34	Pass
			16-QAM	RB1#Low	20.35	Pass
				RB75#Low	20.36	Pass
		HCH	QPSK	RB1#High	20.37	Pass
				RB75#High	20.38	Pass
			16-QAM	RB1#High	20.39	Pass
				RB75#High	20.40	Pass
	20 MHz	LCH	QPSK	RB1#Low	20.41	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Refer to Plot ^{Note1}	Verdict
			16-QAM	RB100#Low	20.42	Pass
				RB1#Low	20.43	Pass
				RB100#Low	20.44	Pass
		HCH	QPSK	RB1#High	20.45	Pass
				RB100#High	20.46	Pass
			16-QAM	RB1#High	20.47	Pass
				RB100#High	20.48	Pass

A.7 Field Strength of Spurious Radiation

Note 1: All modes have been tested, and only the worst case data are shown here.

Note 2: The frequencies of verdict which are marked by "N/A" should be ignored because they are UE carrier frequency.

Note 3: Test plots please refer to the document "Annex No.: BL-SH2510034-501 Data Part 5.pdf".

Note 4: The disturbance above 26.5GHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Refer to Plot ^{Note3}	Verdict
GSM 850	LCH	1.1	Pass
	MCH		Pass
	HCH		Pass
GSM 1900	LCH	1.2	Pass
	MCH		Pass
	HCH		Pass
WCDMA Band 2	LCH	2.1	Pass
	MCH		Pass
	HCH		Pass
WCDMA Band 4	LCH	2.2	Pass
	MCH		Pass
	HCH		Pass
WCDMA Band 5	LCH	2.3	Pass
	MCH		Pass
	HCH		Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Refer to Plot ^{Note3}	Verdict
Band 2	10MHz	MCH	3.1	Pass
Band 4	20MHz	MCH	3.2	Pass
Band 5	10MHz	MCH	3.3	Pass
Band 7	10MHz	MCH	3.4	Pass
Band 12	1.4MHz	MCH	3.5	Pass
Band 17	10MHz	MCH	3.6	Pass
Band 19	10MHz	MCH	3.7	Pass
Band 25	10MHz	MCH	3.8	Pass
Band 26 (Part22)	1.4MHz	MCH	3.9	Pass
Band 26 (Part90)	1.4MHz	MCH	3.10	Pass
Band 38	20MHz	MCH	3.11	Pass
Band 41(120M)	10MHz	MCH	3.13	Pass
Band 66	1.4MHz	MCH	3.14	Pass

ANNEX B TEST SETUP PHOTOS

Please refer to the document “BL-SH2510034-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer to the document “BL-SH2510034-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer to the document “BL-SH2510034-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--