




天线调试报告


Manufacturer: Shenzhen Yongyun Technology Co., Ltd.

Model: Drift eye mask

匹配参数




天线无源数据报告 Antenna Passive Data Report



Passive Test For BT2.4

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	42.08	-3.76	0.94	-1.21	0	0	0.94	-18.36	3.76	60	47.36	46.86
2410	43.13	-3.65	0.96	-1.19	0	0	0.96	-18.88	3.65	60	47.4	46.9
2420	37.94	-4.21	0.43	-1.72	0	0	0.43	-21.37	4.21	60	47.28	46.76
2430	42.7	-3.7	0.89	-1.26	0	0	0.89	-24.22	3.7	90	47.35	46.78
2440	37.91	-4.21	0.3	-1.85	0	0	0.3	-26.3	4.21	90	47.15	46.65
2450	41.24	-3.85	0.69	-1.46	0	0	0.69	-25.81	3.85	90	47.33	46.85
2460	45.09	-3.46	1.08	-1.07	0	0	1.08	-25.14	3.46	90	47.72	47.22
2470	34.19	-4.66	-0.04	-2.19	0	0	-0.04	-24.66	4.66	90	47.36	46.93
2480	43.58	-3.61	1	-1.15	0	0	1	-22.25	3.61	90	47.56	47.1
2490	36.07	-4.43	0.24	-1.91	0	0	0.24	-23.24	4.43	90	47.05	46.67
2500	37.09	-4.31	0.42	-1.73	0	0	0.42	-23.18	4.31	90	47.01	46.63



测试设备

