







-26dB Bandwidth NVNT ax20 5200MHz Ant1



-26dB Bandwidth NVNT ax20 5240MHz Ant1




-26dB Bandwidth NVNT ax40 5190MHz Ant1




-26dB Bandwidth NVNT ax40 5230MHz Ant1

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.601
NVNT	a	5200	Ant1	16.586
NVNT	a	5240	Ant1	16.645
NVNT	n20	5180	Ant1	17.816
NVNT	n20	5200	Ant1	17.83
NVNT	n20	5240	Ant1	17.846
NVNT	n40	5190	Ant1	36.37
NVNT	n40	5230	Ant1	36.384
NVNT	ac20	5180	Ant1	17.812
NVNT	ac20	5200	Ant1	17.857
NVNT	ac20	5240	Ant1	17.898
NVNT	ac40	5190	Ant1	36.365
NVNT	ac40	5230	Ant1	36.469
NVNT	ax20	5180	Ant1	19.025
NVNT	ax20	5200	Ant1	18.982
NVNT	ax20	5240	Ant1	18.98
NVNT	ax40	5190	Ant1	37.898
NVNT	ax40	5230	Ant1	37.821




OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ax20 5180MHz Ant1




OBW NVNT ax20 5200MHz Ant1



OBW NVNT ax20 5240MHz Ant1




OBW NVNT ax40 5190MHz Ant1



OBW NVNT ax40 5230MHz Ant1

Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total Conducted PSD (dBm/MHz)	Limit Conducted (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-7.24	9.13	1.89	11	Pass
NVNT	a	5200	Ant1	-6.43	9.11	2.68	11	Pass
NVNT	a	5240	Ant1	-6.73	9.13	2.4	11	Pass
NVNT	n20	5180	Ant1	-4.36	4.71	0.35	11	Pass
NVNT	n20	5200	Ant1	-3.19	4.73	1.54	11	Pass
NVNT	n20	5240	Ant1	-2.49	4.76	2.27	11	Pass
NVNT	n40	5190	Ant1	-7.84	4.83	-3.01	11	Pass
NVNT	n40	5230	Ant1	-5.65	4.84	-0.81	11	Pass
NVNT	ac20	5180	Ant1	-3.79	4.71	0.92	11	Pass
NVNT	ac20	5200	Ant1	-3.44	4.73	1.29	11	Pass
NVNT	ac20	5240	Ant1	-2.35	4.73	2.38	11	Pass
NVNT	ac40	5190	Ant1	-7.57	4.83	-2.74	11	Pass
NVNT	ac40	5230	Ant1	-5.65	4.84	-0.81	11	Pass
NVNT	ax20	5180	Ant1	-4.56	5.52	0.96	11	Pass
NVNT	ax20	5200	Ant1	-3.84	5.58	1.75	11	Pass
NVNT	ax20	5240	Ant1	-4	5.52	1.52	11	Pass
NVNT	ax40	5190	Ant1	-8.72	5.58	-3.14	11	Pass
NVNT	ax40	5230	Ant1	-6.22	5.58	-0.64	11	Pass



PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1



PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1



PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1



PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ax20 5180MHz Ant1



PSD NVNT ax20 5200MHz Ant1



PSD NVNT ax20 5240MHz Ant1