


Appendix RF test data for WIFI5.6G

F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	27.751	≥ 0.5	Pass
NVNT	a	5580	Ant1	28.564	≥ 0.5	Pass
NVNT	a	5700	Ant1	28.561	≥ 0.5	Pass
NVNT	n20	5500	Ant1	29.169	≥ 0.5	Pass
NVNT	n20	5580	Ant1	28.562	≥ 0.5	Pass
NVNT	n20	5700	Ant1	28.56	≥ 0.5	Pass
NVNT	n40	5510	Ant1	45.663	≥ 0.5	Pass
NVNT	n40	5550	Ant1	53.113	≥ 0.5	Pass
NVNT	n40	5670	Ant1	47.185	≥ 0.5	Pass
NVNT	ac20	5500	Ant1	28.34	≥ 0.5	Pass
NVNT	ac20	5580	Ant1	28.069	≥ 0.5	Pass
NVNT	ac20	5700	Ant1	28.49	≥ 0.5	Pass
NVNT	ac40	5510	Ant1	50.55	≥ 0.5	Pass
NVNT	ac40	5550	Ant1	46.186	≥ 0.5	Pass
NVNT	ac40	5670	Ant1	45.972	≥ 0.5	Pass
NVNT	ac80	5530	Ant1	86.13	≥ 0.5	Pass
NVNT	ac80	5610	Ant1	85.021	≥ 0.5	Pass
NVNT	ax20	5500	Ant1	27.466	≥ 0.5	Pass
NVNT	ax20	5580	Ant1	29.009	≥ 0.5	Pass
NVNT	ax20	5700	Ant1	28.052	≥ 0.5	Pass
NVNT	ax40	5510	Ant1	43.92	≥ 0.5	Pass
NVNT	ax40	5550	Ant1	43.836	≥ 0.5	Pass
NVNT	ax40	5670	Ant1	42.768	≥ 0.5	Pass
NVNT	ax80	5530	Ant1	85.67	≥ 0.5	Pass
NVNT	ax80	5610	Ant1	83.662	≥ 0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5580MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5550MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5550MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1




-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT ax20 5500MHz Ant1




-26dB Bandwidth NVNT ax20 5580MHz Ant1




-26dB Bandwidth NVNT ax20 5700MHz Ant1




-26dB Bandwidth NVNT ax40 5510MHz Ant1




-26dB Bandwidth NVNT ax40 5550MHz Ant1




-26dB Bandwidth NVNT ax40 5670MHz Ant1



-26dB Bandwidth NVNT ax80 5530MHz Ant1



-26dB Bandwidth NVNT ax80 5610MHz Ant1



F.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.54	0.24	12.78	24	Pass
NVNT	a	5580	Ant1	12.96	0.24	13.20	24	Pass
NVNT	a	5700	Ant1	12.72	0.24	12.96	24	Pass
NVNT	n20	5500	Ant1	11.35	0.12	11.47	24	Pass
NVNT	n20	5580	Ant1	11.38	0.12	11.50	24	Pass
NVNT	n20	5700	Ant1	11.18	0.12	11.30	24	Pass
NVNT	n40	5510	Ant1	10.81	0.24	11.05	24	Pass
NVNT	n40	5550	Ant1	10.53	0.24	10.77	24	Pass
NVNT	n40	5670	Ant1	11.00	0.24	11.24	24	Pass
NVNT	ac20	5500	Ant1	11.39	0.12	11.51	24	Pass
NVNT	ac20	5580	Ant1	11.29	0.12	11.41	24	Pass
NVNT	ac20	5700	Ant1	11.08	0.12	11.20	24	Pass
NVNT	ac40	5510	Ant1	10.81	0.24	11.05	24	Pass
NVNT	ac40	5550	Ant1	10.5	0.24	10.74	24	Pass
NVNT	ac40	5670	Ant1	11.05	0.24	11.29	24	Pass
NVNT	ac80	5530	Ant1	11.43	0.47	11.90	24	Pass
NVNT	ac80	5610	Ant1	10.58	0.47	11.05	24	Pass
NVNT	ax20	5500	Ant1	11.31	0.12	11.43	24	Pass
NVNT	ax20	5580	Ant1	11.28	0.12	11.40	24	Pass
NVNT	ax20	5700	Ant1	11.16	0.12	11.28	24	Pass
NVNT	ax40	5510	Ant1	10.77	0.24	11.01	24	Pass
NVNT	ax40	5550	Ant1	10.41	0.24	10.65	24	Pass
NVNT	ax40	5670	Ant1	11.03	0.24	11.27	24	Pass
NVNT	ax80	5530	Ant1	11.37	0.47	11.84	24	Pass
NVNT	ax80	5610	Ant1	10.61	0.47	11.08	24	Pass

F.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	1.85	0.24	2.09	11	Pass
NVNT	a	5580	Ant1	2.58	0.24	2.82	11	Pass
NVNT	a	5700	Ant1	2.33	0.24	2.57	11	Pass
NVNT	n20	5500	Ant1	0.51	0.12	0.63	11	Pass
NVNT	n20	5580	Ant1	0.46	0.12	0.58	11	Pass
NVNT	n20	5700	Ant1	0.55	0.12	0.67	11	Pass
NVNT	n40	5510	Ant1	-3.02	0.24	-2.78	11	Pass
NVNT	n40	5550	Ant1	-3.31	0.24	-3.07	11	Pass
NVNT	n40	5670	Ant1	-2.44	0.24	-2.2	11	Pass
NVNT	ac20	5500	Ant1	0.46	0.12	0.58	11	Pass
NVNT	ac20	5580	Ant1	0.69	0.12	0.81	11	Pass
NVNT	ac20	5700	Ant1	0.19	0.12	0.31	11	Pass
NVNT	ac40	5510	Ant1	-3.07	0.24	-2.83	11	Pass
NVNT	ac40	5550	Ant1	-3.22	0.24	-2.98	11	Pass
NVNT	ac40	5670	Ant1	-2.61	0.24	-2.37	11	Pass
NVNT	ac80	5530	Ant1	-5.37	0.47	-4.9	11	Pass
NVNT	ac80	5610	Ant1	-5.97	0.47	-5.5	11	Pass
NVNT	ax20	5500	Ant1	0.53	0.12	0.65	11	Pass
NVNT	ax20	5580	Ant1	0.41	0.12	0.53	11	Pass
NVNT	ax20	5700	Ant1	0.24	0.12	0.36	11	Pass
NVNT	ax40	5510	Ant1	-2.99	0.24	-2.75	11	Pass
NVNT	ax40	5550	Ant1	-3.42	0.24	-3.18	11	Pass
NVNT	ax40	5670	Ant1	-2.72	0.24	-2.48	11	Pass
NVNT	ax80	5530	Ant1	-5.26	0.47	-4.79	11	Pass
NVNT	ax80	5610	Ant1	-5.76	0.47	-5.29	11	Pass

Test Graphs


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5580MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1




PSD NVNT n40 5550MHz Ant1




PSD NVNT n40 5670MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5580MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5550MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT ax20 5500MHz Ant1




PSD NVNT ax20 5580MHz Ant1




PSD NVNT ax20 5700MHz Ant1




PSD NVNT ax40 5510MHz Ant1




PSD NVNT ax40 5550MHz Ant1




PSD NVNT ax40 5670MHz Ant1



PSD NVNT ax80 5530MHz Ant1



PSD NVNT ax80 5610MHz Ant1



F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-49.37	2	-	47.86	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-57.6	2	0.24	39.87	Average	54	Pass
NVNT	a	5500	Ant1	5468.8	-44.86	2	-	52.37	Peak	68.2	Pass
NVNT	a	5500	Ant1	5468.2	-56.46	2	0.24	41.01	Average	54	Pass
NVNT	a	5500	Ant1	5470	-46.38	2	-	50.85	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-56.94	2	0.24	40.53	Average	54	Pass
NVNT	a	5700	Ant1	5725	-42.52	2	-	54.71	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-56.41	2	0.24	41.06	Average	54	Pass
NVNT	a	5700	Ant1	5726.2	-40.67	2	-	56.56	Peak	68.2	Pass
NVNT	a	5700	Ant1	5726.8	-55.04	2	0.24	42.43	Average	54	Pass
NVNT	a	5700	Ant1	5735	-51.23	2	-	46	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-58.1	2	0.24	39.37	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-49.77	2	-	47.46	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-57.07	2	0.12	40.28	Average	54	Pass
NVNT	n20	5500	Ant1	5469	-42.99	2	-	54.24	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5469.8	-55.69	2	0.12	41.66	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-47.34	2	-	49.89	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-55.69	2	0.12	41.66	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-40.94	2	-	56.29	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-53.31	2	0.12	44.04	Average	54	Pass
NVNT	n20	5700	Ant1	5728	-38.54	2	-	58.69	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-48.35	2	-	48.88	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-57.37	2	0.12	39.98	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-49.12	2	-	48.11	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-57.54	2	0.24	39.93	Average	54	Pass
NVNT	n40	5510	Ant1	5468	-42.78	2	-	54.45	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5469.2	-55.06	2	0.24	42.41	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-43.07	2	-	54.16	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-55.28	2	0.24	42.19	Average	54	Pass
NVNT	n40	5670	Ant1	5725	-48.67	2	-	48.56	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-57.48	2	0.24	39.99	Average	54	Pass
NVNT	n40	5670	Ant1	5730	-47.5	2	-	49.73	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5727.4	-56.93	2	0.24	40.54	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-48.71	2	-	48.52	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-57.74	2	0.24	39.73	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-49.43	2	-	47.8	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5460	-57.14	2	0.12	40.21	Average	54	Pass
NVNT	ac20	5500	Ant1	5468.4	-44.16	2	-	53.07	Peak	68.2	Pass





NVNT	ac20	5500	Ant1	5469.6	-55.89	2	0.12	41.46	Average	54	Pass
NVNT	ac20	5500	Ant1	5470	-45.02	2	-	52.21	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-56.5	2	0.12	40.85	Average	54	Pass
NVNT	ac20	5700	Ant1	5725	-42.89	2	-	54.34	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-53.27	2	0.12	44.08	Average	54	Pass
NVNT	ac20	5700	Ant1	5725.4	-40.11	2	-	57.12	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725.2	-53.05	2	0.12	44.3	Average	54	Pass
NVNT	ac20	5700	Ant1	5735	-49.92	2	-	47.31	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-57.12	2	0.12	40.23	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-48.87	2	-	48.36	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-57.35	2	0	39.88	Average	54	Pass
NVNT	ac40	5510	Ant1	5468	-41.66	2	-	55.57	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5470	-55.77	2	0	41.46	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-44.91	2	-	52.32	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-49.16	2	-	48.07	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-57.25	2	0.24	40.22	Average	54	Pass
NVNT	ac40	5670	Ant1	5734.6	-48.27	2	-	48.96	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5729.4	-57.07	2	0.24	40.4	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-51.52	2	-	45.71	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5735	-57.19	2	0.24	40.28	Average	54	Pass
NVNT	ac80	5530	Ant1	5460	-48.35	2	-	48.88	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5460	-56.67	2	0.47	41.03	Average	54	Pass
NVNT	ac80	5530	Ant1	5469.6	-44	2	-	53.23	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5469.8	-55.06	2	0.47	42.64	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-45.78	2	-	51.45	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5470	-56.11	2	0.47	41.59	Average	54	Pass
NVNT	ac80	5610	Ant1	5725	-52.01	2	-	45.22	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725	-57.59	2	0.47	40.11	Average	54	Pass
NVNT	ac80	5610	Ant1	5725.16	-48.14	2	-	49.09	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5727.825	-57.3	2	0.47	40.4	Average	54	Pass
NVNT	ac80	5610	Ant1	5735	-49.93	2	-	47.3	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-58.08	2	0.47	39.62	Average	54	Pass
NVNT	ax20	5500	Ant1	5460	-48.63	2	-	48.6	Peak	68.2	Pass
NVNT	ax20	5500	Ant1	5460	-57.37	2	0.12	39.98	Average	54	Pass
NVNT	ax20	5500	Ant1	5470	-43.28	2	-	53.95	Peak	68.2	Pass
NVNT	ax20	5500	Ant1	5469.8	-55.47	2	0.12	41.88	Average	54	Pass
NVNT	ax20	5500	Ant1	5470	-55.73	2	0.12	41.62	Average	54	Pass
NVNT	ax20	5700	Ant1	5725	-38.27	2	-	58.96	Peak	68.2	Pass
NVNT	ax20	5700	Ant1	5725	-52.95	2	0.12	44.4	Average	54	Pass
NVNT	ax20	5700	Ant1	5735	-48.24	2	-	48.99	Peak	68.2	Pass
NVNT	ax20	5700	Ant1	5735	-57.3	2	0.12	40.05	Average	54	Pass
NVNT	ax40	5510	Ant1	5460	-50.69	2	-	46.54	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5460	-57.79	2	0	39.44	Average	54	Pass




NVNT	ax40	5510	Ant1	5464.8	-40.99	2	-	56.24	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5469.8	-55.04	2	0	42.19	Average	54	Pass
NVNT	ax40	5510	Ant1	5470	-45.75	2	-	51.48	Peak	68.2	Pass
NVNT	ax40	5510	Ant1	5470	-56.09	2	0	41.14	Average	54	Pass
NVNT	ax40	5670	Ant1	5725	-48.6	2	-	48.63	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5725	-57.71	2	0.24	39.76	Average	54	Pass
NVNT	ax40	5670	Ant1	5728	-47.68	2	-	49.55	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5726.8	-56.9	2	0.24	40.57	Average	54	Pass
NVNT	ax40	5670	Ant1	5735	-50	2	-	47.23	Peak	68.2	Pass
NVNT	ax40	5670	Ant1	5735	-57.69	2	0.24	39.78	Average	54	Pass
NVNT	ax80	5530	Ant1	5460	-48.43	2	-	48.8	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5460	-57	2	0.47	40.7	Average	54	Pass
NVNT	ax80	5530	Ant1	5467	-43.32	2	-	53.91	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5468	-55.44	2	0.47	42.26	Average	54	Pass
NVNT	ax80	5530	Ant1	5470	-44.94	2	-	52.29	Peak	68.2	Pass
NVNT	ax80	5530	Ant1	5470	-55.84	2	0.47	41.86	Average	54	Pass
NVNT	ax80	5610	Ant1	5725	-51	2	-	46.23	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5725	-57.82	2	0.47	39.88	Average	54	Pass
NVNT	ax80	5610	Ant1	5728.645	-47.41	2	-	49.82	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5734.385	-57.24	2	0.47	40.46	Average	54	Pass
NVNT	ax80	5610	Ant1	5735	-49.78	2	-	47.45	Peak	68.2	Pass
NVNT	ax80	5610	Ant1	5735	-57.5	2	0.47	40.2	Average	54	Pass


Restrict Band NVNT a 5500MHz Ant1 Peak







Restrict Band NVNT a 5700MHz Ant1 Peak





Restrict Band NVNT a 5700MHz Ant1 Average














Restrict Band NVNT n40 5670MHz Ant1 Peak





Restrict Band NVNT n40 5670MHz Ant1 Average














Restrict Band NVNT ac40 5670MHz Ant1 Peak





Restrict Band NVNT ac40 5670MHz Ant1 Average















[illegible]











F.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5500	Ant1	5500	0	0	25	Pass
NVNT	a	5580	Ant1	5580	0	0	25	Pass
NVNT	a	5700	Ant1	5700	0	0	25	Pass
NVNT	n20	5500	Ant1	5500	0	0	25	Pass
NVNT	n20	5580	Ant1	5580.02	20000	3.58	25	Pass
NVNT	n20	5700	Ant1	5700	0	0	25	Pass
NVNT	n40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
NVNT	n40	5550	Ant1	5549.96	-40000	-7.21	25	Pass
NVNT	n40	5670	Ant1	5670	0	0	25	Pass
NVNT	ac20	5500	Ant1	5500	0	0	25	Pass
NVNT	ac20	5580	Ant1	5580	0	0	25	Pass
NVNT	ac20	5700	Ant1	5700	0	0	25	Pass
NVNT	ac40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
NVNT	ac40	5550	Ant1	5550	0	0	25	Pass
NVNT	ac40	5670	Ant1	5670	0	0	25	Pass
NVNT	ac80	5530	Ant1	5530	0	0	25	Pass
NVNT	ac80	5610	Ant1	5609.92	-80000	-14.26	25	Pass
NVNT	ax20	5500	Ant1	5500	0	0	25	Pass
NVNT	ax20	5580	Ant1	5580	0	0	25	Pass
NVNT	ax20	5700	Ant1	5700	0	0	25	Pass
NVNT	ax40	5510	Ant1	5510	0	0	25	Pass
NVNT	ax40	5550	Ant1	5550	0	0	25	Pass
NVNT	ax40	5670	Ant1	5670	0	0	25	Pass
NVNT	ax80	5530	Ant1	5530	0	0	25	Pass
NVNT	ax80	5610	Ant1	5610	0	0	25	Pass


Freq. Stability NVNT a 5500MHz Ant1




Freq. Stability NVNT a 5700MHz Ant1




Freq. Stability NVNT n20 5500MHz Ant1




Freq. Stability NVNT n20 5580MHz Ant1




Freq. Stability NVNT n20 5700MHz Ant1






Freq. Stability NVNT n40 5510MHz Ant1




Freq. Stability NVNT n40 5550MHz Ant1












Freq. Stability NVNT ac40 5510MHz Ant1




Freq. Stability NVNT ac40 5550MHz Ant1












Freq. Stability NVNT ax40 5510MHz Ant1




Freq. Stability NVNT ax40 5550MHz Ant1




Freq. Stability NVNT ax40 5670MHz Ant1



Freq. Stability NVNT ax80 5530MHz Ant1







F.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	94.56	0.24	0.91
NVNT	a	5580	Ant1	94.56	0.24	0.91
NVNT	a	5700	Ant1	94.56	0.24	0.91
NVNT	n20	5500	Ant1	97.33	0.12	0.44
NVNT	n20	5580	Ant1	97.33	0.12	0.44
NVNT	n20	5700	Ant1	97.33	0.12	0.44
NVNT	n40	5510	Ant1	94.71	0.24	0.9
NVNT	n40	5550	Ant1	94.71	0.24	0.9
NVNT	n40	5670	Ant1	94.71	0.24	0.9
NVNT	ac20	5500	Ant1	97.34	0.12	0.44
NVNT	ac20	5580	Ant1	97.34	0.12	0.44
NVNT	ac20	5700	Ant1	97.34	0.12	0.44
NVNT	ac40	5510	Ant1	94.72	0.24	0.9
NVNT	ac40	5550	Ant1	94.72	0.24	0.9
NVNT	ac40	5670	Ant1	94.72	0.24	0.9
NVNT	ac80	5530	Ant1	89.65	0.47	1.86
NVNT	ac80	5610	Ant1	89.65	0.47	1.86
NVNT	ax20	5500	Ant1	97.34	0.12	0.44
NVNT	ax20	5580	Ant1	97.34	0.12	0.44
NVNT	ax20	5700	Ant1	97.34	0.12	0.44
NVNT	ax40	5510	Ant1	94.72	0.24	0.9
NVNT	ax40	5550	Ant1	94.72	0.24	0.9
NVNT	ax40	5670	Ant1	94.72	0.24	0.9
NVNT	ax80	5530	Ant1	89.65	0.47	1.86
NVNT	ax80	5610	Ant1	89.65	0.47	1.86


Duty Cycle NVNT a 5500MHz Ant1





Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1







Duty Cycle NVNT n40 5510MHz Ant1




Duty Cycle NVNT n40 5550MHz Ant1




Duty Cycle NVNT n40 5670MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1





Duty Cycle NVNT ac20 5580MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1







Duty Cycle NVNT ac40 5670MHz Ant1




Duty Cycle NVNT ac80 5530MHz Ant1




Duty Cycle NVNT ac80 5610MHz Ant1




Duty Cycle NVNT ax20 5500MHz Ant1




Duty Cycle NVNT ax20 5580MHz Ant1




Duty Cycle NVNT ax20 5700MHz Ant1




Duty Cycle NVNT ax40 5510MHz Ant1




Duty Cycle NVNT ax40 5550MHz Ant1



Duty Cycle NVNT ax40 5670MHz Ant1



Duty Cycle NVNT ax80 5530MHz Ant1



Duty Cycle NVNT ax80 5610MHz Ant1

