

FCC Appendix RF Test Data for BLE

FCC ID : 2BCAH-ZW90

Company : Shenzhen Zhiweide Technology Co., Ltd

EUT : Smart watch

Model Number : ZW90

Report No. : CTA25120401401

Reviewed By : Eric Wang


Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.640	2401.696	2402.336	0.5	PASS
		2440	0.628	2439.708	2440.336	0.5	PASS
		2480	0.640	2479.696	2480.336	0.5	PASS

Test Graphs







Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0063	2401.5177	2402.5240	---	---
		2440	1.0071	2439.5158	2440.5229	---	---
		2480	1.0088	2479.5167	2480.5255	---	---

Test Graphs





Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-3.49	≤30	PASS
		2440	-3.85	≤30	PASS
		2480	-3.87	≤30	PASS


Appendix D: Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-19.23	≤8.00	PASS
		2440	-19.54	≤8.00	PASS
		2480	-19.67	≤8.00	PASS

Test Graphs


BLE_1M_Ant1_2402



BLE_1M_Ant1_2440



BLE_1M_Ant1_2480




Appendix E: Band edge measurements

Test Result

TestMod e	Antenn a	ChNam e	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdic t
BLE_1M	Ant1	Low	2402	-3.65	-56.06	≤-23.65	PASS
		High	2480	-4.62	-53.93	≤-24.62	PASS

Test Graphs





Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-5.67	-5.67	---	PASS
			30~1000	-5.67	-68.09	≤-25.67	PASS
			1000~26500	-5.67	-50.31	≤-25.67	PASS
		2440	Reference	-4.66	-4.66	---	PASS
			30~1000	-4.66	-66.74	≤-24.66	PASS
			1000~26500	-4.66	-47.29	≤-24.66	PASS
		2480	Reference	-4.87	-4.87	---	PASS
			30~1000	-4.87	-61.15	≤-24.87	PASS
			1000~26500	-4.87	-46.92	≤-24.87	PASS

Test Graphs







BLE_1M_Ant1_2440_0~Reference



BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~26500




BLE_1M_Ant1_2480_0~Reference



BLE_1M_Ant1_2480_30~1000



BLE_1M_Ant1_2480_1000~26500



Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2402	0.41	0.63	0.6508	65.08	1.87	---	---
		2440	0.41	0.63	0.6508	65.08	1.87	---	---
		2480	0.41	0.63	0.6508	65.08	1.87	---	---

Test Graphs

