






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average






Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average






Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average






Restrict Band NVNT n40 2452MHz Ant1 Peak




Restrict Band NVNT n40 2452MHz Ant1 Average






Restrict Band NVNT ax20 2412MHz Ant1 Peak




Restrict Band NVNT ax20 2412MHz Ant1 Average






Restrict Band NVNT ax20 2462MHz Ant1 Peak




Restrict Band NVNT ax20 2462MHz Ant1 Average






Restrict Band NVNT ax40 2422MHz Ant1 Peak




Restrict Band NVNT ax40 2422MHz Ant1 Average





Restrict Band NVNT ax40 2452MHz Ant1 Peak



Restrict Band NVNT ax40 2452MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant2	2310	-49.55	4.25	49.96	Peak	74	Pass
NVNT	b	2412	Ant2	2310	-57.11	4.25	42.40	Average	54	Pass
NVNT	b	2412	Ant2	2333.517	-45.82	4.25	53.69	Peak	74	Pass
NVNT	b	2412	Ant2	2329.773	-54.18	4.25	45.33	Average	54	Pass
NVNT	b	2412	Ant2	2390	-48.21	4.25	51.30	Peak	74	Pass
NVNT	b	2412	Ant2	2390	-56.08	4.25	43.43	Average	54	Pass
NVNT	b	2462	Ant2	2483.5	-47.09	4.25	52.42	Peak	74	Pass
NVNT	b	2462	Ant2	2483.5	-55.49	4.25	44.02	Average	54	Pass
NVNT	b	2462	Ant2	2485.319	-45.21	4.25	54.30	Peak	74	Pass
NVNT	b	2462	Ant2	2485.531	-55.33	4.25	44.18	Average	54	Pass
NVNT	b	2462	Ant2	2500	-49.18	4.25	50.33	Peak	74	Pass
NVNT	b	2462	Ant2	2500	-56.43	4.25	43.08	Average	54	Pass
NVNT	g	2412	Ant2	2310	-49.89	4.25	49.62	Peak	74	Pass
NVNT	g	2412	Ant2	2310	-56.62	4.25	42.89	Average	54	Pass
NVNT	g	2412	Ant2	2389.56	-44.62	4.25	54.89	Peak	74	Pass
NVNT	g	2412	Ant2	2333.166	-54.53	4.25	44.98	Average	54	Pass
NVNT	g	2412	Ant2	2390	-47.72	4.25	51.79	Peak	74	Pass
NVNT	g	2412	Ant2	2390	-55.27	4.25	44.24	Average	54	Pass
NVNT	g	2462	Ant2	2483.5	-44.5	4.25	55.01	Peak	74	Pass
NVNT	g	2462	Ant2	2483.5	-53.74	4.25	45.77	Average	54	Pass
NVNT	g	2462	Ant2	2484.259	-43.33	4.25	56.18	Peak	74	Pass
NVNT	g	2462	Ant2	2483.835	-53.51	4.25	46.00	Average	54	Pass
NVNT	g	2462	Ant2	2500	-47.2	4.25	52.31	Peak	74	Pass
NVNT	g	2462	Ant2	2500	-55.51	4.25	44.00	Average	54	Pass
NVNT	n20	2412	Ant2	2310	-50.6	4.25	48.91	Peak	74	Pass
NVNT	n20	2412	Ant2	2310	-56.51	4.25	43.00	Average	54	Pass
NVNT	n20	2412	Ant2	2386.518	-43.02	4.25	56.49	Peak	74	Pass
NVNT	n20	2412	Ant2	2333.166	-54.62	4.25	44.89	Average	54	Pass
NVNT	n20	2412	Ant2	2390	-43.83	4.25	55.68	Peak	74	Pass
NVNT	n20	2412	Ant2	2390	-55	4.25	44.51	Average	54	Pass
NVNT	n20	2462	Ant2	2483.5	-47.96	4.25	51.55	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.5	-53.78	4.25	45.73	Average	54	Pass
NVNT	n20	2462	Ant2	2483.623	-44.18	4.25	55.33	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.782	-53.75	4.25	45.76	Average	54	Pass
NVNT	n20	2462	Ant2	2500	-48.97	4.25	50.54	Peak	74	Pass
NVNT	n20	2462	Ant2	2500	-55.61	4.25	43.90	Average	54	Pass
NVNT	n40	2422	Ant2	2310	-49.38	4.25	50.13	Peak	74	Pass
NVNT	n40	2422	Ant2	2310	-56.34	4.25	43.17	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	2422	Ant2	2385.686	-43.4	4.25	56.11	Peak	74	Pass
NVNT	n40	2422	Ant2	2389.804	-51.97	4.25	47.54	Average	54	Pass
NVNT	n40	2422	Ant2	2390	-44.84	4.25	54.67	Peak	74	Pass
NVNT	n40	2422	Ant2	2390	-51.83	4.25	47.68	Average	54	Pass
NVNT	n40	2452	Ant2	2483.5	-45.32	4.25	54.19	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.5	-52.99	4.25	46.52	Average	54	Pass
NVNT	n40	2452	Ant2	2485.414	-43.42	4.25	56.09	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.542	-52.99	4.25	46.52	Average	54	Pass
NVNT	n40	2452	Ant2	2500	-49.98	4.25	49.53	Peak	74	Pass
NVNT	n40	2452	Ant2	2500	-55.47	4.25	44.04	Average	54	Pass
NVNT	ax20	2412	Ant2	2310	-50.76	4.25	48.75	Peak	74	Pass
NVNT	ax20	2412	Ant2	2310	-56.57	4.25	42.94	Average	54	Pass
NVNT	ax20	2412	Ant2	2384.88	-44.52	4.25	54.99	Peak	74	Pass
NVNT	ax20	2412	Ant2	2333.517	-54.74	4.25	44.77	Average	54	Pass
NVNT	ax20	2412	Ant2	2390	-48.32	4.25	51.19	Peak	74	Pass
NVNT	ax20	2412	Ant2	2390	-54.78	4.25	44.73	Average	54	Pass
NVNT	ax20	2462	Ant2	2483.5	-39.28	4.25	60.23	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.5	-50.00	4.25	49.51	Average	54	Pass
NVNT	ax20	2462	Ant2	2483.57	-33.39	4.25	66.12	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.517	-50.00	4.25	49.51	Average	54	Pass
NVNT	ax20	2462	Ant2	2500	-49.29	4.25	50.22	Peak	74	Pass
NVNT	ax20	2462	Ant2	2500	-56.06	4.25	43.45	Average	54	Pass
NVNT	ax40	2422	Ant2	2310	-50.54	4.25	48.97	Peak	74	Pass
NVNT	ax40	2422	Ant2	2310	-56.13	4.25	43.38	Average	54	Pass
NVNT	ax40	2422	Ant2	2382.704	-42.75	4.25	56.76	Peak	74	Pass
NVNT	ax40	2422	Ant2	2388.81	-52.11	4.25	47.40	Average	54	Pass
NVNT	ax40	2422	Ant2	2390	-45.74	4.25	53.77	Peak	74	Pass
NVNT	ax40	2422	Ant2	2390	-51.96	4.25	47.55	Average	54	Pass
NVNT	ax40	2452	Ant2	2483.5	-48.39	4.25	51.12	Peak	74	Pass
NVNT	ax40	2452	Ant2	2483.5	-53.68	4.25	45.83	Average	54	Pass
NVNT	ax40	2452	Ant2	2486.662	-43.52	4.25	55.99	Peak	74	Pass
NVNT	ax40	2452	Ant2	2484.556	-53.42	4.25	46.09	Average	54	Pass
NVNT	ax40	2452	Ant2	2500	-47.55	4.25	51.96	Peak	74	Pass
NVNT	ax40	2452	Ant2	2500	-55.36	4.25	44.15	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Restrict Band NVNT b 2412MHz Ant2 Peak




Restrict Band NVNT b 2412MHz Ant2 Average






Restrict Band NVNT b 2462MHz Ant2 Peak




Restrict Band NVNT b 2462MHz Ant2 Average






Restrict Band NVNT g 2412MHz Ant2 Peak




Restrict Band NVNT g 2412MHz Ant2 Average






Restrict Band NVNT g 2462MHz Ant2 Peak




Restrict Band NVNT g 2462MHz Ant2 Average






Restrict Band NVNT n20 2412MHz Ant2 Peak




Restrict Band NVNT n20 2412MHz Ant2 Average






Restrict Band NVNT n20 2462MHz Ant2 Peak




Restrict Band NVNT n20 2462MHz Ant2 Average






Restrict Band NVNT n40 2422MHz Ant2 Peak




Restrict Band NVNT n40 2422MHz Ant2 Average






Restrict Band NVNT n40 2452MHz Ant2 Peak




Restrict Band NVNT n40 2452MHz Ant2 Average






Restrict Band NVNT ax20 2412MHz Ant2 Peak




Restrict Band NVNT ax20 2412MHz Ant2 Average






Restrict Band NVNT ax20 2462MHz Ant2 Peak




Restrict Band NVNT ax20 2462MHz Ant2 Average






Restrict Band NVNT ax40 2422MHz Ant2 Peak




Restrict Band NVNT ax40 2422MHz Ant2 Average





Restrict Band NVNT ax40 2452MHz Ant2 Peak



Restrict Band NVNT ax40 2452MHz Ant2 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Total E (dBuV/m)			Detector	Limit (dBuV/m)	Verdict
				Ant1	Ant2	Ant1+Ant2			
NVNT	n20	2412	2310	49.26	48.91	55.11	Peak	74	Pass
NVNT	n20	2412	2310	42.97	43.00	49.01	Average	54	Pass
NVNT	n20	2412	2389.092	57.93	56.49	63.26	Peak	74	Pass
NVNT	n20	2412	2389.911	45.08	44.89	51.01	Average	54	Pass
NVNT	n20	2412	2390	50.51	55.68	59.49	Peak	74	Pass
NVNT	n20	2412	2390	45.08	44.51	50.82	Average	54	Pass
NVNT	n20	2462	2483.5	51.58	51.55	57.59	Peak	74	Pass
NVNT	n20	2462	2483.5	45.24	45.73	51.51	Average	54	Pass
NVNT	n20	2462	2492.262	54.57	55.33	60.98	Peak	74	Pass
NVNT	n20	2462	2483.57	45.39	45.76	51.60	Average	54	Pass
NVNT	n20	2462	2500	50.63	50.54	56.61	Peak	74	Pass
NVNT	n20	2462	2500	44.02	43.90	49.98	Average	54	Pass
NVNT	n40	2422	2310	51.24	50.13	56.72	Peak	74	Pass
NVNT	n40	2422	2310	43.33	43.17	49.27	Average	54	Pass
NVNT	n40	2422	2381.426	55.42	56.11	61.79	Peak	74	Pass
NVNT	n40	2422	2389.804	46.72	47.54	53.16	Average	54	Pass
NVNT	n40	2422	2390	54.35	54.67	60.53	Peak	74	Pass
NVNT	n40	2422	2390	46.43	47.68	53.10	Average	54	Pass
NVNT	n40	2452	2483.5	55.73	54.19	61.01	Peak	74	Pass
NVNT	n40	2452	2483.5	47.43	46.52	53.01	Average	54	Pass
NVNT	n40	2452	2487.91	57.51	56.09	62.85	Peak	74	Pass
NVNT	n40	2452	2483.62	47.64	46.52	53.12	Average	54	Pass
NVNT	n40	2452	2500	51.83	49.53	56.78	Peak	74	Pass
NVNT	n40	2452	2500	44.38	44.04	50.23	Average	54	Pass
NVNT	ax20	2412	2310	49.71	48.75	55.26	Peak	74	Pass
NVNT	ax20	2412	2310	42.94	42.94	48.96	Average	54	Pass
NVNT	ax20	2412	2388.624	56.35	54.99	61.72	Peak	74	Pass
NVNT	ax20	2412	2389.911	44.83	44.77	50.82	Average	54	Pass
NVNT	ax20	2412	2390	51.44	51.19	57.34	Peak	74	Pass
NVNT	ax20	2412	2390	44.88	44.73	50.83	Average	54	Pass
NVNT	ax20	2462	2483.5	53.09	60.23	63.39	Peak	74	Pass
NVNT	ax20	2462	2483.5	44.48	49.51	53.37	Average	54	Pass
NVNT	ax20	2462	2483.835	62.42	66.12	70.49	Peak	74	Pass
NVNT	ax20	2462	2483.729	44.54	49.51	53.40	Average	54	Pass
NVNT	ax20	2462	2500	50.65	50.22	56.46	Peak	74	Pass
NVNT	ax20	2462	2500	42.11	43.45	48.83	Average	54	Pass
NVNT	ax40	2422	2310	49.74	48.97	55.38	Peak	74	Pass
NVNT	ax40	2422	2310	43.25	43.38	49.34	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax40	2422	2374.326	54.99	56.76	61.94	Peak	74	Pass
NVNT	ax40	2422	2389.804	46.5	47.40	52.98	Average	54	Pass
NVNT	ax40	2422	2390	53.14	53.77	59.48	Peak	74	Pass
NVNT	ax40	2422	2390	46.47	47.55	53.05	Average	54	Pass
NVNT	ax40	2452	2483.5	54.84	51.12	59.20	Peak	74	Pass
NVNT	ax40	2452	2483.5	47.67	45.83	52.82	Average	54	Pass
NVNT	ax40	2452	2485.102	55.99	55.99	62.01	Peak	74	Pass
NVNT	ax40	2452	2483.542	47.67	46.09	52.94	Average	54	Pass
NVNT	ax40	2452	2500	50.79	51.96	57.42	Peak	74	Pass
NVNT	ax40	2452	2500	44.6	44.15	50.40	Average	54	Pass

