






Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average






Restrict Band NVNT ax40 5190MHz Ant1 Peak




Restrict Band NVNT ax40 5190MHz Ant1 Average






Restrict Band NVNT ax40 5230MHz Ant1 Peak




Restrict Band NVNT ax40 5230MHz Ant1 Average






Restrict Band NVNT ax80 5210MHz Ant1 Peak




Restrict Band NVNT ax80 5210MHz Ant1 Average






Restrict Band NVNT ax80 5210MHz Ant1 Peak




Restrict Band NVNT ax80 5210MHz Ant1 Average






Restrict Band NVNT ax160 5250MHz Ant1 Peak




Restrict Band NVNT ax160 5250MHz Ant1 Average





Restrict Band NVNT ax160 5250MHz Ant1 Peak



Restrict Band NVNT ax160 5250MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-60.84	2	36.39	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-68.83	2	28.4	Average	54	Pass
NVNT	a	5180	Ant2	5139.1	-55.71	2	41.52	Peak	68.2	Pass
NVNT	a	5180	Ant2	5149.6	-60.74	2	36.49	Average	54	Pass
NVNT	a	5180	Ant2	5150	-57.17	2	40.06	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-60.35	2	36.88	Average	54	Pass
NVNT	a	5240	Ant2	5350	-51.42	2	45.81	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-57.53	2	39.7	Average	54	Pass
NVNT	a	5240	Ant2	5430.96	-47.78	2	49.45	Peak	68.2	Pass
NVNT	a	5240	Ant2	5400.72	-56.47	2	40.76	Average	54	Pass
NVNT	a	5240	Ant2	5460	-50.07	2	47.16	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.21	2	40.02	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-51.25	2	45.98	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-58.74	2	38.49	Average	54	Pass
NVNT	n20	5180	Ant2	5085.2	-46.92	2	50.31	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5148.9	-55.98	2	41.25	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-49.05	2	48.18	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-56.1	2	41.13	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-50.31	2	46.92	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-57.41	2	39.82	Average	54	Pass
NVNT	n20	5240	Ant2	5400.96	-47.55	2	49.68	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5400.48	-56.32	2	40.91	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-50.94	2	46.29	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-57.26	2	39.97	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-62.72	2	34.51	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-68.44	2	28.79	Average	54	Pass
NVNT	n40	5190	Ant2	5147.51	-51.01	2	46.22	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5148.97	-57.78	2	39.45	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-54.86	2	42.37	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-58.1	2	39.13	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-51.35	2	45.88	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-57.25	2	39.98	Average	54	Pass
NVNT	n40	5230	Ant2	5413.83	-46.69	2	50.54	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5387.64	-56.27	2	40.96	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-49.96	2	47.27	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-56.8	2	40.43	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-52.57	2	44.66	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-58.98	2	38.25	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant2	5036.2	-46.78	2	50.45	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5148.9	-56.03	2	41.2	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-49.44	2	47.79	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-56.24	2	40.99	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-50.55	2	46.68	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-57.47	2	39.76	Average	54	Pass
NVNT	ac20	5240	Ant2	5441.52	-47.49	2	49.74	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5400.96	-56.3	2	40.93	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.38	2	46.85	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-57.13	2	40.1	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-53.22	2	44.01	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.73	2	38.5	Average	54	Pass
NVNT	ac40	5190	Ant2	4984.72	-46.82	2	50.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5149.7	-55.18	2	42.05	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-50.18	2	47.05	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-54.7	2	42.53	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-50.32	2	46.91	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-57.25	2	39.98	Average	54	Pass
NVNT	ac40	5230	Ant2	5407.89	-47.82	2	49.41	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5384.4	-56.4	2	40.83	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-50.68	2	46.55	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-56.89	2	40.34	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-49.95	2	47.28	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-56.01	2	41.22	Average	54	Pass
NVNT	ac80	5210	Ant2	5390.37	-47.46	2	49.77	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5446.47	-55.58	2	41.65	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-50.77	2	46.46	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-56.3	2	40.93	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-51.43	2	45.8	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-58.04	2	39.19	Average	54	Pass
NVNT	ac80	5210	Ant2	4817.58	-46.99	2	50.24	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5148.59	-53.96	2	43.27	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-49.73	2	47.5	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-53.87	2	43.36	Average	54	Pass
NVNT	ac160	5250	Ant2	5350	-46.42	2	50.81	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5350	-55.28	2	41.95	Average	54	Pass
NVNT	ac160	5250	Ant2	5350.11	-46.42	2	50.81	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5373.05	-54.9	2	42.33	Average	54	Pass
NVNT	ac160	5250	Ant2	5460	-48.72	2	48.51	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5460	-55.99	2	41.24	Average	54	Pass
NVNT	ac160	5250	Ant2	4500	-52.13	2	45.1	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac160	5250	Ant2	4500	-58.2	2	39.03	Average	54	Pass
NVNT	ac160	5250	Ant2	5067.84	-46.73	2	50.5	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5049.64	-55.16	2	42.07	Average	54	Pass
NVNT	ac160	5250	Ant2	5150	-49.07	2	48.16	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5150	-56.11	2	41.12	Average	54	Pass
NVNT	ax20	5180	Ant2	4500	-50.59	2	46.64	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4500	-58.83	2	38.4	Average	54	Pass
NVNT	ax20	5180	Ant2	4780.7	-46.75	2	50.48	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5149.6	-55.85	2	41.38	Average	54	Pass
NVNT	ax20	5180	Ant2	5150	-48.71	2	48.52	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5150	-56.01	2	41.22	Average	54	Pass
NVNT	ax20	5240	Ant2	5350	-50.23	2	47	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5350	-57.33	2	39.9	Average	54	Pass
NVNT	ax20	5240	Ant2	5458.56	-47.38	2	49.85	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5400.72	-56.43	2	40.8	Average	54	Pass
NVNT	ax20	5240	Ant2	5460	-49.81	2	47.42	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5460	-57.03	2	40.2	Average	54	Pass
NVNT	ax40	5190	Ant2	4500	-52.09	2	45.14	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4500	-58.52	2	38.71	Average	54	Pass
NVNT	ax40	5190	Ant2	5034.36	-47.33	2	49.9	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5148.97	-54.57	2	42.66	Average	54	Pass
NVNT	ax40	5190	Ant2	5150	-48.73	2	48.5	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5150	-54.54	2	42.69	Average	54	Pass
NVNT	ax40	5230	Ant2	5350	-49.87	2	47.36	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5350	-57.06	2	40.17	Average	54	Pass
NVNT	ax40	5230	Ant2	5430.84	-47.07	2	50.16	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5390.34	-56.02	2	41.21	Average	54	Pass
NVNT	ax40	5230	Ant2	5460	-49.68	2	47.55	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5460	-57	2	40.23	Average	54	Pass
NVNT	ax80	5210	Ant2	5350	-49.44	2	47.79	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5350	-55.94	2	41.29	Average	54	Pass
NVNT	ax80	5210	Ant2	5458.35	-47.5	2	49.73	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5431.62	-55.49	2	41.74	Average	54	Pass
NVNT	ax80	5210	Ant2	5460	-49.57	2	47.66	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5460	-56.51	2	40.72	Average	54	Pass
NVNT	ax80	5210	Ant2	4500	-53.5	2	43.73	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	4500	-58.34	2	38.89	Average	54	Pass
NVNT	ax80	5210	Ant2	5049.84	-46.47	2	50.76	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5147.01	-53.02	2	44.21	Average	54	Pass
NVNT	ax80	5210	Ant2	5150	-48.58	2	48.65	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5150	-52.45	2	44.78	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ax160	5250	Ant2	5350	-50.38	2	46.85	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5350	-55.61	2	41.62	Average	54	Pass
NVNT	ax160	5250	Ant2	5384.15	-46.45	2	50.78	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5393.4	-54.14	2	43.09	Average	54	Pass
NVNT	ax160	5250	Ant2	5460	-50.12	2	47.11	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5460	-55.81	2	41.42	Average	54	Pass
NVNT	ax160	5250	Ant2	4500	-50.31	2	46.92	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	4500	-57.89	2	39.34	Average	54	Pass
NVNT	ax160	5250	Ant2	5034.17	-47.77	2	49.46	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5035.08	-55.18	2	42.05	Average	54	Pass
NVNT	ax160	5250	Ant2	5150	-50.06	2	47.17	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5150	-55.7	2	41.53	Average	54	Pass






Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average






Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average






Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average






Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average






Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac160 5250MHz Ant2 Peak




Restrict Band NVNT ac160 5250MHz Ant2 Average






Restrict Band NVNT ac160 5250MHz Ant2 Peak




Restrict Band NVNT ac160 5250MHz Ant2 Average






Restrict Band NVNT ax20 5180MHz Ant2 Peak




Restrict Band NVNT ax20 5180MHz Ant2 Average






Restrict Band NVNT ax20 5240MHz Ant2 Peak




Restrict Band NVNT ax20 5240MHz Ant2 Average






Restrict Band NVNT ax40 5190MHz Ant2 Peak




Restrict Band NVNT ax40 5190MHz Ant2 Average






Restrict Band NVNT ax40 5230MHz Ant2 Peak




Restrict Band NVNT ax40 5230MHz Ant2 Average






Restrict Band NVNT ax80 5210MHz Ant2 Peak




Restrict Band NVNT ax80 5210MHz Ant2 Average






Restrict Band NVNT ax80 5210MHz Ant2 Peak




Restrict Band NVNT ax80 5210MHz Ant2 Average






Restrict Band NVNT ax160 5250MHz Ant2 Peak




Restrict Band NVNT ax160 5250MHz Ant2 Average





Restrict Band NVNT ax160 5250MHz Ant2 Peak



Restrict Band NVNT ax160 5250MHz Ant2 Average

MIMO



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Total E (dBuV/m)			Detector	Limit (dBuV/m)	Verdict
				Ant1	Ant2	Ant1+Ant2			
NVNT	n20	5180	4500	46.1	45.98	52.06	Peak	68.2	Pass
NVNT	n20	5180	4500	38.43	38.49	44.48	Average	54	Pass
NVNT	n20	5180	5097.8	50.09	50.31	56.22	Peak	68.2	Pass
NVNT	n20	5180	5148.2	41.42	41.25	47.36	Average	54	Pass
NVNT	n20	5180	5150	48.36	48.18	54.29	Peak	68.2	Pass
NVNT	n20	5180	5150	41.31	41.13	47.24	Average	54	Pass
NVNT	n20	5240	5350	46.75	46.92	52.86	Peak	68.2	Pass
NVNT	n20	5240	5350	39.94	39.82	45.90	Average	54	Pass
NVNT	n20	5240	5453.52	49.88	49.68	55.80	Peak	68.2	Pass
NVNT	n20	5240	5399.28	40.55	40.91	46.75	Average	54	Pass
NVNT	n20	5240	5460	46.38	46.29	52.36	Peak	68.2	Pass
NVNT	n20	5240	5460	40.11	39.97	46.06	Average	54	Pass
NVNT	n40	5190	4500	37.23	34.51	42.00	Peak	68.2	Pass
NVNT	n40	5190	4500	28.51	28.79	34.67	Average	54	Pass
NVNT	n40	5190	5149.7	53.72	46.22	56.78	Peak	68.2	Pass
NVNT	n40	5190	5148.97	42.03	39.45	46.86	Average	54	Pass
NVNT	n40	5190	5150	53.77	42.37	55.84	Peak	68.2	Pass
NVNT	n40	5190	5150	41.92	39.13	46.66	Average	54	Pass
NVNT	n40	5230	5350	47.17	45.88	52.57	Peak	68.2	Pass
NVNT	n40	5230	5350	40.28	39.98	46.15	Average	54	Pass
NVNT	n40	5230	5440.56	49.85	50.54	56.22	Peak	68.2	Pass
NVNT	n40	5230	5440.02	41.1	40.96	47.05	Average	54	Pass
NVNT	n40	5230	5460	47.6	47.27	53.46	Peak	68.2	Pass
NVNT	n40	5230	5460	40.43	40.43	46.45	Average	54	Pass
NVNT	ac20	5180	4500	47.35	44.66	52.13	Peak	68.2	Pass
NVNT	ac20	5180	4500	38.47	38.25	44.38	Average	54	Pass
NVNT	ac20	5180	5043.2	49.7	50.45	56.10	Peak	68.2	Pass
NVNT	ac20	5180	5149.6	41.31	41.2	47.28	Average	54	Pass
NVNT	ac20	5180	5150	46.71	47.79	53.29	Peak	68.2	Pass
NVNT	ac20	5180	5150	41.27	40.99	47.15	Average	54	Pass
NVNT	ac20	5240	5350	47.07	46.68	52.90	Peak	68.2	Pass
NVNT	ac20	5240	5350	39.62	39.76	45.71	Average	54	Pass
NVNT	ac20	5240	5447.52	49.85	49.74	55.82	Peak	68.2	Pass
NVNT	ac20	5240	5403.12	40.66	40.93	46.82	Average	54	Pass
NVNT	ac20	5240	5460	46.95	46.85	52.92	Peak	68.2	Pass
NVNT	ac20	5240	5460	40.12	40.1	46.13	Average	54	Pass
NVNT	ac40	5190	4500	44.75	44.01	50.41	Peak	68.2	Pass
NVNT	ac40	5190	4500	38.67	38.5	44.61	Average	54	Pass
NVNT	ac40	5190	5127.07	49.93	50.41	56.19	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5190	5148.97	42.81	42.05	48.46	Average	54	Pass
NVNT	ac40	5190	5150	48.94	47.05	54.07	Peak	68.2	Pass
NVNT	ac40	5190	5150	42.67	42.53	48.62	Average	54	Pass
NVNT	ac40	5230	5350	46.97	46.91	52.96	Peak	68.2	Pass
NVNT	ac40	5230	5350	39.99	39.98	46.01	Average	54	Pass
NVNT	ac40	5230	5431.38	49.85	49.41	55.65	Peak	68.2	Pass
NVNT	ac40	5230	5384.94	40.84	40.83	46.86	Average	54	Pass
NVNT	ac40	5230	5460	46.7	46.55	52.65	Peak	68.2	Pass
NVNT	ac40	5230	5460	40.35	40.34	46.37	Average	54	Pass
NVNT	ac80	5210	5350	47.12	47.28	53.22	Peak	68.2	Pass
NVNT	ac80	5210	5350	40.9	41.22	47.08	Average	54	Pass
NVNT	ac80	5210	5353.08	51.03	49.77	56.44	Peak	68.2	Pass
NVNT	ac80	5210	5420.73	41.34	41.65	47.52	Average	54	Pass
NVNT	ac80	5210	5460	47.45	46.46	52.99	Peak	68.2	Pass
NVNT	ac80	5210	5460	40.56	40.93	46.77	Average	54	Pass
NVNT	ac80	5210	4500	45.26	45.8	51.55	Peak	68.2	Pass
NVNT	ac80	5210	4500	39	39.19	45.12	Average	54	Pass
NVNT	ac80	5210	5139.9	50.87	50.24	56.58	Peak	68.2	Pass
NVNT	ac80	5210	5147.8	43.96	43.27	49.64	Average	54	Pass
NVNT	ac80	5210	5150	49.88	47.5	54.79	Peak	68.2	Pass
NVNT	ac80	5210	5150	43.67	43.36	49.54	Average	54	Pass
NVNT	ac160	5250	5350	46.76	50.81	55.04	Peak	68.2	Pass
NVNT	ac160	5250	5350	41.42	41.95	47.71	Average	54	Pass
NVNT	ac160	5250	5358.62	50.36	50.81	56.61	Peak	68.2	Pass
NVNT	ac160	5250	5438.54	42.39	42.33	48.38	Average	54	Pass
NVNT	ac160	5250	5460	48.45	48.51	54.50	Peak	68.2	Pass
NVNT	ac160	5250	5460	41.35	41.24	47.32	Average	54	Pass
NVNT	ac160	5250	4500	46.35	45.1	51.77	Peak	68.2	Pass
NVNT	ac160	5250	4500	39.22	39.03	45.15	Average	54	Pass
NVNT	ac160	5250	5041.45	50.45	50.5	56.50	Peak	68.2	Pass
NVNT	ac160	5250	5126.08	42.07	42.07	48.09	Average	54	Pass
NVNT	ac160	5250	5150	47.8	48.16	54.00	Peak	68.2	Pass
NVNT	ac160	5250	5150	41.16	41.12	47.16	Average	54	Pass
NVNT	ax20	5180	4500	45.34	46.64	52.03	Peak	68.2	Pass
NVNT	ax20	5180	4500	38.3	38.4	44.37	Average	54	Pass
NVNT	ax20	5180	5006.8	50.6	50.48	56.56	Peak	68.2	Pass
NVNT	ax20	5180	5148.2	41.5	41.38	47.46	Average	54	Pass
NVNT	ax20	5180	5150	48.08	48.52	54.32	Peak	68.2	Pass
NVNT	ax20	5180	5150	41.27	41.22	47.27	Average	54	Pass
NVNT	ax20	5240	5350	46.09	47	52.58	Peak	68.2	Pass
NVNT	ax20	5240	5350	39.78	39.9	45.86	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax20	5240	5422.56	49.17	49.85	55.54	Peak	68.2	Pass
NVNT	ax20	5240	5399.04	40.67	40.8	46.76	Average	54	Pass
NVNT	ax20	5240	5460	46.48	47.42	52.98	Peak	68.2	Pass
NVNT	ax20	5240	5460	40.3	40.2	46.27	Average	54	Pass
NVNT	ax40	5190	4500	46.24	45.14	51.73	Peak	68.2	Pass
NVNT	ax40	5190	4500	38.61	38.71	44.68	Average	54	Pass
NVNT	ax40	5190	5100.06	50.1	49.9	56.02	Peak	68.2	Pass
NVNT	ax40	5190	5148.97	42.9	42.66	48.80	Average	54	Pass
NVNT	ax40	5190	5150	48.14	48.5	54.34	Peak	68.2	Pass
NVNT	ax40	5190	5150	42.82	42.69	48.78	Average	54	Pass
NVNT	ax40	5230	5350	46.84	47.36	53.12	Peak	68.2	Pass
NVNT	ax40	5230	5350	40.35	40.17	46.28	Average	54	Pass
NVNT	ax40	5230	5415.99	50.52	50.16	56.36	Peak	68.2	Pass
NVNT	ax40	5230	5440.56	40.94	41.21	47.10	Average	54	Pass
NVNT	ax40	5230	5460	46.09	47.55	52.87	Peak	68.2	Pass
NVNT	ax40	5230	5460	40.35	40.23	46.31	Average	54	Pass
NVNT	ax80	5210	5350	46.81	47.79	53.33	Peak	68.2	Pass
NVNT	ax80	5210	5350	41.18	41.29	47.26	Average	54	Pass
NVNT	ax80	5210	5432.94	49.93	49.73	55.85	Peak	68.2	Pass
NVNT	ax80	5210	5358.69	41.6	41.74	47.69	Average	54	Pass
NVNT	ax80	5210	5460	46.91	47.66	53.31	Peak	68.2	Pass
NVNT	ax80	5210	5460	40.84	40.72	46.80	Average	54	Pass
NVNT	ax80	5210	4500	44.91	43.73	50.36	Peak	68.2	Pass
NVNT	ax80	5210	4500	38.98	38.89	44.96	Average	54	Pass
NVNT	ax80	5210	5145.43	50.99	50.76	56.90	Peak	68.2	Pass
NVNT	ax80	5210	5147.8	44.13	44.21	50.19	Average	54	Pass
NVNT	ax80	5210	5150	48.87	48.65	54.78	Peak	68.2	Pass
NVNT	ax80	5210	5150	44.07	44.78	50.45	Average	54	Pass
NVNT	ax160	5250	5350	50.66	46.85	54.98	Peak	68.2	Pass
NVNT	ax160	5250	5350	41.62	41.62	47.64	Average	54	Pass
NVNT	ax160	5250	5350.85	51.11	50.78	56.97	Peak	68.2	Pass
NVNT	ax160	5250	5452.23	42.39	43.09	48.77	Average	54	Pass
NVNT	ax160	5250	5460	46.68	47.11	52.92	Peak	68.2	Pass
NVNT	ax160	5250	5460	41.18	41.42	47.32	Average	54	Pass
NVNT	ax160	5250	4500	47.22	46.92	53.09	Peak	68.2	Pass
NVNT	ax160	5250	4500	39.56	39.34	45.47	Average	54	Pass
NVNT	ax160	5250	5051.46	50.2	49.46	55.86	Peak	68.2	Pass
NVNT	ax160	5250	5039.63	42.14	42.05	48.12	Average	54	Pass
NVNT	ax160	5250	5150	46.97	47.17	53.09	Peak	68.2	Pass
NVNT	ax160	5250	5150	41.59	41.53	47.58	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




B.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5179.92	-80000	-15.44	25	Pass
NVNT	a	5200	Ant1	5199.9	-100000	-19.23	25	Pass
NVNT	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
NVNT	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
NVNT	n20	5200	Ant1	5199.9	-100000	-19.23	25	Pass
NVNT	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
NVNT	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
NVNT	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
NVNT	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
NVNT	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
NVNT	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
NVNT	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
NVNT	ac40	5230	Ant1	5229.88	-120000	-22.94	25	Pass
NVNT	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
NVNT	ac160	5250	Ant1	5250	0	0	25	Pass
NVNT	ax20	5180	Ant1	5179.9	-100000	-19.31	25	Pass
NVNT	ax20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
NVNT	ax20	5240	Ant1	5239.88	-120000	-22.9	25	Pass
NVNT	ax40	5190	Ant1	5190	0	0	25	Pass
NVNT	ax40	5230	Ant1	5230	0	0	25	Pass
NVNT	ax80	5210	Ant1	5210	0	0	25	Pass
NVNT	ax160	5250	Ant1	5250	0	0	25	Pass






Freq. Stability NVNT a 5180MHz Ant1




Freq. Stability NVNT a 5200MHz Ant1






Freq. Stability NVNT a 5240MHz Ant1




Freq. Stability NVNT n20 5180MHz Ant1






Freq. Stability NVNT n20 5200MHz Ant1




Freq. Stability NVNT n20 5240MHz Ant1






Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1




Freq. Stability NVNT ac80 5210MHz Ant1






Freq. Stability NVNT ac160 5250MHz Ant1




Freq. Stability NVNT ax20 5180MHz Ant1






Freq. Stability NVNT ax20 5200MHz Ant1




Freq. Stability NVNT ax20 5240MHz Ant1






Freq. Stability NVNT ax40 5190MHz Ant1




Freq. Stability NVNT ax40 5230MHz Ant1





Freq. Stability NVNT ax80 5210MHz Ant1




Freq. Stability NVNT ax160 5250MHz Ant1






Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant2	5179.92	-80000	-15.44	25	Pass
NVNT	a	5200	Ant2	5199.9	-100000	-19.23	25	Pass
NVNT	a	5240	Ant2	5239.9	-100000	-19.08	25	Pass
NVNT	n20	5180	Ant2	5179.92	-80000	-15.44	25	Pass
NVNT	n20	5200	Ant2	5199.94	-60000	-11.54	25	Pass
NVNT	n20	5240	Ant2	5239.88	-120000	-22.9	25	Pass
NVNT	n40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
NVNT	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
NVNT	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
NVNT	ac20	5200	Ant2	5199.96	-40000	-7.69	25	Pass
NVNT	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant2	5189.88	-120000	-23.12	25	Pass
NVNT	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
NVNT	ac160	5250	Ant2	5250	0	0	25	Pass
NVNT	ax20	5180	Ant2	5179.92	-80000	-15.44	25	Pass
NVNT	ax20	5200	Ant2	5199.88	-120000	-23.08	25	Pass
NVNT	ax20	5240	Ant2	5239.88	-120000	-22.9	25	Pass
NVNT	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
NVNT	ax40	5230	Ant2	5230	0	0	25	Pass
NVNT	ax80	5210	Ant2	5210	0	0	25	Pass
NVNT	ax160	5250	Ant2	5250	0	0	25	Pass






Freq. Stability NVNT a 5180MHz Ant2




Freq. Stability NVNT a 5200MHz Ant2






Freq. Stability NVNT a 5240MHz Ant2




Freq. Stability NVNT n20 5180MHz Ant2






Freq. Stability NVNT n20 5200MHz Ant2




Freq. Stability NVNT n20 5240MHz Ant2






Freq. Stability NVNT n40 5190MHz Ant2




Freq. Stability NVNT n40 5230MHz Ant2






Freq. Stability NVNT ac20 5180MHz Ant2




Freq. Stability NVNT ac20 5200MHz Ant2






Freq. Stability NVNT ac20 5240MHz Ant2




Freq. Stability NVNT ac40 5190MHz Ant2






Freq. Stability NVNT ac40 5230MHz Ant2




Freq. Stability NVNT ac80 5210MHz Ant2






Freq. Stability NVNT ac160 5250MHz Ant2




Freq. Stability NVNT ax20 5180MHz Ant2






Freq. Stability NVNT ax20 5200MHz Ant2




Freq. Stability NVNT ax20 5240MHz Ant2






Freq. Stability NVNT ax40 5190MHz Ant2




Freq. Stability NVNT ax40 5230MHz Ant2





Freq. Stability NVNT ax80 5210MHz Ant2



Freq. Stability NVNT ax160 5250MHz Ant2

