





NVNT	ax20	5320	Ant2	5350	-56.03	2	41.2	Average	54	Pass
NVNT	ax20	5320	Ant2	5401.6	-45.76	2	51.47	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5401	-54.69	2	42.54	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-49.47	2	47.76	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-57.14	2	40.09	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-52.53	2	44.7	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-58.9	2	38.33	Average	54	Pass
NVNT	ax40	5270	Ant2	5109.12	-46.7	2	50.53	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5058.09	-56.08	2	41.15	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-50.33	2	46.9	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-56.88	2	40.35	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-43.02	2	54.21	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-50.76	2	46.47	Average	54	Pass
NVNT	ax40	5310	Ant2	5351	-41.9	2	55.33	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-50.76	2	46.47	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-50.09	2	47.14	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-56.89	2	40.34	Average	54	Pass
NVNT	ax80	5290	Ant2	5350	-49.92	2	47.31	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350	-55.73	2	41.5	Average	54	Pass
NVNT	ax80	5290	Ant2	5369.5	-47.05	2	50.18	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5352	-55.43	2	41.8	Average	54	Pass
NVNT	ax80	5290	Ant2	5460	-50.13	2	47.1	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5460	-56.39	2	40.84	Average	54	Pass
NVNT	ax80	5290	Ant2	4500	-51.67	2	45.56	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4500	-58.47	2	38.76	Average	54	Pass
NVNT	ax80	5290	Ant2	5004.6	-47.45	2	49.78	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5053.32	-55.65	2	41.58	Average	54	Pass
NVNT	ax80	5290	Ant2	5150	-49.21	2	48.02	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5150	-56.45	2	40.78	Average	54	Pass






Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average






Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Restrict Band NVNT n20 5260MHz Ant2 Peak




Restrict Band NVNT n20 5260MHz Ant2 Average






Restrict Band NVNT n20 5320MHz Ant2 Peak




Restrict Band NVNT n20 5320MHz Ant2 Average






Restrict Band NVNT n40 5270MHz Ant2 Peak




Restrict Band NVNT n40 5270MHz Ant2 Average






Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average






Restrict Band NVNT ac20 5260MHz Ant2 Peak




Restrict Band NVNT ac20 5260MHz Ant2 Average






Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average






Restrict Band NVNT ac40 5270MHz Ant2 Peak




Restrict Band NVNT ac40 5270MHz Ant2 Average






Restrict Band NVNT ac40 5310MHz Ant2 Peak




Restrict Band NVNT ac40 5310MHz Ant2 Average






Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average






Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average






Restrict Band NVNT ax20 5260MHz Ant2 Peak




Restrict Band NVNT ax20 5260MHz Ant2 Average






Restrict Band NVNT ax20 5320MHz Ant2 Peak




Restrict Band NVNT ax20 5320MHz Ant2 Average






Restrict Band NVNT ax40 5270MHz Ant2 Peak




Restrict Band NVNT ax40 5270MHz Ant2 Average






Restrict Band NVNT ax40 5310MHz Ant2 Peak




Restrict Band NVNT ax40 5310MHz Ant2 Average






Restrict Band NVNT ax80 5290MHz Ant2 Peak




Restrict Band NVNT ax80 5290MHz Ant2 Average





Restrict Band NVNT ax80 5290MHz Ant2 Peak



Restrict Band NVNT ax80 5290MHz Ant2 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Total E (dBuV/m)			Detector	Limit (dBuV/m)	Verdict
				Ant1	Ant2	Ant1+Ant2			
NVNT	n20	5260	4500	45.48	45.39	51.46	Peak	68.2	Pass
NVNT	n20	5260	4500	38.29	38.3	44.32	Average	54	Pass
NVNT	n20	5260	5007.78	50.16	50.06	56.13	Peak	68.2	Pass
NVNT	n20	5260	5102.94	40.83	40.69	46.78	Average	54	Pass
NVNT	n20	5260	5150	46.97	47.19	53.10	Peak	68.2	Pass
NVNT	n20	5260	5150	40.37	40.08	46.25	Average	54	Pass
NVNT	n20	5320	5350	50.43	50.06	56.27	Peak	68.2	Pass
NVNT	n20	5320	5350	41.11	41.1	47.13	Average	54	Pass
NVNT	n20	5320	5395.6	50.83	51.78	57.34	Peak	68.2	Pass
NVNT	n20	5320	5398.6	41.62	42.65	48.17	Average	54	Pass
NVNT	n20	5320	5460	45.92	47.33	52.67	Peak	68.2	Pass
NVNT	n20	5320	5460	40.14	40.05	46.12	Average	54	Pass
NVNT	n40	5270	4500	46.68	47.29	53.01	Peak	68.2	Pass
NVNT	n40	5270	4500	38.39	38.56	44.50	Average	54	Pass
NVNT	n40	5270	4777.02	50.34	50.82	56.60	Peak	68.2	Pass
NVNT	n40	5270	5121.27	40.99	40.96	47.00	Average	54	Pass
NVNT	n40	5270	5150	46.1	47.35	52.77	Peak	68.2	Pass
NVNT	n40	5270	5150	40.49	40.49	46.51	Average	54	Pass
NVNT	n40	5310	5350	57.99	55.81	62.99	Peak	68.2	Pass
NVNT	n40	5310	5350	47.54	46.95	53.27	Average	54	Pass
NVNT	n40	5310	5352	58.54	56.31	63.52	Peak	68.2	Pass
NVNT	n40	5310	5350.8	47.76	46.95	53.39	Average	54	Pass
NVNT	n40	5310	5460	46.89	47.06	53.00	Peak	68.2	Pass
NVNT	n40	5310	5460	40.19	40.46	46.35	Average	54	Pass
NVNT	ac20	5260	4500	45.05	47.09	52.15	Peak	68.2	Pass
NVNT	ac20	5260	4500	38.23	38.2	44.24	Average	54	Pass
NVNT	ac20	5260	5110.74	49.94	50.8	56.40	Peak	68.2	Pass
NVNT	ac20	5260	5103.72	40.81	40.75	46.80	Average	54	Pass
NVNT	ac20	5260	5150	47.93	47.26	53.62	Peak	68.2	Pass
NVNT	ac20	5260	5150	40.23	40.04	46.16	Average	54	Pass
NVNT	ac20	5320	5350	48.98	49.83	55.44	Peak	68.2	Pass
NVNT	ac20	5320	5350	41.5	41.06	47.30	Average	54	Pass
NVNT	ac20	5320	5398.2	51.46	50.97	57.24	Peak	68.2	Pass
NVNT	ac20	5320	5398.6	42.11	42.86	48.51	Average	54	Pass
NVNT	ac20	5320	5460	47.64	46.8	53.25	Peak	68.2	Pass
NVNT	ac20	5320	5460	40.04	39.97	46.03	Average	54	Pass
NVNT	ac40	5270	4500	45.66	45.68	51.69	Peak	68.2	Pass
NVNT	ac40	5270	4500	38.41	38.49	44.47	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5270	5097.78	50.04	50.03	56.06	Peak	68.2	Pass
NVNT	ac40	5270	5076.72	41.11	40.99	47.07	Average	54	Pass
NVNT	ac40	5270	5150	46.83	46.71	52.79	Peak	68.2	Pass
NVNT	ac40	5270	5150	40.5	40.48	46.51	Average	54	Pass
NVNT	ac40	5310	5350	58.67	55.98	63.45	Peak	68.2	Pass
NVNT	ac40	5310	5350	46.17	47.04	52.64	Average	54	Pass
NVNT	ac40	5310	5350.2	59.93	56.44	64.38	Peak	68.2	Pass
NVNT	ac40	5310	5350.2	46.41	47.04	52.75	Average	54	Pass
NVNT	ac40	5310	5460	47.17	47.15	53.18	Peak	68.2	Pass
NVNT	ac40	5310	5460	40.42	40.94	46.70	Average	54	Pass
NVNT	ac80	5290	5350	46.69	47.58	53.17	Peak	68.2	Pass
NVNT	ac80	5290	5350	40.95	41.66	47.33	Average	54	Pass
NVNT	ac80	5290	5351	49.66	49.79	55.75	Peak	68.2	Pass
NVNT	ac80	5290	5356	41.41	41.79	47.62	Average	54	Pass
NVNT	ac80	5290	5460	47.43	47.1	53.29	Peak	68.2	Pass
NVNT	ac80	5290	5460	40.62	40.6	46.63	Average	54	Pass
NVNT	ac80	5290	4500	44.61	43.82	50.24	Peak	68.2	Pass
NVNT	ac80	5290	4500	38.77	39.01	44.91	Average	54	Pass
NVNT	ac80	5290	4750.56	50.14	50.32	56.25	Peak	68.2	Pass
NVNT	ac80	5290	5136.84	41.59	41.78	47.71	Average	54	Pass
NVNT	ac80	5290	5150	47.51	49.23	54.43	Peak	68.2	Pass
NVNT	ac80	5290	5150	40.84	41	46.94	Average	54	Pass
NVNT	ax20	5260	4500	44.46	46.36	51.48	Peak	68.2	Pass
NVNT	ax20	5260	4500	38.41	38.22	44.34	Average	54	Pass
NVNT	ax20	5260	4680.18	49.78	50.52	56.18	Peak	68.2	Pass
NVNT	ax20	5260	5099.04	40.9	41.09	47.02	Average	54	Pass
NVNT	ax20	5260	5150	47.19	46.79	53.01	Peak	68.2	Pass
NVNT	ax20	5260	5150	40.31	40.14	46.25	Average	54	Pass
NVNT	ax20	5320	5350	51.6	47.42	55.78	Peak	68.2	Pass
NVNT	ax20	5320	5350	41.69	41.2	47.47	Average	54	Pass
NVNT	ax20	5320	5350.6	53.73	51.47	58.69	Peak	68.2	Pass
NVNT	ax20	5320	5350	41.69	42.54	48.15	Average	54	Pass
NVNT	ax20	5320	5460	46.35	47.76	53.10	Peak	68.2	Pass
NVNT	ax20	5320	5460	40.03	40.09	46.08	Average	54	Pass
NVNT	ax40	5270	4500	44.48	44.7	50.61	Peak	68.2	Pass
NVNT	ax40	5270	4500	38.56	38.33	44.47	Average	54	Pass
NVNT	ax40	5270	5055.66	51.03	50.53	56.80	Peak	68.2	Pass
NVNT	ax40	5270	5115.6	41.39	41.15	47.29	Average	54	Pass
NVNT	ax40	5270	5150	46.76	46.9	52.85	Peak	68.2	Pass
NVNT	ax40	5270	5150	40.58	40.35	46.49	Average	54	Pass
NVNT	ax40	5310	5350	62.33	54.21	65.21	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax40	5310	5350	47.36	46.47	52.95	Average	54	Pass
NVNT	ax40	5310	5350	62.33	55.33	65.54	Peak	68.2	Pass
NVNT	ax40	5310	5350	47.36	46.47	52.95	Average	54	Pass
NVNT	ax40	5310	5460	46.71	47.14	52.95	Peak	68.2	Pass
NVNT	ax40	5310	5460	40.49	40.34	46.44	Average	54	Pass
NVNT	ax80	5290	5350	45.94	47.31	52.67	Peak	68.2	Pass
NVNT	ax80	5290	5350	40.9	41.5	47.23	Average	54	Pass
NVNT	ax80	5290	5383.5	50.15	50.18	56.19	Peak	68.2	Pass
NVNT	ax80	5290	5440.5	41.33	41.8	47.59	Average	54	Pass
NVNT	ax80	5290	5460	48.5	47.1	53.85	Peak	68.2	Pass
NVNT	ax80	5290	5460	40.71	40.84	46.80	Average	54	Pass
NVNT	ax80	5290	4500	46.98	45.56	52.32	Peak	68.2	Pass
NVNT	ax80	5290	4500	38.85	38.76	44.83	Average	54	Pass
NVNT	ax80	5290	4709.67	50.68	49.78	56.26	Peak	68.2	Pass
NVNT	ax80	5290	5063.76	41.37	41.58	47.50	Average	54	Pass
NVNT	ax80	5290	5150	47.8	48.02	53.93	Peak	68.2	Pass
NVNT	ax80	5290	5150	40.78	40.78	46.80	Average	54	Pass







C.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5259.9	-100000	-19.01	25	Pass
NVNT	a	5280	Ant1	5279.9	-100000	-18.94	25	Pass
NVNT	a	5320	Ant1	5319.9	-100000	-18.8	25	Pass
NVNT	n20	5260	Ant1	5259.9	-100000	-19.01	25	Pass
NVNT	n20	5280	Ant1	5279.92	-80000	-15.15	25	Pass
NVNT	n20	5320	Ant1	5319.88	-120000	-22.56	25	Pass
NVNT	n40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
NVNT	n40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
NVNT	ac20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
NVNT	ac20	5280	Ant1	5279.94	-60000	-11.36	25	Pass
NVNT	ac20	5320	Ant1	5319.92	-80000	-15.04	25	Pass
NVNT	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
NVNT	ac40	5310	Ant1	5309.88	-120000	-22.6	25	Pass
NVNT	ac80	5290	Ant1	5290	0	0	25	Pass
NVNT	ax20	5260	Ant1	5259.92	-80000	-15.21	25	Pass
NVNT	ax20	5280	Ant1	5279.88	-120000	-22.73	25	Pass
NVNT	ax20	5320	Ant1	5319.88	-120000	-22.56	25	Pass
NVNT	ax40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
NVNT	ax40	5310	Ant1	5309.92	-80000	-15.07	25	Pass
NVNT	ax80	5290	Ant1	5290	0	0	25	Pass






Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5280MHz Ant1






Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1






Freq. Stability NVNT n20 5280MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1






Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1






Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5280MHz Ant1






Freq. Stability NVNT ac20 5320MHz Ant1




Freq. Stability NVNT ac40 5270MHz Ant1






Freq. Stability NVNT ac40 5310MHz Ant1




Freq. Stability NVNT ac80 5290MHz Ant1






Freq. Stability NVNT ax20 5260MHz Ant1




Freq. Stability NVNT ax20 5280MHz Ant1






Freq. Stability NVNT ax20 5320MHz Ant1




Freq. Stability NVNT ax40 5270MHz Ant1





Freq. Stability NVNT ax40 5310MHz Ant1




Freq. Stability NVNT ax80 5290MHz Ant1






Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant2	5259.94	-60000	-11.41	25	Pass
NVNT	a	5280	Ant2	5279.92	-80000	-15.15	25	Pass
NVNT	a	5320	Ant2	5319.9	-100000	-18.8	25	Pass
NVNT	n20	5260	Ant2	5259.9	-100000	-19.01	25	Pass
NVNT	n20	5280	Ant2	5279.9	-100000	-18.94	25	Pass
NVNT	n20	5320	Ant2	5319.9	-100000	-18.8	25	Pass
NVNT	n40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
NVNT	n40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant2	5259.94	-60000	-11.41	25	Pass
NVNT	ac20	5280	Ant2	5279.94	-60000	-11.36	25	Pass
NVNT	ac20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
NVNT	ac40	5270	Ant2	5269.88	-120000	-22.77	25	Pass
NVNT	ac40	5310	Ant2	5310	0	0	25	Pass
NVNT	ac80	5290	Ant2	5290	0	0	25	Pass
NVNT	ax20	5260	Ant2	5259.88	-120000	-22.81	25	Pass
NVNT	ax20	5280	Ant2	5279.88	-120000	-22.73	25	Pass
NVNT	ax20	5320	Ant2	5319.92	-80000	-15.04	25	Pass
NVNT	ax40	5270	Ant2	5270	0	0	25	Pass
NVNT	ax40	5310	Ant2	5309.92	-80000	-15.07	25	Pass
NVNT	ax80	5290	Ant2	5290	0	0	25	Pass






Freq. Stability NVNT a 5260MHz Ant2




Freq. Stability NVNT a 5280MHz Ant2






Freq. Stability NVNT a 5320MHz Ant2




Freq. Stability NVNT n20 5260MHz Ant2






Freq. Stability NVNT n20 5280MHz Ant2




Freq. Stability NVNT n20 5320MHz Ant2






Freq. Stability NVNT n40 5270MHz Ant2




Freq. Stability NVNT n40 5310MHz Ant2






Freq. Stability NVNT ac20 5260MHz Ant2




Freq. Stability NVNT ac20 5280MHz Ant2






Freq. Stability NVNT ac20 5320MHz Ant2




Freq. Stability NVNT ac40 5270MHz Ant2






Freq. Stability NVNT ac40 5310MHz Ant2




Freq. Stability NVNT ac80 5290MHz Ant2






Freq. Stability NVNT ax20 5260MHz Ant2




Freq. Stability NVNT ax20 5280MHz Ant2






Freq. Stability NVNT ax20 5320MHz Ant2




Freq. Stability NVNT ax40 5270MHz Ant2





Freq. Stability NVNT ax40 5310MHz Ant2



Freq. Stability NVNT ax80 5290MHz Ant2







C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	96.45	0.16	0.74
NVNT	a	5280	Ant1	96.45	0.16	0.74
NVNT	a	5320	Ant1	95.77	0.19	0.74
NVNT	n20	5260	Ant1	95.83	0.18	0.87
NVNT	n20	5280	Ant1	95.83	0.18	0.87
NVNT	n20	5320	Ant1	95	0.22	0.88
NVNT	n40	5270	Ant1	92.06	0.36	1.72
NVNT	n40	5310	Ant1	91.94	0.37	1.75
NVNT	ac20	5260	Ant1	95.04	0.22	0.87
NVNT	ac20	5280	Ant1	95.04	0.22	0.87
NVNT	ac20	5320	Ant1	95.04	0.22	0.87
NVNT	ac40	5270	Ant1	92.06	0.36	1.72
NVNT	ac40	5310	Ant1	90.48	0.43	1.75
NVNT	ac80	5290	Ant1	85.29	0.69	3.45
NVNT	ax20	5260	Ant1	95.19	0.21	1.01
NVNT	ax20	5280	Ant1	95.19	0.21	1.01
NVNT	ax20	5320	Ant1	95.19	0.21	1.01
NVNT	ax40	5270	Ant1	89.66	0.47	1.92
NVNT	ax40	5310	Ant1	91.23	0.4	1.92
NVNT	ax80	5290	Ant1	84.85	0.71	3.57






Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1






Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1






Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1






Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1






Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1






Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1






Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1






Duty Cycle NVNT ax20 5260MHz Ant1




Duty Cycle NVNT ax20 5280MHz Ant1






Duty Cycle NVNT ax20 5320MHz Ant1




Duty Cycle NVNT ax40 5270MHz Ant1





Duty Cycle NVNT ax40 5310MHz Ant1



Duty Cycle NVNT ax80 5290MHz Ant1







Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant2	95.77	0.19	0.74
NVNT	a	5280	Ant2	96.45	0.16	0.74
NVNT	a	5320	Ant2	96.45	0.16	0.74
NVNT	n20	5260	Ant2	95.83	0.18	0.87
NVNT	n20	5280	Ant2	95.83	0.18	0.87
NVNT	n20	5320	Ant2	95.04	0.22	0.87
NVNT	n40	5270	Ant2	91.94	0.37	1.75
NVNT	n40	5310	Ant2	90.48	0.43	1.75
NVNT	ac20	5260	Ant2	95.83	0.18	0.87
NVNT	ac20	5280	Ant2	95.83	0.18	0.87
NVNT	ac20	5320	Ant2	95.04	0.22	0.87
NVNT	ac40	5270	Ant2	92.06	0.36	1.72
NVNT	ac40	5310	Ant2	91.23	0.4	1.92
NVNT	ac80	5290	Ant2	85.29	0.69	3.45
NVNT	ax20	5260	Ant2	94.23	0.26	1.02
NVNT	ax20	5280	Ant2	95.19	0.21	1.01
NVNT	ax20	5320	Ant2	94.23	0.26	1.02
NVNT	ax40	5270	Ant2	89.66	0.47	1.92
NVNT	ax40	5310	Ant2	91.23	0.4	1.92
NVNT	ax80	5290	Ant2	84.85	0.71	3.57



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Duty Cycle NVNT a 5260MHz Ant2




Duty Cycle NVNT a 5280MHz Ant2





Duty Cycle NVNT a 5320MHz Ant2



Duty Cycle NVNT n20 5260MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Duty Cycle NVNT n20 5280MHz Ant2




Duty Cycle NVNT n20 5320MHz Ant2






Duty Cycle NVNT n40 5270MHz Ant2




Duty Cycle NVNT n40 5310MHz Ant2






Duty Cycle NVNT ac20 5260MHz Ant2




Duty Cycle NVNT ac20 5280MHz Ant2






Duty Cycle NVNT ac20 5320MHz Ant2




Duty Cycle NVNT ac40 5270MHz Ant2






Duty Cycle NVNT ac40 5310MHz Ant2




Duty Cycle NVNT ac80 5290MHz Ant2






Duty Cycle NVNT ax20 5260MHz Ant2




Duty Cycle NVNT ax20 5280MHz Ant2






Duty Cycle NVNT ax20 5320MHz Ant2




Duty Cycle NVNT ax40 5270MHz Ant2





Duty Cycle NVNT ax40 5310MHz Ant2



Duty Cycle NVNT ax80 5290MHz Ant2

